

Takeshi Omasa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7484965/takeshi-omaso-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

2,505
citations

26
h-index

41
g-index

176
ext. papers

2,771
ext. citations

3.3
avg, IF

4.76
L-index

#	Paper	IF	Citations
166	Effects of lactate concentration on hybridoma culture in lactate-controlled fed-batch operation. <i>Biotechnology and Bioengineering</i> , 1992 , 39, 556-64	4.9	140
165	Cell engineering and cultivation of chinese hamster ovary (CHO) cells. <i>Current Pharmaceutical Biotechnology</i> , 2010 , 11, 233-40	2.6	106
164	Effect of methanol concentration on the production of human α -glycoprotein I domain V by a recombinant <i>Pichia pastoris</i> : A simple system for the control of methanol concentration using a semiconductor gas sensor. <i>Journal of Bioscience and Bioengineering</i> , 1998 , 86, 482-487		100
163	Improved production of recombinant human antithrombin III in Chinese hamster ovary cells by ATF4 overexpression. <i>Biotechnology and Bioengineering</i> , 2008 , 100, 317-24	4.9	82
162	Dynamical analysis of antibody aggregation in the CHO cell culture with Thermo Responsive Protein A (TRPA) column. <i>BMC Proceedings</i> , 2013 , 7, P69	2.3	78
161	Amplified gene location in chromosomal DNA affected recombinant protein production and stability of amplified genes. <i>Biotechnology Progress</i> , 2000 , 16, 710-5	2.8	78
160	Synthetic metabolic engineering-a novel, simple technology for designing a chimeric metabolic pathway. <i>Microbial Cell Factories</i> , 2012 , 11, 120	6.4	69
159	Construction of BAC-based physical map and analysis of chromosome rearrangement in Chinese hamster ovary cell lines. <i>Biotechnology and Bioengineering</i> , 2012 , 109, 1357-67	4.9	53
158	Gene amplification and its application in cell and tissue engineering. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 600-5	3.3	51
157	Increase in desulfurization activity of <i>Rhodococcus erythropolis</i> KA2-5-1 using ethanol feeding. <i>Journal of Bioscience and Bioengineering</i> , 2000 , 89, 361-6	3.3	50
156	Hyaluronic acid production by recombinant <i>Streptococcus thermophilus</i> . <i>Journal of Bioscience and Bioengineering</i> , 2011 , 111, 665-70	3.3	49
155	Overexpression of GADD34 enhances production of recombinant human antithrombin III in Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2008 , 106, 568-73	3.3	49
154	The enhancement of specific antibody production rate in glucose- and glutamine-controlled fed-batch culture. <i>Cytotechnology</i> , 1992 , 8, 75-84	2.2	45
153	Flow cytometry: an improved method for the selection of highly productive gene-amplified CHO cells using flow cytometry. <i>Biotechnology and Bioengineering</i> , 2001 , 74, 435-42	4.9	42
152	Evaluation of stable and highly productive gene amplified CHO cell line based on the location of amplified genes. <i>Cytotechnology</i> , 2000 , 33, 37-46	2.2	40
151	Enhancement of sialylation on humanized IgG-like bispecific antibody by overexpression of α 2,6-sialyltransferase derived from Chinese hamster ovary cells. <i>Applied Microbiology and Biotechnology</i> , 2012 , 94, 69-80	5.7	36
150	In Vivo Estimation of Bioartificial Liver with Recombinant HepG2 Cells Using Pigs with Ischemic Liver Failure. <i>Cell Transplantation</i> , 2001 , 10, 429-433	4	36

149	Utilization of hydrophobic bacterium <i>Rhodococcus opacus</i> B-4 as whole-cell catalyst in anhydrous organic solvents. <i>Applied Microbiology and Biotechnology</i> , 2007 , 74, 761-7	5.7	34
148	Extractive lactic acid fermentation with tri-n-decylamine as the extractant. <i>Enzyme and Microbial Technology</i> , 2009 , 44, 350-354	3.8	33
147	Production of mouse monoclonal antibody with galactose-extended sugar chain by suspension cultured tobacco BY2 cells expressing human beta(1,4)-galactosyltransferase. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 358, 85-91	3.4	31
146	Long-term culture of glutamine synthetase-transfected HepG2 cells in circulatory flow bioreactor for development of a bioartificial liver. <i>Cell Transplantation</i> , 2000 , 9, 711-5	4	30
145	Two routes of MexS-MexT-mediated regulation of MexEF-OprN and MexAB-OprM efflux pump expression in <i>Pseudomonas aeruginosa</i> . <i>Microbiology and Immunology</i> , 2013 , 57, 263-72	2.7	29
144	Bacterial artificial chromosome library for genome-wide analysis of Chinese hamster ovary cells. <i>Biotechnology and Bioengineering</i> , 2009 , 104, 986-94	4.9	29
143	A comparison of various methods to predict bacterial predilection for organic solvents used as reaction media. <i>Journal of Bioscience and Bioengineering</i> , 2008 , 106, 357-62	3.3	29
142	The osteoblastic differentiation ability of human dedifferentiated fat cells is higher than that of adipose stem cells from the buccal fat pad. <i>Clinical Oral Investigations</i> , 2014 , 18, 1893-901	4.2	28
141	Expression of <i>Rhodococcus opacus</i> alkB genes in anhydrous organic solvents. <i>Journal of Bioscience and Bioengineering</i> , 2008 , 106, 199-203	3.3	28
140	Optimization of cell line development in the GS-CHO expression system using a high-throughput, single cell-based clone selection system. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 323-9	3.3	25
139	Dedifferentiated fat cells differentiate into osteoblasts in titanium fiber mesh. <i>Cytotechnology</i> , 2013 , 65, 15-22	2.2	25
138	The separation of oil from an oil/water/bacteria mixture using a hydrophobic tubular membrane. <i>Biochemical Engineering Journal</i> , 2005 , 24, 49-54	4.2	25
137	The enhancement of antibody concentration and achievement of high cell density CHO cell cultivation by adding nucleoside. <i>Cytotechnology</i> , 2017 , 69, 511-521	2.2	24
136	Feasibility of thermophilic adenosine triphosphate-regeneration system using <i>Thermus thermophilus</i> polyphosphate kinase. <i>Process Biochemistry</i> , 2011 , 46, 1747-1752	4.8	24
135	Effect of sulfur sources on specific desulfurization activity of <i>Rhodococcus erythropolis</i> KA2-5-1 in exponential fed-batch culture. <i>Journal of Bioscience and Bioengineering</i> , 2005 , 99, 259-63	3.3	24
134	The Fab portion of immunoglobulin G contributes to its binding to Fcγ receptor III. <i>Scientific Reports</i> , 2019 , 9, 11957	4.9	23
133	Improved antibody production in Chinese hamster ovary cells by ATF4 overexpression. <i>Cytotechnology</i> , 2013 , 65, 993-1002	2.2	23
132	Glycosylation pattern of humanized IgG-like bispecific antibody produced by recombinant CHO cells. <i>Applied Microbiology and Biotechnology</i> , 2010 , 85, 535-42	5.7	23

131	Enhanced antibody production following intermediate addition based on flux analysis in mammalian cell continuous culture. <i>Bioprocess and Biosystems Engineering</i> , 2010 , 33, 117-25	3.7	23
130	Production of 2-deoxyribose 5-phosphate from fructose to demonstrate a potential of artificial bio-synthetic pathway using thermophilic enzymes. <i>Journal of Biotechnology</i> , 2010 , 148, 204-7	3.7	23
129	Stabilization of water-in-oil emulsion by <i>Rhodococcus opacus</i> B-4 and its application to biotransformation. <i>Applied Microbiology and Biotechnology</i> , 2008 , 78, 767-73	5.7	22
128	N-linked glycan structures of a mouse monoclonal antibody produced from tobacco BY2 suspension-cultured cells. <i>Journal of Bioscience and Bioengineering</i> , 2006 , 101, 212-8	3.3	22
127	The significant improvement of survival times and pathological parameters by bioartificial liver with recombinant HepG2 in porcine liver failure model. <i>Cell Transplantation</i> , 2006 , 15, 873-80	4	22
126	Measurement of association rate constant of antibody-antigen interaction in solution based on enzyme-linked immunosorbent assay. <i>Journal of Bioscience and Bioengineering</i> , 2001 , 92, 330-336	3.3	22
125	Cloning of cDNA and characterization of anti-RNase A monoclonal antibody 3A21. <i>Journal of Bioscience and Bioengineering</i> , 1996 , 82, 312-314		22
124	Glycosylation analysis of an aggregated antibody produced by Chinese hamster ovary cells in bioreactor culture. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 117, 639-44	3.3	21
123	Development of a continuous bioconversion system using a thermophilic whole-cell biocatalyst. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 1996-2001	4.8	21
122	Decrease in antithrombin III fucosylation by expressing GDP-fucose transporter siRNA in Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2008 , 106, 168-73	3.3	21
121	Development of a bioartificial liver with glutamine synthetase-transduced recombinant human hepatoblastoma cell line, HepG2. <i>Transplantation Proceedings</i> , 2000 , 32, 2355-8	1.1	21
120	Efficient production of desulfurizing cells with the aid of expert system. <i>Biochemical Engineering Journal</i> , 2000 , 5, 143-147	4.2	19
119	The bioreactor with CYP3A4- and glutamine synthetase-introduced HepG2 cells: treatment of hepatic failure dog with diazepam overdose. <i>Artificial Organs</i> , 2005 , 29, 681-4	2.6	17
118	Action of reactive oxygen species in the antifungal mechanism of gemini-pyridinium salts against yeast. <i>Biocontrol Science</i> , 2012 , 17, 77-82	1.5	16
117	A kinetic model for a biopanning process considering antigen desorption and effective antigen concentration on a solid phase. <i>Journal of Bioscience and Bioengineering</i> , 2001 , 91, 474-481	3.3	16
116	Rapid evaluation of N-glycosylation status of antibodies with chemiluminescent lectin-binding assay. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 107-10	3.3	15
115	Generation of high-producing cell lines by overexpression of cell division cycle 25 homolog A in Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2013 , 116, 754-60	3.3	15
114	Improved recombinant antibody production by CHO cells using a production enhancer DNA element with repeated transgene integration at a predetermined chromosomal site. <i>Journal of Bioscience and Bioengineering</i> , 2017 , 123, 390-397	3.3	15

113	Rearranging the domain order of a diabody-based IgG-like bispecific antibody enhances its antitumor activity and improves its degradation resistance and pharmacokinetics. <i>MAbs</i> , 2014 , 6, 1243-54	6.6	15
112	An attempt at decision making in tissue engineering: reactor evaluation using the analytic hierarchy process (AHP). <i>Biochemical Engineering Journal</i> , 2004 , 20, 173-179	4.2	15
111	Trehalose suppresses antibody aggregation during the culture of Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 117, 632-8	3.3	14
110	Rapid construction of transgene-amplified CHO cell lines by cell cycle checkpoint engineering. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 5731-41	5.7	14
109	Change in glycosylation pattern with extension of endoplasmic reticulum retention signal sequence of mouse antibody produced by suspension-cultured tobacco BY2 cells. <i>Journal of Bioscience and Bioengineering</i> , 2009 , 107, 165-72	3.3	14
108	Effect of cell-surface hydrophobicity on bacterial conversion of water-immiscible chemicals in two-liquid-phase culture systems. <i>Journal of Bioscience and Bioengineering</i> , 2009 , 108, 116-20	3.3	14
107	What Kind of Signaling Maintains Pluripotency and Viability in Human-Induced Pluripotent Stem Cells Cultured on Laminin-511 with Serum-Free Medium?. <i>BioResearch Open Access</i> , 2016 , 5, 84-93	2.4	14
106	Synergistic antimicrobial activity based on the combined use of a gemini-quaternary ammonium compound and ultraviolet-A light. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2014 , 130, 226-33	6.7	13
105	Consideration of a Safe Protocol for Hepatocyte Transplantation Using Infantile Pigs. <i>Cell Medicine</i> , 2012 , 3, 13-18	4.9	13
104	Mutation in the sdeS gene promotes expression of the sdeAB efflux pump genes and multidrug resistance in <i>Serratia marcescens</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 2922-6	5.9	13
103	Identification and analysis of specific chromosomal region adjacent to exogenous Dhfr-amplified region in Chinese hamster ovary cell genome. <i>Journal of Bioscience and Bioengineering</i> , 2010 , 109, 504-11	3.3	13
102	L-Lysine production by exponential feeding of L-threonine. <i>Journal of Bioscience and Bioengineering</i> , 2000 , 90, 669-74	3.3	12
101	Increased recombinant protein production owing to expanded opportunities for vector integration in high chromosome number Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2016 , 122, 226-31	3.3	11
100	Efficient enrichment of high-producing recombinant Chinese hamster ovary cells for monoclonal antibody by flow cytometry. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 340-6	3.3	11
99	Fluorescence in situ hybridization using bacterial artificial chromosome (BAC) clones for the analysis of chromosome rearrangement in Chinese hamster ovary cells. <i>Methods</i> , 2012 , 56, 418-23	4.6	11
98	An MDCK cell culture-derived formalin-inactivated influenza virus whole-virion vaccine from an influenza virus library confers cross-protective immunity by intranasal administration in mice. <i>Vaccine Journal</i> , 2013 , 20, 998-1007		11
97	Secretion analysis of intracellular "difficult-to-express" immunoglobulin G (IgG) in Chinese hamster ovary (CHO) cells. <i>Cytotechnology</i> , 2019 , 71, 305-316	2.2	11
96	An Attempt to Add Biological Functions by Genetic Engineering in Order to Produce High-Performance Bioreactor Cells for Hybrid Artificial Liver: Transfection of Glutamine Synthetase into Chinese Hamster Ovary (CHO) Cell. <i>Cell Transplantation</i> , 1997 , 6, 537-540	4	10

95	Enhancement effects of BSA and linoleic acid on hybridoma cell growth and antibody production. <i>Cytotechnology</i> , 1994 , 15, 51-6	2.2	10
94	Rapid Colorimetric Antibody Detection Using a Dual-function Peptide Probe for Silver Nanoparticle Aggregation and Antibody Recognition. <i>Analytical Sciences</i> , 2016 , 32, 93-7	1.7	9
93	Effect of polyphenols on reactive oxygen species production and cell growth of human dermal fibroblasts after irradiation with ultraviolet-A light. <i>Biocontrol Science</i> , 2015 , 20, 27-33	1.5	9
92	Synergistic Photobactericidal Activity Based on Ultraviolet-A Irradiation and Ferulic Acid Derivatives. <i>Photochemistry and Photobiology</i> , 2015 , 91, 1422-8	3.6	9
91	Construction and evaluation of drug-metabolizing cell line for bioartificial liver support system. <i>Biotechnology Progress</i> , 2005 , 21, 161-7	2.8	9
90	Recognition of culture state using two-dimensional gel electrophoresis with an artificial neural network. <i>Proteomics</i> , 2006 , 6, 3730-8	4.8	9
89	l-Lysine production by exponential feeding of l-threonine. <i>Journal of Bioscience and Bioengineering</i> , 2000 , 90, 669-674	3.3	9
88	Analysis of intracellular IgG secretion in Chinese hamster ovary cells to improve IgG production. <i>Journal of Bioscience and Bioengineering</i> , 2019 , 127, 107-113	3.3	8
87	Identification of regulatory motifs in the CHO genome for stable monoclonal antibody production. <i>Cytotechnology</i> , 2017 , 69, 451-460	2.2	8
86	Thermal analysis for differentiating between oleaginous and non-oleaginous microorganisms. <i>Biochemical Engineering Journal</i> , 2011 , 57, 23-29	4.2	8
85	Systematic screening of Escherichia coli single-gene knockout mutants for improving recombinant whole-cell biocatalysts. <i>Applied Microbiology and Biotechnology</i> , 2010 , 87, 647-55	5.7	8
84	A practical kinetic model for efficient isolation of useful antibodies from phage display libraries. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2004 , 28, 191-200		8
83	Synthesis and biological activity of thiazolyl-acetic acid derivatives as possible antimicrobial agents. <i>Biocontrol Science</i> , 2013 , 18, 59-73	1.5	7
82	N-terminal vacuolar sorting signal at the mouse antibody alters the N-linked glycosylation pattern in suspension-cultured tobacco BY2 cells. <i>Journal of Bioscience and Bioengineering</i> , 2011 , 112, 476-84	3.3	7
81	Effects of palindrome structure on Dhfr amplification in Chinese hamster ovary cells. <i>Process Biochemistry</i> , 2010 , 45, 1845-1851	4.8	7
80	Fluorescence polarization study of a salt bridge between a single-chain Fv and its antigen ribonuclease A. <i>Molecular Immunology</i> , 1997 , 34, 731-4	4.3	7
79	Approaches to Quality Risk Management When Using Single-Use Systems in the Manufacture of Biologics. <i>AAPS PharmSciTech</i> , 2015 , 16, 993-1001	3.9	6
78	EGCG improves recombinant protein productivity in Chinese hamster ovary cell cultures via cell proliferation control. <i>Cytotechnology</i> , 2018 , 70, 1697-1706	2.2	6

77	Electron microscopic analysis of heat-induced leakage of polyphosphate from a phoU mutant of <i>Escherichia coli</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2010 , 74, 865-8	2.1	6
76	An attempt to add biological functions by genetic engineering in order to produce high-performance bioreactor cells for hybrid artificial liver: transfection of glutamine synthetase into Chinese hamster ovary (CHO) cell. <i>Cell Transplantation</i> , 1997 , 6, 537-40	4	6
75	Double-compartment cell culture apparatus: construction and biochemical evaluation for bioartificial liver support. <i>Cell Transplantation</i> , 2006 , 15, 945-52	4	6
74	Expression and amplification of glutamine synthetase gene endows HepG2 cells with ammonia-metabolizing activity for bioartificial liver support system. <i>Enzyme and Microbial Technology</i> , 2004 , 35, 519-524	3.8	6
73	Enhancement of antibody production by growth factor addition in perfusion and hollow-fiber culture systems. <i>Biotechnology and Bioengineering</i> , 1995 , 48, 673-80	4.9	6
72	Enhanced IgG1 production by overexpression of nuclear factor kappa B inhibitor zeta (NFKBIZ) in Chinese hamster ovary cells. <i>Cytotechnology</i> , 2018 , 70, 675-685	2.2	6
71	Atorvastatin Inhibits the HIF1 β PPAR Axis, Which Is Essential for Maintaining the Function of Human Induced Pluripotent Stem Cells. <i>Molecular Therapy</i> , 2018 , 26, 1715-1734	11.7	5
70	Integrated biooxidation and acid dehydration process for monohydroxylation of aromatics. <i>Process Biochemistry</i> , 2007 , 42, 46-51	4.8	5
69	Artificial mimicking of physiological active transport by a membrane co-cultured with two different cells: hepatic origin HepG2 and renal origin PCTL-MDR. <i>Artificial Organs</i> , 2002 , 26, 806-11	2.6	5
68	Changes in Microflora During Composting of an Aquatic Plant, Brazilian Elodea. <i>Journal of Chemical Engineering of Japan</i> , 2003 , 36, 1201-1205	0.8	5
67	Improved gene amplification by cell-cycle engineering combined with the Cre-loxP system in Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 701-8	3.3	4
66	Improvement of Intracellular Traffic System by Overexpression of KDEL Receptor 1 in Antibody-Producing CHO Cells. <i>Biotechnology Journal</i> , 2020 , 15, e1900352	5.6	4
65	Metabolic analysis of antibody producing Chinese hamster ovary cell culture under different stresses conditions. <i>Journal of Bioscience and Bioengineering</i> , 2016 , 122, 117-24	3.3	4
64	Lengthening of high-yield production levels of monoclonal antibody-producing Chinese hamster ovary cells by downregulation of breast cancer 1. <i>Journal of Bioscience and Bioengineering</i> , 2017 , 123, 382-389	3.3	4
63	Inhibition of CYP3A4 by 6',7'-dihydroxybergamottin in human CYP3A4 over-expressed hepG2 cells. <i>Journal of Pharmacy and Pharmacology</i> , 2012 , 64, 1715-21	4.8	4
62	Overexpression of mutant cell division cycle 25 homolog B (CDC25B) enhances the efficiency of selection in Chinese hamster ovary cells. <i>Cytotechnology</i> , 2013 , 65, 1017-26	2.2	4
61	Simultaneous thermogravimetry and differential thermal analysis for comparing burning characteristics between oleaginous and non-oleaginous microorganisms. <i>Thermochimica Acta</i> , 2011 , 517, 115-120	2.9	4
60	Human CYP3A4-introduced HepG2 cells: in vitro screening system of new chemicals for the evaluation of CYP3A4-inhibiting activity. <i>Xenobiotica</i> , 2008 , 38, 1355-64	2	4

59	A cDNA from human bone marrow encoding a protein exhibiting homology to the ATP1gamma1/PLM/MAT8 family of transmembrane proteins. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2001 , 1517, 307-10		4
58	Constrained optimization of l-lysine production based on metabolic flux using a mathematical programming method. <i>Journal of Bioscience and Bioengineering</i> , 2001 , 91, 344-351	3.3	4
57	Control of antibody-antigen interaction using anion-induced conformational change in antigen peptide. <i>Protein Engineering, Design and Selection</i> , 2000 , 13, 719-24	1.9	4
56	Analysis of the immunoglobulin G (IgG) secretion efficiency in recombinant Chinese hamster ovary (CHO) cells by using Citrine-fusion IgG. <i>Cytotechnology</i> , 2019 , 71, 193-207	2.2	4
55	Development of hyper osmotic resistant CHO host cells for enhanced antibody production. <i>Journal of Bioscience and Bioengineering</i> , 2018 , 125, 470-478	3.3	4
54	Build-up functionalization of anti-EGFR anti-CD3 bispecific diabodies by integrating high-affinity mutants and functional molecular formats. <i>Scientific Reports</i> , 2020 , 10, 4913	4.9	3
53	Genome sequence comparison between Chinese hamster ovary (CHO) DG44 cells and mouse using end sequences of CHO BAC clones based on BAC-FISH results. <i>Cytotechnology</i> , 2018 , 70, 1399-1407	2.2	3
52	Construction of a gene knockout CHO cell line using a simple gene targeting method. <i>BMC Proceedings</i> , 2015 , 9, P2	2.3	3
51	Synthesis of thiazole derivatives and evaluation of their antiamebic activity and cytotoxicity. <i>Biocontrol Science</i> , 2013 , 18, 183-91	1.5	3
50	Fluorescence polarization study of a salt bridge between a single chain Fv and its antigen ribonuclease A. <i>Molecular Immunology</i> , 1997 , 34, 887-90	4.3	3
49	Real time monitoring of drug metabolic enzyme response inside human hepatoma GS-3A4-HepG2 cells by means of electrochemical impedance measurement. <i>Polymers for Advanced Technologies</i> , 2004 , 15, 232-243	3.2	3
48	A bioreactor with glutamine synthetase-transfected recombinant HepG2 cells exhibits ammonia removal activity without the need for added cofactors and substrates: Advantage of a cellular bioreactor over enzyme-immobilized beads. <i>Journal of Artificial Organs</i> , 2001 , 4, 348-352	1.8	3
47	Molecular cloning and sequencing of the human heme-regulated eukaryotic initiation factor 2 alpha (eIF-2 alpha) kinase from bone marrow culture. <i>DNA Sequence</i> , 2002 , 13, 133-7		3
46	Biomedical Engineering. Construction of Ammonia Metabolizing Cell Line for Artificial Hybrid Liver Support System Using Recombinant DNA Techniques.. <i>Kagaku Kogaku Ronbunshu</i> , 1998 , 24, 184-189	0.4	3
45	Low-concentration staurosporine improves recombinant antibody productivity in Chinese hamster ovary cells without inducing cell death. <i>Journal of Bioscience and Bioengineering</i> , 2020 , 130, 525-532	3.3	3
44	Development of a scale-up strategy for Chinese hamster ovary cell culture processes using the k a ratio as a direct indicator of gas stripping conditions. <i>Biotechnology Progress</i> , 2020 , 36, e3000	2.8	3
43	Single-cell transcriptome analyses reveal heterogeneity in suspension cultures and clonal markers of CHO-K1 cells. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 944-951	4.9	3
42	The Healing Effect of Human Milk Fat Globule-EGF Factor 8 Protein (MFG-E8) in A Rat Model of Parkinson's Disease. <i>Brain Sciences</i> , 2018 , 8,	3.4	3

41	Screening of new cell cycle suppressive compounds from marine-derived microorganisms in Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2020 , 130, 106-113	3.3	2
40	Construction of membrane-anchoring fusion protein of <i>Thermococcus kodakaraensis</i> glycerol kinase and its application to repetitive batchwise reactions. <i>Journal of Bioscience and Bioengineering</i> , 2012 , 113, 521-5	3.3	2
39	Rapid construction of transgene-amplified CHO cell lines by cell cycle checkpoint engineering. <i>BMC Proceedings</i> , 2013 , 7, O7	2.3	2
38	Stability difference of each chromosome in Chinese Hamster Ovary cell line. <i>BMC Proceedings</i> , 2015 , 9, P1	2.3	2
37	Identification of the replication region of a 111-kb circular plasmid from <i>Rhodococcus opacus</i> B-4 by λ Red recombination-based deletion analysis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012 , 76, 1758-64	2.1	2
36	Chromosome identification and its application in Chinese hamster ovary cells. <i>BMC Proceedings</i> , 2011 , 5 Suppl 8, O8	2.3	2
35	Enhancement of recombinant enzyme activity in cpxA-deficient mutant of <i>Escherichia coli</i> . <i>Journal of Bioscience and Bioengineering</i> , 2010 , 110, 403-7	3.3	2
34	The importance of ionic strength as a parameter in screening peptide ligands from a phage display library. <i>Journal of Bioscience and Bioengineering</i> , 1998 , 85, 447-450		2
33	Construction of a fuzzy control system for a bioreactor using biomass support particles. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2002 , 17, 207-213		2
32	Coculture of hepatic and renal origin cell lines provides biohemofiltration with an active transport system of xenobiotics metabolites. <i>Journal of Artificial Organs</i> , 2001 , 4, 336-341	1.8	2
31	Application of circulatory flow bioreactor for long-term and large-scale culture of glutamine synthetase transduced CHO cells and its ammonia removal activity with an aim of development for a bioartificial liver assist system. <i>Journal of Artificial Organs</i> , 2001 , 4, 61-66	1.8	2
30	The Effects of Glutamine and Glucose Concentration on Hybridoma Cell Growth and Antibody Productivity 1992 , 323-326		2
29	Hybridoma Culture in the Hollow-Fiber System -The Effects of Growth Factors- 1991 , 229-236		2
28	Effect of the disulfide isomerase PDIA4 on the antibody production of Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2020 , 130, 637-643	3.3	2
27	Violacein improves recombinant IgG production by controlling the cell cycle of Chinese hamster ovary cells. <i>Cytotechnology</i> , 2021 , 73, 319-332	2.2	2
26	Neuraminidase gene homology contributes to the protective activity of influenza vaccines prepared from the influenza virus library. <i>Journal of General Virology</i> , 2014 , 95, 2365-2371	4.9	1
25	Chemical chaperone suppresses the antibody aggregation in CHO cell culture. <i>BMC Proceedings</i> , 2013 , 7, P68	2.3	1
24	Improved Photobactericidal Activity of Ultraviolet-A Light in Combination with Isomerizable p-Coumaric Acid Derivatives. <i>Biocontrol Science</i> , 2015 , 20, 231-8	1.5	1

23	3.2 Chromosome Rearrangements and Gene Amplification 2014 , 127-143		1
22	ATF4 over-expression increased IgG1 productivity in Chinese hamster ovary cells. <i>BMC Proceedings</i> , 2011 , 5 Suppl 8, O11	2.3	1
21	Analysis and Optimization of Biopanning Process of Phage Display Libraries. <i>ACS Symposium Series</i> , 2002 , 271-284	0.4	1
20	Analysis of Antibody Production Based on Energy Metabolism in Hybridoma 1997 , 261-265		1
19	Establishment of fast-growing serum-free immortalised cells from Chinese hamster lung tissues for biopharmaceutical production. <i>Scientific Reports</i> , 2020 , 10, 17612	4.9	1
18	Secretory leakage of IgG1 aggregates from recombinant Chinese hamster ovary cells. <i>Journal of Bioscience and Bioengineering</i> , 2019 , 127, 752-757	3.3	1
17	Characterization of Chinese hamster ovary cells with disparate chromosome numbers: Reduction of the amount of mRNA relative to total protein. <i>Journal of Bioscience and Bioengineering</i> , 2020 , 129, 121-128	3.3	1
16	Secretion of a low-molecular-weight species of endogenous GRP94 devoid of the KDEL motif during endoplasmic reticulum stress in Chinese hamster ovary cells. <i>Traffic</i> , 2021 , 22, 425-438	5.7	1
15	?????????????????????. <i>Kagaku To Seibutsu</i> , 2010 , 48, 255-262	0	0
14	Production of monoclonal shark-derived immunoglobulin new antigen receptor antibodies using Chinese hamster ovary cell expression system. <i>Journal of Bioscience and Bioengineering</i> , 2021 , 132, 302-309	3.3	0
13	Preface. <i>Cytotechnology</i> , 2012 , 64, 217-8	2.2	
12	Biochemical Engineering Science dedicated to Professor Dr. T. Yoshida. <i>Process Biochemistry</i> , 2010 , 45, 1843-1844	4.8	
11	Energy Metabolism and Antibody Production Based on Flux Analysis in Hybridoma Cultivation. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 1998 , 31, 451-454		
10	Effect of Sugar Composition on the Heterogeneity of Antibody in Hybridoma Cultivation 2002 , 139-143		
9	Energy Metabolism and Antibody Production Based on Flux Analysis in Hybridoma 2002 , 11-15		
8	Expression and Amplification of Glutamine Synthetase Gene for Constructing Ammonia-Metabolizing Cell Lines in Hybrid Bioartificial Liver Support System 2002 , 263-267		
7	Construction of Liver Model with Genetically Engineered Human HepG2 Cells 2003 , 25-29		
6	The Effects of Glutamine Concentration on Growth and Monoclonal Antibody Production in Fed-Batch Operation 1992 , 265-270		

- 5 Effect of the Cell-Cycle Phase on Hybridoma Culture **1993**, 543-549
- 4 Enhancement effects of BSA and linoleic acid on hybridoma cell growth and antibody production.
Current Applications of Cell Culture Engineering, **1994**, 51-56
- 3 The Analysis of Antigen-Antibody Binding Using Anti-RNase A Single Chain Fv-3A21 **1994**, 243-247
- 2 Selection and Stability for a Recombinant CHO Cell Line Expressing Human GM-CSF in Gene Amplification **1998**, 29-33
- 1 Effect of Culture Conditions on Glycosylation in Hybridoma Antibody Production **1998**, 35-39