
## Carlo Tondini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7485226/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Time-Dependent COVID-19 Mortality in Patients With Cancer. JAMA Oncology, 2022, 8, 114.	3.4	50
2	A Remote Monitoring System to Optimize the Home Management of Oral Anticancer Therapies (ONCO-TreC): Prospective Training–Validation Trial. Journal of Medical Internet Research, 2022, 24, e27349.	2.1	2
3	COVID-19 Sequelae and the Host Proinflammatory Response: An Analysis From the OnCovid Registry. Journal of the National Cancer Institute, 2022, 114, 979-987.	3.0	14
4	Persistence of long-term COVID-19 sequelae in patients with cancer: An analysis from the OnCovid registry. European Journal of Cancer, 2022, 170, 10-16.	1.3	11
5	Outcomes of the SARS-CoV-2 omicron (B.1.1.529) variant outbreak among vaccinated and unvaccinated patients with cancer in Europe: results from the retrospective, multicentre, OnCovid registry study. Lancet Oncology, The, 2022, 23, 865-875.	5.1	50
6	The use of genomic tests in patients with breast cancer in Lombardy: a successful healthcare model. Tumori, 2021, 107, 166-170.	0.6	5
7	Prevalence and Clinical Impact of SARSâ€CoV â€2 Silent Carriers Among Actively Treated Patients with Cancer During the COVID â€19 Pandemic. Oncologist, 2021, 26, 341-347.	1.9	7
8	Specialist palliative and end-of-life care for patients with cancer and SARS-CoV-2 infection: a European perspective. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592110422.	1.4	4
9	Validation of the Role of Thrombin Generation Potential by a Fully Automated System in the Identification of Breast Cancer Patients at High Risk of Disease Recurrence. TH Open, 2021, 05, e56-e65.	0.7	9
10	Systemic pro-inflammatory response identifies patients with cancer with adverse outcomes from SARS-CoV-2 infection: the OnCovid Inflammatory Score. , 2021, 9, e002277.		30
11	Determinants of enhanced vulnerability to coronavirus disease 2019 in UK patients with cancer: a European study. European Journal of Cancer, 2021, 150, 190-202.	1.3	37
12	Analysis of Italian BRCA1/2 Pathogenic Variants Identifies a Private Spectrum in the Population from the Bergamo Province in Northern Italy. Cancers, 2021, 13, 532.	1.7	8
13	Prevalence and impact of COVID-19 sequelae on treatment and survival of patients with cancer who recovered from SARS-CoV-2 infection: evidence from the OnCovid retrospective, multicentre registry study. Lancet Oncology, The, 2021, 22, 1669-1680.	5.1	73
14	Absolute Improvements in Freedom From Distant Recurrence to Tailor Adjuvant Endocrine Therapies for Premenopausal Women: Results From TEXT and SOFT. Journal of Clinical Oncology, 2020, 38, 1293-1303.	0.8	93
15	Cancer Risks Associated With Germline <i>PALB2</i> Pathogenic Variants: An International Study of 524 Families. Journal of Clinical Oncology, 2020, 38, 674-685.	0.8	270
16	Clinical Portrait of the SARS-CoV-2 Epidemic in European Patients with Cancer. Cancer Discovery, 2020, 10, 1465-1474.	7.7	151
17	Thrombin generation predicts early recurrence in breast cancer patients. Journal of Thrombosis and Haemostasis, 2020, 18, 2220-2231.	1.9	17
18	Prospective observational study on the impact of the 21-gene assay on treatment decisions and resources optimization in breast cancer patients in Lombardy: The BONDX study. Breast, 2020, 52, 1-7.	0.9	8

#	Article	IF	CITATIONS
19	Thrombotic biomarkers for risk prediction of malignant disease recurrence in patients with early stage breast cancer. Haematologica, 2020, 105, 1704-1711.	1.7	21
20	Homologous recombination DNA repair defects in PALB2-associated breast cancers. Npj Breast Cancer, 2019, 5, 23.	2.3	39
21	Italian Cohort of the Nivolumab EAP in Squamous NSCLC: Efficacy and Safety in Patients With CNS Metastases. Anticancer Research, 2019, 39, 4265-4271.	0.5	33
22	Cobimetinib in malignant melanoma: how to MEK an impact on long-term survival. Future Oncology, 2019, 15, 967-977.	1.1	10
23	The spectrum of <i>BRCA1</i> and <i>BRCA2</i> pathogenic sequence variants in Middle Eastern, North African, and South European countries. Human Mutation, 2019, 40, e1-e23.	1.1	34
24	Clinical outcomes after palbociclib with or without endocrine therapy in postmenopausal women with hormone receptor positive and HER2-negative metastatic breast cancer enrolled in the TREnd trial. Breast Cancer Research, 2019, 21, 71.	2.2	19
25	Adjuvant Letrozole and Tamoxifen Alone or Sequentially for Postmenopausal Women With Hormone Receptor–Positive Breast Cancer: Long-Term Follow-Up of the BIG 1-98 Trial. Journal of Clinical Oncology, 2019, 37, 105-114.	0.8	72
26	Prognostic impact of regression in patients with primary cutaneous melanoma >1Âmm in thickness. Journal of the American Academy of Dermatology, 2019, 80, 99-105.e5.	0.6	19
27	Late-occurring toxicity induced by an immune checkpoint blockade in adjuvant treatment of a stage III melanoma patient. European Journal of Cancer, 2018, 95, 130-132.	1.3	23
28	Two Missense Variants Detected in Breast Cancer Probands Preventing BRCA2-PALB2 Protein Interaction. Frontiers in Oncology, 2018, 8, 480.	1.3	11
29	Axillary dissection versus no axillary dissection in patients with breast cancer and sentinel-node micrometastases (IBCSG 23-01): 10-year follow-up of a randomised, controlled phase 3 trial. Lancet Oncology, The, 2018, 19, 1385-1393.	5.1	342
30	PO-0850: Full-Dose Breast Intraoperatice Radiotherapy In The Elderly: A Single Center Experience. Radiotherapy and Oncology, 2018, 127, S444-S445.	0.3	0
31	Tailoring Adjuvant Endocrine Therapy for Premenopausal Breast Cancer. New England Journal of Medicine, 2018, 379, 122-137.	13.9	448
32	Palbociclib as single agent or in combination with the endocrine therapy received before disease progression for estrogen receptor-positive, HER2-negative metastatic breast cancer: TREnd trial. Annals of Oncology, 2018, 29, 1748-1754.	0.6	76
33	Absolute improvements in freedom from distant recurrence with adjuvant endocrine therapies for premenopausal women with hormone receptor-positive (HR+) HER2-negative breast cancer (BC): Results from TEXT and SOFT Journal of Clinical Oncology, 2018, 36, 503-503.	0.8	15
34	Rationale for New Checkpoint Inhibitor Combinations in Melanoma Therapy. American Journal of Clinical Dermatology, 2017, 18, 597-611.	3.3	11
35	Optimisation and validation of a remote monitoring system (Onco-TreC) for home-based management of oral anticancer therapies: an Italian multicentre feasibility study. BMJ Open, 2017, 7, e014617.	0.8	25
36	P3.02c-092 Nivolumab in Multi-Treated Patients with Advanced Sq-NSCLC: Data from theÂltalian Cohort of Expanded Access Programme (EAP). Journal of Thoracic Oncology, 2017, 12, S1334-S1335.	0.5	0

#	Article	IF	CITATIONS
37	Concurrent and sequential initiation of ovarian function suppression with chemotherapy in premenopausal women with endocrine-responsive early breast cancer: an exploratory analysis of TEXT and SOFT. Annals of Oncology, 2017, 28, 2225-2232.	0.6	56
38	Mitotic rate correlates with sentinel lymph node status and outcome in cutaneous melanoma greater than 1Âmillimeter in thickness: A multi-institutional study of 1524 cases. Journal of the American Academy of Dermatology, 2017, 76, 264-273.e2.	0.6	41
39	Breast cancer electron intraoperative radiotherapy: assessment of preoperative selection factors from a retrospective analysis of 758 patients and review of literature. Breast Cancer Research and Treatment, 2017, 165, 261-271.	1.1	9
40	Abstract P4-21-42: MetaPHER phase IIIb multicenter, open-label, single-arm safety study of subcutaneous trastuzumab in combination with pertuzumab and docetaxel in patients with HER2-positive advanced breast cancer: First results. , 2017, , .		3
41	A phase II trial of the CDK4/6 inhibitor palbociclib (P) as single agent or in combination with the same endocrine therapy (ET) received prior to disease progression, in patients (pts) with hormone receptor positive (HR+) HER2 negative (HER2â^') metastatic breast cancer (mBC) (TREnd trial) Journal of Clinical Oncology. 2017. 35. 1002-1002.	0.8	14
42	Abstract P2-03-01: Mutational landscape of breast cancers from PALB2 germline mutation carriers. , 2017, , .		0
43	Abstract P2-09-05: 12 years' median follow up (MFU) of BIG 1-98: Adjuvant letrozole, tamoxifen and their sequence for postmenopausal women with endocrine responsive early breast cancer. , 2017, , .		0
44	Abstract P4-22-17: Safety of the combination of everolimus plus exemestane in the Italian cohort of patients enrolled in the expanded access "BALLET―study. , 2017, , .		0
45	Uncommon epidermal growth factor receptor (EGFR) mutations in non-small cell lung cancer and sensitivity to EGFR tyrosine kinase inhibitors, a two centers experience. Annals of Oncology, 2016, 27, iv9.	0.6	1
46	Surgical Resection Margins after Breast-Conserving Surgery: Senonetwork Recommendations. Tumori, 2016, 102, 284-289.	0.6	14
47	Adjuvant Tamoxifen Plus Ovarian Function Suppression Versus Tamoxifen Alone in Premenopausal Women With Early Breast Cancer: Patient-Reported Outcomes in the Suppression of Ovarian Function Trial. Journal of Clinical Oncology, 2016, 34, 1601-1610.	0.8	100
48	Absolute Benefit of Adjuvant Endocrine Therapies for Premenopausal Women With Hormone Receptor–Positive, Human Epidermal Growth Factor Receptor 2–Negative Early Breast Cancer: TEXT and SOFT Trials. Journal of Clinical Oncology, 2016, 34, 2221-2231.	0.8	148
49	Thrombophilic status may predict prognosis in patients with metastatic BRAFV600-mutated melanoma who are receiving BRAF inhibitors. Journal of the American Academy of Dermatology, 2016, 74, 1254-1256.e4.	0.6	9
50	Haplotype analyses of the c.1027C>T and c.2167_2168delAT recurrent truncating mutations in the breast cancer-predisposing gene PALB2. Breast Cancer Research and Treatment, 2016, 160, 121-129.	1.1	11
51	Low-Dose Oral Cyclophosphamide and Methotrexate Maintenance for Hormone Receptor–Negative Early Breast Cancer: International Breast Cancer Study Group Trial 22-00. Journal of Clinical Oncology, 2016, 34, 3400-3408.	0.8	65
52	Endocrine therapy in post-menopausal women with metastatic breast cancer: From literature and guidelines to clinical practice. Critical Reviews in Oncology/Hematology, 2016, 100, 57-68.	2.0	15
53	Abstract 134: Mutational landscape of breast cancers from PALB2 germline mutation carriers. , 2016, , .		Ο
54	1872 Moving beyond clinical trials: A real word multicenter Italian experience with albumin-bounded Paclitaxel (nab-Paclitaxel) in metastatic breast cancer. European Journal of Cancer, 2015, 51, S290.	1.3	1

#	Article	IF	CITATIONS
55	<i>FANCM</i> c.5791C>T nonsense mutation (rs144567652) induces exon skipping, affects DNA repair activity and is a familial breast cancer risk factor. Human Molecular Genetics, 2015, 24, 5345-5355.	1.4	91
56	Patient-reported outcomes with adjuvant exemestane versus tamoxifen in premenopausal women with early breast cancer undergoing ovarian suppression (TEXT and SOFT): a combined analysis of two phase 3 randomised trials. Lancet Oncology, The, 2015, 16, 848-858.	5.1	145
57	Abstract S3-09: Patient-reported endocrine symptoms, sexual functioning and quality of life (QoL) in the IBCSG SOFT trial: Adjuvant treatment with tamoxifen (T) alone versus tamoxifen plus ovarian function suppression (OFS) in premenopausal women with hormone receptor-po. , 2015, , .		2
58	Measurement of Thrombin Generation Is a Positive Predictive Biomarker of V enous Thromboembolism (VTE) in Metastatic Cancer Patients Enrolled in the Hypercan Study. Blood, 2015, 126, 654-654.	0.6	2
59	Eribulin mesylate in heavily pretreated metastatic breast cancer patients: current practice in an Italian community hospital. Future Oncology, 2014, 10, 233-239.	1.1	19
60	Breast-Cancer Risk in Families With Mutations in PALB2. Obstetrical and Gynecological Survey, 2014, 69, 659-660.	0.2	1
61	PALB2 sequencing in Italian familial breast cancer cases reveals a high-risk mutation recurrent in the province of Bergamo. Genetics in Medicine, 2014, 16, 688-694.	1.1	25
62	Bone mineral density and circulating biomarkers in the BIG 1-98 trial comparing adjuvant letrozole, tamoxifen and their sequences. Breast Cancer Research and Treatment, 2014, 144, 321-329.	1.1	7
63	Breast-Conservative Surgery With and Without Radiotherapy in Patients Aged 55–75 Years With Early-Stage Breast Cancer: A Prospective, Randomized, Multicenter Trial Analysis After 108 Months of Median Follow-up. Annals of Surgical Oncology, 2014, 21, 408-415.	0.7	44
64	Breast-Cancer Risk in Families with Mutations in <i>PALB2</i> . New England Journal of Medicine, 2014, 371, 497-506.	13.9	745
65	Adjuvant Exemestane with Ovarian Suppression in Premenopausal Breast Cancer. New England Journal of Medicine, 2014, 371, 107-118.	13.9	621
66	Prophylaxis strategy to prevent HBV-reactivation in oncologic immunosuppressed patients: Results of guidelines-based on-field practice. Digestive and Liver Disease, 2014, 46, e51.	0.4	0
67	Patient-reported endocrine symptoms, sexual functioning, and quality of life (QoL) in the IBCSG TEXT and SOFT trials: Adjuvant treatment with exemestane (E) plus ovarian function suppression (OFS) versus tamoxifen (T) plus OFS in premenopausal women with hormone receptor-positive (HR+) early breast cancer (BC) Journal of Clinical Oncology, 2014, 32, 557-557.	0.8	3
68	Characterization of an Italian Founder Mutation in the RING-Finger Domain of BRCA1. PLoS ONE, 2014, 9, e86924.	1.1	24
69	Hypercoagulation Screening As a Marker of Thrombosis and Poor Disease Prognosis in Cancer Patients: The Hypercan Prospective Study. Blood, 2014, 124, 586-586.	0.6	2
70	Hepatitis B in immunosuppressed cancer patients: Pathogenesis, incidence and prophylaxis. Critical Reviews in Oncology/Hematology, 2013, 87, 12-27.	2.0	19
71	PO62 DIFFERENT PATTERNS OF TREATMENT WITH ALBUMIN-BOUND PACLITAXEL (NAB-PACLITAXEL) FOR TARGETED CHEMOTHERAPY IN METASTATIC BREAST CANCER: A MULTICENTER ITALIAN EXPERIENCE ON 125 WOMEN. Breast, 2013, 22, S41.	0.9	0
72	Abstract S5-06: Epirubicin and cyclophosphamide (EC) followed by paclitaxel (T) versus fluorouracil, epirubicin and cyclophosphamide (FEC) followed by T, all given every 3 weeks or 2 weeks, in node-positive early breast cancer (BC) patients (pts). Final results of the gruppo Italiano mammella (GIM)-2 randomized phase III study., 2013,,.		7

#	Article	lF	CITATIONS
73	Adjuvant therapy in breast cancer and venous thromboembolism. Thrombosis Research, 2012, 130, S66-S70.	0.8	16
74	Final results of a multicenter phase II clinical trial evaluating the activity of single-agent lapatinib in patients with HER2-negative metastatic breast cancer and HER2-positive circulating tumor cells. A proof-of-concept study. Breast Cancer Research and Treatment, 2012, 134, 283-289.	1.1	101
75	Association of Socioeconomic Status With Breslow Thickness and Disease-Free and Overall Survival in Stage I-II Primary Cutaneous Melanoma. Mayo Clinic Proceedings, 2011, 86, 113-119.	1.4	28
76	Type and trends in outcomes research in breast cancer between 2000 and 2007. Annals of Oncology, 2011, 22, 2160-2165.	0.6	3
77	Predicting and preventing cardiotoxicity in the era of breast cancer targeted therapies. Novel molecular tools for clinical issues. Breast, 2011, 20, 176-183.	0.9	42
78	The impact of thromboprophylaxis on cancer survival: focus on pancreatic cancer. Expert Review of Anticancer Therapy, 2011, 11, 579-588.	1.1	8
79	International Expert Consensus on Primary Systemic Therapy in the Management of Early Breast Cancer: Highlights of the Fourth Symposium on Primary Systemic Therapy in the Management of Operable Breast Cancer, Cremona, Italy (2010). Journal of the National Cancer Institute Monographs, 2011. 2011. 147-151.	0.9	61
80	Bone mineral density (BMD) in participants (pts) of trial BIG 1-98 comparing adjuvant letrozole (L) versus tamoxifen (T) or their sequence Journal of Clinical Oncology, 2011, 29, 516-516.	0.8	2
81	Clinical activity and cardiac tolerability of non-pegylated liposomal doxorubicin in breast cancer: a synthetic review. Tumori, 2011, 97, 690-2.	0.6	15
82	Acquired and inherited risk factors for developing venous thromboembolism in cancer patients receiving adjuvant chemotherapy: a prospective trial. Annals of Oncology, 2010, 21, 871-876.	0.6	76
83	Relationship between socio-economic status and education grade on Breslow thickness and ulceration in clinical stage I-II AJCC skin melanoma: Analysis from a single institution prospectively collected data base Journal of Clinical Oncology, 2010, 28, e19004-e19004.	0.8	0
84	Conservative surgery with and without radiotherapy in elderly patients with early-stage breast cancer: A prospective randomised multicentre trial. Breast, 2009, 18, 373-377.	0.9	58
85	Clinical and histopathological risk factors to predict sentinel lymph node positivity, disease-free and overall survival in clinical stages l–II AJCC skin melanoma: Outcome analysis from a single-institution prospectively collected database. European Journal of Cancer, 2009, 45, 2537-2545.	1.3	82
86	9318 Clinical and histopathological risk factors to predict sentinel lymph node positivity, disease free and overall survival in clinical stage I-II AJCC skin melanoma–aprospective study. European Journal of Cancer, Supplement, 2009, 7, 582.	2.2	0
87	Axillary recurrence in sentinel lymph node negative breast cancer patients. European Journal of Cancer, Supplement, 2008, 6, 150.	2.2	0
88	Axillary recurrence in sentinel lymph node-negative breast cancer patients. Annals of Oncology, 2008, 19, 1842-1846.	0.6	23
89	Breast cancer follow-up: just a burden, or much more?. Annals of Oncology, 2007, 18, 1431-1432.	0.6	2
90	Tailoring a tailored treatment: the importance of fine-tuning on the patient. Annals of Oncology, 2005, 16, 683-685.	0.6	0

#	Article	IF	CITATIONS
91	Sentinel node biopsy in the surgical management of breast cancer: experience in a general hospital with a dedicated surgical team. Breast, 2004, 13, 200-205.	0.9	4
92	Adult acute myeloid leukaemia. Critical Reviews in Oncology/Hematology, 2004, 50, 197-222.	2.0	144
93	Adult acute lymphoblastic leukaemia. Critical Reviews in Oncology/Hematology, 2004, 50, 223-261.	2.0	79
94	Histiocyte disorders. Critical Reviews in Oncology/Hematology, 2004, 50, 157-174.	2.0	152
95	Population-based sentinel lymph node biopsy in early invasive breast cancer. European Journal of Surgical Oncology, 2004, 30, 618-623.	0.5	2
96	Pre-operative endocrine therapy for postmenopausal women: When and why?. Annals of Oncology, 2001, 12, 1505-1506.	0.6	3
97	Fludarabine and cladribine in relapsed/refractory low-grade non-Hodgkin's lymphoma: A phase II randomized study. Annals of Oncology, 2000, 11, 231-233.	0.6	32
98	Axillary sentinel node biopsy under local anaesthesia in early breast cancer. Annals of Oncology, 2000, 11, 1617-1618.	0.6	15
99	Diffuse Large-Cell Lymphoma of the Testis. Journal of Clinical Oncology, 1999, 17, 2854-2854.	0.8	82
100	Dose-escalation of CHOP in non-Hodgkin's lymphoma. Annals of Oncology, 1999, 10, 519-526.	0.6	28
101	PCR-based clonality analysis: a reliable method for the diagnosis and follow-up monitoring of conservatively treated gastric B-cell MALT lymphomas?. Histopathology, 1999, 34, 326-330.	1.6	34
102	START programme. European Journal of Cancer, 1999, 35, S387.	1.3	0
103	START: A European state-of-the-art on-line instrument for clinical oncologists. Annals of Oncology, 1999, 10, 769-774.	0.6	13
104	Stage-modified international prognostic index effectively predicts clinical outcome of localized primary gastric diffuse large B-cell lymphoma. Annals of Oncology, 1999, 10, 1433-1440.	0.6	42
105	Supporting tools for guideline development and dissemination. Artificial Intelligence in Medicine, 1998, 14, 119-137.	3.8	33
106	Role of endosonography in the management of patients with gastric malt lymphoma. Gastroenterology, 1998, 114, A683.	0.6	1
107	Initial chemotherapy for primary resectable large-cell lymphoma of the stomach. Annals of Oncology, 1997, 8, 497-499.	0.6	36
108	Lack of carboplatin activity in malignant lymphomas. European Journal of Cancer, 1996, 32, 2370-2371.	1.3	0

#	Article	IF	CITATIONS
109	Activity of single agent vinorelbine in pretreated non-Hodgkin's lymphoma. Annals of Oncology, 1996, 7, 970-972.	0.6	20
110	Combined modality treatment for primary gastrointestinal non-Hodgkin's lymphoma: The Milan Cancer Institute Experience. Annals of Oncology, 1993, 4, 831-837.	0.6	58
111	Combined modality treatment with primary CHOP chemotherapy followed by locoregional irradiation in stage I or II histologically aggressive non-Hodgkin's lymphomas Journal of Clinical Oncology, 1993, 11, 720-725.	0.8	98
112	Taxol administered as a 120 hour infusion. Investigational New Drugs, 1992, 10, 275-278.	1.2	48
113	Prognostic factors in non-Hodgkin's lymphoma. Current Opinion in Oncology, 1990, 2, 849-854.	1.1	0
114	Elevated CA125 levels in patients with metastatic breast carcinoma. British Journal of Cancer, 1990, 62, 668-670.	2.9	16
115	High-dose cytosine arabinoside in relapsed and refractory non-Hodgkin's lymphoma. Limited role as a single agent. Cancer, 1989, 64, 2014-2018.	2.0	5
116	Circulating Tumor Markers in Breast Cancer. Hematology/Oncology Clinics of North America, 1989, 3, 653-674.	0.9	27
117	Continuous Cisplatin Infusion in Combination with Vincristine and High-Dose Methotrexate for Advanced Osteogenic Sarcoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 1987, 10, 152-155.	0.6	13
118	Long-term evaluation of surgery followed by adjuvant adriamycin in osteogenic sarcoma. European Journal of Cancer & Clinical Oncology, 1987, 23, 433-436.	0.9	12