

# Eun-Hee Nah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7485964/publications.pdf>

Version: 2024-02-01

24  
papers

211  
citations

1307594

7  
h-index

1125743

13  
g-index

24  
all docs

24  
docs citations

24  
times ranked

315  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Complete Blood Count Reference Intervals and Patterns of Changes Across Pediatric, Adult, and Geriatric Ages in Korea. <i>Annals of Laboratory Medicine</i> , 2018, 38, 503-511.  | 2.5  | 64        |
| 2  | Prevalence of liver fibrosis and associated risk factors in the Korean general population: a retrospective cross-sectional study. <i>BMJ Open</i> , 2021, 11, e046529.  | 1.9  | 20        |
| 3  | Prevalence of advanced hepatic fibrosis and comorbidity in metabolic dysfunction-associated fatty liver disease in Korea. <i>Liver International</i> , 2022, 42, 1536-1544.   | 3.9  | 18        |
| 4  | Comparison of Traditional and Reverse Syphilis Screening Algorithms in Medical Health Checkups. <i>Annals of Laboratory Medicine</i> , 2017, 37, 511-515.   | 2.5  | 15        |
| 5  | Nationwide seroprevalence of antibodies to SARS-CoV-2 in asymptomatic population in South Korea: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e049837.  | 1.9  | 14        |
| 6  | Diabetes is the strongest risk factor of hepatic fibrosis in lean patients with non-alcoholic fatty liver disease. <i>Gut</i> , 2022, 71, 1035-1036.  | 12.1 | 12        |
| 7  | Diagnostic performance of Mac-2 binding protein glycosylation isomer (M2BPGi) in screening liver fibrosis in health checkups. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23316.                                    | 2.1  | 10        |
| 8  | Distribution of hemoglobin levels and prevalence of anemia according to sex, age group, and region in 13 Korean cities. <i>International Journal of Laboratory Hematology</i> , 2020, 42, 223-229.                                  | 1.3  | 9         |
| 9  | Associations of complete blood count parameters with pancreatic beta-cell function and insulin resistance in prediabetes and type 2 diabetes mellitus. <i>Journal of Clinical Laboratory Analysis</i> , 2022, , e24454.             | 2.1  | 8         |
| 10 | Efficacy of lifestyle interventions in the reversion to normoglycemia in Korean prediabetics: One-year results from a randomised controlled trial. <i>Primary Care Diabetes</i> , 2019, 13, 212-220.                                | 1.8  | 6         |
| 11 | Antibody response after two doses of homologous or heterologous SARS-CoV-2 vaccines in healthcare workers at health promotion centers: A prospective observational study. <i>Journal of Medical Virology</i> , 2022, 94, 4719-4726. | 5.0  | 6         |
| 12 | Reference interval and the role of soluble suppression of tumorigenicity 2 (sST2) in subclinical cardiac dysfunction at health checkups. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23461.                         | 2.1  | 5         |
| 13 | Selecting the Target Population for Screening of Hepatic Fibrosis in Primary Care Centers in Korea. <i>Journal of Clinical Medicine</i> , 2022, 11, 1474.   | 2.4  | 5         |
| 14 | Experience and Current Use of Heated Tobacco Products in Korean Military Personnel. <i>Korean Journal of Health Promotion</i> , 2019, 19, 221.  | 0.2  | 4         |
| 15 | Reference interval and the role of plasma oligomeric beta amyloid in screening of risk groups for cognitive dysfunction at health checkups. <i>Journal of Clinical Laboratory Analysis</i> , 2021, 35, e23933.                      | 2.1  | 3         |
| 16 | The patterns of lifestyle, metabolic status, and obesity among hypertensive patients in Korea: a latent class analysis. <i>Epidemiology and Health</i> , 2020, 42, e2020061.  | 1.9  | 3         |
| 17 | Evaluation of the LC-1000 Flow Cytometry Screening System for Cervical Cancer Screening in Routine Health Checkups. <i>Acta Cytologica</i> , 2018, 62, 279-287.   | 1.3  | 2         |
| 18 | Subclinical Iron Deficiency in Non-Anemic Individuals: A Retrospective Analysis of Korean Health Examinees. <i>Acta Haematologica</i> , 2020, 143, 26-32.   | 1.4  | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The Multi-Institutional Health Screening Records Database of South Korea: Description and Evaluation of Its Characteristics. <i>Yonsei Medical Journal</i> , 2019, 60, 1216.   | 2.2 | 2         |
| 20 | Subclinical steatohepatitis and advanced liver fibrosis in health examinees with nonalcoholic fatty liver disease (NAFLD) in 10 South Korean cities: A retrospective cross-sectional study. <i>PLoS ONE</i> , 2021, 16, e0260477.      | 2.5 | 2         |
| 21 | Relationship between Hypertension and Microalbuminuria according to Obesity Status in Prediabetes. <i>Korean Journal of Health Promotion</i> , 2019, 19, 202.  | 0.2 | 1         |
| 22 | Factors associated with the satisfaction of smoking cessation programs in clinics among Korean military personnel: An application of Transtheoretical model. <i>Korean Journal of Health Education and Promotion</i> , 2019, 36, 1-13. | 0.6 | 0         |
| 23 | Evaluation of the Cut-Off Value of Fecal Immunochemical Test for Colorectal Cancer Screening during Health Checkups. <i>Journal of Laboratory Medicine and Quality Assurance</i> , 2021, 43, 190-198.                                  | 0.4 | 0         |
| 24 | The Reproducibility and Usefulness of Estimated Average Glucose for Hyperglycemia Management during Health Checkups: A Retrospective Cross-Sectional Study. <i>Healthcare (Switzerland)</i> , 2022, 10, 824.                           | 2.0 | 0         |