Thierry Buclin

List of Publications by Citations

Source: https://exaly.com/author-pdf/7486970/thierry-buclin-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 252
 11,432
 54
 99

 papers
 citations
 h-index
 g-index

 279
 12,812
 4.7
 5.92

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
252	Voriconazole therapeutic drug monitoring in patients with invasive mycoses improves efficacy and safety outcomes. <i>Clinical Infectious Diseases</i> , 2008 , 46, 201-11	11.6	707
251	Polymorphisms in human MDR1 (P-glycoprotein): recent advances and clinical relevance. <i>Clinical Pharmacology and Therapeutics</i> , 2004 , 75, 13-33	6.1	659
250	Efavirenz plasma levels can predict treatment failure and central nervous system side effects in HIV-1-infected patients. <i>Aids</i> , 2001 , 15, 71-5	3.5	647
249	Response to antiretroviral treatment in HIV-1-infected individuals with allelic variants of the multidrug resistance transporter 1: a pharmacogenetics study. <i>Lancet, The</i> , 2002 , 359, 30-6	40	575
248	Interindividual variability of the clinical pharmacokinetics of methadone: implications for the treatment of opioid dependence. <i>Clinical Pharmacokinetics</i> , 2002 , 41, 1153-93	6.2	406
247	Plasma and cerebrospinal fluid population pharmacokinetics of temozolomide in malignant glioma patients. <i>Clinical Cancer Research</i> , 2004 , 10, 3728-36	12.9	337
246	Influence of CYP2B6 polymorphism on plasma and intracellular concentrations and toxicity of efavirenz and nevirapine in HIV-infected patients. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 1-5	1.9	307
245	Glutathione precursor, N-acetyl-cysteine, improves mismatch negativity in schizophrenia patients. <i>Neuropsychopharmacology</i> , 2008 , 33, 2187-99	8.7	284
244	Towards a new combination therapy for tuberculosis with next generation benzothiazinones. <i>EMBO Molecular Medicine</i> , 2014 , 6, 372-83	12	231
243	Population pharmacokinetics and effects of efavirenz in patients with human immunodeficiency virus infection. <i>Clinical Pharmacology and Therapeutics</i> , 2003 , 73, 20-30	6.1	200
242	Diet acids and alkalis influence calcium retention in bone. Osteoporosis International, 2001, 12, 493-9	5.3	175
241	Drug interactions with the tyrosine kinase inhibitors imatinib, dasatinib, and nilotinib. <i>Blood</i> , 2011 , 117, e75-87	2.2	155
240	Challenging recommended oral and intravenous voriconazole doses for improved efficacy and safety: population pharmacokinetics-based analysis of adult patients with invasive fungal infections. Clinical Infectious Diseases, 2012, 55, 381-90	11.6	154
239	Antidepressants for the treatment of chronic pain. <i>Drugs</i> , 2008 , 68, 2611-32	12.1	143
238	Population pharmacokinetics of imatinib and the role of alpha-acid glycoprotein. <i>British Journal of Clinical Pharmacology</i> , 2006 , 62, 97-112	3.8	138
237	Benchmarking therapeutic drug monitoring software: a review of available computer tools. <i>Clinical Pharmacokinetics</i> , 2013 , 52, 9-22	6.2	113
236	Renal Drug Transporters and Drug Interactions. <i>Clinical Pharmacokinetics</i> , 2017 , 56, 825-892	6.2	108

(2007-2010)

235	High cefepime plasma concentrations and neurological toxicity in febrile neutropenic patients with mild impairment of renal function. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 4360-7	5.9	107
234	The effects of morphine on dyspnea and ventilatory function in elderly patients with advanced cancer: a randomized double-blind controlled trial. <i>Annals of Oncology</i> , 1999 , 10, 1511-4	10.3	105
233	Label-free detection of tobramycin in serum by transmission-localized surface plasmon resonance. <i>Analytical Chemistry</i> , 2015 , 87, 5278-85	7.8	95
232	A LC-tandem MS assay for the simultaneous measurement of new antiretroviral agents: Raltegravir, maraviroc, darunavir, and etravirine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 1057-69	3.2	95
231	Pharmacogenetics-based population pharmacokinetic analysis of efavirenz in HIV-1-infected individuals. <i>Clinical Pharmacology and Therapeutics</i> , 2009 , 85, 485-94	6.1	94
230	Intracellular measurements of anti-HIV drugs indinavir, amprenavir, saquinavir, ritonavir, nelfinavir, lopinavir, atazanavir, efavirenz and nevirapine in peripheral blood mononuclear cells by liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography B: Analytical</i>	3.2	93
229	ADME pharmacogenetics: investigation of the pharmacokinetics of the antiretroviral agent lopinavir coformulated with ritonavir. <i>Pharmacogenetics and Genomics</i> , 2010 , 20, 217-30	1.9	91
228	Transplacental passage of protease inhibitors at delivery. <i>Aids</i> , 2002 , 16, 889-93	3.5	89
227	Relationship of imatinib-free plasma levels and target genotype with efficacy and tolerability. <i>British Journal of Cancer</i> , 2008 , 98, 1633-40	8.7	88
226	Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, ritonavir, nelfinavir and the non-nucleoside reverse transcriptase inhibitor efavirenz by high-performance liquid chromatography after solid-phase extraction. <i>Biomedical Applications</i> ,		87
225	Variability of voriconazole plasma levels measured by new high-performance liquid chromatography and bioassay methods. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 137-43	5.9	86
224	Influence of interferon beta-1a dose frequency on PBMC cytokine secretion and biological effect markers. <i>Journal of Neuroimmunology</i> , 1999 , 99, 131-41	3.5	86
223	N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 317-327	1.3	83
222	Oligoanalgesia in the emergency department: short-term beneficial effects of an education program on acute pain. <i>Annals of Emergency Medicine</i> , 2007 , 50, 462-71	2.1	81
221	Delta(9)-THC, 11-OH-Delta(9)-THC and Delta(9)-THCCOOH plasma or serum to whole blood concentrations distribution ratios in blood samples taken from living and dead people. <i>Forensic Science International</i> , 2001 , 123, 159-64	2.6	79
220	The effect of rectal and nasal administration of salmon calcitonin in normal subjects. <i>Calcified Tissue International</i> , 1987 , 41, 252-8	3.9	79
219	F44. AN ADD-ON TRIAL WITH N-ACETYL-CYSTEINE (NAC) IN EARLY PSYCHOSIS PATIENTS: TOWARDS BIOMARKER GUIDED TREATMENT. <i>Schizophrenia Bulletin</i> , 2018 , 44, S236-S236	1.3	78
218	Effect of dronedarone on renal function in healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 785-91	3.8	78

217	Population pharmacokinetics of atazanavir in patients with human immunodeficiency virus infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 3801-8	5.9	77
216	Pharmacokinetics and pharmacodynamics of IFN-beta 1a in healthy volunteers. <i>Journal of Interferon and Cytokine Research</i> , 2000 , 20, 857-66	3.5	77
215	Oral administration of a low dose of midazolam (75 microg) as an in vivo probe for CYP3A activity. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 237-46	2.8	74
214	Pregnancy outcome following maternal exposure to statins: a multicentre prospective study. <i>BJOG:</i> an International Journal of Obstetrics and Gynaecology, 2013 , 120, 463-71	3.7	69
213	Pharmacokinetic-pharmacodynamic profile of angiotensin II receptor antagonists. <i>Clinical Pharmacokinetics</i> , 1997 , 32, 1-29	6.2	69
212	Pharmacokinetics of midazolam in CYP3A4- and CYP3A5-genotyped subjects. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 231-6	2.8	69
211	Influence of ABCB1, ABCC1, ABCC2, and ABCG2 haplotypes on the cellular exposure of nelfinavir in vivo. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 599-608	1.9	69
210	Diagnostic accuracy of free and total metanephrines in plasma and fractionated metanephrines in urine of patients with pheochromocytoma. <i>European Journal of Endocrinology</i> , 2010 , 162, 951-60	6.5	68
209	Bioavailability and biological efficacy of a new oral formulation of salmon calcitonin in healthy volunteers. <i>Journal of Bone and Mineral Research</i> , 2002 , 17, 1478-85	6.3	68
208	Biological effects of a dietary omega-3 polyunsaturated fatty acids supplementation in cystic fibrosis patients: a randomized, crossover placebo-controlled trial. <i>Clinical Nutrition</i> , 2006 , 25, 418-27	5.9	67
207	Influence of perinatal, developmental and environmental factors on cognitive abilities of preterm children without major impairments at 5 years. <i>Early Human Development</i> , 1995 , 43, 151-64	2.2	62
206	Safe and effective variability-a criterion for dose individualization. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 565-8	3.2	61
205	Safety of oral immunisation with recombinant urease in patients with Helicobacter pylori infection. <i>Lancet, The</i> , 1996 , 347, 1630-1	40	61
204	Functional consequence of MDR1 expression on imatinib intracellular concentrations. <i>Blood</i> , 2003 , 102, 1142	2.2	60
203	Assessment of driving capability through the use of clinical and psychomotor tests in relation to blood cannabinoids levels following oral administration of 20 mg dronabinol or of a cannabis decoction made with 20 or 60 mg Delta9-THC. <i>Journal of Analytical Toxicology</i> , 2005 , 29, 327-38	2.9	59
202	Disappearance Rate of Catecholamines, Total Metanephrines, and Neuropeptide Y from the Plasma of Patients after Resection of Pheochromocytoma. <i>Clinical Chemistry</i> , 2001 , 47, 1075-1082	5.5	59
201	Variations of CYP3A activity induced by antiretroviral treatment in HIV-1 infected patients. <i>European Journal of Clinical Pharmacology</i> , 2005 , 60, 865-73	2.8	56
200	Orosomucoid (alpha1-acid glycoprotein) plasma concentration and genetic variants: effects on human immunodeficiency virus protease inhibitor clearance and cellular accumulation. <i>Clinical Pharmacology and Therapeutics</i> , 2006 , 80, 307-18	6.1	55

(2009-2003)

199	Pharmacokinetics and dosage adaptation of meropenem during continuous venovenous hemodiafiltration in critically ill patients. <i>Journal of Clinical Pharmacology</i> , 2003 , 43, 1329-40	2.9	55
198	Valganciclovir in adult solid organ transplant recipients: pharmacokinetic and pharmacodynamic characteristics and clinical interpretation of plasma concentration measurements. <i>Clinical Pharmacokinetics</i> , 2009 , 48, 399-418	6.2	54
197	Pharmacokinetics of temozolomide in association with fotemustine in malignant melanoma and malignant glioma patients: comparison of oral, intravenous, and hepatic intra-arterial administration. <i>Cancer Chemotherapy and Pharmacology</i> , 1998 , 42, 433-40	3.5	54
196	Pregnancy outcome following maternal exposure to pregabalin may call for concern. <i>Neurology</i> , 2016 , 86, 2251-7	6.5	52
195	Nelfinavir plasma levels under twice-daily and three-times-daily regimens: high interpatient and low intrapatient variability. <i>Therapeutic Drug Monitoring</i> , 2001 , 23, 394-8	3.2	51
194	Two cases of "cannabis acute psychosis" following the administration of oral cannabis. <i>BMC Psychiatry</i> , 2005 , 5, 17	4.2	50
193	Characterization of a selective antagonist of neuropeptide Y at the Y2 receptor. Synthesis and pharmacological evaluation of a Y2 antagonist. <i>Journal of Biological Chemistry</i> , 1997 , 272, 7699-706	5.4	49
192	Clinical usefulness of therapeutic concentration monitoring for imatinib dosage individualization: results from a randomized controlled trial. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 1307-19	3.5	48
191	Determination of imatinib (Gleevec) in human plasma by solid-phase extraction-liquid chromatography-ultraviolet absorbance detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 803, 285-92	3.2	48
190	Gender medicine and oncology: report and consensus of an ESMO workshop. <i>Annals of Oncology</i> , 2019 , 30, 1914-1924	10.3	47
189	Oseltamivir in seasonal, avian H5N1 and pandemic 2009 A/H1N1 influenza: pharmacokinetic and pharmacodynamic characteristics. <i>Clinical Pharmacokinetics</i> , 2010 , 49, 741-65	6.2	45
188	Rate, type, and cost of adverse drug reactions in emergency department admissions. <i>European Journal of Internal Medicine</i> , 2001 , 12, 442-447	3.9	43
187	Population pharmacokinetic study of gentamicin in a large cohort of premature and term neonates. British Journal of Clinical Pharmacology, 2014 , 78, 1090-101	3.8	42
186	A validated assay by liquid chromatography-tandem mass spectrometry for the simultaneous quantification of elvitegravir and rilpivirine in HIV positive patients. <i>Journal of Mass Spectrometry</i> , 2013 , 48, 616-25	2.2	42
185	Complementary medicine use during cancer treatment and potential herb-drug interactions from a cross-sectional study in an academic centre. <i>Scientific Reports</i> , 2019 , 9, 5078	4.9	40
184	Determination of unbound antiretroviral drug concentrations by a modified ultrafiltration method reveals high variability in the free fraction. <i>Therapeutic Drug Monitoring</i> , 2008 , 30, 511-22	3.2	40
183	Prevalence and determinants of QT interval prolongation in medical inpatients. <i>Internal Medicine Journal</i> , 2012 , 42, 933-40	1.6	39
182	Population pharmacokinetics of ganciclovir in solid-organ transplant recipients receiving oral valganciclovir. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 3017-23	5.9	39

181	Determination of aciclovir and ganciclovir in human plasma by liquid chromatography-spectrofluorimetric detection and stability studies in blood samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007 , 852, 420-9	3.2	39
180	Determination of lopinavir and nevirapine by high-performance liquid chromatography after solid-phase extraction: application for the assessment of their transplacental passage at delivery. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 774, 127	3.2 '-40	38
179	Successful efavirenz dose reduction guided by therapeutic drug monitoring. <i>Antiviral Therapy</i> , 2011 , 16, 189-97	1.6	37
178	Systemic exposure to tobramycin after local antibiotic treatment with calcium sulphate as carrier material. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2011 , 131, 657-62	3.6	37
177	Resistance reversal by RNAi silencing of MDR1 in CML cells associated with increase in imatinib intracellular levels. <i>Leukemia</i> , 2007 , 21, 1561-2; author reply 1562-4	10.7	37
176	Therapeutic drug monitoring of imatinib: Bayesian and alternative methods to predict trough levels. <i>Clinical Pharmacokinetics</i> , 2012 , 51, 187-201	6.2	36
175	Population pharmacokinetic analysis and pharmacogenetics of raltegravir in HIV-positive and healthy individuals. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 2959-66	5.9	36
174	Disposition of voriconazole during continuous veno-venous haemodiafiltration (CVVHDF) in a single patient. <i>Journal of Antimicrobial Chemotherapy</i> , 2004 , 54, 269-70	5.1	35
173	Pregnancy outcome following exposure to topical retinoids: a multicenter prospective study. Journal of Clinical Pharmacology, 2012 , 52, 1844-51	2.9	33
172	Reassessment of recommended imipenem doses in febrile neutropenic patients with hematological malignancies. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 785-7	5.9	33
171	Right arm involvement and pain extension can help to differentiate coronary diseases from chest pain of other origin: a prospective emergency ward study of 278 consecutive patients admitted for chest pain. <i>Journal of Internal Medicine</i> , 1990 , 227, 165-72	10.8	33
170	Population pharmacokinetics of indinavir in patients infected with human immunodeficiency virus. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 3226-32	5.9	32
169	The Steps to Therapeutic Drug Monitoring: A Structured Approach Illustrated With Imatinib. <i>Frontiers in Pharmacology</i> , 2020 , 11, 177	5.6	31
168	Imatinib plasma levels: correlation with clinical benefit in GIST patients. <i>British Journal of Cancer</i> , 2010 , 102, 1198-9	8.7	31
167	Population pharmacokinetic modelling and evaluation of different dosage regimens for darunavir and ritonavir in HIV-infected individuals. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2489-98	5.1	30
166	Molecular and clinical determinants of drug-induced long QT syndrome: an iatrogenic channelopathy. <i>Swiss Medical Weekly</i> , 2004 , 134, 685-94	3.1	30
165	The levels of vancomycin in the blood and the wound after the local treatment of bone and soft-tissue infection with antibiotic-loaded calcium sulphate as carrier material. <i>Bone and Joint Journal</i> , 2017 , 99-B, 1537-1544	5.6	29
164	An ultra performance liquid chromatography-tandem MS assay for tamoxifen metabolites profiling in plasma: first evidence of 4Ghydroxylated metabolites in breast cancer patients. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> 2010 878 3402-14	3.2	29

(2018-2018)

163	Effect of renal clearance and continuous renal replacement therapy on appropriateness of recommended meropenem dosing regimens in critically ill patients with susceptible life-threatening infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 3413-3422	5.1	29	
162	Erlotinib: another candidate for the therapeutic drug monitoring of targeted therapy of cancer? A pharmacokinetic and pharmacodynamic systematic review of literature. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 2-21	3.2	28	
161	Systematic review of population pharmacokinetic analyses of imatinib and relationships with treatment outcomes. <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 150-67	3.2	28	
160	Psychopharmacology in supportive care of cancer: a review for the clinician: II. Neuroleptics. <i>Supportive Care in Cancer</i> , 2000 , 8, 89-97	3.9	28	
159	Pediatric reference intervals for plasma free and total metanephrines established with a parametric approach: relevance to the diagnosis of neuroblastoma. <i>Pediatric Blood and Cancer</i> , 2015 , 62, 587-93	3	27	
158	CYP3A activity measured by the midazolam test is not related to 3435 C >T polymorphism in the multiple drug resistance transporter gene. <i>Pharmacogenetics and Genomics</i> , 2004 , 14, 255-60		27	
157	Population pharmacokinetics of mefloquine, piperaquine and artemether-lumefantrine in Cambodian and Tanzanian malaria patients. <i>Malaria Journal</i> , 2013 , 12, 235	3.6	26	
156	Sinistrin clearance for determination of glomerular filtration rate: a reappraisal of various approaches using a new analytical method. <i>Journal of Clinical Pharmacology</i> , 1997 , 37, 679-92	2.9	26	
155	Inhibition of CYP2E1 by chlormethiazole as measured by chlorzoxazone pharmacokinetics in patients with alcoholism and in healthy volunteers. <i>Clinical Pharmacology and Therapeutics</i> , 1998 , 64, 52-7	6.1	26	
154	Effect of high- and low-molecular-weight low-substituted hydroxyethyl starch on blood coagulation during acute normovolemic hemodilution in pigs. <i>Anesthesiology</i> , 2006 , 105, 1228-37	4.3	26	
153	Prediction of free imatinib concentrations based on total plasma concentrations in patients with gastrointestinal stromal tumours. <i>British Journal of Clinical Pharmacology</i> , 2013 , 75, 1007-18	3.8	25	
152	Residual antimalarials in malaria patients from Tanzaniaimplications on drug efficacy assessment and spread of parasite resistance. <i>PLoS ONE</i> , 2009 , 4, e8184	3.7	25	
151	Free and total plasma levels of lopinavir during pregnancy, at delivery and postpartum: implications for dosage adjustments in pregnant women. <i>Antiviral Therapy</i> , 2013 , 18, 171-82	1.6	25	
150	Major depressive disorder in the general hospital: adaptation of clinical practice guidelines. <i>General Hospital Psychiatry</i> , 2003 , 25, 185-93	5.6	25	
149	Pharmacogenetics-based population pharmacokinetic analysis of etravirine in HIV-1 infected individuals. <i>Pharmacogenetics and Genomics</i> , 2013 , 23, 9-18	1.9	25	
148	Intravenous brivaracetam in status epilepticus: Correlation between loading dose, plasma levels and clinical response. <i>Epilepsy Research</i> , 2019 , 149, 88-91	3	25	
147	Use of Dipeptidyl-Peptidase IV Inhibitors and Bullous Pemphigoid. <i>Dermatology</i> , 2017 , 233, 401-403	4.4	24	
146	LC-MS/MS method for the simultaneous analysis of seven antimalarials and two active metabolites in dried blood spots for applications in field trials: Analytical and clinical validation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 154, 263-277	3.5	24	

145	Pregnancy outcomes in women on metformin for diabetes or other indications among those seeking teratology information services. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 568-578	3.8	24
144	Effects of a dual inhibitor of angiotensin converting enzyme and neutral endopeptidase, MDL 100,240, on endocrine and renal functions in healthy volunteers. <i>Journal of Hypertension</i> , 1999 , 17, 427-	-3 ¹ 7 ⁹	24
143	Efficacy and safety of fluvastatin in hyperlipidemic protease inhibitor-treated HIV-infected patients. <i>Aids</i> , 2002 , 16, 1982-3	3.5	24
142	Antibiotic stability related to temperature variations in elastomeric pumps used for outpatient parenteral antimicrobial therapy (OPAT). <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 1462-1465	5.1	23
141	Multigenerational effects of the anticancer drug tamoxifen and its metabolite 4-hydroxy-tamoxifen on Daphnia pulex. <i>Science of the Total Environment</i> , 2016 , 545-546, 21-9	10.2	23
140	Large-scale imatinib dose-concentration-effect study in CML patients under routine care conditions. <i>Leukemia Research</i> , 2014 , 38, 764-72	2.7	23
139	siRNA-mediated knock-down of P-glycoprotein expression reveals distinct cellular disposition of anticancer tyrosine kinases inhibitors. <i>Drug Metabolism Letters</i> , 2010 , 4, 114-9	2.1	23
138	Gentamicin Exposure and Sensorineural Hearing Loss in Preterm Infants. <i>PLoS ONE</i> , 2016 , 11, e0158806	5 3.7	23
137	Pregnancy outcome following maternal exposure to mirtazapine: a multicenter, prospective study. Journal of Clinical Psychopharmacology, 2015 , 35, 250-9	1.7	22
136	Determination of meropenem in plasma and filtrate-dialysate from patients under continuous veno-venous haemodiafiltration by SPE-LC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 29, 17-33	3.5	22
135	Association of Patient Sex With Chemotherapy-Related Toxic Effects: A Retrospective Analysis of the PETACC-3 Trial Conducted by the EORTC Gastrointestinal Group. <i>JAMA Oncology</i> , 2018 , 4, 1003-100	06 ^{13.4}	22
134	The anticancer drug metabolites endoxifen and 4-hydroxy-tamoxifen induce toxic effects on Daphnia pulex in a two-generation study. <i>Science of the Total Environment</i> , 2015 , 520, 232-40	10.2	21
133	Monitoring drug therapy. British Journal of Clinical Pharmacology, 2012, 73, 917-23	3.8	21
132	Population Pharmacokinetics and Pharmacogenetics Analysis of Rilpivirine in HIV-1-Infected Individuals. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	21
131	In Vivo Profiling and Distribution of Known and Novel Phase I and Phase II Metabolites of Efavirenz in Plasma, Urine, and Cerebrospinal Fluid. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 151-61	4	21
130	Composition and cost of drugs stored at home by elderly patients. <i>Annals of Pharmacotherapy</i> , 2003 , 37, 731-7	2.9	21
129	Who is in charge of assessing therapeutic drug monitoring? The case of imatinib. <i>Lancet Oncology, The,</i> 2011 , 12, 9-11	21.7	20
128	Cell disposition of raltegravir and newer antiretrovirals in HIV-infected patients: high inter-individual variability in raltegravir cellular penetration. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 1573-81	5.1	20

(2015-2016)

127	The emerging role of multiplex tandem mass spectrometry analysis for therapeutic drug monitoring and personalized medicine. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 84, 5-13	14.6	19	
126	High-throughput hydrophilic interaction chromatography coupled to tandem mass spectrometry for the optimized quantification of the anti-Gram-negatives antibiotic colistin A/B and its pro-drug colistimethate. <i>Journal of Chromatography A</i> , 2014 , 1369, 52-63	4.5	19	
125	Rapid occurrence of depression following addition of sodium oxybate to modafinil. <i>Sleep Medicine</i> , 2010 , 11, 500-1	4.6	19	
124	Spectrophotometric determination of methylene blue in biological fluids after ion-pair extraction and evidence of its adsorption on plastic polymers. <i>European Journal of Pharmaceutical Sciences</i> , 1997 , 5, 335-345	5.1	19	
123	Are plasma levels valid surrogates for cellular concentrations of antiretroviral drugs in HIV-infected patients?. <i>Therapeutic Drug Monitoring</i> , 2006 , 28, 332-8	3.2	19	
122	Quantification of the next-generation oral anti-tumor drugs dabrafenib, trametinib, vemurafenib, cobimetinib, pazopanib, regorafenib and two metabolites in human plasma by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies</i>	3.2	18	
121	New psycho-pedagogic approach to obesity treatment: a 5-year follow-up. <i>Patient Education and Counseling</i> , 2010 , 79, 333-7	3.1	18	
120	Variable viral clearance despite adequate ganciclovir plasma levels during valganciclovir treatment for cytomegalovirus disease in D+/R- transplant recipients. <i>BMC Infectious Diseases</i> , 2010 , 10, 2	4	18	
119	Efficacy and safety of continuous infusions with elastomeric pumps for outpatient parenteral antimicrobial therapy (OPAT): an observational study. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 2540-2545	5.1	17	
118	Multiplex liquid chromatography-tandem mass spectrometry assay for simultaneous therapeutic drug monitoring of ribavirin, boceprevir, and telaprevir. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 3147-58	5.9	17	
117	Toxic and drug-induced peripheral neuropathies: updates on causes, mechanisms and management. <i>Current Opinion in Neurology</i> , 2013 , 26, 481-8	7.1	17	
116	NAT2 and CYP1A2 phenotyping with caffeine: head-to-head comparison of AFMU vs. AAMU in the urine metabolite ratios. <i>British Journal of Clinical Pharmacology</i> , 2003 , 55, 62-7	3.8	17	
115	Polypharmacy, Drug-Drug Interactions, and Inappropriate Drugs: New Challenges in the Aging Population With HIV. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz531	1	17	
114	Ritonavir-Boosted Atazanavir-Lopinavir Combination: A Pharmacokinetic Interaction Study of Total, Unbound Plasma and Cellular Exposures. <i>Antiviral Therapy</i> , 2006 , 11, 53-62	1.6	17	
113	Therapeutic drug monitoring of targeted anticancer therapy. <i>Biomarkers in Medicine</i> , 2015 , 9, 887-93	2.3	16	
112	High-performance liquid chromatography of the renal blood flow marker p-aminohippuric acid (PAH) and its metabolite N-acetyl PAH improves PAH clearance measurements. <i>Biomedical Applications</i> , 1997 , 703, 25-36		16	
111	□Efavirenz plasma levels can predict treatment failure and central nervous system side effects in HIV-1-infected patientsO <i>Aids</i> , 2001 , 15, 1193-1194	3.5	16	
110	Intermittent hemodialysis treatment in cefepime-induced neurotoxicity: case report, pharmacokinetic modeling, and review of the literature. <i>Hemodialysis International</i> , 2015 , 19, 333-43	1.7	15	

109	Validation and clinical application of a multiplex high performance liquid chromatography - tandem mass spectrometry assay for the monitoring of plasma concentrations of 12 antibiotics in patients with severe bacterial infections. Journal of Chromatography B: Analytical Technologies in the	3.2	15
108	Biomedical and Life Sciences, 2020 , 1157, 122160 Monoamine oxidase A down-regulation contributes to high metanephrine concentration in pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2773-81	5.6	15
107	Disposition of valganciclovir during continuous renal replacement therapy in two lung transplant recipients. <i>Journal of Antimicrobial Chemotherapy</i> , 2008 , 61, 1332-5	5.1	15
106	Population pharmacokinetics of fluconazole given for secondary prevention of oropharyngeal candidiasis in HIV-positive patients. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 723-7	2.8	15
105	Antiretroviral drug toxicity in relation to pharmacokinetics, metabolic profile and pharmacogenetics. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2011 , 7, 609-22	5.5	14
104	Development and validation of decision rules to guide frequency of monitoring CD4 cell count in HIV-1 infection before starting antiretroviral therapy. <i>PLoS ONE</i> , 2011 , 6, e18578	3.7	14
103	Population pharmacokinetic-pharmacodynamic modelling of angiotensin receptor blockade in healthy volunteers. <i>Clinical Pharmacokinetics</i> , 2002 , 41, 137-52	6.2	14
102	Influence of quinidine on the pharmacokinetics of trimipramine and on its effect on the waking EEG of healthy volunteers. A pilot study on two subjects. <i>Neuropsychobiology</i> , 1992 , 25, 214-20	4	14
101	Effects of MDL 100,240, a dual inhibitor of angiotensin-converting enzyme and neutral endopeptidase on the vasopressor response to exogenous angiotensin I and angiotensin II challenges in healthy volunteers. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 31, 408-17	3.1	14
100	Pharmacokinetic profiles of boosted darunavir, dolutegravir and lamivudine in aging people living with HIV. <i>Aids</i> , 2020 , 34, 103-108	3.5	14
99	Late onset tacrolimus-induced life-threatening polyneuropathy in a kidney transplant recipient patient. <i>CKJ: Clinical Kidney Journal</i> , 2012 , 5, 323-6	4.5	13
98	The effect of a low dose of quinidine on the disposition of flecainide in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 1992 , 43, 441-3	2.8	13
97	Therapeutic Drug Monitoring of Newer Antiepileptic Drugs: A Randomized Trial for Dosage Adjustment. <i>Annals of Neurology</i> , 2020 , 87, 22-29	9.4	13
96	Free and total plasma concentrations of elvitegravir/cobicistat during pregnancy and postpartum: a case report. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2835-2838	3.8	12
95	Ganciclovir exposure under a 450 mg daily dosage of valganciclovir for cytomegalovirus prevention in kidney transplantation: a prospective study. <i>Clinical Transplantation</i> , 2010 , 24, 794-800	3.8	12
94	Bioavailability of repeated oral administration of MDL 100,240, a dual inhibitor of angiotensin-converting enzyme and neutral endopeptidase in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2000 , 55, 749-54	2.8	12
93	Population pharmacokinetic analysis of elvitegravir and cobicistat in HIV-1-infected individuals. Journal of Antimicrobial Chemotherapy, 2016 , 71, 1933-42	5.1	12
92	Comparison against current standards of a DNA aptamer for the label-free quantification of tobramycin in human sera employed for therapeutic drug monitoring. <i>Journal of Pharmaceutical and Biomedical Analysis</i> 2018 , 159, 341-347	3.5	12

(2009-2019)

91	Population pharmacokinetics of dolutegravir: influence of drug-drug interactions in a real-life setting. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 2690-2697	5.1	11
90	How quickly should we titrate antihypertensive medication? Systematic review modelling blood pressure response from trial data. <i>Heart</i> , 2011 , 97, 1771-5	5.1	11
89	High imipenem blood concentrations associated with toxic encephalopathy in a patient with mild renal dysfunction. <i>International Journal of Antimicrobial Agents</i> , 2009 , 34, 386-8	14.3	11
88	Novel starches: single-dose pharmacokinetics and effects on blood coagulation. <i>Anesthesiology</i> , 2007 , 106, 132-43	4.3	11
87	Adequate plasma drug concentrations suggest that amoxicillin can be administered by continuous infusion using elastomeric pumps. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 2613-2615	5.1	10
86	Development and validation of a multiplex UHPLC-MS/MS method for the determination of the investigational antibiotic against multi-resistant tuberculosis macozinone (PBTZ169) and five active metabolites in human plasma. <i>PLoS ONE</i> , 2019 , 14, e0217139	3.7	10
85	Absence of metabolic effects of the topical carbonic anhydrase inhibitors MK-927 and sezolamide during two-week ocular administration to normal subjects. <i>Clinical Pharmacology and Therapeutics</i> , 1991 , 49, 665-73	6.1	10
84	Therapeutic Drug Monitoring of Targeted Anticancer Protein Kinase Inhibitors in Routine Clinical Use: A Critical Review. <i>Therapeutic Drug Monitoring</i> , 2020 , 42, 33-44	3.2	10
83	Fractures After Denosumab Discontinuation: A Retrospective Study of 797 Cases. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 1717-1728	6.3	10
82	Optimisation of vancomycin exposure in neonates based on the best level of evidence. <i>Pharmacological Research</i> , 2020 , 154, 104278	10.2	10
81	Levetiracetam circulating concentrations and response in status epilepticus. <i>Epilepsy and Behavior</i> , 2018 , 88, 61-65	3.2	10
81 80		3.2	10
	2018, 88, 61-65 Clindamycin clearance during Cytosorb hemoadsorption: A case report and pharmacokinetic study.		
80	2018, 88, 61-65 Clindamycin clearance during Cytosorb hemoadsorption: A case report and pharmacokinetic study. International Journal of Artificial Organs, 2019, 42, 258-262 Substance P-induced skin inflammation is not modulated by a single dose of sitagliptin in human	1.9	9
80 79	2018, 88, 61-65 Clindamycin clearance during Cytosorb hemoadsorption: A case report and pharmacokinetic study. <i>International Journal of Artificial Organs</i> , 2019, 42, 258-262 Substance P-induced skin inflammation is not modulated by a single dose of sitagliptin in human volunteers. <i>Biological Chemistry</i> , 2011, 392, 217-21 Estimation of glomerular filtration rate by sinistrin clearance using various approaches. <i>Renal</i>	1.9 4.5	9
80 79 78	Clindamycin clearance during Cytosorb hemoadsorption: A case report and pharmacokinetic study. <i>International Journal of Artificial Organs</i> , 2019, 42, 258-262 Substance P-induced skin inflammation is not modulated by a single dose of sitagliptin in human volunteers. <i>Biological Chemistry</i> , 2011, 392, 217-21 Estimation of glomerular filtration rate by sinistrin clearance using various approaches. <i>Renal Failure</i> , 1998, 20, 267-76 Pharmacokinetics of anti-infective agents during CytoSorb hemoadsorption. <i>Scientific Reports</i> , 2021	1.9 4.5 2.9	9 9
80 79 78 77	Clindamycin clearance during Cytosorb hemoadsorption: A case report and pharmacokinetic study. <i>International Journal of Artificial Organs</i> , 2019 , 42, 258-262 Substance P-induced skin inflammation is not modulated by a single dose of sitagliptin in human volunteers. <i>Biological Chemistry</i> , 2011 , 392, 217-21 Estimation of glomerular filtration rate by sinistrin clearance using various approaches. <i>Renal Failure</i> , 1998 , 20, 267-76 Pharmacokinetics of anti-infective agents during CytoSorb hemoadsorption. <i>Scientific Reports</i> , 2021 , 11, 10493 Multicenter Population Pharmacokinetic Study of Colistimethate Sodium and Colistin Dosed as in Normal Renal Function in Patients on Continuous Renal Replacement Therapy. <i>Antimicrobial Agents</i>	1.9 4.5 2.9 4.9	9 9 9

73	Drug interactions between voriconazole, darunavir/ritonavir and etravirine in an HIV-infected patient with Aspergillus pneumonia. <i>Aids</i> , 2012 , 26, 776-8	3.5	8
72	Referrals of Cancer versus Non-Cancer Patients to A Palliative Care Consult Team: Do They Differ?. <i>Journal of Palliative Care</i> , 2009 , 25, 92-99	1.8	8
71	Long-acting antiretrovirals: a new era for the management and prevention of HIV infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2021 ,	5.1	8
70	Guidance to develop individual dose recommendations for patients on chronic hemodialysis. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 737-752	3.8	7
69	Development and validation of a multiplex UHPLC-MS/MS assay with stable isotopic internal standards for the monitoring of the plasma concentrations of the antiretroviral drugs bictegravir, cabotegravir, doravirine, and rilpivirine in people living with HIV. <i>Journal of Mass Spectrometry</i> ,	2.2	7
68	Determination of nucleosidic/tidic reverse transcriptase inhibitors in plasma and cerebrospinal fluid by ultra-high-pressure liquid chromatography coupled with tandem mass spectrometry. <i>Clinical Mass Spectrometry</i> , 2018 , 8, 8-20	1.9	7
67	Myoglobinuria in two patients with Duchenne muscular dystrophy after treatment with zoledronate: a case-report and call for caution. <i>Neuromuscular Disorders</i> , 2018 , 28, 865-867	2.9	7
66	UHPLC-MS/MS assay for simultaneous determination of amlodipine, metoprolol, pravastatin, rosuvastatin, atorvastatin with its active metabolites in human plasma, for population-scale drug-drug interactions studies in people living with HIV. <i>Journal of Chromatography B: Analytical</i>	3.2	7
65	Pharmacokinetic interaction between methotrexate and chloral hydrate. <i>Pediatric Blood and Cancer</i> , 2013 , 60, 518-20	3	7
64	Perampanel: a significant liver enzyme inducer in some patients?. European Neurology, 2014 , 72, 213-6	2.1	7
63	Dosage optimization of treatments using population pharmacokinetic modeling and simulation. <i>Chimia</i> , 2012 , 66, 291-5	1.3	7
62	Cascaded PID controller for anaesthesia delivery. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2016 , 2016, 533-536	0.9	6
61	Tobramycin exposure from active calcium sulfate bone graft substitute. <i>BMC Pharmacology & Toxicology</i> , 2014 , 15, 12	2.6	6
60	Imatinib-induced dose-dependent interstitial lung disease successfully switched to nilotinib: a case report with concentration exposure data. <i>International Journal of Hematology</i> , 2013 , 97, 299-300	2.3	6
59	Imipenem underdosing as a cause of persistent neutropenic fever?. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 64, 665-7	5.1	6
58	Misleading tacrolimus concentration value in blood taken from a catheter used for tacrolimus administration. <i>American Journal of Health-System Pharmacy</i> , 2008 , 65, 226-8	2.2	6
57	Gliptins. <i>Lancet, The</i> , 2007 , 369, 269	40	6
56	A case of voluntary intoxication with efavirenz and lamivudine. <i>Aids</i> , 2006 , 20, 1352-4	3.5	6

55	Pharmacokinetic consequences of a citalopram treatment discontinuation. <i>Therapeutic Drug Monitoring</i> , 1999 , 21, 263-6	3.2	6
54	Ritonavir-boosted atazanavir-lopinavir combination: a pharmacokinetic interaction study of total, unbound plasma and cellular exposures. <i>Antiviral Therapy</i> , 2006 , 11, 53-62	1.6	6
53	Impact of Genetic and Nongenetic Factors on Body Mass Index and Waist-Hip Ratio Change in HIV-Infected Individuals Initiating Antiretroviral Therapy. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofz46	i4	5
52	A phase I pharmacokinetic study of hypoxic abdominal stop-flow perfusion with gemcitabine in patients with advanced pancreatic cancer and refractory malignant ascites. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 331-41	3.5	5
51	Is dipeptidylpeptidase IV the missing link in angiotensin-converting enzyme inhibitorinduced angioedema?. <i>Hypertension</i> , 2008 , 51, 45-7	8.5	5
50	Impact of the C2/C6 ratio of high-molecular-weight hydroxyethyl starch on pharmacokinetics and blood coagulation in pigs. <i>Anesthesiology</i> , 2007 , 107, 442-51	4.3	5
49	Parametric Approaches in Population Pharmacokinetics. Journal of Clinical Pharmacology, 2020,	2.9	5
48	Influence of Drug-Drug Interactions on the Pharmacokinetics of Atorvastatin and Its Major Active Metabolite ortho-OH-Atorvastatin in Aging People Living with HIV. <i>Clinical Pharmacokinetics</i> , 2020 , 59, 1037-1048	6.2	5
47	Sultiame pharmacokinetic profile in plasma and erythrocytes after single oral doses: A pilot study in healthy volunteers. <i>Pharmacology Research and Perspectives</i> , 2020 , 8, e00558	3.1	5
46	Pharmacokinetics of Pomalidomide in alPatient Receiving Hemodialysis Using alHigh-Cutoff Filter. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 553-554	7.4	4
45	Robustness analysis of personalised delivery rate computation for IV administered anesthetic. <i>Smart Health</i> , 2018 , 9-10, 101-114	2.1	4
44	Pharmacovigilance in pregnancy: adverse drug reactions associated with fetal disorders. <i>Journal of Perinatal Medicine</i> , 2013 , 41, 301-7	2.7	4
43	The importance of assessing the dose actually administered in pharmacokinetic trials. <i>Clinical Pharmacology and Therapeutics</i> , 2005 , 77, 235-40	6.1	4
42	Imatinib Uptake into Cells is Not Mediated by Organic Cation Transporters OCT1, OCT2, or OCT3, But is Influenced by Extracellular pH. <i>Drug Metabolism Letters</i> , 2019 , 13, 102-110	2.1	4
41	Pregnancy outcome following first-trimester exposure to fingolimod: A collaborative ENTIS study. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 475-478	5	4
40	TUCUXI 2017 ,		3
39	NPY Y1 receptor is not involved in the hemodynamic response to an acute cold pressor test in mice. <i>Peptides</i> , 2007 , 28, 315-9	3.8	3
38	Effect of dronedarone on renal function in healthy subjects. <i>Clinical Pharmacology and Therapeutics</i> , 2005 , 77, P10-P10	6.1	3

37	No renal dysfunction or salt and water retention in acute mountain sickness at 4,559 m among young resting males after passive ascent. <i>Journal of Applied Physiology</i> , 2021 , 130, 226-236	3.7	3
36	Escitalopram population pharmacokinetics in people living with human immunodeficiency virus and in the psychiatric population: Drug-drug interactions and probability of target attainment. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2022-2032	3.8	2
35	Compassionate Use of Letermovir in a 2-Year-Old Immunocompromised Child With Resistant Cytomegalovirus Disease. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020 , 9, 96-99	4.8	2
34	Calibration of fractionated metanephrines in urine: still an issue?. Clinical Chemistry, 2008, 54, 1738-9	5.5	2
33	Reply to Zong et al <i>Leukemia</i> , 2007 , 21, 1563-1564	10.7	2
32	A preliminary evaluation of the discriminative power of the monoethylglycinexylidide formation test after intravenous and oral administration of lidocaine. <i>Transplantation Proceedings</i> , 2001 , 33, 2557-	d2 ¹	2
31	Specific determination of PAH and its N-acetyl metabolite by HPLC increases the accuracy and precision of PAH clearance measurements. <i>Renal Failure</i> , 1998 , 20, 311-7	2.9	2
30	Trace lithium in mood disorders. <i>Journal of Affective Disorders</i> , 1999 , 54, 199-203	6.6	2
29	Pharmacokinetic/Pharmacodynamic Modelling to Describe the Cholesterol Lowering Effect of Rosuvastatin in People Living with HIV. <i>Clinical Pharmacokinetics</i> , 2021 , 60, 379-390	6.2	2
28	Therapeutic Drug Monitoring of Targeted Anticancer Therapy. Tyrosine Kinase Inhibitors and Selective Estrogen Receptor Modulators: A Clinical Pharmacology Laboratory Perspective 2012 , 197-25	0	2
27	Pharmacokinetics of lenalidomide during high cut-off dialysis in a patient with multiple myeloma and renal failure. <i>Cancer Chemotherapy and Pharmacology</i> , 2017 , 79, 215-218	3.5	1
26	Pharmacokinetic modelling of dialytic clearance in a case of acyclovir intoxication. <i>International Journal of Antimicrobial Agents</i> , 2015 , 45, 325-7	14.3	1
25	Ethical approval for multicenter cohort studies on drug exposure during pregnancy: A survey among members of the European Network of Teratology Information Services (ENTIS). <i>Reproductive Toxicology</i> , 2018 , 80, 68-72	3.4	1
24	Sensitive quantification of the somatostatin analog AP102 in plasma by ultra-high pressure liquid chromatography-tandem mass spectrometry and application to a pharmacokinetic study in rats. <i>Drug Testing and Analysis</i> , 2018 , 10, 1448-1457	3.5	1
23	Pharmacokinetics in hepatic impairment: Mind the protein binding. <i>Journal of Hepatology</i> , 2015 , 63, 153	9-40	1
22	A pain in the neck. Clinical Chemistry, 2013, 59, 1280-1	5.5	1
21	Adaptation of clinical practice guidelines on major depressive disorders in the general hospital: an update. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 353-4	4.1	1
20	Pharmacokinetic and pharmacodynamic profile of icatibant. <i>Clinical Pharmacology and Therapeutics</i> , 2004 , 75, P56	6.1	1

19	Type 1 IFNs in human versus mouse. <i>Nature Immunology</i> , 2000 , 1, 265	19.1	1
18	Therapeutic drug monitoring of newer generation antiseizure medications at the point of treatment failure. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 94, 66-69	3.2	1
17	Case Report: Colchicine Toxicokinetic Analysis in a Poisoned Child Requiring Extracorporeal Life Support. <i>Frontiers in Pediatrics</i> , 2021 , 9, 658347	3.4	1
16	Seizure freedom and plasma levels of newer generation antiseizure medications. <i>Acta Neurologica Scandinavica</i> , 2021 , 144, 202-208	3.8	1
15	Comparison of Population Pharmacokinetics Based on Steady-State Assumption Versus Electronically Monitored Adherence to Lopinavir, Atazanavir, Efavirenz, and Etravirine: A Retrospective Study. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 506-15	3.2	1
14	Sub-picomolar quantification of PTH 1-34 in plasma by UHPLC-MS/MS after subcutaneous injection of teriparatide and identification of PTH 1-33, its degradation product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 166, 205-212	3.5	1
13	Model-based meta-analysis of salbutamol pharmacokinetics and practical implications for doping control <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2022 ,	4.5	1
12	N-acetyl-cysteine in a double-blind randomized placebo-controlled trial: Towards biomarker guided treatment in early psychosis. <i>European Psychiatry</i> , 2017 , 41, s806-s806	6	O
11	Ensuring Sufficient Trough Plasma Concentrations for Broad-Spectrum Beta-Lactam Antibiotics in Children With Malignancies: Beware of Augmented Renal Clearance!. <i>Frontiers in Pediatrics</i> , 2021 , 9, 76	8 4 3 1 8	0
10	Population pharmacokinetic modelling to quantify the magnitude of drug-drug interactions between amlodipine and antiretroviral drugs. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 979	-9 2 87	O
9	Therapeutic drug monitoring of cefepime in a non-critically ill population: retrospective assessment and potential role for model-based dosing <i>JAC-Antimicrobial Resistance</i> , 2022 , 4, dlac043	2.9	0
8	Methods for Personalised Delivery Rate Computation for IV Administered Anesthetic Propofol. <i>Computational Biology</i> , 2019 , 369-397	0.7	
7	Free and total plasma concentrations of elvitegravir/cobicistat during pregnancy and postpartum: A case report. <i>Reproductive Toxicology</i> , 2017 , 72, 214-215	3.4	
6	Authors Oresponse to: Statins in pregnancy: safety and perspectives of therapeutic applications. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 1440	3.7	
5	Response to Diaz and de Leon "the mathematics of drug dose individualization should be built with random effects linear models". <i>Therapeutic Drug Monitoring</i> , 2013 , 35, 873-4	3.2	
4	"latrogenicity cascade": doing harm by treating harm?. Wiener Medizinische Wochenschrift, 2009 , 159, 53-7	2.9	
3	Icatibant has no impact on renal function in healthy subjects. <i>Clinical Pharmacology and Therapeutics</i> , 2004 , 75, P57	6.1	
2	Trastuzumab versus MYL-1401O (a proposed trastuzumab biosimilar) in a phase I bioequivalence study: In vivo and in vitro immunomodulation <i>Journal of Clinical Oncology</i> , 2017 , 35, 10-10	2.2	

Biases affecting injected doses of an experimental drug during clinical trials. *Trials*, **2016**, 17, 321

2.8