

Juan Pedro Kusanovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7487280/publications.pdf>

Version: 2024-02-01

222
papers

16,208
citations

21215

62
h-index

22488

117
g-index

223
all docs

223
docs citations

223
times ranked

13952
citing authors

#	ARTICLE	IF	CITATIONS
1	A novel signaling pathway impact analysis. <i>Bioinformatics</i> , 2009, 25, 75-82.	1.8	950
2	The Role of Inflammation and Infection in Preterm Birth. <i>Seminars in Reproductive Medicine</i> , 2007, 25, 021-039.	0.5	714
3	Microbial Prevalence, Diversity and Abundance in Amniotic Fluid During Preterm Labor: A Molecular and Culture-Based Investigation. <i>PLoS ONE</i> , 2008, 3, e3056.	1.1	653
4	Inflammation in preterm and term labour and delivery. <i>Seminars in Fetal and Neonatal Medicine</i> , 2006, 11, 317-326.	1.1	598
5	A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin) Tj ETQq1 1 0.784314 rgBT /Overlook destined to develop preeclampsia and deliver a small for gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> . 2008. 21. 9-23.	0.7	592
6	The Fetal Inflammatory Response Syndrome. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 652-683.	0.6	480
7	Distinct subsets of microRNAs are expressed differentially in the human placentas of patients with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 261.e1-261.e6.	0.7	373
8	Inflammation in Pregnancy: Its Roles in Reproductive Physiology, Obstetrical Complications, and Fetal Injury. <i>Nutrition Reviews</i> , 2007, 65, 194-202.	2.6	313
9	Varicella-zoster virus (chickenpox) infection in pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1155-1162.	1.1	305
10	Prevalence and Diversity of Microbes in the Amniotic Fluid, the Fetal Inflammatory Response, and Pregnancy Outcome in Women with Preterm Pre-labor Rupture of Membranes. <i>American Journal of Reproductive Immunology</i> , 2010, 64, 38-57.	1.2	296
11	The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 279-287.	0.7	264
12	Listeriosis in human pregnancy: a systematic review. <i>Journal of Perinatal Medicine</i> , 2011, 39, 227-36.	0.6	257
13	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1021-1038.	0.7	254
14	Inflammation in Pregnancy: Its Roles in Reproductive Physiology, Obstetrical Complications, and Fetal Injury. <i>Nutrition Reviews</i> , 2007, 65, S194-S202.	2.6	234
15	Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2011, 39, 641-52.	0.6	228
16	Identification of patients at risk for early onset and/or severe preeclampsia with the use of uterine artery Doppler velocimetry and placental growth factor. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 326.e1-326.e13.	0.7	215
17	The frequency, clinical significance, and pathological features of chronic chorioamnionitis: a lesion associated with spontaneous preterm birth. <i>Modern Pathology</i> , 2010, 23, 1000-1011.	2.9	200
18	Damage-associated molecular patterns (DAMPs) in preterm labor with intact membranes and preterm PROM: a study of the alarmin HMGB1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1444-1455.	0.7	191

#	ARTICLE	IF	CITATIONS
19	Villitis of Unknown Etiology Is Associated with a Distinct Pattern of Chemokine Up-Regulation in the Feto-Maternal and Placental Compartments: Implications for Conjoint Maternal Allograft Rejection and Maternal Anti-Fetal Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2009, 182, 3919-3927.	0.4	176
20	Placental bed disorders in preterm labor, preterm PROM, spontaneous abortion and abruptio placentae. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 313-327.	1.4	172
21	Detection of a microbial biofilm in intraamniotic infection. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 135.e1-135.e5.	0.7	165
22	Characterization of the myometrial transcriptome and biological pathways of spontaneous human labor at term. <i>Journal of Perinatal Medicine</i> , 2010, 38, 617-43.	0.6	150
23	Normal and abnormal transformation of the spiral arteries during pregnancy. <i>Journal of Perinatal Medicine</i> , 2006, 34, 447-58.	0.6	148
24	Metabolomics in premature labor: a novel approach to identify patients at risk for preterm delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1344-1359.	0.7	144
25	Late-onset preeclampsia is associated with an imbalance of angiogenic and anti-angiogenic factors in patients with and without placental lesions consistent with maternal underperfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 498-507.	0.7	136
26	Widespread microbial invasion of the chorioamniotic membranes is a consequence and not a cause of intra-amniotic infection. <i>Laboratory Investigation</i> , 2009, 89, 924-936.	1.7	133
27	First-trimester maternal serum PP13 in the risk assessment for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 122.e1-122.e11.	0.7	129
28	miR-210 Targets Iron-Sulfur Cluster Scaffold Homologue in Human Trophoblast Cell Lines. <i>American Journal of Pathology</i> , 2011, 179, 590-602.	1.9	127
29	Maternal plasma concentrations of angiogenic/antiangiogenic factors in the third trimester of pregnancy to identify the patient at risk for stillbirth at or near term and severe late preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 287.e1-287.e15.	0.7	122
30	A Signature of Maternal Anti-Fetal Rejection in Spontaneous Preterm Birth: Chronic Chorioamnionitis, Anti-Human Leukocyte Antigen Antibodies, and C4d. <i>PLoS ONE</i> , 2011, 6, e16806.	1.1	121
31	The anti-inflammatory limb of the immune response in preterm labor, intra-amniotic infection/inflammation, and spontaneous parturition at term: A role for interleukin-10. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 529-547.	0.7	119
32	Maternal plasma concentrations of angiogenic/anti-angiogenic factors are of prognostic value in patients presenting to the obstetrical triage area with the suspicion of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1187-1207.	0.7	118
33	Supplementation with vitamins C and E during pregnancy for the prevention of preeclampsia and other adverse maternal and perinatal outcomes: a systematic review and metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 503.e1-503.e12.	0.7	117
34	ORIGINAL ARTICLE: The Transcriptome of the Fetal Inflammatory Response Syndrome. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 73-92.	1.2	114
35	CXCL10/IP-10: A missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 777-792.	0.7	112
36	The preterm parturition syndrome and its implications for understanding the biology, risk assessment, diagnosis, treatment and prevention of preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 5-23.	0.7	109

#	ARTICLE	IF	CITATIONS
37	Recurrent Preterm Birth. <i>Seminars in Perinatology</i> , 2007, 31, 142-158.	1.1	102
38	The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 25-40.	0.7	100
39	Nifedipine in the management of preterm labor: a systematic review and metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 134.e1-134.e20.	0.7	99
40	Evidence of the involvement of caspase-1 under physiologic and pathologic cellular stress during human pregnancy: A link between the inflammasome and parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 605-616.	0.7	98
41	Amniotic fluid heat shock protein 70 concentration in histologic chorioamnionitis, term and preterm parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 449-461.	0.7	94
42	A role of the anti-angiogenic factor sVEGFR-1 in the "mirror syndrome" (Ballantyne's syndrome). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006, 19, 607-613.	0.7	88
43	Circulating angiogenic and antiangiogenic factors in women with eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 152.e1-152.e9.	0.7	88
44	A rapid MMP-8 bedside test for the detection of intra-amniotic inflammation identifies patients at risk for imminent preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1025-1030.	0.7	87
45	Clinical chorioamnionitis is characterized by changes in the expression of the alarmin HMGB1 and one of its receptors, sRAGE. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 558-567.	0.7	87
46	Emergence of hormonal and redox regulation of galectin-1 in placental mammals: Implication in maternal-fetal immune tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 15819-15824.	3.3	86
47	The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: Identification of novel molecular functions involved in this process. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1183-1193.	0.7	84
48	Human Î²-defensin-2: A natural antimicrobial peptide present in amniotic fluid participates in the host response to microbial invasion of the amniotic cavity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 15-22.	0.7	80
49	Eicosanomic profiling reveals dominance of the epoxygenase pathway in human amniotic fluid at term in spontaneous labor. <i>FASEB Journal</i> , 2014, 28, 4835-4846.	0.2	80
50	A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 361.e1-361.e30.	0.7	78
51	Identification of fetal and maternal single nucleotide polymorphisms in candidate genes that predispose to spontaneous preterm labor with intact membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 431.e1-431.e34.	0.7	77
52	Patients with an asymptomatic short cervix ($\leq 15\text{ mm}$) have a high rate of subclinical intraamniotic inflammation: implications for patient counseling. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 433.e1-433.e8.	0.7	75
53	Microbial invasion of the amniotic cavity in preeclampsia as assessed by cultivation and sequence-based methods. <i>Journal of Perinatal Medicine</i> , 2010, 38, 503-13.	0.6	74
54	Isobaric labeling and tandem mass spectrometry: A novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 261-280.	0.7	74

#	ARTICLE	IF	CITATIONS
55	A Novel Algorithm for Comprehensive Fetal Echocardiography Using 4-Dimensional Ultrasonography and Tomographic Imaging. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 947-956.	0.8	72
56	A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: Evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1122-1139.	0.7	71
57	Microbial invasion of the amniotic cavity in pregnancies with small-for-gestational-age fetuses. <i>Journal of Perinatal Medicine</i> , 2010, 38, 495-502.	0.6	71
58	Plasma adiponectin concentrations in non-pregnant, normal and overweight pregnant women. <i>Journal of Perinatal Medicine</i> , 2007, 35, 522-31.	0.6	69
59	Sex differences in fetal growth responses to maternal height and weight. <i>American Journal of Human Biology</i> , 2010, 22, 431-443.	0.8	69
60	Visfatin/Pre-B cell colony-enhancing factor in amniotic fluid in normal pregnancy, spontaneous labor at term, preterm labor and prelabor rupture of membranes: an association with subclinical intrauterine infection in preterm parturition. <i>Journal of Perinatal Medicine</i> , 2008, 36, 485-96.	0.6	68
61	Genetic and epigenetic mechanisms combine to control MMP1 expression and its association with preterm premature rupture of membranes. <i>Human Molecular Genetics</i> , 2008, 17, 1087-1096.	1.4	67
62	Resistin: a hormone which induces insulin resistance is increased in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2007, 35, 513-21.	0.6	65
63	Severe preeclampsia is characterized by increased placental expression of galectin-1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 429-442.	0.7	65
64	Fetal cardiac ventricular volume, cardiac output, and ejection fraction determined with 4-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 76.e1-76.e10.	0.7	64
65	Characterization of the transcriptome of chorioamniotic membranes at the site of rupture in spontaneous labor at term. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 462.e1-462.e41.	0.7	62
66	Proteomic profiling of amniotic fluid in preterm labor using two-dimensional liquid separation and mass spectrometry. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 697-713.	0.7	61
67	Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 41-52.	0.7	61
68	ORIGINAL ARTICLE: CXCL6 (Granulocyte Chemotactic Protein-2): A Novel Chemokine Involved in the Innate Immune Response of the Amniotic Cavity. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 246-257.	1.2	60
69	Maternal serum adiponectin multimers in preeclampsia. <i>Journal of Perinatal Medicine</i> , 2009, 37, 349-363.	0.6	60
70	The calcium binding protein, S100B, is increased in the amniotic fluid of women with intra-amniotic infection/inflammation and preterm labor with intact or ruptured membranes. <i>Journal of Perinatal Medicine</i> , 2007, 35, 385-93.	0.6	59
71	Adiponectin in severe preeclampsia. <i>Journal of Perinatal Medicine</i> , 2007, 35, 503-12.	0.6	58
72	Resistin in amniotic fluid and its association with intra-amniotic infection and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 902-916.	0.7	58

#	ARTICLE	IF	CITATIONS
73	Region-Specific Gene Expression Profiling: Novel Evidence for Biological Heterogeneity of the Human Amnion. <i>Biology of Reproduction</i> , 2008, 79, 954-961.	1.2	58
74	Proteomic analysis of amniotic fluid to identify women with preterm labor and intra-amniotic inflammation/infection: The use of a novel computational method to analyze mass spectrometric profiling. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 367-387.	0.7	58
75	Multifunctional Dendrimer-templated Antibody Presentation on Biosensor Surfaces for Improved Biomarker Detection. <i>Advanced Functional Materials</i> , 2010, 20, 409-421.	7.8	58
76	Maternal visfatin concentration in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2009, 37, 206-217.	0.6	57
77	The frequency and clinical significance of intra-amniotic infection and/or inflammation in women with placenta previa and vaginal bleeding: an unexpected observation. <i>Journal of Perinatal Medicine</i> , 2010, 38, 275-9.	0.6	57
78	An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1384-1399.	0.7	57
79	Four-dimensional ultrasonography of the fetal heart using a novel Tomographic Ultrasound Imaging display. <i>Journal of Perinatal Medicine</i> , 2006, 34, 39-55.	0.6	56
80	Exodus-1 (CCL20): evidence for the participation of this chemokine in spontaneous labor at term, preterm labor, and intrauterine infection. <i>Journal of Perinatal Medicine</i> , 2008, 36, 217-27.	0.6	55
81	Maternal HLA Panel-Reactive Antibodies in Early Gestation Positively Correlate with Chronic Chorioamnionitis: Evidence in Support of the Chronic Nature of Maternal Anti-fetal Rejection. <i>American Journal of Reproductive Immunology</i> , 2011, 66, 510-526.	1.2	55
82	Tissue factor and its natural inhibitor in pre-eclampsia and SGA. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 855-869.	0.7	54
83	Soluble receptor for advanced glycation end products (sRAGE) and endogenous secretory RAGE (esRAGE) in amniotic fluid: modulation by infection and inflammation. <i>Journal of Perinatal Medicine</i> , 2008, 36, 388-98.	0.6	54
84	Unexplained fetal death: Another anti-angiogenic state. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 495-507.	0.7	53
85	Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: Soluble Tie-2. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 389-402.	0.7	53
86	The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). <i>Journal of Perinatal Medicine</i> , 2010, 38, 45-53.	0.6	52
87	Retinol binding protein 4 is a novel association with early-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2010, 38, 129-39.	0.6	52
88	Twin-to-twin transfusion syndrome: an antiangiogenic state?. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 382.e1-382.e8.	0.7	51
89	Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 672-687.	0.7	51
90	Should Bilateral Uterine Artery Notching Be Used in the Risk Assessment for Preeclampsia, Small-for-Gestational-Age, and Gestational Hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1103-1115.	0.8	51

#	ARTICLE	IF	CITATIONS
91	Maternal serum adiponectin multimers in gestational diabetes. <i>Journal of Perinatal Medicine</i> , 2009, 37, 637-50.	0.6	50
92	Characterization of the Fetal Blood Transcriptome and Proteome in Maternal Anti-Fetal Rejection: Evidence of a Distinct and Novel Type of Human Fetal Systemic Inflammatory Response. <i>American Journal of Reproductive Immunology</i> , 2013, 70, 265-284.	1.2	50
93	Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 646-657.	0.7	48
94	A role for CXCL13 (BCA-1) in pregnancy and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 763-775.	0.7	47
95	MicroRNA expression profiling of the human uterine cervix after term labor and delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 80.e1-80.e8.	0.7	47
96	Visfatin in human pregnancy: maternal gestational diabetes < i>vis-À-vis</i> neonatal birthweight. <i>Journal of Perinatal Medicine</i> , 2009, 37, 218-231.	0.6	46
97	Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. <i>Journal of Perinatal Medicine</i> , 2010, 38, 161-71.	0.6	46
98	Placental growth hormone is increased in the maternal and fetal serum of patients with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 651-659.	0.7	45
99	Differential expression of microRNAs with progression of gestation and inflammation in the human chorioamniotic membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 289.e1-289.e6.	0.7	45
100	Detection of Anti- <i>HLA</i> Antibodies in Maternal Blood in the Second Trimester to Identify Patients at Risk of Antibody-Mediated Maternal Anti-Fetal Rejection and Spontaneous Preterm Delivery. <i>American Journal of Reproductive Immunology</i> , 2013, 70, 162-175.	1.2	45
101	What Does 2-Dimensional Imaging Add to 3-and 4-Dimensional Obstetric Ultrasonography?. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 691-699.	0.8	44
102	Hematologic profile of the fetus with systemic inflammatory response syndrome. <i>Journal of Perinatal Medicine</i> , 2012, 40, 19-32.	0.6	44
103	Clinical chorioamnionitis at term VIII: a rapid MMP-8 test for the identification of intra-amniotic inflammation. <i>Journal of Perinatal Medicine</i> , 2017, 45, 539-550.	0.6	44
104	Clinical chorioamnionitis at term IX: < i>in vivo</i> evidence of intra-amniotic inflammasome activation. <i>Journal of Perinatal Medicine</i> , 2019, 47, 276-287.	0.6	44
105	ORIGINAL ARTICLE: A Role for Mannose-Binding Lectin, a Component of the Innate Immune System in Pre-Eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 333-345.	1.2	43
106	ORIGINAL ARTICLE: Chorioamnionitis and Increased Galectin-1 Expression in PPROM - An Anti-Inflammatory Response in the Fetal Membranes?. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 298-311.	1.2	43
107	A link between a hemostatic disorder and preterm PROM: a role for tissue factor and tissue factor pathway inhibitor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 732-744.	0.7	43
108	Lipidomic analysis of patients with microbial invasion of the amniotic cavity reveals up-regulation of leukotriene B ₄ . <i>FASEB Journal</i> , 2016, 30, 3296-3307.	0.2	43

#	ARTICLE	IF	CITATIONS
109	The Cellular Transcriptome in the Maternal Circulation During Normal Pregnancy: A Longitudinal Study. <i>Frontiers in Immunology</i> , 2019, 10, 2863.	2.2	43
110	Over-expression of the thrombin receptor (PAR-1) in the placenta in preeclampsia: A mechanism for the intersection of coagulation and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 345-355.	0.7	42
111	Clinical chorioamnionitis at term: the amniotic fluid fatty acyl lipidome. <i>Journal of Lipid Research</i> , 2016, 57, 1906-1916.	2.0	42
112	Three-Dimensional Sonography of Placental Mesenchymal Dysplasia and Its Differential Diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 359-368.	0.8	41
113	Peripheral CD300a+CD8+ T Lymphocytes with a Distinct Cytotoxic Molecular Signature Increase in Pregnant Women with Chronic Chorioamnionitis. <i>American Journal of Reproductive Immunology</i> , 2012, 67, 184-197.	1.2	41
114	Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 476-487.	0.7	40
115	Evidence of changes in the immunophenotype and metabolic characteristics (intracellular reactive) Tj ETQq1 1 0.784314 rgBT /Overlock response syndrome. <i>Journal of Perinatal Medicine</i> , 2009, 37, 543-552.	0.6	39
116	High tissue factor activity and low tissue factor pathway inhibitor concentrations in patients with preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 23-33.	0.7	39
117	Applications of 2â€Dimensional Matrix Array for 3â€and 4â€Dimensional Examination of the Fetus. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 745-755.	0.8	38
118	Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 34-47.	0.7	36
119	Surfactant Protein-A as an Anti-Inflammatory Component in the Amnion: Implications for Human Pregnancy. <i>Journal of Immunology</i> , 2010, 184, 6479-6491.	0.4	35
120	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: A novel association with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 120-130.	0.7	35
121	Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 857-868.	0.7	35
122	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 867-878.	0.7	34
123	Premature labor: a state of platelet activation?. <i>Journal of Perinatal Medicine</i> , 2008, 36, 377-87.	0.6	34
124	An episode of preterm labor is a risk factor for the birth of a small-for-gestational-age neonate. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 574.e1-574.e6.	0.7	33
125	Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 905-916.	0.7	33
126	Retinol binding protein 4: An adipokine associated with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 111-119.	0.7	33

#	ARTICLE	IF	CITATIONS
127	Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 887-904.	0.7	32
128	Maternal plasma visfatin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 693-704.	0.7	32
129	ORIGINAL ARTICLE: Activation of the Alternative Pathway of Complement is a Feature of Preterm Parturition but not of Spontaneous Labor at Term. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 318-330.	1.2	32
130	Personalized assessment of cervical length improves prediction of spontaneous preterm birth: a standard and a percentile calculator. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 288.e1-288.e17.	0.7	32
131	Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: Evidence of an increased thrombin generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 971-982.	0.7	31
132	Amniotic fluid soluble human leukocyte antigen-G in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1151-1166.	0.7	30
133	Maternal and neonatal circulating visfatin concentrations in patients with pre-eclampsia and a small-for-gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1119-1128.	0.7	30
134	A molecular signature of an arrest of descent in human parturition. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 177.e15-177.e33.	0.7	30
135	Preeclampsia is associated with low concentrations of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 661-667.	0.7	29
136	Coexpression of myofibroblast and macrophage markers: novel evidence for an in vivo plasticity of chorioamniotic mesodermal cells of the human placenta. <i>Laboratory Investigation</i> , 2008, 88, 365-374.	1.7	29
137	Objective Evaluation of Sylvian Fissure Development by Multiplanar 3-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 347-353.	0.8	28
138	Early rapid growth, early birth: Accelerated fetal growth and spontaneous late preterm birth. <i>American Journal of Human Biology</i> , 2009, 21, 141-150.	0.8	28
139	Plasma protein Z concentrations in pregnant women with idiopathic intrauterine bleeding and in women with spontaneous preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 453-463.	0.7	27
140	Repeatability and Reproducibility of Fetal Cardiac Ventricular Volume Calculations Using Spatiotemporal Image Correlation and Virtual Organ Computer-Aided Analysis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1301-1311.	0.8	27
141	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 167-178.	0.7	27
142	Evidence in support of a role for anti-angiogenic factors in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 828-841.	0.7	27
143	Clinical chorioamnionitis at term X: microbiology, clinical signs, placental pathology, and neonatal bacteremia – implications for clinical care. <i>Journal of Perinatal Medicine</i> , 2021, 49, 275-298.	0.6	27
144	Maternal serum adiponectin multimers in patients with a small-for-gestational-age newborn. <i>Journal of Perinatal Medicine</i> , 2009, 37, 623-35.	0.6	26

#	ARTICLE	IF	CITATIONS
145	A decrease in maternal plasma concentrations of sVEGFR-2 precedes the clinical diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 550.e1-550.e10.	0.7	26
146	The risk of impending preterm delivery in asymptomatic patients with a nonmeasurable cervical length in the second trimester. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 446.e1-446.e9.	0.7	26
147	Maternal serum concentrations of the chemokine CXCL10/IP-10 are elevated in acute pyelonephritis during pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 735-744.	0.7	25
148	Placental biomarkers and angiogenic factors in oral fluids of patients with preeclampsia. <i>Prenatal Diagnosis</i> , 2016, 36, 476-482.	1.1	25
149	Influence of Gestational Age at Initiation of Antihypertensive Therapy. <i>Hypertension</i> , 2018, 71, 1170-1177.	1.3	25
150	Early pregnancy levels of gingival crevicular fluid matrix metalloproteinasesâ€8 and â€9 are associated with the severity of periodontitis and the development of gestational diabetes mellitus. <i>Journal of Periodontology</i> , 2021, 92, 205-215.	1.7	25
151	Cervical Varix as a Cause of Vaginal Bleeding During Pregnancy. <i>Journal of Ultrasound in Medicine</i> , 2006, 25, 545-549.	0.8	24
152	Amniotic fluid angiopoietin-2 in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Perinatal Medicine</i> , 2009, 37, 503-511.	0.6	24
153	Allergy-induced preterm labor after the ingestion of shellfish. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 351-359.	0.7	24
154	The clinical significance of eosinophils in the amniotic fluid in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 320-329.	0.7	23
155	Pentraxin 3 in maternal circulation: An association with preterm labor and preterm PROM, but not with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1097-1105.	0.7	23
156	Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: The need for standardization in clinical practice. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 820-827.	0.7	22
157	An elevated fetal interleukin-6 concentration can be observed in fetuses with anemia due to Rh alloimmunization: implications for the understanding of the fetal inflammatory response syndrome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 391-396.	0.7	22
158	Interleukin-19 in fetal systemic inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 995-1005.	0.7	22
159	The Role of the Sagittal View of the Ductal Arch in Identification of Fetuses With Conotruncal Anomalies Using 4-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1181-1188.	0.8	21
160	Retinol-binding protein 4: a novel adipokine implicated in the genesis of LGA in the absence of gestational diabetes mellitus. <i>Journal of Perinatal Medicine</i> , 2010, 38, 147-55.	0.6	21
161	Blood pH and gases in fetuses in preterm labor with and without systemic inflammatory response syndrome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1160-1170.	0.7	21
162	Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 297-307.	0.7	20

#	ARTICLE	IF	CITATIONS
163	Fetal membranes as an interface between inflammation and metabolism: Increased Aquaporin 9 expression in the presence of spontaneous labor at term and chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1167-1175.	0.7	19
164	Evidence for a Spatial and Temporal Regulation of Prostaglandin-Endoperoxide Synthase 2 Expression in Human Amnion in Term and Preterm Parturition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E86-E91.	1.8	19
165	Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 662-671.	0.7	18
166	The diagnostic performance of the beta-glucan assay in the detection of intra-amniotic infection with <i>Candida</i> species. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1703-1720.	0.7	18
167	Maternal sepsis. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100149.	1.3	18
168	Maternal serum soluble CD30 is increased in pregnancies complicated with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 803-811.	0.7	17
169	Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 103-106.	0.7	17
170	Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1085-1090.	0.7	17
171	Polymorphisms in maternal and fetal genes encoding for proteins involved in extracellular matrix metabolism alter the risk for small-for-gestational-age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 362-380.	0.7	17
172	Periodontitis and placental growth factor in oral fluids are early pregnancy predictors of gestational diabetes mellitus. <i>Journal of Periodontology</i> , 2018, 89, 1052-1060.	1.7	17
173	Changes in Fetal Cardiac Geometry With Gestation. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 437-443.	0.8	16
174	ORIGINAL ARTICLE: Maternal Plasma Concentration of the Pro-inflammatory Adipokine Preadiponectin (PBEF)/Visfatin Is Elevated In Pregnant Patients with Acute Pyelonephritis. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 252-262.	1.2	15
175	Total hemoglobin concentration in amniotic fluid is increased in intraamniotic infection/inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 426.e1-426.e7.	0.7	14
176	ORIGINAL ARTICLE: Hyperresistinemia " a Novel Feature in Systemic Infection During Human Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 358-369.	1.2	14
177	Low circulating maternal adiponectin in patients with pyelonephritis: adiponectin at the crossroads of pregnancy and infection. <i>Journal of Perinatal Medicine</i> , 2010, 38, 9-17.	0.6	14
178	The pattern and magnitude of <i>in vivo</i> thrombin generation differ in women with preeclampsia and in those with SGA fetuses without preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1671-1680.	0.7	14
179	Characterization of Visceral and Subcutaneous Adipose Tissue Transcriptome and Biological Pathways in Pregnant and Non-Pregnant Women: Evidence for Pregnancy-Related Regional-Specific Differences in Adipose Tissue. <i>PLoS ONE</i> , 2015, 10, e0143779.	1.1	14
180	Pyelonephritis during pregnancy: A cause for an acquired deficiency of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 629-637.	0.7	13

#	ARTICLE	IF	CITATIONS
181	Amniotic Fluid and Umbilical Cord Plasma Corticotropin-Releasing Factor (CRF), CRF-Binding Protein, Adrenocorticotropin, and Cortisol Concentrations in Intraamniotic Infection and Inflammation at Term. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3604-3609.	1.8	13
182	Effectiveness of a normative nutrition intervention (diet, physical activity and breastfeeding) on maternal nutrition and offspring growth: the Chilean maternal and infant nutrition cohort study (CHIMINCs). <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 175.	0.9	13
183	A Systematic Approach to the Use of the Multiplanar Display in Evaluation of Abnormal Vascular Connections to the Fetal Heart Using 4-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1461-1467.	0.8	12
184	Gene expression profiling demonstrates a novel role for foetal fibrocytes and the umbilical vessels in human fetoplacental development. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 1317-1330.	1.6	12
185	Downward percentile crossing as an indicator of an adverse prenatal environment. <i>Annals of Human Biology</i> , 2008, 35, 462-474.	0.4	12
186	Prenatal Diagnosis of Coarctation of the Aorta With the Multiplanar Display and B-Flow Imaging Using 4-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1375-1378.	0.8	12
187	Evidence for differential regulation of the adipokine visfatin in the maternal and fetal compartments in normal spontaneous labor at term. <i>Journal of Perinatal Medicine</i> , 2010, 38, 281-8.	0.6	12
188	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1568-1577.	0.7	12
189	Maternal plasma retinol binding protein 4 in acute pyelonephritis during pregnancy. <i>Journal of Perinatal Medicine</i> , 2010, 38, 359-66.	0.6	11
190	Measurement of sVEGF R1 and PlGF in Serum: Comparing Prototype Assays from Beckman Coulter, Inc. to R&D Systems Microplate Assays. <i>Hypertension in Pregnancy</i> , 2011, 30, 18-27.	0.5	11
191	Placental bed disorders in the genesis of the great obstetrical syndromes. , 2010, , 271-289.		10
192	Fetal death: A condition with a dissociation in the concentrations of soluble vascular endothelial growth factor receptor-2 between the maternal and fetal compartments. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 960-972.	0.7	10
193	Comparison of two identification and susceptibility test kits for <i>Ureaplasma</i> spp and <i>Mycoplasma hominis</i> in amniotic fluid of patients at high risk for intra-amniotic infection. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 3409-3417.	0.7	10
194	Effectiveness of a normative nutrition intervention in Chilean pregnant women on maternal and neonatal outcomes: the CHIMINCs study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 991-1001.	2.2	10
195	Growth perturbations in a phenotype with rapid fetal growth preceding preterm labor and term birth. <i>American Journal of Human Biology</i> , 2009, 21, 782-792.	0.8	9
196	Amniotic fluid fetal hemoglobin in normal pregnancies and pregnancies complicated with preterm labor or prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 388-397.	0.7	9
197	Clinical Chorioamnionitis at Term: New Insights into the Etiology, Microbiology, and the Fetal, Maternal and Amniotic Cavity Inflammatory Responses. , 2018, 20, 103-112.		9
198	Effectiveness on maternal and offspring metabolic control of a home-based dietary counseling intervention and DHA supplementation in obese/overweight pregnant women (MIGHT study): A randomized controlled trial—Study protocol. <i>Contemporary Clinical Trials</i> , 2018, 70, 35-40.	0.8	8

#	ARTICLE	IF	CITATIONS
199	Prelabor Rupture of the Membranes. , 0, , 1130-1188.		8
200	The fetal cardiovascular response to increased placental vascular impedance to flow determined with 4-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis. American Journal of Obstetrics and Gynecology, 2013, 208, 153.e1-153.e13.	0.7	7
201	The timed-pregnant baboon animal model can be used for determining the role of soluble vascular endothelial growth factor receptors 1 and 2 during development. Journal of Medical Primatology, 2007, 36, 370-374.	0.3	6
202	Characterization of visceral and subcutaneous adipose tissue transcriptome in pregnant women with and without spontaneous labor at term: implication of alternative splicing in the metabolic adaptations of adipose tissue to parturition. Journal of Perinatal Medicine, 2016, 44, 813-835.	0.6	5
203	Gingival Crevicular Placental Alkaline Phosphatase Is an Early Pregnancy Biomarker for Pre-Eclampsia. Diagnostics, 2021, 11, 661.	1.3	5
204	A role for the anti-angiogenic factor sVEGFR-1 in the "Mirror Syndrome" (Ballantine Syndrome). American Journal of Obstetrics and Gynecology, 2005, 193, S134.	0.7	4
205	Placental Lesions Associated With Maternal Underperfusion Are More Frequent in Early-Onset Than in Late-Onset Preeclampsia. Obstetrical and Gynecological Survey, 2012, 67, 154-155.	0.2	4
206	Characterization of amniotic fluid sludge in preterm and term gestations. Journal of Maternal-Fetal and Neonatal Medicine, 2022, , 1-10.	0.7	4
207	Intrauterine Infection, Preterm Parturition, and the Fetal Inflammatory Response Syndrome. , 2011, , 457-468.e6.		3
208	Evidence for complement activation in premature labor associated with intra-amniotic infection. American Journal of Obstetrics and Gynecology, 2006, 195, S74.	0.7	2
209	Trophoblast, Galectin-1 and pre-eclampsia. American Journal of Obstetrics and Gynecology, 2006, 195, S138.	0.7	2
210	Resultado de estudio prenatal invasivo para el diagnóstico de aneuploidía en el Hospital Sãterro del RÃo. Revista Chilena De Obstetricia Y Ginecologia, 2016, 81, 94-98.	0.1	2
211	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: A novel association with intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 0, , 1-11.	0.7	2
212	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. Journal of Maternal-Fetal and Neonatal Medicine, 0, , 1-12.	0.7	2
213	Isobaric labeling and tandem mass spectrometry: A novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 0, , 1-20.	0.7	2
214	Evidence for a stereotypic difference in post-transcriptional regulation of placental gene expression in preeclampsia and SGA: An explanation for the two different phenotypes?. American Journal of Obstetrics and Gynecology, 2006, 195, S15.	0.7	1
215	Preeclampsia is characterized by a large number of neutrophils displaying a high amplitude of NAD(P)H metabolic oscillations: A link between intravascular inflammation, endothelial cell dysfunction and preeclampsia. American Journal of Obstetrics and Gynecology, 2006, 195, S147.	0.7	1
216	202: Granulocyte chemotactic protein-2 (CXCL6): A novel chemokine involved in the innate immune response of the amniotic cavity. American Journal of Obstetrics and Gynecology, 2007, 197, S68.	0.7	1

#	ARTICLE	IF	CITATIONS
217	Diagnóstico prenatal de malformaciones congénitas y alteraciones cromosómicas: resultado de la experiencia CIMAF - Hospital Dr. Sotero Del Río. Revista Chilena De Obstetricia Y Ginecología, 2020, 85, 358-365.	0.1	1
218	123: Is premature labor a state of platelet activation?. American Journal of Obstetrics and Gynecology, 2007, 197, S47.	0.7	0
219	Four-dimensional ultrasound examination of the fetal heart by spatiotemporal image correlation. Series in Maternal-fetal Medicine, 2008, , 197-218.	0.1	0
220	Fetal and Maternal Responses to Intrauterine Infection. , 2011, , 155-172.		0
221	Cervicometría transvaginal: ahora y siempre. Revista Chilena De Obstetricia Y Ginecología, 2019, 84, 337-339.	0.1	0
222	Prelabor Rupture of the Membranes. , 0, , 505-512.		0