

Juan Pedro Kusanovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7487280/publications.pdf>

Version: 2024-02-01

222
papers

16,208
citations

21215

62
h-index

22488

117
g-index

223
all docs

223
docs citations

223
times ranked

13952
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization of amniotic fluid sludge in preterm and term gestations. Journal of Maternal-Fetal and Neonatal Medicine, 2022, , 1-10.	0.7	4
2	Early pregnancy levels of gingival crevicular fluid matrix metalloproteinasesâ€8 and â€9 are associated with the severity of periodontitis and the development of gestational diabetes mellitus. Journal of Periodontology, 2021, 92, 205-215.	1.7	25
3	Personalized assessment of cervical length improves prediction of spontaneous preterm birth: a standard and a percentile calculator. American Journal of Obstetrics and Gynecology, 2021, 224, 288.e1-288.e17.	0.7	32
4	Gingival Crevicular Placental Alkaline Phosphatase Is an Early Pregnancy Biomarker for Pre-Eclampsia. Diagnostics, 2021, 11, 661.	1.3	5
5	Clinical chorioamnionitis at term X: microbiology, clinical signs, placental pathology, and neonatal bacteremia â€ implications for clinical care. Journal of Perinatal Medicine, 2021, 49, 275-298.	0.6	27
6	Comparison of two identification and susceptibility test kits for <i>Ureaplasma</i> spp and <i>Mycoplasma hominis</i> in amniotic fluid of patients at high risk for intra-amniotic infection. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3409-3417.	0.7	10
7	Effectiveness of a normative nutrition intervention in Chilean pregnant women on maternal and neonatal outcomes: the CHiMINCs study. American Journal of Clinical Nutrition, 2020, 112, 991-1001.	2.2	10
8	Maternal sepsis. American Journal of Obstetrics & Gynecology MFM, 2020, 2, 100149.	1.3	18
9	DiagnÃstico prenatal de malformaciones congÃnitas y alteraciones cromosÃmicas: resultado de la experiencia CIMAF - Hospital Dr. SÃtero Del RÃo. Revista Chilena De Obstetricia Y Ginecologia, 2020, 85, 358-365.	0.1	1
10	The Cellular Transcriptome in the Maternal Circulation During Normal Pregnancy: A Longitudinal Study. Frontiers in Immunology, 2019, 10, 2863.	2.2	43
11	Clinical chorioamnionitis at term IX: <i>in vivo</i> evidence of intra-amniotic inflammasome activation. Journal of Perinatal Medicine, 2019, 47, 276-287.	0.6	44
12	The diagnostic performance of the beta-glucan assay in the detection of intra-amniotic infection with Candida species. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 1703-1720.	0.7	18
13	CervicometrÃa transvaginal: ahora y siempre. Revista Chilena De Obstetricia Y Ginecologia, 2019, 84, 337-339.	0.1	0
14	Influence of Gestational Age at Initiation of Antihypertensive Therapy. Hypertension, 2018, 71, 1170-1177.	1.3	25
15	The pattern and magnitude of â€<i>in vivo</i> thrombin generationâ€ differ in women with preeclampsia and in those with SGA fetuses without preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1671-1680.	0.7	14
16	Tissue factor activity in women with preeclampsia or SGA: a potential explanation for the excessive thrombin generation in these syndromes. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1568-1577.	0.7	12
17	Effectiveness on maternal and offspring metabolic control of a home-based dietary counseling intervention and DHA supplementation in obese/overweight pregnant women (MIGHT study): A randomized controlled trialâ€ Study protocol. Contemporary Clinical Trials, 2018, 70, 35-40.	0.8	8
18	Periodontitis and placental growth factor in oral fluids are early pregnancy predictors of gestational diabetes mellitus. Journal of Periodontology, 2018, 89, 1052-1060.	1.7	17

#	ARTICLE	IF	CITATIONS
19	Clinical Chorioamnionitis at Term: New Insights into the Etiology, Microbiology, and the Fetal, Maternal and Amniotic Cavity Inflammatory Responses. , 2018, 20, 103-112.		9
20	Clinical chorioamnionitis at term VIII: a rapid MMP-8 test for the identification of intra-amniotic inflammation. Journal of Perinatal Medicine, 2017, 45, 539-550.	0.6	44
21	Resultado de estudio prenatal invasivo para el diagnÃ³stico de aneuploidÃ­a en el Hospital SÃ¡tero del RÃ­o. Revista Chilena De Obstetricia Y Ginecologia, 2016, 81, 94-98.	0.1	2
22	Characterization of visceral and subcutaneous adipose tissue transcriptome in pregnant women with and without spontaneous labor at term: implication of alternative splicing in the metabolic adaptations of adipose tissue to parturition. Journal of Perinatal Medicine, 2016, 44, 813-835.	0.6	5
23	Placental biomarkers and angiogenic factors in oral fluids of patients with preeclampsia. Prenatal Diagnosis, 2016, 36, 476-482.	1.1	25
24	Clinical chorioamnionitis at term: the amniotic fluid fatty acyl lipidome. Journal of Lipid Research, 2016, 57, 1906-1916.	2.0	42
25	Lipidomic analysis of patients with microbial invasion of the amniotic cavity reveals up-regulation of leukotriene B ₄ . FASEB Journal, 2016, 30, 3296-3307.	0.2	43
26	Effectiveness of a normative nutrition intervention (diet, physical activity and breastfeeding) on maternal nutrition and offspring growth: the Chilean maternal and infant nutrition cohort study (CHIMINCS). BMC Pregnancy and Childbirth, 2015, 15, 175.	0.9	13
27	Characterization of Visceral and Subcutaneous Adipose Tissue Transcriptome and Biological Pathways in Pregnant and Non-Pregnant Women: Evidence for Pregnancy-Related Regional-Specific Differences in Adipose Tissue. PLoS ONE, 2015, 10, e0143779.	1.1	14
28	Eicosanomic profiling reveals dominance of the epoxygenase pathway in human amniotic fluid at term in spontaneous labor. FASEB Journal, 2014, 28, 4835-4846.	0.2	80
29	Maternal plasma concentrations of angiogenic/antiangiogenic factors in the third trimester of pregnancy to identify the patient at risk for stillbirth at or near term and severe late preeclampsia. American Journal of Obstetrics and Gynecology, 2013, 208, 287.e1-287.e15.	0.7	122
30	The fetal cardiovascular response to increased placental vascular impedance to flow determined with 4-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis. American Journal of Obstetrics and Gynecology, 2013, 208, 153.e1-153.e13.	0.7	7
31	Detection of Anti- <i>HLA</i> Antibodies in Maternal Blood in the Second Trimester to Identify Patients at Risk of Antibody-Mediated Maternal Anti-Fetal Rejection and Spontaneous Preterm Delivery. American Journal of Reproductive Immunology, 2013, 70, 162-175.	1.2	45
32	Characterization of the Fetal Blood Transcriptome and Proteome in Maternal Anti-Fetal Rejection: Evidence of a Distinct and Novel Type of Human Fetal Systemic Inflammatory Response. American Journal of Reproductive Immunology, 2013, 70, 265-284.	1.2	50
33	Blood pH and gases in fetuses in preterm labor with and without systemic inflammatory response syndrome. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 1160-1170.	0.7	21
34	Interleukin-19 in fetal systemic inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 2012, 25, 995-1005.	0.7	22
35	Hematologic profile of the fetus with systemic inflammatory response syndrome. Journal of Perinatal Medicine, 2012, 40, 19-32.	0.6	44
36	Placental Lesions Associated With Maternal Underperfusion Are More Frequent in Early-Onset Than in Late-Onset Preeclampsia. Obstetrical and Gynecological Survey, 2012, 67, 154-155.	0.2	4

#	ARTICLE	IF	CITATIONS
37	Late-onset preeclampsia is associated with an imbalance of angiogenic and anti-angiogenic factors in patients with and without placental lesions consistent with maternal underperfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 498-507.	0.7	136
38	Clinical chorioamnionitis is characterized by changes in the expression of the alarmin HMGB1 and one of its receptors, sRAGE. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 558-567.	0.7	87
39	Peripheral CD300a+CD8+ T Lymphocytes with a Distinct Cytotoxic Molecular Signature Increase in Pregnant Women with Chronic Chorioamnionitis. <i>American Journal of Reproductive Immunology</i> , 2012, 67, 184-197.	1.2	41
40	Maternal plasma concentrations of angiogenic/anti-angiogenic factors are of prognostic value in patients presenting to the obstetrical triage area with the suspicion of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1187-1207.	0.7	118
41	An elevated fetal interleukin-6 concentration can be observed in fetuses with anemia due to Rh alloimmunization: implications for the understanding of the fetal inflammatory response syndrome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 391-396.	0.7	22
42	Damage-associated molecular patterns (DAMPs) in preterm labor with intact membranes and preterm PROM: a study of the alarmin HMGB1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1444-1455.	0.7	191
43	miR-210 Targets Iron-Sulfur Cluster Scaffold Homologue in Human Trophoblast Cell Lines. <i>American Journal of Pathology</i> , 2011, 179, 590-602.	1.9	127
44	Varicella-zoster virus (chickenpox) infection in pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1155-1162.	1.1	305
45	Maternal HLA Panel-Reactive Antibodies in Early Gestation Positively Correlate with Chronic Chorioamnionitis: Evidence in Support of the Chronic Nature of Maternal Anti-fetal Rejection. <i>American Journal of Reproductive Immunology</i> , 2011, 66, 510-526.	1.2	55
46	Circulating angiogenic and antiangiogenic factors in women with eclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 152.e1-152.e9.	0.7	88
47	A molecular signature of an arrest of descent in human parturition. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 177.e15-177.e33.	0.7	30
48	Nifedipine in the management of preterm labor: a systematic review and metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 134.e1-134.e20.	0.7	99
49	Supplementation with vitamins C and E during pregnancy for the prevention of preeclampsia and other adverse maternal and perinatal outcomes: a systematic review and metaanalysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 503.e1-503.e12.	0.7	117
50	Fetal cardiac ventricular volume, cardiac output, and ejection fraction determined with 4-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 76.e1-76.e10.	0.7	64
51	Placental bed disorders in preterm labor, preterm PROM, spontaneous abortion and abruptio placentae. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 313-327.	1.4	172
52	Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2011, 39, 641-52.	0.6	228
53	Listeriosis in human pregnancy: a systematic review. <i>Journal of Perinatal Medicine</i> , 2011, 39, 227-36.	0.6	257
54	Polymorphisms in maternal and fetal genes encoding for proteins involved in extracellular matrix metabolism alter the risk for small-for-gestational-age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 362-380.	0.7	17

#	ARTICLE	IF	CITATIONS
55	Measurement of sVEGF R1 and PlGF in Serum: Comparing Prototype Assays from Beckman Coulter, Inc. to R&D Systems Microplate Assays. <i>Hypertension in Pregnancy</i> , 2011, 30, 18-27.	0.5	11
56	Intrauterine Infection, Preterm Parturition, and the Fetal Inflammatory Response Syndrome. , 2011, , 457-468.e6.		3
57	A Signature of Maternal Anti-Fetal Rejection in Spontaneous Preterm Birth: Chronic Chorioamnionitis, Anti-Human Leukocyte Antigen Antibodies, and C4d. <i>PLoS ONE</i> , 2011, 6, e16806.	1.1	121
58	Fetal and Maternal Responses to Intrauterine Infection. , 2011, , 155-172.		0
59	Sex differences in fetal growth responses to maternal height and weight. <i>American Journal of Human Biology</i> , 2010, 22, 431-443.	0.8	69
60	ORIGINAL ARTICLE: The Transcriptome of the Fetal Inflammatory Response Syndrome. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 73-92.	1.2	114
61	Should Bilateral Uterine Artery Notching Be Used in the Risk Assessment for Preeclampsia, Small-for-Gestational-Age, and Gestational Hypertension?. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 1103-1115.	0.8	51
62	MicroRNA expression profiling of the human uterine cervix after term labor and delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 80.e1-80.e8.	0.7	47
63	Patients with an asymptomatic short cervix (≤ 15 mm) have a high rate of subclinical intraamniotic inflammation: implications for patient counseling. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 433.e1-433.e8.	0.7	75
64	Characterization of the transcriptome of chorioamniotic membranes at the site of rupture in spontaneous labor at term. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 462.e1-462.e41.	0.7	62
65	Identification of fetal and maternal single nucleotide polymorphisms in candidate genes that predispose to spontaneous preterm labor with intact membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 431.e1-431.e34.	0.7	77
66	A decrease in maternal plasma concentrations of sVEGFR-2 precedes the clinical diagnosis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 202, 550.e1-550.e10.	0.7	26
67	A genetic association study of maternal and fetal candidate genes that predispose to preterm prelabor rupture of membranes (PROM). <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 361.e1-361.e30.	0.7	78
68	The risk of impending preterm delivery in asymptomatic patients with a nonmeasurable cervical length in the second trimester. <i>American Journal of Obstetrics and Gynecology</i> , 2010, 203, 446.e1-446.e9.	0.7	26
69	Multifunctional Dendrimer-templated Antibody Presentation on Biosensor Surfaces for Improved Biomarker Detection. <i>Advanced Functional Materials</i> , 2010, 20, 409-421.	7.8	58
70	ORIGINAL ARTICLE: Activation of the Alternative Pathway of Complement is a Feature of Preterm Parturition but not of Spontaneous Labor at Term. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 318-330.	1.2	32
71	ORIGINAL ARTICLE: Maternal Plasma Concentration of the Proinflammatory Adipokine Pre-B Cell-Enhancing Factor (PBEF)/Visfatin Is Elevated In Pregnant Patients with Acute Pyelonephritis. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 252-262.	1.2	15
72	ORIGINAL ARTICLE: Hyperresistinemia "a Novel Feature in Systemic Infection During Human Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 358-369.	1.2	14

#	ARTICLE	IF	CITATIONS
73	Prevalence and Diversity of Microbes in the Amniotic Fluid, the Fetal Inflammatory Response, and Pregnancy Outcome in Women with Preterm Pre-labor Rupture of Membranes. <i>American Journal of Reproductive Immunology</i> , 2010, 64, 38-57.	1.2	296
74	Placental bed disorders in the genesis of the great obstetrical syndromes. , 2010, , 271-289.		10
75	The frequency, clinical significance, and pathological features of chronic chorioamnionitis: a lesion associated with spontaneous preterm birth. <i>Modern Pathology</i> , 2010, 23, 1000-1011.	2.9	200
76	Surfactant Protein-A as an Anti-Inflammatory Component in the Amnion: Implications for Human Pregnancy. <i>Journal of Immunology</i> , 2010, 184, 6479-6491.	0.4	35
77	Microbial invasion of the amniotic cavity in pregnancies with small-for-gestational-age fetuses. <i>Journal of Perinatal Medicine</i> , 2010, 38, 495-502.	0.6	71
78	Microbial invasion of the amniotic cavity in preeclampsia as assessed by cultivation and sequence-based methods. <i>Journal of Perinatal Medicine</i> , 2010, 38, 503-13.	0.6	74
79	The prognosis of pregnancy conceived despite the presence of an intrauterine device (IUD). <i>Journal of Perinatal Medicine</i> , 2010, 38, 45-53.	0.6	52
80	Low circulating maternal adiponectin in patients with pyelonephritis: adiponectin at the crossroads of pregnancy and infection. <i>Journal of Perinatal Medicine</i> , 2010, 38, 9-17.	0.6	14
81	Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. <i>Journal of Perinatal Medicine</i> , 2010, 38, 161-71.	0.6	46
82	The frequency and clinical significance of intra-amniotic infection and/or inflammation in women with placenta previa and vaginal bleeding: an unexpected observation. <i>Journal of Perinatal Medicine</i> , 2010, 38, 275-9.	0.6	57
83	Retinol-binding protein 4: a novel adipokine implicated in the genesis of LGA in the absence of gestational diabetes mellitus. <i>Journal of Perinatal Medicine</i> , 2010, 38, 147-55.	0.6	21
84	Evidence for differential regulation of the adipokine visfatin in the maternal and fetal compartments in normal spontaneous labor at term. <i>Journal of Perinatal Medicine</i> , 2010, 38, 281-8.	0.6	12
85	Characterization of the myometrial transcriptome and biological pathways of spontaneous human labor at term. <i>Journal of Perinatal Medicine</i> , 2010, 38, 617-43.	0.6	150
86	Maternal plasma retinol binding protein 4 in acute pyelonephritis during pregnancy. <i>Journal of Perinatal Medicine</i> , 2010, 38, 359-66.	0.6	11
87	Retinol binding protein 4 " a novel association with early-onset preeclampsia. <i>Journal of Perinatal Medicine</i> , 2010, 38, 129-39.	0.6	52
88	Amniotic fluid sTREM-1 in normal pregnancy, spontaneous parturition at term and preterm, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 34-47.	0.7	36
89	Discordant placental echogenicity: a novel sign of impaired placental perfusion in twin-twin transfusion syndrome?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 103-106.	0.7	17
90	High tissue factor activity and low tissue factor pathway inhibitor concentrations in patients with preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 23-33.	0.7	39

#	ARTICLE	IF	CITATIONS
91	Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 476-487.	0.7	40
92	Evidence for a Spatial and Temporal Regulation of Prostaglandin-Endoperoxide Synthase 2 Expression in Human Amnion in Term and Preterm Parturition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, E86-E91.	1.8	19
93	Maternal and neonatal circulating visfatin concentrations in patients with pre-eclampsia and a small-for-gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1119-1128.	0.7	30
94	The clinical significance of eosinophils in the amniotic fluid in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 320-329.	0.7	23
95	Prenatal diagnosis of truncus arteriosus using multiplanar display in 4D ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 297-307.	0.7	20
96	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: A novel association with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 120-130.	0.7	35
97	Pentraxin 3 in maternal circulation: An association with preterm labor and preterm PROM, but not with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1097-1105.	0.7	23
98	Serum and plasma determination of angiogenic and anti-angiogenic factors yield different results: The need for standardization in clinical practice. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 820-827.	0.7	22
99	Allergy-induced preterm labor after the ingestion of shellfish. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 351-359.	0.7	24
100	An imbalance between angiogenic and anti-angiogenic factors precedes fetal death in a subset of patients: results of a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1384-1399.	0.7	57
101	Retinol binding protein 4: An adipokine associated with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 111-119.	0.7	33
102	Could alterations in maternal plasma visfatin concentration participate in the phenotype definition of preeclampsia and SGA?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 857-868.	0.7	35
103	Fragment Bb: evidence for activation of the alternative pathway of the complement system in pregnant women with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1085-1090.	0.7	17
104	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 167-178.	0.7	27
105	Fetal death: A condition with a dissociation in the concentrations of soluble vascular endothelial growth factor receptor-2 between the maternal and fetal compartments. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 960-972.	0.7	10
106	Isobaric labeling and tandem mass spectrometry: A novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 261-280.	0.7	74
107	Metabolomics in premature labor: a novel approach to identify patients at risk for preterm delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1344-1359.	0.7	144
108	Evidence in support of a role for anti-angiogenic factors in preterm prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 828-841.	0.7	27

#	ARTICLE	IF	CITATIONS
109	Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 646-657.	0.7	48
110	Repeatability and Reproducibility of Fetal Cardiac Ventricular Volume Calculations Using Spatiotemporal Image Correlation and Virtual Organ Computer-Aided Analysis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1301-1311.	0.8	27
111	Prenatal Diagnosis of Coarctation of the Aorta With the Multiplanar Display and B-Flow Imaging Using 4-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1375-1378.	0.8	12
112	Maternal visfatin concentration in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2009, 37, 206-217.	0.6	57
113	Maternal serum adiponectin multimers in preeclampsia. <i>Journal of Perinatal Medicine</i> , 2009, 37, 349-363.	0.6	60
114	Amniotic fluid angiotensin-2 in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Perinatal Medicine</i> , 2009, 37, 503-511.	0.6	24
115	Maternal serum adiponectin multimers in gestational diabetes. <i>Journal of Perinatal Medicine</i> , 2009, 37, 637-50.	0.6	50
116	Maternal serum adiponectin multimers in patients with a small-for-gestational-age newborn. <i>Journal of Perinatal Medicine</i> , 2009, 37, 623-35.	0.6	26
117	Visfatin in human pregnancy: maternal gestational diabetes <i>vis-À-vis</i> neonatal birthweight. <i>Journal of Perinatal Medicine</i> , 2009, 37, 218-231.	0.6	46
118	Villitis of Unknown Etiology Is Associated with a Distinct Pattern of Chemokine Up-Regulation in the Feto-Maternal and Placental Compartments: Implications for Conjoint Maternal Allograft Rejection and Maternal Anti-Fetal Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2009, 182, 3919-3927.	0.4	176
119	Early rapid growth, early birth: Accelerated fetal growth and spontaneous late preterm birth. <i>American Journal of Human Biology</i> , 2009, 21, 141-150.	0.8	28
120	Growth perturbations in a phenotype with rapid fetal growth preceding preterm labor and term birth. <i>American Journal of Human Biology</i> , 2009, 21, 782-792.	0.8	9
121	Widespread microbial invasion of the chorioamniotic membranes is a consequence and not a cause of intra-amniotic infection. <i>Laboratory Investigation</i> , 2009, 89, 924-936.	1.7	133
122	A novel signaling pathway impact analysis. <i>Bioinformatics</i> , 2009, 25, 75-82.	1.8	950
123	The preterm parturition syndrome and its implications for understanding the biology, risk assessment, diagnosis, treatment and prevention of preterm birth. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 5-23.	0.7	109
124	Fragment Bb in amniotic fluid: evidence for complement activation by the alternative pathway in women with intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 905-916.	0.7	33
125	Evidence of maternal platelet activation, excessive thrombin generation, and high amniotic fluid tissue factor immunoreactivity and functional activity in patients with fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 672-687.	0.7	51
126	Dysregulation of maternal serum adiponectin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 887-904.	0.7	32

#	ARTICLE	IF	CITATIONS
127	Amniotic fluid soluble human leukocyte antigen-G in term and preterm parturition, and intra-amniotic infection/inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1151-1166.	0.7	30
128	A subset of patients destined to develop spontaneous preterm labor has an abnormal angiogenic/anti-angiogenic profile in maternal plasma: Evidence in support of pathophysiologic heterogeneity of preterm labor derived from a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1122-1139.	0.7	71
129	The transcriptome of cervical ripening in human pregnancy before the onset of labor at term: Identification of novel molecular functions involved in this process. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1183-1193.	0.7	84
130	Changes in amniotic fluid concentration of thrombin-antithrombin III complexes in patients with preterm labor: Evidence of an increased thrombin generation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 971-982.	0.7	31
131	Fetal membranes as an interface between inflammation and metabolism: Increased Aquaporin 9 expression in the presence of spontaneous labor at term and chorioamnionitis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1167-1175.	0.7	19
132	Maternal plasma visfatin in preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 693-704.	0.7	32
133	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1021-1038.	0.7	254
134	Amniotic fluid fetal hemoglobin in normal pregnancies and pregnancies complicated with preterm labor or prelabor rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 388-397.	0.7	9
135	Maternal anti-protein Z antibodies in pregnancies complicated by pre-eclampsia, SGA and fetal death. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 662-671.	0.7	18
136	Three-Dimensional Sonography of Placental Mesenchymal Dysplasia and Its Differential Diagnosis. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 359-368.	0.8	41
137	Evidence of changes in the immunophenotype and metabolic characteristics (intracellular reactive) Tj ETQq1 1 0.784314 rgBT /Overlock response syndrome. <i>Journal of Perinatal Medicine</i> , 2009, 37, 543-552.	0.6	39
138	Detection of a microbial biofilm in intraamniotic infection. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 135.e1-135.e5.	0.7	165
139	First-trimester maternal serum PP13 in the risk assessment for preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 122.e1-122.e11.	0.7	129
140	Twin-to-twin transfusion syndrome: an antiangiogenic state?. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 382.e1-382.e8.	0.7	51
141	Total hemoglobin concentration in amniotic fluid is increased in intraamniotic infection/inflammation. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 426.e1-426.e7.	0.7	14
142	ORIGINAL ARTICLE: CXCL6 (Granulocyte Chemotactic Protein-2): A Novel Chemokine Involved in the Innate Immune Response of the Amniotic Cavity. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 246-257.	1.2	60
143	ORIGINAL ARTICLE: A Role for Mannose-Binding Lectin, a Component of the Innate Immune System in Pre-Eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 333-345.	1.2	43
144	Coexpression of myofibroblast and macrophage markers: novel evidence for an in vivo plasticity of chorioamniotic mesodermal cells of the human placenta. <i>Laboratory Investigation</i> , 2008, 88, 365-374.	1.7	29

#	ARTICLE	IF	CITATIONS
145	ORIGINAL ARTICLE: Chorioamnionitis and Increased Galectin-1 Expression in PPROM – An Anti-inflammatory Response in the Fetal Membranes?. American Journal of Reproductive Immunology, 2008, 60, 298-311.	1.2	43
146	Gene expression profiling demonstrates a novel role for foetal fibrocytes and the umbilical vessels in human fetoplacental development. Journal of Cellular and Molecular Medicine, 2008, 12, 1317-1330.	1.6	12
147	The maternal plasma soluble vascular endothelial growth factor receptor-1 concentration is elevated in SGA and the magnitude of the increase relates to Doppler abnormalities in the maternal and fetal circulation. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 25-40.	0.7	100
148	Resistin in amniotic fluid and its association with intra-amniotic infection and inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 902-916.	0.7	58
149	A role for CXCL13 (BCA-1) in pregnancy and intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 763-775.	0.7	47
150	The anti-inflammatory limb of the immune response in preterm labor, intra-amniotic infection/inflammation, and spontaneous parturition at term: A role for interleukin-10. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 529-547.	0.7	119
151	Severe preeclampsia is characterized by increased placental expression of galectin-1. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 429-442.	0.7	65
152	A link between a hemostatic disorder and preterm PROM: a role for tissue factor and tissue factor pathway inhibitor. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 732-744.	0.7	43
153	Amniotic fluid heat shock protein 70 concentration in histologic chorioamnionitis, term and preterm parturition. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 449-461.	0.7	94
154	Tissue factor and its natural inhibitor in pre-eclampsia and SGA. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 855-869.	0.7	54
155	Proteomic profiling of amniotic fluid in preterm labor using two-dimensional liquid separation and mass spectrometry. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 697-713.	0.7	61
156	A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 destined to develop preeclampsia and deliver a small for gestational age neonate. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 9-23.	0.7	592
157	The change in concentrations of angiogenic and anti-angiogenic factors in maternal plasma between the first and second trimesters in risk assessment for the subsequent development of preeclampsia and small-for-gestational age. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 279-287.	0.7	264
158	Genetic and epigenetic mechanisms combine to control MMP1 expression and its association with preterm premature rupture of membranes. Human Molecular Genetics, 2008, 17, 1087-1096.	1.4	67
159	Soluble receptor for advanced glycation end products (sRAGE) and endogenous secretory RAGE (esRAGE) in amniotic fluid: modulation by infection and inflammation. Journal of Perinatal Medicine, 2008, 36, 388-98.	0.6	54
160	Region-Specific Gene Expression Profiling: Novel Evidence for Biological Heterogeneity of the Human Amnion1. Biology of Reproduction, 2008, 79, 954-961.	1.2	58
161	Exodus-1 (CCL20): evidence for the participation of this chemokine in spontaneous labor at term, preterm labor, and intrauterine infection. Journal of Perinatal Medicine, 2008, 36, 217-27.	0.6	55
162	Premature labor: a state of platelet activation?. Journal of Perinatal Medicine, 2008, 36, 377-87.	0.6	34

#	ARTICLE	IF	CITATIONS
163	Visfatin/Pre-B cell colony-enhancing factor in amniotic fluid in normal pregnancy, spontaneous labor at term, preterm labor and prelabor rupture of membranes: an association with subclinical intrauterine infection in preterm parturition. <i>Journal of Perinatal Medicine</i> , 2008, 36, 485-96.	0.6	68
164	Proteomic analysis of amniotic fluid to identify women with preterm labor and intra-amniotic inflammation/infection: The use of a novel computational method to analyze mass spectrometric profiling. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 367-387.	0.7	58
165	Emergence of hormonal and redox regulation of galectin-1 in placental mammals: Implication in maternal fetal immune tolerance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 15819-15824.	3.3	86
166	Evidence of the involvement of caspase-1 under physiologic and pathologic cellular stress during human pregnancy: A link between the inflammasome and parturition. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 605-616.	0.7	98
167	Preeclampsia and small-for-gestational age are associated with decreased concentrations of a factor involved in angiogenesis: Soluble Tie-2. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 389-402.	0.7	53
168	Downward percentile crossing as an indicator of an adverse prenatal environment. <i>Annals of Human Biology</i> , 2008, 35, 462-474.	0.4	12
169	Low maternal concentrations of soluble vascular endothelial growth factor receptor-2 in preeclampsia and small for gestational age. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 41-52.	0.7	61
170	Over-expression of the thrombin receptor (PAR-1) in the placenta in preeclampsia: A mechanism for the intersection of coagulation and inflammation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 345-355.	0.7	42
171	Microbial Prevalence, Diversity and Abundance in Amniotic Fluid During Preterm Labor: A Molecular and Culture-Based Investigation. <i>PLoS ONE</i> , 2008, 3, e3056.	1.1	653
172	Pyelonephritis during pregnancy: A cause for an acquired deficiency of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 629-637.	0.7	13
173	Amniotic Fluid and Umbilical Cord Plasma Corticotropin-Releasing Factor (CRF), CRF-Binding Protein, Adrenocorticotropin, and Cortisol Concentrations in Intraamniotic Infection and Inflammation at Term. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3604-3609.	1.8	13
174	Four-dimensional ultrasound examination of the fetal heart by spatiotemporal image correlation. <i>Series in Maternal-fetal Medicine</i> , 2008, , 197-218.	0.1	0
175	Unexplained fetal death: Another anti-angiogenic state. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 495-507.	0.7	53
176	The Role of Inflammation and Infection in Preterm Birth. <i>Seminars in Reproductive Medicine</i> , 2007, 25, 021-039.	0.5	714
177	The calcium binding protein, S100B, is increased in the amniotic fluid of women with intra-amniotic infection/inflammation and preterm labor with intact or ruptured membranes. <i>Journal of Perinatal Medicine</i> , 2007, 35, 385-93.	0.6	59
178	Adiponectin in severe preeclampsia. <i>Journal of Perinatal Medicine</i> , 2007, 35, 503-12.	0.6	58
179	Resistin: a hormone which induces insulin resistance is increased in normal pregnancy. <i>Journal of Perinatal Medicine</i> , 2007, 35, 513-21.	0.6	65
180	Plasma adiponectin concentrations in non-pregnant, normal and overweight pregnant women. <i>Journal of Perinatal Medicine</i> , 2007, 35, 522-31.	0.6	69

#	ARTICLE	IF	CITATIONS
181	The Role of the Sagittal View of the Ductal Arch in Identification of Fetuses With Conotruncal Anomalies Using 4-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1181-1188.	0.8	21
182	The Fetal Inflammatory Response Syndrome. <i>Clinical Obstetrics and Gynecology</i> , 2007, 50, 652-683.	0.6	480
183	Placental growth hormone is increased in the maternal and fetal serum of patients with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 651-659.	0.7	45
184	Plasma protein Z concentrations in pregnant women with idiopathic intrauterine bleeding and in women with spontaneous preterm labor. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 453-463.	0.7	27
185	Preeclampsia is associated with low concentrations of protein Z. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 661-667.	0.7	29
186	Human β -defensin-2: A natural antimicrobial peptide present in amniotic fluid participates in the host response to microbial invasion of the amniotic cavity. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 15-22.	0.7	80
187	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 867-878.	0.7	34
188	Maternal serum concentrations of the chemokine CXCL10/IP-10 are elevated in acute pyelonephritis during pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 735-744.	0.7	25
189	Maternal serum soluble CD30 is increased in pregnancies complicated with acute pyelonephritis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 803-811.	0.7	17
190	CXCL10/IP-10: A missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 777-792.	0.7	112
191	Objective Evaluation of Sylvian Fissure Development by Multiplanar 3-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 347-353.	0.8	28
192	Changes in Fetal Cardiac Geometry With Gestation. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 437-443.	0.8	16
193	A Systematic Approach to the Use of the Multiplanar Display in Evaluation of Abnormal Vascular Connections to the Fetal Heart Using 4-Dimensional Ultrasonography. <i>Journal of Ultrasound in Medicine</i> , 2007, 26, 1461-1467.	0.8	12
194	The timed-pregnant baboon animal model can be used for determining the role of soluble vascular endothelial growth factor receptors 1 and 2 during development. <i>Journal of Medical Primatology</i> , 2007, 36, 370-374.	0.3	6
195	Recurrent Preterm Birth. <i>Seminars in Perinatology</i> , 2007, 31, 142-158.	1.1	102
196	Identification of patients at risk for early onset and/or severe preeclampsia with the use of uterine artery Doppler velocimetry and placental growth factor. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 326.e1-326.e13.	0.7	215
197	Distinct subsets of microRNAs are expressed differentially in the human placentas of patients with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 261.e1-261.e6.	0.7	373
198	An episode of preterm labor is a risk factor for the birth of a small-for-gestational-age neonate. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 196, 574.e1-574.e6.	0.7	33

#	ARTICLE	IF	CITATIONS
199	Differential expression of microRNAs with progression of gestation and inflammation in the human chorioamniotic membranes. American Journal of Obstetrics and Gynecology, 2007, 197, 289.e1-289.e6.	0.7	45
200	123: Is premature labor a state of platelet activation?. American Journal of Obstetrics and Gynecology, 2007, 197, S47.	0.7	0
201	202: Granulocyte chemotactic protein-2 (CXCL6): A novel chemokine involved in the innate immune response of the amniotic cavity. American Journal of Obstetrics and Gynecology, 2007, 197, S68.	0.7	1
202	Inflammation in Pregnancy: Its Roles in Reproductive Physiology, Obstetrical Complications, and Fetal Injury. Nutrition Reviews, 2007, 65, S194-S202.	2.6	234
203	Inflammation in Pregnancy: Its Roles in Reproductive Physiology, Obstetrical Complications, and Fetal Injury. Nutrition Reviews, 2007, 65, 194-202.	2.6	313
204	A role of the anti-angiogenic factor sVEGFR-1 in the "mirror syndrome"™ (Ballantyne's syndrome). Journal of Maternal-Fetal and Neonatal Medicine, 2006, 19, 607-613.	0.7	88
205	Normal and abnormal transformation of the spiral arteries during pregnancy. Journal of Perinatal Medicine, 2006, 34, 447-58.	0.6	148
206	Inflammation in preterm and term labour and delivery. Seminars in Fetal and Neonatal Medicine, 2006, 11, 317-326.	1.1	598
207	Applications of 2â€Dimensional Matrix Array for 3â€and 4â€Dimensional Examination of the Fetus. Journal of Ultrasound in Medicine, 2006, 25, 745-755.	0.8	38
208	What Does 2â€Dimensional Imaging Add to 3â€and 4â€Dimensional Obstetric Ultrasonography?. Journal of Ultrasound in Medicine, 2006, 25, 691-699.	0.8	44
209	Cervical Varix as a Cause of Vaginal Bleeding During Pregnancy. Journal of Ultrasound in Medicine, 2006, 25, 545-549.	0.8	24
210	A Novel Algorithm for Comprehensive Fetal Echocardiography Using 4-Dimensional Ultrasonography and Tomographic Imaging. Journal of Ultrasound in Medicine, 2006, 25, 947-956.	0.8	72
211	A rapid MMP-8 bedside test for the detection of intra-amniotic inflammation identifies patients at risk for imminent preterm delivery. American Journal of Obstetrics and Gynecology, 2006, 195, 1025-1030.	0.7	87
212	Evidence for a stereotypic difference in post-transcriptional regulation of placental gene expression in preeclampsia and SGA: An explanation for the two different phenotypes?. American Journal of Obstetrics and Gynecology, 2006, 195, S15.	0.7	1
213	Evidence for complement activation in premature labor associated with intra-amniotic infection. American Journal of Obstetrics and Gynecology, 2006, 195, S74.	0.7	2
214	Trophoblast, Galectin-1 and pre-eclampsia. American Journal of Obstetrics and Gynecology, 2006, 195, S138.	0.7	2
215	Preeclampsia is characterized by a large number of neutrophils displaying a high amplitude of NAD(P)H metabolic oscillations: A link between intravascular inflammation, endothelial cell dysfunction and preeclampsia. American Journal of Obstetrics and Gynecology, 2006, 195, S147.	0.7	1
216	Four-dimensional ultrasonography of the fetal heart using a novel Tomographic Ultrasound Imaging display. Journal of Perinatal Medicine, 2006, 34, 39-55.	0.6	56

#	ARTICLE	IF	CITATIONS
217	A role for the anti-angiogenic factor sVEGFR-1 in the "Mirror Syndrome" (Ballantine Syndrome). American Journal of Obstetrics and Gynecology, 2005, 193, S134.	0.7	4
218	Prelabor Rupture of the Membranes. , 0, , 1130-1188.		8
219	Adiponectin in amniotic fluid in normal pregnancy, spontaneous labor at term, and preterm labor: A novel association with intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 0, , 1-11.	0.7	2
220	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. Journal of Maternal-Fetal and Neonatal Medicine, 0, , 1-12.	0.7	2
221	Isobaric labeling and tandem mass spectrometry: A novel approach for profiling and quantifying proteins differentially expressed in amniotic fluid in preterm labor with and without intra-amniotic infection/inflammation. Journal of Maternal-Fetal and Neonatal Medicine, 0, , 1-20.	0.7	2
222	Prelabor Rupture of the Membranes. , 0, , 505-512.		0