

Eloãsa Helena De Aguiar Andrade

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7487546/publications.pdf>

Version: 2024-02-01

191
papers

3,940
citations

126708

33
h-index

197535

49
g-index

200
all docs

200
docs citations

200
times ranked

3935
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical variability of volatile concentrate from two <i>Ipomoea</i> L. species within a seasonal gradient. <i>Natural Product Research</i> , 2023, 37, 3344-3351.	1.0	4
2	First report on the <i>Annona exsucca</i> DC. Essential oil and <i>in silico</i> identification of potential biological targets of its major compounds. <i>Natural Product Research</i> , 2022, 36, 4009-4012.	1.0	19
3	Variation in <i>Peperomia pellucida</i> growth and secondary metabolism after rhizobacteria inoculation. <i>PLoS ONE</i> , 2022, 17, e0262794.	1.1	3
4	Secondary Metabolism and Plant Growth of <i>Piper divaricatum</i> (Piperaceae) Inoculated with Arbuscular Mycorrhizal Fungi and Phosphorus Supplementation. <i>Agronomy</i> , 2022, 12, 596.	1.3	8
5	Chemical composition of volatile compounds in flowers and leaves of <i>Senna reticulata</i> (Leguminosae) from the Eastern Amazonia. <i>Research, Society and Development</i> , 2022, 11, e9711326216.	0.0	0
6	Flavanone Glycosides, Triterpenes, Volatile Compounds and Antimicrobial Activity of <i>Miconia minutiflora</i> (Bonpl.) DC. (Melastomataceae). <i>Molecules</i> , 2022, 27, 2005.	1.7	3
7	Molecular Modeling Approaches Can Reveal the Molecular Interactions Established between a Biofilm and the Bioactive Compounds of the Essential Oil of <i>Piper divaricatum</i> . <i>Molecules</i> , 2022, 27, 4199.	1.7	4
8	Essential Oil of the Plants Growing in the Brazilian Amazon: Chemical Composition, Antioxidants, and Biological Applications. <i>Molecules</i> , 2022, 27, 4373.	1.7	24
9	Physiological performance and chemical compositions of the <i>Eryngium foetidum</i> L. (Apiaceae) essential oil cultivated with different fertilizer sources. <i>Natural Product Research</i> , 2021, 35, 5544-5548.	1.0	11
10	Supercritical CO ₂ extraction to obtain <i>Lippia thymoides</i> Mart. & Schauer (Verbenaceae) essential oil rich in thymol and evaluation of its antimicrobial activity. <i>Journal of Supercritical Fluids</i> , 2021, 168, 105064.	1.6	30
11	Profile of Volatile Compounds of On-Farm Fermented and Dried Cocoa Beans Inoculated with <i>Saccharomyces cerevisiae</i> KY794742 and <i>Pichia kudriavzevii</i> KY794725. <i>Molecules</i> , 2021, 26, 344.	1.7	20
12	Influence on Secondary Metabolism of <i>Piper nigrum</i> L. by Co-Inoculation with Arbuscular Mycorrhizal Fungi and <i>Fusarium solani</i> f. sp. <i>piperis</i> . <i>Microorganisms</i> , 2021, 9, 484.	1.6	4
13	Extraction Yield, Chemical Composition, Preliminary Toxicity of <i>Bignonia nocturna</i> (Bignoniaceae) Essential Oil and <i>in Silico</i> Evaluation of the Interaction. <i>Chemistry and Biodiversity</i> , 2021, 18, e2000982.	1.0	46
14	Effects of light intensity on the anatomical structure, secretory structures, histochemistry and essential oil composition of <i>Aeollanthus suaveolens</i> Mart. ex Spreng. (Lamiaceae). <i>Biochemical Systematics and Ecology</i> , 2021, 95, 104224.	0.6	7
15	Drying Effects on Chemical Composition and Antioxidant Activity of <i>Lippia thymoides</i> Essential Oil, a Natural Source of Thymol. <i>Molecules</i> , 2021, 26, 2621.	1.7	20
16	<i>In silico</i> analyses of toxicity of the major constituents of essential oils from two <i>Ipomoea</i> L. species. <i>Toxicon</i> , 2021, 195, 111-118.	0.8	50
17	Chemical Composition and Antioxidant Activity of Essential Oils from <i>Eugenia patrisii</i> Vahl, <i>E. punicifolia</i> (Kunth) DC., and <i>Myrcia tomentosa</i> (Aubl.) DC., Leaf of Family Myrtaceae. <i>Molecules</i> , 2021, 26, 3292.	1.7	33
18	Chemical Composition of Volatile Compounds in <i>Apis mellifera</i> Propolis from the Northeast Region of Pará State, Brazil. <i>Molecules</i> , 2021, 26, 3462.	1.7	19

#	ARTICLE	IF	CITATIONS
19	How Climatic Seasons of the Amazon Biome Affect the Aromatic and Bioactive Profiles of Fermented and Dried Cocoa Beans?. <i>Molecules</i> , 2021, 26, 3759.	1.7	4
20	Chemical Composition and Cytotoxicity Evaluation of <i>Lippia origanoides</i> Kunth (Verbenaceae) Leaves Essential Oil on Human Gingival Fibroblasts. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2021, 24, 704-713.	0.7	1
21	Chemical Composition and Antioxidant Activity of Essential Oils from Leaves of Two Specimens of <i>Eugenia florida</i> DC.. <i>Molecules</i> , 2021, 26, 5848.	1.7	9
22	Chemical Composition and Antibacterial Activity of the Kunth Essential Oil from the Carajás National Forest, Brazil. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 9930336.	0.5	0
23	Essential Oils from Annonaceae Species from Brazil: A Systematic Review of Their Phytochemistry, and Biological Activities. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12140.	1.8	35
24	Chemical Composition and Antifungal Activity of <i>Myrcia multiflora</i> and <i>Eugenia florida</i> Essential Oils. <i>Molecules</i> , 2021, 26, 7259.	1.7	15
25	Chemical Composition and Antibacterial Activity of the <i>Lippia origanoides</i> Kunth Essential Oil from the Carajás National Forest, Brazil. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-8.	0.5	8
26	Chemical Composition and Preliminary Toxicity Evaluation of the Essential Oil from <i>Peperomia circinnata</i> Link var. <i>circinnata</i> . (Piperaceae) in <i>Artemia salina</i> Leach. <i>Molecules</i> , 2021, 26, 7359.	1.7	19
27	Lamiaceae Essential Oils, Phytochemical Profile, Antioxidant, and Biological Activities. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-18.	0.5	29
28	Insight into the Interaction Mechanism of Nicotine, NNK, and NNN with Cytochrome P450 2A13 Based on Molecular Dynamics Simulation. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 766-776.	2.5	44
29	Potential inhibitors of the enzyme acetylcholinesterase and juvenile hormone with insecticidal activity: study of the binding mode via docking and molecular dynamics simulations. <i>Journal of Biomolecular Structure and Dynamics</i> , 2020, 38, 4687-4709.	2.0	51
30	Chemical composition, antioxidant activity, anti-inflammatory and neuroprotective effect of <i>Croton matourensis</i> Aubl. Leaves extracts obtained by supercritical CO ₂ . <i>Journal of Supercritical Fluids</i> , 2020, 165, 104992.	1.6	8
31	Chemical Composition, Antimicrobial Properties of <i>Siparuna guianensis</i> Essential Oil and a Molecular Docking and Dynamics Molecular Study of its Major Chemical Constituent. <i>Molecules</i> , 2020, 25, 3852.	1.7	49
32	Volatile Compounds, Chemical Composition and Biological Activities of <i>Apis mellifera</i> Bee Propolis. , 2020, , .		0
33	Supercritical CO ₂ extraction of <i>uxi</i> (<i>Endopleura uchi</i>) oil: Global yield isotherms, fatty acid profile, functional quality and thermal stability. <i>Journal of Supercritical Fluids</i> , 2020, 165, 104932.	1.6	10
34	Efficient esterification of eugenol using a microwave-activated waste kaolin. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2020, 130, 633-653.	0.8	13
35	Acetylation of Eugenol on Functionalized Mesoporous Aluminosilicates Synthesized from Amazonian Flint Kaolin. <i>Catalysts</i> , 2020, 10, 478.	1.6	12
36	First Report on Yield and Chemical Composition of Essential Oil Extracted from <i>Myrcia eximia</i> DC (Myrtaceae) from the Brazilian Amazon. <i>Molecules</i> , 2020, 25, 783.	1.7	31

#	ARTICLE	IF	CITATIONS
37	Bioactive Natural Compounds and Antioxidant Activity of Essential Oils from Spice Plants: New Findings and Potential Applications. <i>Biomolecules</i> , 2020, 10, 988.	1.8	207
38	Avaliação sazonal do rendimento e composição química do óleo essencial das folhas de <i>Aniba parviflora</i> (Meisn) Mez. (Lauraceae). <i>Brazilian Journal of Development</i> , 2020, 6, 41334-41345.	0.0	3
39	Avaliação sazonal e circadiana do óleo essencial das folhas de <i>Piper divaricatum</i> G. Mey. (Piperaceae). <i>Brazilian Journal of Development</i> , 2020, 6, 41356-41369.	0.0	3
40	Arbuscular Mycorrhizal Fungi Colonization Promotes Changes in the Volatile Compounds and Enzymatic Activity of Lipoxygenase and Phenylalanine Ammonia Lyase in <i>Piper nigrum</i> L. "Bragantina". <i>Plants</i> , 2019, 8, 442.	1.6	19
41	Effects of inoculation by arbuscular mycorrhizal fungi on the composition of the essential oil, plant growth, and lipoxygenase activity of <i>Piper aduncum</i> L.. <i>AMB Express</i> , 2019, 9, 29.	1.4	12
42	Acetylation of Eugenol over 12-Molybdophosphoric Acid Anchored in Mesoporous Silicate Support Synthesized from Flint Kaolin. <i>Materials</i> , 2019, 12, 2995.	1.3	20
43	Essential oil of <i>Piper divaricatum</i> induces a general anaesthesia-like state and loss of skeletal muscle tonus in juvenile tambaqui, <i>Colossoma macropomum</i> . <i>Aquaculture</i> , 2019, 510, 169-175.	1.7	23
44	Appliance of a high pressure semi-batch reactor: supercritical transesterification of soybean oil using methanol. <i>Food Science and Technology</i> , 2019, 39, 754-773.	0.8	5
45	Chemical profile of <i>Lippia thymoides</i> , evaluation of the acetylcholinesterase inhibitory activity of its essential oil, and molecular docking and molecular dynamics simulations. <i>PLoS ONE</i> , 2019, 14, e0213393.	1.1	34
46	Comparison of Volatile Profile and Antioxidant Activity of <i>Piper divaricatum</i> G. Meyer (Piperaceae) Using Cuttings and Cell Tissue. <i>Journal of the Brazilian Chemical Society</i> , 2019, , .	0.6	2
47	Supercritical CO ₂ extraction and transesterification of the residual oil from industrial palm kernel cake with supercritical methanol. <i>Journal of Supercritical Fluids</i> , 2019, 147, 179-187.	1.6	18
48	Phytochemical profile, antioxidant activity, inhibition of acetylcholinesterase and interaction mechanism of the major components of the <i>Piper divaricatum</i> essential oil obtained by supercritical CO ₂ . <i>Journal of Supercritical Fluids</i> , 2019, 145, 74-84.	1.6	63
49	Lupane triterpenoids, antioxidant potential and antimicrobial activity of <i>Myrciaria floribunda</i> (H. West ex Willd.) O. Berg.. <i>Natural Product Research</i> , 2019, 33, 506-515.	1.0	12
50	Constituintes voláteis da raiz e do rizoma de <i>Montrichardia linifera</i> (Arruda) Schott (Araceae). <i>Boletim Do Museu Paraense Emílio Goeldi Ciências Naturais (Impresso)</i> , 2019, 14, 197-207.	0.1	1
51	Transesterification of palm pressed-fibers (<i>Elaeis guineensis</i> Jacq.) oil by supercritical fluid carbon dioxide with entrainer ethanol. <i>Journal of Supercritical Fluids</i> , 2018, 136, 136-143.	1.6	18
52	Seasonal Study of Methyleugenol Chemotype of <i>Ocimum campechianum</i> Essential Oil and Its Fungicidal and Antioxidant Activities. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.2	10
53	Planting and seasonal and circadian evaluation of a thymol-type oil from <i>Lippia thymoides</i> Mart. & Schauer. <i>Chemistry Central Journal</i> , 2018, 12, 113.	2.6	16
54	Anatomical analyses of floral and extrafloral secreting structures indicate the presence of nectaries and colleter in <i>Stanhopea grandiflora</i> Lindl.. <i>Revista Brasileira De Botanica</i> , 2018, 41, 725-738.	0.5	5

#	ARTICLE	IF	CITATIONS
55	Nutritional composition of the pulp of Pajura (<i>Couepia bracteosa</i> Benth.), an underutilized fruit from the Amazon. <i>Integrative Food, Nutrition and Metabolism</i> , 2018, 5, .	0.3	0
56	Essential oil of citronella modulates electrophysiological responses in tambaqui <i>Colossoma macropomum</i> : A new anaesthetic for use in fish. <i>Aquaculture</i> , 2017, 479, 60-68.	1.7	45
57	Chemical composition and acaricide activity of an essential oil from a rare chemotype of <i>Cinnamomum verum</i> Presl on <i>Rhipicephalus microplus</i> (Acari: Ixodidae). <i>Veterinary Parasitology</i> , 2017, 238, 54-57.	0.7	40
58	Chemical Profile and <i>in vitro</i> Biological Activities of Essential Oils of <i>Nectandra puberula</i> and <i>N. cuspidata</i> from the Amazon. <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.2	5
59	Chemical Composition of Four Essential Oils of <i>Eugenia</i> from the Brazilian Amazon and Their Cytotoxic and Antioxidant Activity. <i>Medicines (Basel, Switzerland)</i> , 2017, 4, 51.	0.7	31
60	Tyrosinase inhibitory activity, molecular docking studies and antioxidant potential of chemotypes of <i>Lippia organoides</i> (Verbenaceae) essential oils. <i>PLoS ONE</i> , 2017, 12, e0175598.	1.1	33
61	Phenylpropanoid-rich Essential Oils of <i>Piper</i> Species from the Amazon and their Antifungal and Anti-cholinesterase Activities. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.2	12
62	Composition and cytotoxic and antioxidant activities of the oil of <i>Piper aequale</i> Vahl. <i>Lipids in Health and Disease</i> , 2016, 15, 174.	1.2	13
63	Chemical composition and phytotoxic activity of clove (<i>Syzygium aromaticum</i>) essential oil obtained with supercritical CO ₂ . <i>Journal of Supercritical Fluids</i> , 2016, 118, 185-193.	1.6	63
64	Constituents and Pharmacological Activities of <i>Myrcia</i> (Myrtaceae): A Review of an Aromatic and Medicinal Group of Plants. <i>International Journal of Molecular Sciences</i> , 2015, 16, 23881-23904.	1.8	66
65	Leishmanicidal Activity of (+)-Phyllanthidine and the Phytochemical Profile of <i>Margaritaria nobilis</i> (Phyllanthaceae). <i>Molecules</i> , 2015, 20, 22157-22169.	1.7	24
66	Chemical Composition and Larvicidal Activity of Essential Oils Extracted from Brazilian Legal Amazon Plants against <i>Aedes aegypti</i> L. (Diptera: Culicidae). <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-8.	0.5	31
67	Chemical composition, antitumor activity, and toxicity of essential oil from the leaves of <i>Lippia microphylla</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2015, 70, 129-137.	0.6	13
68	Composition and antioxidant and antifungal activities of the essential oil from <i>Lippia gracilis</i> Schauer. <i>African Journal of Biotechnology</i> , 2014, 13, 3107-3113.	0.3	17
69	Essential oils of Amazon <i>Piper</i> species and their cytotoxic, antifungal, antioxidant and anti-cholinesterase activities. <i>Industrial Crops and Products</i> , 2014, 58, 55-60.	2.5	62
70	Acetylcholinesterase Inhibitory Activity and Molecular Docking Study of 1-(2-Nitrophenylethyl)nitroethane, the Main Constituent of <i>Aniba canelilla</i> Essential Oil. <i>Chemical Biology and Drug Design</i> , 2014, 84, 192-198.	1.5	19
71	Circadian and seasonal study of the cinnamate chemotype from <i>Lippia organoides</i> Kunth. <i>Biochemical Systematics and Ecology</i> , 2014, 55, 249-259.	0.6	39
72	Molluscicidal and larvicidal activities and essential oil composition of <i>Cymbopogon winterianus</i> . <i>Pharmaceutical Biology</i> , 2013, 51, 1293-1297.	1.3	35

#	ARTICLE	IF	CITATIONS
73	Molluscicidal and Leishmanicidal Activity of the Leaf Essential Oil of <i>Syzygium cumini</i> (L.) <i>Skeels</i> from Brazil. <i>Chemistry and Biodiversity</i> , 2013, 10, 1133-1141.	1.0	46
74	Effects of <i>Copaifera duckei</i> Dwyer oleoresin on the cell wall and cell division of <i>Bacillus cereus</i> . <i>Journal of Medical Microbiology</i> , 2013, 62, 1032-1037.	0.7	18
75	Ricinine and other constituents of <i>Aparisthmium cordatum</i> (Euphorbiaceae). <i>Natural Product Research</i> , 2013, 27, 364-370.	1.0	4
76	<i>Eugenia uniflora</i> L. Essential Oil as a Potential Anti- <i>Leishmania</i> Agent: Effects on <i>Leishmania amazonensis</i> and Possible Mechanisms of Action. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	0.5	67
77	Effect of andiroba oil on periodontitis in Wistar rats. <i>Acta Cirurgica Brasileira</i> , 2013, 28, 430-434.	0.3	7
78	Essential Oils Composition of <i>Croton</i> Species from the Amazon. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300801.	0.2	4
79	Insecticidal Activity of Piper Essential Oils from the Amazon Against the Fire Ant <i>Solenopsis saevissima</i> (Smith) (Hymenoptera: Formicidae). <i>Neotropical Entomology</i> , 2012, 41, 510-517.	0.5	55
80	Antioxidant Capacity and Larvicidal and Antifungal Activities of Essential Oils and Extracts from <i>Piper krukoffii</i> . <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.2	15
81	Antioxidant capacity and larvicidal activity of essential oil and extracts from <i>Lippia grandis</i> . <i>Revista Brasileira De Farmacognosia</i> , 2011, 21, 0-0.	0.6	7
82	Variability in essential oil composition of <i>Piper dilatatum</i> L.C. Rich. <i>Biochemical Systematics and Ecology</i> , 2011, 39, 669-675.	0.6	41
83	Essential Oil Composition, Antioxidant Capacity and Antifungal Activity of <i>Piper divaricatum</i> . <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.2	18
84	Volatiles of the <i>Cordia multispicata</i> Cham.: a Weed Medicinal Brazilian Plant. <i>Journal of Essential Oil Research</i> , 2010, 22, 543-545.	1.3	6
85	Essential Oil Composition and Antioxidant Capacity of <i>Lippia schomburgkiana</i> . <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	10
86	Antioxidant capacity and biological activity of essential oil and methanol extract of <i>Conocarpus scoparioides</i> (Cham. & Schltld.) Benth.. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 1031-1035.	0.6	5
87	Antioxidant capacity and biological activity of essential oil and methanol extract of <i>Hyptis crenata</i> Pohl ex Benth. <i>Revista Brasileira De Farmacognosia</i> , 2009, 19, 230-235.	0.6	24
88	Database of the Amazon aromatic plants and their essential oils. <i>Quimica Nova</i> , 2009, 32, 595-622.	0.3	80
89	Essential Oil Composition of Three <i>Peperomia</i> Species from the Amazon, Brazil. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	11
90	Essential oil composition of <i>Croton palanostigma</i> Klotzsch from north Brazil. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 1188-1192.	0.6	11

#	ARTICLE	IF	CITATIONS
91	Chemical Composition of the Essential Oils of <i>Cymbopogon citratus</i> (DC.) Stapf Cultivated in North of Brazil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009, 12, 41-45.	0.7	24
92	Chemical Variation in the Volatiles of <i>Copaifera reticulata</i> Ducke (Leguminosae) Growing Wild in the States of Pará and Amapá, Brazil. <i>Journal of Essential Oil Research</i> , 2009, 21, 501-503.	1.3	15
93	Chemical Composition of the Leaf, Stem and Fruit Essential Oils from <i>Triphasia trifolia</i> (Burm. f.) P. Wilson Cultivated in North of Brazil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009, 12, 81-86.	0.7	2
94	Aroma volatiles of pequi fruit (<i>Caryocar brasiliense</i> Camb.). <i>Journal of Food Composition and Analysis</i> , 2008, 21, 574-576.	1.9	27
95	Variability in Essential Oil Composition of <i>Piper marginatum</i> sensu lato. <i>Chemistry and Biodiversity</i> , 2008, 5, 197-208.	1.0	33
96	Comparison of the Main Components of the Essential Oils of <i>Cyperus articulatus</i> var. <i>articulatus</i> L., <i>C. articulatus</i> var. <i>nodosus</i> L., <i>C. prolixus</i> Kunth and <i>C. rotundus</i> L.. <i>Journal of Essential Oil Research</i> , 2008, 20, 42-45.	1.3	28
97	Leaf Essential Oil Composition of <i>Ephedranthus amazonicus</i> R.E. Fr. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 194-197.	0.7	1
98	Volatile Constituents of the Leaves and Stems of <i>Piper glandulosissimum</i> Yunck.. <i>Journal of Essential Oil Research</i> , 2007, 19, 401-402.	1.3	5
99	Variation in Volatiles of <i>Ocimum campechianum</i> Mill. and <i>Ocimum gratissimum</i> L. Cultivated in the North of Brazil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 229-240.	0.7	13
100	Leaf Essential Oil Composition of <i>Zanthoxylum monogynum</i> St.-Hil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 282-286.	0.7	2
101	Essential Oil Composition of <i>Renealmia alpinia</i> (Rottb.) Maas. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 10-14.	0.7	4
102	Antioxidant Capacity and Cytotoxicity of Essential Oil and Methanol Extract of <i>Aniba canelilla</i> (H.B.K.) Mez. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 9422-9426.	2.4	47
103	Plant sources of amazon rosewood oil. <i>Quimica Nova</i> , 2007, 30, 1906-1910.	0.3	25
104	Volatiles of <i>Anaxagorea dolichocarpa</i> Spreng. & Sandw. and <i>Annona densicoma</i> Mart. growing Wild in the state of Pará, Brazil. <i>Flavour and Fragrance Journal</i> , 2007, 22, 158-160.	1.2	9
105	Cinnamoyltyramine derivatives and other constituents from <i>Sparattanthelium tupiniquorum</i> (Hernandiaceae). <i>Biochemical Systematics and Ecology</i> , 2007, 35, 637-639.	0.6	4
106	Essential Oil Composition of <i>Bacopa axillaries</i> (Benth.) Standl.. <i>Journal of Essential Oil Research</i> , 2006, 18, 142-143.	1.3	1
107	Analysis of the Essential Oil of the Rhizome of <i>Cyperus giganteus</i> Vahl. (Cyperaceae) Cultivated in North of Brazil. <i>Journal of Essential Oil Research</i> , 2006, 18, 408-410.	1.3	6
108	Constituents of the Essential Oil of <i>Myrciaria tenella</i> (DC.) O. Berg. <i>Journal of Essential Oil Research</i> , 2006, 18, 93-94.	1.3	8

#	ARTICLE	IF	CITATIONS
109	Essential Oil Composition of <i>Piper cyrtopodon</i> (Miq.) C. DC. Journal of Essential Oil-bearing Plants: JEOP, 2006, 9, 53-59.	0.7	4
110	Essential Oil Composition of <i>Piper demeraranum</i> (Miq.) C. DC. Journal of Essential Oil-bearing Plants: JEOP, 2006, 9, 47-52.	0.7	4
111	Yield and Chemical Composition of the Essential Oil of the Stems and Rhizomes of <i>Cyperus articulatus</i> L. Cultivated in the State of Pará, Brazil. Journal of Essential Oil Research, 2006, 18, 10-12.	1.3	20
112	Essential Oil Composition from <i>Duguetia</i> Species (Annonaceae). Journal of Essential Oil Research, 2006, 18, 60-63.	1.3	41
113	Volatiles of the Leaves, Stems and Flowers of <i>Otacanthus azureus</i> (Linden) Ronse. Journal of Essential Oil Research, 2006, 18, 481-482.	1.3	1
114	Essential Oil Composition of <i>Peperomia serpens</i> (Sw.) Loud. Journal of Essential Oil Research, 2006, 18, 269-271.	1.3	6
115	<i>Peperomia circinnata</i> Link and <i>Peperomia rotundifolia</i> (L.) Kunth growing on different host-trees in Amazon: volatiles and relationship with bryophytes. Biochemical Systematics and Ecology, 2005, 33, 269-274.	0.6	13
116	Volatiles from different organs of <i>Unxia camphorata</i> L. f. growing wild in the Amazon. Biochemical Systematics and Ecology, 2005, 33, 1269-1273.	0.6	2
117	Chemical composition of a methyl-(E)-cinnamate <i>Ocimum micranthum</i> Willd. from the Amazon. Flavour and Fragrance Journal, 2005, 20, 161-163.	1.2	5
118	Leaf volatile oils from four Brazilian <i>Xylopi</i> species. Flavour and Fragrance Journal, 2005, 20, 474-477.	1.2	31
119	Essential oils of the Amazon <i>Guatteria</i> and <i>Guatteriopsis</i> species. Flavour and Fragrance Journal, 2005, 20, 478-480.	1.2	24
120	The essential oil of <i>Pectis elongata</i> Kunth occurring in north Brazil. Flavour and Fragrance Journal, 2005, 20, 462-464.	1.2	9
121	Essential oil composition of <i>Scleria hirtella</i> Swartz (Cyperaceae). Flavour and Fragrance Journal, 2005, 20, 472-473.	1.2	2
122	Constituintes químicas e avaliação preliminar in vivo da atividade antimalárica de <i>Ouratea nitida</i> Aubl (Ochnaceae). Revista Brasileira De Farmacognosia, 2005, 15, 195-198.	0.6	8
123	Constituintes voláteis das folhas e dos galhos de <i>Cinnamomum zeylanicum</i> Blume (Lauraceae). Acta Amazonica, 2005, 35, 363-366.	0.3	20
124	Essential Oil Composition of <i>Piper Manausense</i> Yuncker. Journal of Essential Oil-bearing Plants: JEOP, 2005, 8, 295-299.	0.7	6
125	Essential Oil Composition of <i>Piper Anonofolium</i> (Kunth) C. DC. Journal of Essential Oil-bearing Plants: JEOP, 2005, 8, 289-294.	0.7	5
126	Volatiles of the <i>Etlingera elatior</i> (Jack) R. M. Sm. and <i>Zingiber spectabile</i> Griff.: Two Zingiberaceae Cultivated in the Amazon. Journal of Essential Oil Research, 2005, 17, 209-211.	1.3	21

#	ARTICLE	IF	CITATIONS
127	Essential Oil Variation in <i>Lippia glandulosa</i> Schauer. <i>Journal of Essential Oil Research</i> , 2005, 17, 676-680.	1.3	12
128	The Essential Oils of Five Species of <i>Protium</i> Growing in the North of Brazil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2005, 8, 312-317.	0.7	9
129	Essential oil composition of leaf and fine stem of <i>Aniba canelilla</i> (Kunth) Mez from Manaus, Brazil. <i>Acta Amazonica</i> , 2004, 34, 329-330.	0.3	12
130	Aroma volatiles from two fruit varieties of jackfruit (<i>Artocarpus heterophyllus</i> Lam.). <i>Food Chemistry</i> , 2004, 85, 195-197.	4.2	53
131	Neutral components from hexane extracts of <i>Croton sellowii</i> . <i>Flavour and Fragrance Journal</i> , 2004, 19, 69-71.	1.2	17
132	Chemical Constituents and Preliminary Antimalarial Activity of <i>Humiria balsamifera</i> . <i>Pharmaceutical Biology</i> , 2004, 42, 94-97.	1.3	23
133	Constituents of the Essential Oil of <i>Zanthoxylum rhoifolium</i> Lam. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2004, 7, 179-181.	0.7	3
134	Seasonal essential oil variation of <i>Aniba canelilla</i> . <i>Biochemical Systematics and Ecology</i> , 2003, 31, 69-75.	0.6	43
135	Essential oils of the leaves and stems of four <i>Psidium</i> spp.. <i>Flavour and Fragrance Journal</i> , 2003, 18, 240-243.	1.2	49
136	Seasonal variation in the composition of the essential oils from the leaves, thin branches and resin of <i>Protium spruceanum</i> (Benth.) Engl.. <i>Flavour and Fragrance Journal</i> , 2003, 18, 338-341.	1.2	19
137	Essential oils of <i>Lippia grandis</i> Schau.. <i>Flavour and Fragrance Journal</i> , 2003, 18, 417-420.	1.2	15
138	Essential oils from three <i>Myrcia</i> species. <i>Flavour and Fragrance Journal</i> , 2003, 18, 421-424.	1.2	34
139	Volatiles from <i>Aniba terminalis</i> Ducke. <i>Journal of Essential Oil Research</i> , 2003, 15, 81-82.	1.3	5
140	Volatiles from flowers of <i>Pachira aquatica</i> Aubl. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2003, 6, 116-119.	0.7	7
141	Chemical Variation in the Essential Oils of <i>Hyptis mutabilis</i> (Rich.) Briq.. <i>Journal of Essential Oil Research</i> , 2003, 15, 130-132.	1.3	9
142	Essential Oils of <i>Aeollanthus suaveolens</i> Matt. ex Spreng.. <i>Journal of Essential Oil Research</i> , 2003, 15, 86-87.	1.3	13
143	Volatile Constituents of the Flowers of <i>Dipteryx odorata</i> (Aubl.) Willd.. <i>Journal of Essential Oil Research</i> , 2003, 15, 211-212.	1.3	4
144	Volatiles from fruits of <i>Pouteria Pariry</i> (Ducke) Baehni and <i>P. caimito</i> (Ruiz and Pavon.) Rdlkl. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2003, 6, 127-129.	0.7	8

#	ARTICLE	IF	CITATIONS
145	Seasonal variation in the essential oil of <i>Pilocarpus microphyllus</i> Stapf.. Anais Da Academia Brasileira De Ciencias, 2003, 75, 27-31.	0.3	16
146	Essential Oil from <i>Aniba riparia</i> (Nees) Mez. Journal of Essential Oil Research, 2002, 14, 218-219.	1.3	6
147	Composition of the Essential Oils from Leaves, Wood, Fruits and Resin of <i>Protium spruceanum</i> (Benth.) Engl.. Journal of Essential Oil Research, 2002, 14, 169-171.	1.3	11
148	Composition of the Essential Oils of <i>Conyza bonariensis</i> (L.) Cronquist. Journal of Essential Oil Research, 2002, 14, 325-326.	1.3	12
149	Fenologia e produtividade do Jambo (<i>Syzygium malaccensis</i>) na Amazônia Central. Acta Amazonica, 2002, 32, 3-8.	0.3	6
150	Essential oils composition of <i>Eupatorium</i> species growing wild in the Amazon. Biochemical Systematics and Ecology, 2002, 30, 1071-1077.	0.6	18
151	Chemical variation in the essential oils of <i>Hyptis crenata</i> Pohl ex Benth.. Flavour and Fragrance Journal, 2002, 17, 5-8.	1.2	18
152	Volatile constituents of <i>Lippia lupulina</i> Cham.. Flavour and Fragrance Journal, 2002, 17, 29-31.	1.2	12
153	Essential oils from <i>Astronium urundeuva</i> (Allemao) Engl. and <i>A. fraxinifolium</i> Schott ex Spreng.. Flavour and Fragrance Journal, 2002, 17, 72-74.	1.2	8
154	Volatile constituents from <i>Adenocalymma alliaceum</i> Miers and <i>Petiveria alliacea</i> L., two medicinal herbs of the Amazon. Flavour and Fragrance Journal, 2002, 17, 133-135.	1.2	22
155	Studies of edible Amazonian plants. Part 5: Chemical characterisation of Amazonian <i>Endopleura uchi</i> fruits. European Food Research and Technology, 2002, 214, 331-334.	1.6	17
156	Flower scent analysis of <i>Encyclia Vespa</i> (vell.) Dressler & G. E. Pollard and <i>E. Fragrans</i> (Sw.) Lemée. Acta Amazonica, 2002, 32, 65-70.	0.3	1
157	Chemical Characterization of the Fruit of <i>Annona squamosa</i> L. Occurring in the Amazon. Journal of Food Composition and Analysis, 2001, 14, 227-232.	1.9	45
158	Analysis by GC-MS of the hexane extract of the aerial parts of <i>Aristolochia acutifolia</i> Duchtr.. Flavour and Fragrance Journal, 2001, 16, 85-88.	1.2	16
159	Volatiles from the Leaves and Flowers of <i>Carapa guianensis</i> Aubl.. Journal of Essential Oil Research, 2001, 13, 436-438.	1.3	7
160	Aroma Volatile Constituents of Brazilian Varieties of Mango Fruit. Journal of Food Composition and Analysis, 2000, 13, 27-33.	1.9	69
161	Volatile Constituents of the Leaves, Fruits and Flowers of Cashew (<i>Anacardium occidentale</i> L.). Journal of Food Composition and Analysis, 2000, 13, 227-232.	1.9	59
162	Essential oils from <i>Conochea scoparioides</i> (Cham. & Schltdl.) Benth.. Flavour and Fragrance Journal, 2000, 15, 413-414.	1.2	9

#	ARTICLE	IF	CITATIONS
163	Volatiles from Flowers of <i>Thevetia peruviana</i> (Pers.) K. Schum. and <i>Allamanda cathartica</i> Linn. (Apocynaceae). <i>Journal of Essential Oil Research</i> , 2000, 12, 322-324.	1.3	10
164	Volatile Constituents of Brazilian Piperaceae. Part 4. Essential Oil Composition of <i>Piper dactyloctenium</i> , <i>P. plurinerve</i> and <i>P. vitaceum</i> . <i>Journal of Essential Oil Research</i> , 2000, 12, 94-96.	1.3	12
165	The Volatiles from Flowers of <i>Couroupita guianensis</i> Aubl., <i>Lecythis usitata</i> Miers. var. <i>paraensis</i> (Ducke) R. Kunth. and <i>Eschweilera coriacea</i> (A. P. DC.) Mori (Lecythidaceae). <i>Journal of Essential Oil Research</i> , 2000, 12, 163-166.	1.3	3
166	Seed Composition of Amazonian Lecythidaceae Species: Part 3 in the Series "Studies of Edible Amazonian Plants". <i>Journal of Food Composition and Analysis</i> , 1999, 12, 37-51.	1.9	22
167	The essential oils of <i>Lantana camara</i> L. occurring in North Brazil. <i>Flavour and Fragrance Journal</i> , 1999, 14, 208-210.	1.2	51
168	The essential oil of <i>Vitex agnus-castus</i> L. growing in the Amazon region. <i>Flavour and Fragrance Journal</i> , 1999, 14, 211-213.	1.2	23
169	The essential oils of <i>Peperomia pellucida</i> Kunth and <i>P. circinnata</i> Link var. <i>circinnata</i> . <i>Flavour and Fragrance Journal</i> , 1999, 14, 312-314.	1.2	31
170	Volatile constituents from leaves and flowers of <i>Alpinia speciosa</i> K. Schum. and <i>A. purpurata</i> (Viell.) Schum.. <i>Flavour and Fragrance Journal</i> , 1999, 14, 411-414.	1.2	54
171	Essential Oils of <i>Eupatorium triplinerve</i> Vahl and <i>E. paniculatum</i> Poepp. et Endl.. <i>Journal of Essential Oil Research</i> , 1999, 11, 541-544.	1.3	13
172	Volatile Constituents of Brazilian Piperaceae, Part 5. The Oils of <i>Pothomorphe umbellata</i> and <i>P. peltata</i> . <i>Journal of Essential Oil Research</i> , 1999, 11, 479-481.	1.3	9
173	Antimalarial use of volatile oil from leaves of <i>Viola surinamensis</i> (Rol.) Warb. by Waiãpi Amazon Indians. <i>Journal of Ethnopharmacology</i> , 1999, 67, 313-319.	2.0	108
174	A New Chemotype of <i>Eugenia uniflora</i> L. from North Brazil. <i>Journal of Essential Oil Research</i> , 1999, 11, 727-729.	1.3	29
175	Essential oils of <i>Lippia alba</i> (Mill.) N. E. Br growing wild in the Brazilian Amazon. <i>Flavour and Fragrance Journal</i> , 1998, 13, 47-48.	1.2	58
176	Volatile constituents of fruits of <i>Annona glabra</i> L. from Brazil. <i>Flavour and Fragrance Journal</i> , 1998, 13, 148-150.	1.2	16
177	Volatile constituents of fruits of <i>Astrocaryum vulgare</i> Mart. and <i>Bactris gasipaes</i> H.B.K. (Arecaceae). <i>Flavour and Fragrance Journal</i> , 1998, 13, 151-153.	1.2	8
178	Constituents of the essential oil of <i>Piper aduncum</i> L. growing wild in the Amazon region. <i>Flavour and Fragrance Journal</i> , 1998, 13, 269-272.	1.2	81
179	Chemical composition of the fruit of <i>Solanum sessiliflorum</i> . <i>European Food Research and Technology</i> , 1998, 206, 364-366.	0.6	22
180	Essential Oils of <i>Siparuna guianensis</i> Aubl.. <i>Journal of Essential Oil Research</i> , 1998, 10, 543-546.	1.3	24

#	ARTICLE	IF	CITATIONS
181	Essential Oils of <i>Piper gaudichaudianum</i> Kunth and <i>P. regnellii</i> (Miq.) C. DC.. Journal of Essential Oil Research, 1998, 10, 465-467.	1.3	24
182	Volatile Constituents of the Resins from <i>Protium subserratum</i> (Engl.) Engl. and <i>Tetragastris panamensis</i> (Engl.) Kuntz. Journal of Essential Oil Research, 1998, 10, 325-326.	1.3	13
183	Constituintes voláteis dos frutos de <i>Licania tomentosa</i> Benth. Acta Amazonica, 1998, 28, 55-55.	0.3	1
184	Sesquiterpenes of Amazonian Piper species*. Acta Amazonica, 1998, 28, 127-127.	0.3	15
185	Chemical composition of the fruit pulp of <i>Caryocar villosum</i> . European Food Research and Technology, 1997, 204, 442-444.	0.6	20
186	Circadian and seasonal variation in the essential oil from <i>Virola surinamensis</i> leaves. Phytochemistry, 1997, 46, 689-693.	1.4	32
187	Chemical composition, antimicrobial and antifungal activity of <i>Lippia Thymoides</i> essential oil in oral pathogens. Brazilian Journal of Oral Sciences, 0, 20, e210219.	0.1	0
188	CINÁTICA DE SECAGEM E COMPOSIÇÃO QUÍMICA DA POLPA DO FRUTO DE <i>Eugenia patrisii</i> Vahl. (MYRTACEAE). , 0, , 186-191.		2
189	CARACTERIZAÇÃO QUÍMICA DO ÓLEO ESSENCIAL DE PERPÉLUA-ROXA (<i>Centratherum punctatum</i> Cass.) OBTIDO POR HIDRODESTILAÇÃO. , 0, , 136-142.		0
190	RENDIMENTO E COMPOSIÇÃO QUÍMICA DO ÓLEO ESSENCIAL DE <i>Piper divaricatum</i> EM FUNÇÃO DA GRANULOMETRIA E MÓTODO DE EXTRAÇÃO. , 0, , 161-166.		0
191	ASPECTOS BOTÂNICOS DOS ÓLEOS ESSENCIAIS. , 0, , 170-181.		1