

Jonathan Cavanagh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7487574/publications.pdf>

Version: 2024-02-01

50
papers

2,284
citations

257101

24
h-index

233125

45
g-index

56
all docs

56
docs citations

56
times ranked

3959
citing authors

#	ARTICLE	IF	CITATIONS
1	The influence of comorbid depression and overweight status on peripheral inflammation and cortisol levels. <i>Psychological Medicine</i> , 2022, 52, 3289-3296.	2.7	15
2	Differential Effects of Toll-Like Receptor Activation and Differential Mediation by MAP Kinases of Immune Responses in Microglial Cells. <i>Cellular and Molecular Neurobiology</i> , 2022, 42, 2655-2671.	1.7	6
3	Association between polygenic risk for Alzheimer's disease, brain structure and cognitive abilities in UK Biobank. <i>Neuropsychopharmacology</i> , 2022, 47, 564-569.	2.8	18
4	Prediction models in first-episode psychosis: systematic review and critical appraisal. <i>British Journal of Psychiatry</i> , 2022, 220, 179-191.	1.7	8
5	Structural brain correlates of serum and epigenetic markers of inflammation in major depressive disorder. <i>Brain, Behavior, and Immunity</i> , 2021, 92, 39-48.	2.0	53
6	No evidence for differential gene expression in major depressive disorder PBMCs, but robust evidence of elevated biological ageing. <i>Translational Psychiatry</i> , 2021, 11, 404.	2.4	14
7	Peripheral inflammation is associated with micro-structural and functional connectivity changes in depression-related brain networks. <i>Molecular Psychiatry</i> , 2021, 26, 7346-7354.	4.1	32
8	Dysconnectivity of a brain functional network was associated with blood inflammatory markers in depression. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 299-309.	2.0	43
9	Development and Validation of a Nonremission Risk Prediction Model in First-Episode Psychosis: An Analysis of 2 Longitudinal Studies. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab041.	0.9	5
10	Hair glucocorticoids are associated with childhood adversity, depressive symptoms and reduced global and lobar grey matter in Generation Scotland. <i>Translational Psychiatry</i> , 2021, 11, 523.	2.4	13
11	Distinct trans-placental effects of maternal immune activation by TLR3 and TLR7 agonists: implications for schizophrenia risk. <i>Scientific Reports</i> , 2021, 11, 23841.	1.6	11
12	Association between APOE e4 and white matter hyperintensity volume, but not total brain volume or white matter integrity. <i>Brain Imaging and Behavior</i> , 2020, 14, 1468-1476.	1.1	62
13	Childhood trauma, HPA axis activity and antidepressant response in patients with depression. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 229-237.	2.0	70
14	Peripheral Blood Cell Stratified Subgroups of Inflamed Depression. <i>Biological Psychiatry</i> , 2020, 88, 185-196.	0.7	89
15	Association of SBP and BMI with cognitive and structural brain phenotypes in UK Biobank. <i>Journal of Hypertension</i> , 2020, 38, 2482-2489.	0.3	20
16	Whole-blood expression of inflammasome- and glucocorticoid-related mRNAs correctly separates treatment-resistant depressed patients from drug-free and responsive patients in the BIODep study. <i>Translational Psychiatry</i> , 2020, 10, 232.	2.4	62
17	Depression and anxiety in an early rheumatoid arthritis inception cohort. associations with demographic, socioeconomic and disease features. <i>RMD Open</i> , 2020, 6, e001376.	1.8	31
18	Sustained exposure to systemic endotoxin triggers chemokine induction in the brain followed by a rapid influx of leukocytes. <i>Journal of Neuroinflammation</i> , 2020, 17, 94.	3.1	29

#	ARTICLE	IF	CITATIONS
19	Treatment-resistant depression and peripheral C-reactive protein. <i>British Journal of Psychiatry</i> , 2019, 214, 11-19.	1.7	241
20	Neural correlates of weighted reward prediction error during reinforcement learning classify response to cognitive behavioral therapy in depression. <i>Science Advances</i> , 2019, 5, eaav4962.	4.7	25
21	Development and validation of multivariable prediction models of remission, recovery, and quality of life outcomes in people with first episode psychosis: a machine learning approach. <i>The Lancet Digital Health</i> , 2019, 1, e261-e270.	5.9	33
22	Genetic and Real-World Clinical Data, Combined with Empirical Validation, Nominate Jak-Stat Signaling as a Target for Alzheimer's Disease Therapeutic Development. <i>Cells</i> , 2019, 8, 425.	1.8	27
23	Assessing for interaction between APOE ϵ 4, sex, and lifestyle on cognitive abilities. <i>Neurology</i> , 2019, 92, e2691-e2698.	1.5	28
24	Predicting one-year outcome in first episode psychosis using machine learning. <i>PLoS ONE</i> , 2019, 14, e0212846.	1.1	29
25	JNK signalling mediates aspects of maternal immune activation: importance of maternal genotype in relation to schizophrenia risk. <i>Journal of Neuroinflammation</i> , 2019, 16, 18.	3.1	26
26	Rheumatoid arthritis and depression: an inflammatory perspective. <i>Lancet Psychiatry</i> , 2019, 6, 164-173.	3.7	238
27	Brain-stem serotonin transporter availability in maternal uniparental disomy and deletion Prader-Willi syndrome. <i>British Journal of Psychiatry</i> , 2018, 212, 57-58.	1.7	7
28	Neuroimmune Biomarkers in Mental Illness. <i>Current Topics in Behavioral Neurosciences</i> , 2018, 40, 45-78.	0.8	27
29	A 50-year-old with rapid neuropsychiatric deterioration and choreiform movements. <i>Practical Neurology</i> , 2017, 17, 237-240.	0.5	1
30	Relationship of depression screening in cardiometabolic disease with vascular events and mortality: findings from a large primary care cohort with 4 years follow-up. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2017, 3, 61-73.	1.8	3
31	The Systemic Response to Topical Aldara Treatment is Mediated Through Direct TLR7 Stimulation as Imiquimod Enters the Circulation. <i>Scientific Reports</i> , 2017, 7, 16570.	1.6	32
32	Relationship Between Blood Pressure Values, Depressive Symptoms, and Cardiovascular Outcomes in Patients With Cardiometabolic Disease. <i>Journal of Clinical Hypertension</i> , 2016, 18, 1027-1035.	1.0	12
33	TLR7-mediated skin inflammation remotely triggers chemokine expression and leukocyte accumulation in the brain. <i>Journal of Neuroinflammation</i> , 2016, 13, 102.	3.1	30
34	Circulating tumour necrosis factor is highly correlated with brainstem serotonin transporter availability in humans. <i>Brain, Behavior, and Immunity</i> , 2016, 51, 29-38.	2.0	42
35	Risk assessment and predicting outcomes in patients with depressive symptoms: a review of potential role of peripheral blood based biomarkers. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 18.	1.0	23
36	Poststroke depression and 5-HTTLPR. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 241-243.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Venlafaxine alters microvascular perfusion, [123I]-beta-CIT binding and BDI scores in flushing postmenopausal women. <i>Maturitas</i> , 2014, 77, 267-273.	1.0	6
38	Peripheral inflammation is associated with remote global gene expression changes in the brain. <i>Journal of Neuroinflammation</i> , 2014, 11, 73.	3.1	98
39	Socioeconomic Status and the Cerebellar Grey Matter Volume. Data from a Well-Characterised Population Sample. <i>Cerebellum</i> , 2013, 12, 882-891.	1.4	27
40	Cardio-metabolic risk factors and cortical thickness in a neurologically healthy male population: Results from the psychological, social and biological determinants of ill health (pSoBid) study. <i>NeuroImage: Clinical</i> , 2013, 2, 646-657.	1.4	27
41	The interface between neurology and psychiatry: the case of multiple sclerosis. <i>Advances in Psychiatric Treatment</i> , 2013, 19, 370-377.	0.6	1
42	Depression: an inflammatory illness?: Figure 1. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 495-502.	0.9	339
43	Accelerated Telomere Attrition Is Associated with Relative Household Income, Diet and Inflammation in the pSoBid Cohort. <i>PLoS ONE</i> , 2011, 6, e22521.	1.1	120
44	Early life socioeconomic adversity is associated in adult life with chronic inflammation, carotid atherosclerosis, poorer lung function and decreased cognitive performance: a cross-sectional, population-based study. <i>BMC Public Health</i> , 2011, 11, 42.	1.2	92
45	SSRI antidepressants do not confound single photon emission computed tomography (SPECT) imaging studies using the [¹²³ I]5α- α -A85380 ligand: In vivo and in vitro evidence. <i>Synapse</i> , 2010, 64, 111-116.	0.6	1
46	Tumour necrosis factor blockade mediates altered serotonin transporter availability in rheumatoid arthritis: a clinical, proof-of-concept study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1251-1252.	0.5	28
47	Differences in atherosclerosis according to area level socioeconomic deprivation: cross sectional, population based study. <i>BMJ: British Medical Journal</i> , 2009, 339, b4170-b4170.	2.4	56
48	A novel scale for measuring mixed states in bipolar disorder. <i>Clinical Psychology and Psychotherapy</i> , 2009, 16, 497-509.	1.4	22
49	Psychological, social and biological determinants of ill health (pSoBid): Study Protocol of a population-based study. <i>BMC Public Health</i> , 2008, 8, 126.	1.2	31
50	Serotonin Transporter Residual Availability During Long-Term Antidepressant Therapy Does Not Differentiate Responder and Nonresponder Unipolar Patients. <i>Biological Psychiatry</i> , 2006, 59, 301-308.	0.7	19