Xuefei Gao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7487766/publications.pdf Version: 2024-02-01



XUEFEL CAO

#	Article	IF	CITATIONS
1	Plasmon-enhanced near-infrared fluorescence detection of traumatic brain injury biomarker glial fibrillary acidic protein in blood plasma. Analytica Chimica Acta, 2022, 1203, 339721.	2.6	12
2	Low-temperature water electrolysis: fundamentals, progress, and new strategies. Materials Advances, 2022, 3, 5598-5644.	2.6	50
3	Enabling Direct Protein Detection in a Drop of Whole Blood with an "On-Strip―Plasma Separation Unit in a Paper-Based Lateral Flow Strip. Analytical Chemistry, 2021, 93, 1326-1332.	3.2	38
4	Nanoparticle-based genetic transformation of Cannabis sativa. Journal of Biotechnology, 2021, 326, 48-51.	1.9	24
5	A "hot Spot―Enhanced paper lateral flow assay for ultrasensitive detection of traumatic brain injury biomarker S-100β in blood plasma. Biosensors and Bioelectronics, 2021, 177, 112967.	5.3	34
6	Chemical interaction and enhanced interfacial ion transport in a ceramic nanofiber–polymer composite electrolyte for all-solid-state lithium metal batteries. Journal of Materials Chemistry A, 2020, 8, 7261-7272.	5.2	85
7	The oxygen evolution reaction enabled by transition metal phosphide and chalcogenide pre-catalysts with dynamic changes. Chemical Communications, 2019, 55, 8744-8763.	2.2	246
8	Vapor–solid synthesis of monolithic single-crystalline CoP nanowire electrodes for efficient and robust water electrolysis. Chemical Science, 2017, 8, 2952-2958.	3.7	162
9	Hydrothermal Synthesis of Monolithic Co ₃ Se ₄ Nanowire Electrodes for Oxygen Evolution and Overall Water Splitting with High Efficiency and Extraordinary Catalytic Stability. Advanced Energy Materials, 2017, 7, 1602579.	10.2	267
10	Paper-Based Surface-Enhanced Raman Scattering Lateral Flow Strip for Detection of Neuron-Specific Enolase in Blood Plasma. Analytical Chemistry, 2017, 89, 10104-10110.	3.2	134
11	Self-supported Co-Ni-P ternary nanowire electrodes for highly efficient and stable electrocatalytic hydrogen evolution in acidic solution. Catalysis Today, 2017, 287, 122-129.	2.2	105
12	Smartphone-Based Sensors. Electrochemical Society Interface, 2016, 25, 79-81.	0.3	17
13	From water reduction to oxidation: Janus Co-Ni-P nanowires as high-efficiency and ultrastable electrocatalysts for over 3000Âh water splitting. Journal of Power Sources, 2016, 330, 156-166.	4.0	190
14	An enzyme-amplified lateral flow strip biosensor for visual detection of MicroRNA-224. Talanta, 2016, 146, 648-654.	2.9	74
15	Dualâ€Scaled Porous Nitrocellulose Membranes with Underwater Superoleophobicity for Highly Efficient Oil/Water Separation. Advanced Materials, 2014, 26, 1771-1775.	11.1	311
16	Visual detection of microRNA with lateral flow nucleic acid biosensor. Biosensors and Bioelectronics, 2014, 54, 578-584.	5.3	122
17	Recent Advances in Nanoparticles-based Lateral Flow Biosensors. American Journal of Biomedical Sciences, 0, , 41-57.	0.2	30