

Luis A Cubillos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7487841/publications.pdf>

Version: 2024-02-01

93
papers

1,365
citations

331670

21
h-index

414414

32
g-index

96
all docs

96
docs citations

96
times ranked

1260
citing authors

#	ARTICLE	IF	CITATIONS
1	River Runoff as a Major Driver of Anchovy (<i>Engraulis ringens</i>) Recruitment but Not of Common Sardine (<i>Strangomera bentincki</i>) in Central-South Chile. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	3
2	Juvenile Hake <i>Merluccius gayi</i> Spatiotemporal Expansion and Adult-Juvenile Relationships in Chile. <i>Fishes</i> , 2022, 7, 88.	1.7	1
3	Are we ready to track climate-driven shifts in marine species across international boundaries? A global survey of scientific bottom trawl data. <i>Global Change Biology</i> , 2021, 27, 220-236.	9.5	51
4	The recruitment dynamics of the nylon shrimp <i>Heterocarpus reedi</i> , effects of climate and predation off Chile. <i>Fisheries Research</i> , 2021, 235, 105817.	1.7	2
5	Isotopic niche and niche overlap in benthic crustacean and demersal fish associated to the bottom trawl fishing in south-central Chile. <i>Journal of Sea Research</i> , 2021, 173, 102059.	1.6	7
6	Integrating human and ecological dimensions: The importance of stakeholders' perceptions and participation on the performance of fisheries co-management in Chile. <i>PLoS ONE</i> , 2021, 16, e0254727.	2.5	7
7	Territorial Use Rights for Fisheries (TURF) in central-southern Chile: Their sustainability status from a transdisciplinary holistic approach. <i>Marine Policy</i> , 2021, 132, 104644.	3.2	6
8	Empirical survey-based harvest control rules in a transboundary small pelagic fishery under recruitment regime shifts: The case of the northern Chilean-southern Peruvian anchovy. <i>Marine Policy</i> , 2021, 134, 104784.	3.2	4
9	Biodiversity and biomass of benthic-demersal megafaunal assemblages of the yellow and red squat lobster fishing grounds in Central Chile (Eastern Pacific Ocean). <i>Regional Studies in Marine Science</i> , 2020, 33, 100914.	0.7	2
10	Ichthyoplankton distribution and feeding habits of fish larvae at the inshore zone of northern Patagonia, Chile. <i>Marine Biodiversity</i> , 2020, 50, 1.	1.0	4
11	Spatial distribution of small pelagic fishes: Implications for fishing quota allocations. <i>Marine Policy</i> , 2020, 120, 104147.	3.2	0
12	Daily anchovy (<i>Engraulis ringens</i>) egg mortality rates in different spawning zones along the Chilean coast. <i>Regional Studies in Marine Science</i> , 2020, 35, 101200.	0.7	2
13	Spawning marker patterns of <i>Engraulis ringens</i> of northern Chile. <i>Fisheries Research</i> , 2019, 219, 105306.	1.7	5
14	Applying a separability assumption in a length-based stock assessment model to evaluate intra-annual effects of recruitment process error of small-pelagic fish. <i>Fisheries Research</i> , 2019, 217, 108-121.	1.7	3
15	Early life history traits of common sardine, <i>Strangomera bentincki</i> (Osteichthyes: Clupeidae) estimated by otolith microstructure analysis. <i>Journal of Sea Research</i> , 2018, 142, 21-27.	1.6	3
16	Turbulence and hypoxia contribute to dense biological scattering layers in a Patagonian fjord system. <i>Ocean Science</i> , 2018, 14, 1185-1206.	3.4	16
17	Long-time spatio-temporal variations in anchovy (<i>Engraulis ringens</i>) biological traits off northern Chile: an adaptive response to long-term environmental change?. <i>ICES Journal of Marine Science</i> , 2018, 75, 1908-1923.	2.5	13
18	Historical analysis of somatic growth of Chilean hake (<i>Merluccius gayi gayi</i>) off central coast of Chile. <i>Latin American Journal of Aquatic Research</i> , 2017, 41, 558-569.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Cambios interanuales en la talla de madurez de sardina común, <i>Strangomera bentincki</i> , en la zona centro-sur de Chile (2007-2012). <i>Revista De Biología Marina Y Oceanografía</i> , 2016, 51, 317-325.	0.2	1
20	Interactions between ageing error and selectivity in statistical catch-at-age models: simulations and implications for assessment of the Chilean Patagonian toothfish fishery. <i>ICES Journal of Marine Science</i> , 2016, 73, 1074-1090.	2.5	12
21	Coincident recruitment patterns of Southern Hemisphere fishes. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2016, 73, 270-278.	1.4	7
22	RELACIÓN ENTRE EL NIVEL DEL LAGO Y LA PRECIPITACIÓN SOBRE LOS DESEMBARQUES DEL PEJERREY <i>Odontesthes bonariensis</i> (VALENCIENNES, 1835) EN EL SECTOR PERUANO DEL LAGO TITICACA ENTRE 1981 Y 2010. <i>Ecología Aplicada</i> , 2016, 12, 19.	0.2	3
23	Acoustic evidence of zooplankton distribution and aggregations variability in Patagonian fjords and channels. , 2015, , .		0
24	Acoustic assessment of the austral sardine, <i>Sprattus fuegensis</i> , in the inner sea of the Chilean Patagonia. , 2015, , .		2
25	Crecimiento, madurez y mortalidad del pez gallo, <i>Callorhynchus callorhynchus</i> , en el Golfo San Matías, Patagonia norte, Argentina. <i>Revista De Biología Marina Y Oceanografía</i> , 2015, 50, 283-298.	0.2	2
26	Synchronous patterns of fluctuations in two stocks of anchovy <i>Engraulis ringens</i> Jenyns, 1842 in the Humboldt Current System. <i>Journal of Applied Ichthyology</i> , 2015, 31, 45-50.	0.7	9
27	Nursery systems for Patagonian grenadier off Western Patagonia: large inner sea or narrow continental shelf?. <i>ICES Journal of Marine Science</i> , 2014, 71, 374-390.	2.5	21
28	Relating a recruitment shift of Patagonian grenadier (<i>Macruronus magellanicus</i> Linnberg) to large-scale environmental changes off Southern Chile. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2014, 48, 284-293.	2.0	5
29	Simulation of fishery-induced changes on the reproductive cycle of common sardine, <i>Strangomera bentincki</i> , off central southern Chile. <i>Fisheries Research</i> , 2014, 160, 103-111.	1.7	8
30	Variation in the spawning periods of <i>Engraulis ringens</i> and <i>Strangomera bentincki</i> off the coasts of Chile: A quantitative analysis. <i>Fisheries Research</i> , 2014, 160, 96-102.	1.7	16
31	Variaciones en la historia de vida de <i>Anadara tuberculosa</i> (Mollusca: Bivalvia) en el ecosistema de manglar de la costa Sur de Ecuador. <i>Revista De Biología Tropical</i> , 2014, 62, 473.	0.4	4
32	Intra-specific variability in life-history traits of <i>Anadara tuberculosa</i> (Mollusca: Bivalvia) in the mangrove ecosystem of the Southern coast of Ecuador. <i>Revista De Biología Tropical</i> , 2014, 62, 473-82.	0.4	3
33	Sensitivity of recruitment rates anchovy (<i>Engraulis ringens</i>) to environmental changes in Southern Peruá€Northern Chile. <i>Environmental Development</i> , 2013, 7, 88-101.	4.1	6
34	Relationship between Chilean hake (<i>Merluccius gayi gayi</i>) abundance and environmental conditions in the central-southern zone of Chile. <i>Fisheries Research</i> , 2013, 143, 89-97.	1.7	14
35	Growth, maturity, and size-at-age variation of the bigheaded shrimp <i>Heterocarpus vicarius</i> (Decapoda.) <i>Tj ETQq1 1 0,784314 rgBT /Over 0,3</i>		
36	Inter-annual reproductive trait variation and spawning habitat preferences of <i>Engraulis ringens</i> off northern Chile. <i>Revista De Biología Marina Y Oceanografía</i> , 2012, 47, 227-243.	0.2	18

#	ARTICLE	IF	CITATIONS
37	Impact of spring upwelling variability off southern-central Chile on common sardine (<i>Strangomera</i>)	1.7	25
38	Vulnerability to exploitation of the yellownose skate (<i>Dipturus chilensis</i>) off southern Chile. Fisheries Research, 2011, 109, 225-233.	1.7	10
39	Length-based growth, maturity and natural mortality of the cockfish <i>Callorhynchus callorhynchus</i> (Linnaeus, 1758) off Coquimbo, Chile. Environmental Biology of Fishes, 2011, 92, 65-78.	1.0	11
40	Genetic diversity and demographic history of <i>Dosidicus gigas</i> (Cephalopoda: Ommastrephidae) in the Humboldt Current System. Marine Ecology - Progress Series, 2011, 431, 163-171.	1.9	36
41	The spatio-temporal distribution of juvenile hake (<i>Merluccius gayi gayi</i>) off central southern Chile (1997-2006). Aquatic Living Resources, 2011, 24, 161-168.	1.2	12
42	Evaluación talla estructurada de los stocks de <i>Ensis macha</i> y <i>Tagelus dombeii</i> en el Golfo de Arauco, Chile. Revista De Biología Marina Y Oceanografía, 2011, 46, 157-176.	0.2	5
43	Spatial and temporal changes in batch fecundity of common sardine and anchovy off central and southern Chile (2002-2007). Ciencias Marinas, 2011, 37, 547-564.	0.4	5
44	On the intraspecific variation in morphometry and shape of sagittal otoliths of common sardine, <i>Strangomera bentincki</i> , off central-southern Chile. Scientia Marina, 2011, .	0.6	0
45	Variaciones espacio-temporales de la captura por unidad de esfuerzo en la pesquería artesanal costera del pargo rayado <i>Lutjanus synagris</i> , en el Caribe colombiano y su relación con variables ambientales. Revista De Biología Marina Y Oceanografía, 2010, 45, .	0.2	5
46	Inter-cohort growth rate changes of common sardine (<i>Strangomera bentincki</i>) and their relationship with environmental conditions off central southern Chile. Fisheries Research, 2010, 105, 228-236.	1.7	15
47	Estimación de la talla media de madurez sexual en <i>Trachurus murphyi</i> mediante. Latin American Journal of Aquatic Research, 2010, 38, 178-187.	0.6	3
48	Verificación de la edad y crecimiento de besugo <i>Epigonus crassicaudus</i> (de Buen, 1959) admitiendo error en la determinación de la edad. Revista De Biología Marina Y Oceanografía, 2009, 44, .	0.2	2
49	Cambios latitudinales en la pesquería pelágica de merluza de cola (<i>Macrurus magellanicus</i>) de la zona centro-sur (1986-2003). Latin American Journal of Aquatic Research, 2009, 37, 121-129.	0.6	2
50	Small pelagic fish reproductive strategies in upwelling systems: A natal homing evolutionary model to study environmental constraints. Progress in Oceanography, 2009, 83, 261-269.	3.2	38
51	Climatic regimes and the recruitment rate of anchoveta, <i>Engraulis ringens</i> , off Peru. Estuarine, Coastal and Shelf Science, 2009, 84, 591-597.	2.1	28
52	Length-structured analysis of the reproductive season of anchovy and common sardine off central southern Chile. Marine Biology, 2009, 156, 1673-1680.	1.5	21
53	Population dynamics of two small pelagic fish in the central-south area off Chile: delayed density-dependence and biological interaction. Environmental Biology of Fishes, 2008, 82, 111-122.	1.0	19
54	Biases in determining the diet of jumbo squid <i>Dosidicus gigas</i> (Orbigny 1835) (Cephalopoda:)	1.3	38

#	ARTICLE	IF	CITATIONS
55	The spatial structure of the oceanic spawning of jack mackerel (<i>Trachurus murphyi</i>) off central Chile (1998-2001). <i>Fisheries Research</i> , 2008, 90, 261-270.	1.7	22
56	Análisis de los cambios de abundancia de sardina común (<i>Strangomera bentincki</i>): estructura a lo largo del calendario versus biológico. <i>Latin American Journal of Aquatic Research</i> , 2008, 36, 137-151.	0.6	2
57	A regular pattern of periodicity in the monthly catch of jumbo squid (<i>Dosidicus gigas</i>) along the Chilean coast (2002-2005). <i>Ciencias Marinas</i> , 2008, 34, 91-99.	0.4	15
58	Synchronous pattern of fluctuation in three anchovy fisheries in the Humboldt Current System. <i>Aquatic Living Resources</i> , 2007, 20, 69-75.	1.2	22
59	Is the spawning frequency dependent on female size? Empirical evidence in <i>Sardinops sagax</i> and <i>Engraulis ringens</i> off northern Chile. <i>Fisheries Research</i> , 2007, 85, 248-257.	1.7	55
60	Spawning, daily egg production, and spawning stock biomass estimation for common sardine (<i>Strangomera bentincki</i>) and anchovy (<i>Engraulis ringens</i>) off central southern Chile in 2002. <i>Fisheries Research</i> , 2007, 86, 228-240.	1.7	51
61	Estimaciones empíricas de mortalidad natural en el bacalao de profundidad (<i>Dissostichus eleginoides</i>) Tj ETQq1 1 0,284314 ggBT /Over	0,2	2
62	The spawning spatial structure of two co-occurring small pelagic fish off central southern Chile in 2005. <i>Aquatic Living Resources</i> , 2007, 20, 77-84.	1.2	11
63	Seasonal variation in the length structure and reproductive condition of the jumbo squid (<i>Dosidicus gigas</i>) (d'Orbigny, 1835) off central-south Chile. <i>Scientia Marina</i> , 2007, 71, 123-128.	0.6	26
64	Selectividad por tamaño de las presas en merluza común (<i>Merluccius gayi gayi</i>), zona centro-sur de Chile (1992-1997). <i>Investigaciones Marinas</i> , 2007, 35, .	0.1	5
65	Incorporating cannibalism into an age-structured model for the Chilean hake. <i>Fisheries Research</i> , 2006, 82, 30-40.	1.7	21
66	Evidence of two-phase growth in elasmobranchs. <i>Environmental Biology of Fishes</i> , 2006, 77, 293-300.	1.0	35
67	Evidence of two-phase growth in elasmobranchs. , 2006, , 293-300.		3
68	Annual growth and age composition of the squat lobster <i>Cervimunida johni</i> off northern-central Chile (1996-97). <i>Scientia Marina</i> , 2005, 69, 113-122.	0.6	7
69	Análisis talla-estructurado de los cambios de abundancia en <i>Merluccius gayi gayi</i> entre 1992 y 2000. <i>Investigaciones Marinas</i> , 2004, 32, 71.	0.1	3
70	Comparative analysis of trophic structure of commercial fishery species off Central Chile in 1992 and 1998. <i>Ecological Modelling</i> , 2004, 172, 233-248.	2.5	71
71	Otolith weight as an estimator of age in the Patagonian grenadier, <i>Macrurus magellanicus</i> , in central-south Chile. <i>Fisheries Research</i> , 2004, 66, 145-156.	1.7	27
72	Influencia del tamaño de la hembra en la duración e intensidad de la actividad reproductiva de <i>Merluccius gayi gayi</i> en la zona centro-sur de Chile. <i>Investigaciones Marinas</i> , 2004, 32, .	0.1	5

#	ARTICLE	IF	CITATIONS
73	Dieta del pez espada <i>Xiphias gladius</i> Linnaeus, 1758, en aguas oceánicas de Chile central en invierno de 2003. <i>Investigaciones Marinas</i> , 2004, 32, .	0.1	28
74	Precisión en los estimados de distribución de frecuencias de tallas de jurel, <i>Trachurus symmetricus</i> . <i>Investigaciones Marinas</i> , 2003, 31, .	0.1	0
75	Equilibrium yield-curve analysis through an analytic age-structured production model: A sensitivity study for the Chilean jack mackerel fishery. <i>Fisheries Research</i> , 2002, 54, 395-407.	1.7	3
76	Monthly abundance estimation for common sardine <i>Strangomera bentincki</i> and anchovy <i>Engraulis ringens</i> in the central-southern area off Chile (34°-40°S). <i>Fisheries Research</i> , 2002, 57, 117-130.	1.7	46
77	Análisis de las tasas de captura de jurel (<i>Trachurus symmetricus</i>) en la zona centro-sur de Chile (1987-1999). <i>Investigaciones Marinas</i> , 2002, 30, 45.	0.1	2
78	Recruitment of common sardine (<i>Strangomera bentincki</i>) and anchovy (<i>Engraulis ringens</i>) off central-south Chile in the 1990s and the impact of the 1997-1998 El Niño. <i>Aquatic Living Resources</i> , 2002, 15, 87-94.	1.2	36
79	EL ANALISIS RETROSPECTIVO DEL CRECIMIENTO EN PECES Y SUS PROBLEMAS ASOCIADOS. <i>Gayana</i> , 2002, 66, .	0.1	3
80	Climate Change and Variability of Pelagic Fish Stocks in the Humboldt Current Ecosystem. <i>Investigaciones Marinas</i> , 2002, 30, .	0.1	0
81	Is the jack mackerel population affected by ENSO's variability?. <i>Investigaciones Marinas</i> , 2002, 30, .	0.1	0
82	Evidence of a relationship between age and otolith weight in the Chilean jack mackerel, <i>Trachurus symmetricus murphyi</i> (Nichols). <i>Fisheries Research</i> , 2001, 51, 17-26.	1.7	26
83	Current trends in the assessment and management of stocks. , 2001, , 191-255.		34
84	The jack mackerel fishery and El Niño 1997-98 effects off Chile. <i>Progress in Oceanography</i> , 2001, 49, 597-617.	3.2	80
85	CreCIMIENTO estacional de peces pelágicos en Talcahuano, Chile (37°S, 73°W): consecuencia de su estrategia reproductiva a un sistema de surgencia estacional ?. <i>Aquatic Living Resources</i> , 2001, 14, 115-124.	1.2	63
86	Trophic dynamics. , 2001, , 112-157.		52
87	Epoca reproductiva y talla media de primera madurez sexual de <i>Strangomera bentincki</i> y <i>Engraulis ringens</i> en el período 1993-1997, en la zona centro-sur de Chile. <i>Investigaciones Marinas</i> , 1999, 27, 73.	0.1	19
88	Empirical estimates of natural mortality for the Chilean hake (<i>Merluccius gayi</i>): evaluation of precision. <i>Fisheries Research</i> , 1999, 42, 147-153.	1.7	28
89	Estimating the parameters of the stock-recruitment model of Ricker from a yield-per-recruit model in data-limited situations. <i>Fisheries Research</i> , 1994, 20, 229-242.	1.7	1
90	Producción primaria requerida para sustentar el desembarque de peces pelágicos en Chile. <i>Investigaciones Marinas</i> , 0, 26, .	0.1	15

#	ARTICLE	IF	CITATIONS
91	Spring northward juvenile migration of the Patagonian grenadier (<i>Macrurus magellanicus</i>) from the Northwest Patagonian waters of Chile. <i>Frontiers in Marine Science</i> , 0, 2, .	2.5	0
92	Otolith shape analysis of the austral sardine (<i>Sprattus fuegensis</i>) in the Patagonian inner sea of Chile.. <i>Frontiers in Marine Science</i> , 0, 2, .	2.5	0
93	Fishing opportunities for the deepwater cardinalfish (<i>Epigonus crassicaudus</i>) in the continental shelf break along central Chile. <i>Journal of Applied Ichthyology</i> , 0, , .	0.7	0