
Mikail Ä^onal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7488508/publications.pdf Version: 2024-02-01



Μικλίι Άονλι

#	Article	IF	CITATIONS
1	Evaluation of the optic nerve using strain and shear wave elastography in patients with multiple sclerosis and healthy subjects. Medical Ultrasonography, 2017, 19, 39.	0.8	30
2	Superior Mesenteric Artery Syndrome Accompanying With Nutcracker Syndrome: A Case Report. Iranian Red Crescent Medical Journal, 2014, 16, e14755.	0.5	27
3	Carotid canal and optic canal at sphenoid sinus. Neurosurgical Review, 2019, 42, 519-529.	2.4	19
4	Nutcracker Syndrome Accompanying Pelvic Congestion Syndrome: Color Doppler Sonography and Multislice CT Findings: A Case Report. Iranian Journal of Radiology, 2014, 11, e11075.	0.2	18
5	The importance of medialâ€lateral styloid process angulation/coronal plane angle in symptomatic eagle syndrome. Clinical Anatomy, 2017, 30, 487-491.	2.7	17
6	Evaluation of tendinosis of the long head of the biceps tendon by strain and shear wave elastography. Medical Ultrasonography, 2018, 20, 192.	0.8	17
7	Olfactory bulbus volume and olfactory sulcus depth in psychotic patients and patients with anxiety disorder/depression. European Archives of Oto-Rhino-Laryngology, 2018, 275, 3017-3024.	1.6	16
8	Olfactory bulbus volume and olfactory sulcus depth in migraine patients: an MRI evaluation. European Archives of Oto-Rhino-Laryngology, 2018, 275, 2005-2011.	1.6	15
9	Evaluation of the Optic Nerve by Strain and Shear Wave Elastography in Patients With Migraine. Journal of Ultrasound in Medicine, 2019, 38, 1153-1161.	1.7	14
10	Magnetic resonance imaging and computed tomography for diagnosing semicircular canal dehiscence. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 998-1002.	1.7	13
11	Evaluation of Optic Nerve with Strain and Shear Wave Elastography in Patients with Behçet's Disease and Healthy Subjects. Ultrasound in Medicine and Biology, 2017, 43, 1348-1354.	1.5	13
12	Evaluation of the Brachial Plexus With Shear Wave Elastography After Radiotherapy for Breast Cancer. Journal of Ultrasound in Medicine, 2018, 37, 2029-2035.	1.7	13
13	Investigation of the calcification at the petroclival region through Multi-slice Computed Tomography of the skull base. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 347-352.	1.7	11
14	Olfactory Fossa and New Angle Measurements: Lateral Lamella-Cribriform Plate Angle. Journal of Craniofacial Surgery, 2019, 30, 1911-1914.	0.7	11
15	Is There a Relationship Between Optic Canal, Foramen Rotundum, and Vidian Canal?. Journal of Craniofacial Surgery, 2015, 26, 1382-1388.	0.7	10
16	The Presence of Clival Foramen Through Multidetector Computed Tomography of the Skull Base. Journal of Craniofacial Surgery, 2015, 26, e580-e582.	0.7	10
17	Evaluation of arthroscopic rotator cuff repair results in patients with anterior greater tubercle cysts. Journal of Orthopaedic Surgery, 2019, 27, 230949901982560.	1.0	10
18	ls there a relationship between Onodi cell and optic canal?. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1057-1064.	1.6	10

Mikail İnal

#	Article	IF	CITATIONS
19	Ocular blood flow in polycystic ovary syndrome. Journal of Obstetrics and Gynaecology Research, 2015, 41, 1080-1086.	1.3	7
20	The Pitfalls and Important Distances in Temporal Bone HRCT of the Subjects with High Jugular Bulbs – Preliminary Report. Advances in Clinical and Experimental Medicine, 2015, 24, 315-324.	1.4	7
21	ADC evaluation of the corticospinal tract in multiple sclerosis. Acta Neurologica Belgica, 2015, 115, 105-109.	1.1	6
22	Sonoelastographic Evaluation of the Lower Lateral Nasal Cartilage Lateral Crus, Auricular Conchal Cartilage, and Costal Cartilage. Facial Plastic Surgery, 2019, 35, 678-686.	0.9	6
23	Effect of Intravitreal Bevacizumab on Retrobulbar Blood Flow of Patients with Diabetic Macular Edema. European Journal of Ophthalmology, 2015, 25, 539-545.	1.3	5
24	Evaluation of Olfactory Sensation, Acoustic Rhinometry, and Quality of Life of the Patients With Nasal Septal Deviation. Journal of Craniofacial Surgery, 2019, 30, 1221-1227.	0.7	5
25	Evaluation of the medial rectus muscle and optic nerve using strain and shear wave elastography in Graves' patients. Japanese Journal of Radiology, 2020, 38, 1028-1035.	2.4	4
26	Cribriform Plate, Crista Galli, Olfactory Fossa and Septal Deviation. Current Medical Imaging, 2019, 15, 319-325.	0.8	4
27	Critical Stenosis of the Internal Carotid Artery. Journal of Craniofacial Surgery, 2019, 30, e388-e392.	0.7	3
28	Does Mastoid Pneumatization Affect Facial Canal Dimensions and Distances of Facial Tympanic Segment–Scutum and Lateral Semicircular Canal–Scutum?. Journal of Computer Assisted Tomography, 2020, 44, 380-385.	0.9	2
29	Better Visualization of Vermiform Appendix with Tissue Harmonic Imaging Compared to Conventional Sonography. Iranian Journal of Radiology, 2014, 11, e18114.	0.2	2
30	ls there a Relationship Between Keros Classification of Olfactory Fossae Depth, Septal Deviation Angle and the Distance Between Infraorbital Foramens?. Current Medical Imaging, 2018, 14, 788-797.	0.8	2
31	Can MDCT Scan of the Temporal Bone Looking at Pneumatization Predict Surgical Vulnerability of the Facial Nerve?. Ear, Nose and Throat Journal, 2021, 100, 497-503.	0.8	1
32	Peripheric smell regions in patients with temporal and frontal lobe epilepsies: An MRI evaluation. Journal of Clinical Neuroscience, 2021, 92, 1-5.	1.5	1
33	Morphometric Analysis of the Fronto-maxillary Sinuses in Adult Patients with Traumatic Septal Deviations. Current Medical Imaging, 2019, 15, 194-198.	0.8	1
34	The Diagnostic Value of CT-guided Percutaneous Co-axial Trans-thoracic Biopsy (PCTTB) and Evaluation of the Pathologic Examination. Current Medical Imaging, 2019, 15, 479-488.	0.8	1
35	Evaluation of peripheral olfactory pathways in chronic autoimmune thyroiditis. European Archives of Oto-Rhino-Laryngology, 2022, 279, 4525-4532.	1.6	1
36	Vitreous Humor Diffusion Changes in Behçet's Disease and Multiple Sclerosis. Current Medical Imaging, 2018, 14, 933-937.	0.8	0

Mikail İnal

#	Article	IF	CITATIONS
37	Anatomic Considerations and Relationship between Vertebral Artery and Transverse Foramina at Cervical Vertebrae 1 to 6 in Vertigo Patients. Ent Updates, 0, , .	0.0	0
38	Does Generalized Linear Model Support Functional Default Mode Network Studies. Noropsikiyatri Arsivi, 2019, 56, 277-282.	0.3	0
39	Peripheric smell regions in patients with semicircular canal dehiscence: An MRI evaluation. Journal of Clinical Neuroscience, 2021, 94, 173-178.	1.5	0
40	Is there a relationship between Lund-Mackay scale, olfactory bulb depth and width, and Keros classification in patients with nasal polyps?. Romanian Journal of Rhinology, 2021, 11, 167-173.	0.1	0
41	A Comparison of Diagnostic Accuracy of Superior Semicircular Canal Dehiscence in MDCT and MRI, and Coexistence with Tegmen Tympani Dehiscence. Journal of Neurological Surgery, Part B: Skull Base, 2021, 82, 476-483.	0.8	Ο
42	Changes in Peripheral Olfactory Pathways in Rheumatoid Arthritis. Journal of Computer Assisted Tomography, 2021, Publish Ahead of Print, 150-155.	0.9	0
43	Peripheral and central smell regions in children with epilepsy: An MRI evaluation. Journal of Clinical Neuroscience, 2022, 95, 99-105.	1.5	Ο
44	Peripheral and central smell regions in patients with stroke: an MRI evaluation. Neurological Sciences, 2022, , 1.	1.9	0
45	Computerized tomographic evaluation of the sella turcica: variations by gender and age. Romanian Journal of Rhinology, 2022, 12, 22-31.	0.1	0