

Daniela Barbieri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7488562/publications.pdf>

Version: 2024-02-01

9
papers

140
citations

1478505

6
h-index

1474206

9
g-index

9
all docs

9
docs citations

9
times ranked

232
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors predicting the outcome of conservatively treated adenocarcinoma in situ of the uterine cervix: An analysis of 166 cases. <i>Gynecologic Oncology</i> , 2012, 124, 490-495.	1.4	47
2	Thermostable HIV-1 group O reverse transcriptase variants with the same fidelity as murine leukaemia virus reverse transcriptase. <i>Biochemical Journal</i> , 2011, 436, 599-607.	3.7	27
3	Comparison of HPV sign Genotyping Test with INNO-LiPA HPV Genotyping Extra assay on histologic and cytologic cervical specimens. <i>Diagnostic Microbiology and Infectious Disease</i> , 2012, 74, 43-48.	1.8	17
4	Comparison of Abbott RealTime High Risk HPV and Hybrid Capture 2 for the detection of high-risk HPV DNA in a referral population setting. <i>Journal of Clinical Virology</i> , 2012, 53, 121-124.	3.1	16
5	The detection of human papillomavirus 16 in squamous cell carcinoma of the nail unit: A case series. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 354-356.	1.2	12
6	Detection of high-risk human papillomavirus type 16 and 18 using isothermal helicase-dependent amplification. <i>Diagnostic Microbiology and Infectious Disease</i> , 2014, 79, 178-182.	1.8	11
7	Time to viral clearance after successful conservative treatment for high-risk HPV infected high-grade cervical intraepithelial neoplasia and early invasive squamous cervical carcinoma. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 86, 270-272.	1.8	4
8	Detection of HPV16 African variants and quantitative analysis of viral DNA methylation in oropharyngeal squamous cell carcinomas. <i>Journal of Clinical Virology</i> , 2014, 60, 243-249.	3.1	3
9	Improving Laboratory Efficiency by Automation of Preanalytic Processing of ThinPrep Specimens for Real-Time PCR High-Risk HPV Testing. <i>Journal of the Association for Laboratory Automation</i> , 2016, 21, 432-438.	2.8	3