

# Ornella Francioso

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7488935/ornella-francioso-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60  
papers

2,079  
citations

25  
h-index

45  
g-index

60  
ext. papers

2,555  
ext. citations

4.4  
avg, IF

5  
L-index

#	Paper	IF	Citations
60	Cyanobacteria: A Natural Source for Controlling Agricultural Plant Diseases Caused by Fungi and Oomycetes and Improving Plant Growth. <i>Horticulturae</i> , <b>2022</b> , 8, 58	2.5	5
59	Valorization of Hazelnut Shells as Growing Substrate for Edible and Medicinal Mushrooms. <i>Horticulturae</i> , <b>2022</b> , 8, 214	2.5	3
58	Assessment of the Short-Term Impact of Anaerobic Digestate on Soil C Stock and CO <sub>2</sub> Emissions in Shallow Water Table Conditions. <i>Agronomy</i> , <b>2022</b> , 12, 504	3.6	0
57	Wood-Based Compost Affects Soil Fertility and the Content of Available Forms of Nutrients in Vineyard and Field-Scale Agroecosystems. <i>Agronomy</i> , <b>2021</b> , 11, 518	3.6	2
56	Tomato seed biopriming with water extracts from <i>Anabaena minutissima</i> , <i>Ecklonia maxima</i> and <i>Jania adhaerens</i> as a new agro-ecological option against <i>Rhizoctonia solani</i> . <i>Scientia Horticulturae</i> , <b>2021</b> , 281, 109921	4.1	3
55	Chemical Structure and Biological Activity of Humic Substances Define Their Role as Plant Growth Promoters. <i>Molecules</i> , <b>2021</b> , 26,	4.8	28
54	Sensing Atrazine Herbicide Degradation Products through Their Interactions with Humic Substances by Surface-Enhanced Raman Scattering. <i>Chemosensors</i> , <b>2021</b> , 9, 148	4	2
53	How will a drier climate change carbon sequestration in soils of the deciduous forests of Central Europe?. <i>Biogeochemistry</i> , <b>2021</b> , 152, 13-32	3.8	4
52	Assessing the Potential of the Terrestrial Cyanobacterium <i>Anabaena minutissima</i> for Controlling <i>Botrytis cinerea</i> on Tomato Fruits. <i>Horticulturae</i> , <b>2021</b> , 7, 210	2.5	2
51	Automated image analysis and hyperspectral imagery with enhanced dark field microscopy applied to biochars produced at different temperatures. <i>Waste Management</i> , <b>2020</b> , 105, 457-466	8.6	6
50	Effectiveness of Humic Substances and Phenolic Compounds in Regulating Plant-Biological Functionality. <i>Agronomy</i> , <b>2020</b> , 10, 1553	3.6	3
49	Degradative Ability of Mushrooms Cultivated on Corn Silage Digestate. <i>Molecules</i> , <b>2020</b> , 25,	4.8	3
48	Preliminary Study on the Activity of Phycobiliproteins against. <i>Marine Drugs</i> , <b>2020</b> , 18,	6	8
47	Bioactivity of Size-Fractionated and Unfractionated Humic Substances From Two Forest Soils and Comparative Effects on N and S Metabolism, Nutrition, and Root Anatomy of <i>L. Frontiers in Plant Science</i> , <b>2020</b> , 11, 1203	6.2	10
46	Metabolite-Targeted Analysis and Physiological Traits of <i>Zea mays</i> L. in Response to Application of a Leonardite-Humate and Lignosulfonate-Based Products for Their Evaluation as Potential Biostimulants. <i>Agronomy</i> , <b>2019</b> , 9, 445	3.6	13
45	Effects of Two Protein Hydrolysates Obtained From Chickpea ( <i>L.</i> ) and on ( <i>L.</i> ) Plants. <i>Frontiers in Plant Science</i> , <b>2019</b> , 10, 954	6.2	17
44	Stimulated Adsorption of Humic Acids on Capped Plasmonic Ag Nanoparticles Investigated by Surface-Enhanced Optical Techniques. <i>Langmuir</i> , <b>2019</b> , 35, 4518-4526	4	6

43	Manure Fertilization Gives High-Quality Earthworm Coprolites with Positive Effects on Plant Growth and N Metabolism. <i>Agronomy</i> , <b>2019</b> , 9, 659	3.6	3
42	Effect of waterlogging on soil biochemical properties and organic matter quality in different salt marsh systems. <i>Geoderma</i> , <b>2019</b> , 338, 302-312	6.7	6
41	Effects of humic substances and indole-3-acetic acid on Arabidopsis sugar and amino acid metabolic profile. <i>Plant and Soil</i> , <b>2018</b> , 426, 17-32	4.2	21
40	Evaluation of Seaweed Extracts From and spp. as Biostimulants in L. Using a Combination of Chemical, Biochemical and Morphological Approaches. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 428	6.2	71
39	Relic charcoal hearth soils: A neglected carbon reservoir. Case study at Marsiliana forest, Central Italy. <i>Geoderma</i> , <b>2018</b> , 315, 88-95	6.7	26
38	Spectroscopic-Chemical Fingerprint and Biostimulant Activity of a Protein-Based Product in Solid Form. <i>Molecules</i> , <b>2018</b> , 23,	4.8	11
37	Size fractionation as a tool for separating charcoal of different fuel source and recalcitrance in the wildfire ash layer. <i>Science of the Total Environment</i> , <b>2017</b> , 595, 461-471	10.2	13
36	SoilBoot cross-talking: The role of humic substances. <i>Journal of Plant Nutrition and Soil Science</i> , <b>2017</b> , 180, 5-13	2.3	57
35	Biostimulant activity of humic substances extracted from leonardites. <i>Plant and Soil</i> , <b>2017</b> , 420, 119-134	4.2	34
34	Soil porosity in physically separated fractions and its role in SOC protection. <i>Journal of Soils and Sediments</i> , <b>2017</b> , 17, 70-84	3.4	10
33	Land Use Affects the Soil C Sequestration in Alpine Environment, NE Italy. <i>Forests</i> , <b>2017</b> , 8, 197	2.8	15
32	Effects of moderate and high rates of biochar and compost on grapevine growth in a greenhouse experiment. <i>AIMS Agriculture and Food</i> , <b>2017</b> , 2, 113-128	1.2	7
31	Mini review: fruit residues as plant biostimulants for bio-based product recovery. <i>AIMS Agriculture and Food</i> , <b>2017</b> , 2, 251-257	1.2	2
30	Biological Activity of Vegetal Extracts Containing Phenols on Plant Metabolism. <i>Molecules</i> , <b>2016</b> , 21,	4.8	39
29	Spontaneous aggregation of humic acid observed with AFM at different pH. <i>Chemosphere</i> , <b>2015</b> , 138, 821-8	8.4	48
28	Characterization of chemical, physical, structural and morphological properties of biochars from biowastes produced at different temperatures. <i>Journal of Soils and Sediments</i> , <b>2015</b> , 15, 792-804	3.4	79
27	Snow vole ( <i>Chionomys nivalis</i> Martins) affects the redistribution of soil organic matter and hormone-like activity in the alpine ecosystem: ecological implications. <i>Ecology and Evolution</i> , <b>2015</b> , 5, 4542-54	2.8	15
26	Recent applications of vibrational mid-Infrared (IR) spectroscopy for studying soil components: a review. <i>Journal of Central European Agriculture</i> , <b>2015</b> , 16, 1-22	1.3	96

25	Structural and Thermal Investigation of Three Agricultural Biomasses Following Mild-NaOH Pretreatment to Increase Anaerobic Biodegradability. <i>Waste and Biomass Valorization</i> , <b>2015</b> , 6, 1135-1148	3.2	6
24	Soil pyrogenic organic matter characterisation by spectroscopic analysis: a study on combustion and pyrolysis residues. <i>Journal of Soils and Sediments</i> , <b>2015</b> , 15, 769-780	3.4	15
23	Capsicum chinensis L. growth and nutraceutical properties are enhanced by biostimulants in a long-term period: chemical and metabolomic approaches. <i>Frontiers in Plant Science</i> , <b>2014</b> , 5, 375	6.2	103
22	Application of thermal and spectroscopic techniques to assess fire-induced changes to soil organic matter in a Mediterranean forest. <i>Journal of Geochemical Exploration</i> , <b>2014</b> , 143, 174-182	3.8	23
21	Isopentenyladenosine and cytokinin-like activity of different humic substances. <i>Journal of Geochemical Exploration</i> , <b>2013</b> , 129, 70-75	3.8	53
20	Effect of a peat humic acid on morphogenesis in leaf explants of <i>Pyrus communis</i> and <i>Cydonia oblonga</i> . Metabolomic analysis at an early stage of regeneration. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 4979-87	5.7	6
19	Characterization of Humic Carbon in Soil Aggregates in a Long-term Experiment with Manure and Mineral Fertilization. <i>Soil Science Society of America Journal</i> , <b>2012</b> , 76, 880-890	2.5	24
18	Effect of commercial lignosulfonate-humate on <i>Zea mays</i> L. metabolism. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 11940-8	5.7	84
17	Structural characterization of charcoal size-fractions from a burnt <i>Pinus pinea</i> forest by FT-IR, Raman and surface-enhanced Raman spectroscopies. <i>Journal of Molecular Structure</i> , <b>2011</b> , 994, 155-162	3.4	52
16	DRIFT and HR MAS NMR characterization of humic substances from a soil treated with different organic and mineral fertilizers. <i>Journal of Molecular Structure</i> , <b>2011</b> , 998, 216-224	3.4	34
15	Humic substances biological activity at the plant-soil interface: from environmental aspects to molecular factors. <i>Plant Signaling and Behavior</i> , <b>2010</b> , 5, 635-43	2.5	192
14	Nature and reactivity of charcoal produced and added to soil during wildfire are particle-size dependent. <i>Organic Geochemistry</i> , <b>2010</b> , 41, 682-689	3.1	91
13	High molecular size humic substances enhance phenylpropanoid metabolism in maize ( <i>Zea mays</i> L.). <i>Journal of Chemical Ecology</i> , <b>2010</b> , 36, 662-9	2.7	115
12	Chemical characterization of municipal wastewater sludges produced by two-phase anaerobic digestion for biogas production. <i>Journal of Hazardous Materials</i> , <b>2010</b> , 175, 740-6	12.8	89
11	Structural characterization of humic-like substances with conventional and surface-enhanced spectroscopic techniques. <i>Journal of Molecular Structure</i> , <b>2010</b> , 982, 169-175	3.4	18
10	Structural characteristics of Hayward Kiwifruits from elephantiasis-affected plants studied by DRIFT, FT-Raman, NMR, and SEM techniques. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 4827-32	5.7	10
9	Structural differences of Chernozem soil humic acids SEPAGE fractions revealed by thermal (TGDTA) and spectroscopic (DRIFT) analyses. <i>Geoderma</i> , <b>2009</b> , 152, 264-268	6.7	31
8	Mineral Content and Root Respiration of In Vitro Grown Kiwifruit Plantlets Treated with Two Humic Fractions. <i>Journal of Plant Nutrition</i> , <b>2008</b> , 31, 1074-1090	2.3	7

7	TG-DTA, DRIFT and NMR characterisation of humic-like fractions from olive wastes and amended soil. <i>Journal of Hazardous Materials</i> , <b>2007</b> , 149, 408-17	12.8	38
6	Biological Activity of Humic Substances Is Related to Their Chemical Structure. <i>Soil Science Society of America Journal</i> , <b>2007</b> , 71, 75-85	2.5	65
5	Thermal analysis (TG-DTA) and isotopic characterization ( $^{13}\text{C}$ / $^{15}\text{N}$ ) of humic acids from different origins. <i>Applied Geochemistry</i> , <b>2005</b> , 20, 537-544	3.5	75
4	Effect of low molecular size humic substances on nitrate uptake and expression of genes involved in nitrate transport in maize ( <i>Zea mays</i> L.). <i>Journal of Experimental Botany</i> , <b>2004</b> , 55, 803-13	7	177
3	Activity and stability of jack bean urease in the presence of peat humic acids obtained using different extractants. <i>Biology and Fertility of Soils</i> , <b>2000</b> , 32, 415-420	6.1	12
2	SPECTROSCOPIC CHARACTERIZATION OF SOIL ORGANIC MATTER IN LONG-TERM AMENDMENT TRIALS. <i>Soil Science</i> , <b>2000</b> , 165, 495-504	0.9	45
1	Capillary gas chromatographic determination of free amino acids in honey as a means of discrimination between different botanical sources. <i>Journal of High Resolution Chromatography</i> , <b>1992</b> , 15, 165-170		46