
## Laetitia S Hédouin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/748910/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Scaling up calcification, respiration, and photosynthesis rates of six prominent coral taxa. Ecology and Evolution, 2022, 12, e8613.	1.9	7
2	Mesophotic coral ecosystems of French Polynesia are hotspots of alpha and beta generic diversity for scleractinian assemblages. Diversity and Distributions, 2022, 28, 1391-1403.	4.1	5
3	Mesophotic depths hide high coral cover communities in French Polynesia. Science of the Total Environment, 2022, 844, 157049.	8.0	3
4	Parental bleaching susceptibility leads to differences in larval fluorescence and dispersal potential in Pocillopora acuta corals. Marine Environmental Research, 2021, 163, 105200.	2.5	4
5	Documenting decadal disturbance dynamics reveals archipelago-specific recovery and compositional change on Polynesian reefs. Marine Pollution Bulletin, 2021, 170, 112659.	5.0	8
6	Evidence on the impacts of chemicals arising from human activity on tropical reef-building corals; a systematic map. Environmental Evidence, 2021, 10, .	2.7	8
7	Symbiotic associations of the deepest recorded photosynthetic scleractinian coral (172 m depth). ISME Journal, 2021, 15, 1564-1568.	9.8	25
8	Mesophotic coral communities escape thermal coral bleaching in French Polynesia. Royal Society Open Science, 2021, 8, 210139.	2.4	22
9	Estimating ecotoxicological effects of chemicals on tropical reef-building corals; a systematic review protocol. Environmental Evidence, 2021, 10, .	2.7	1
10	What evidence exists on the impacts of chemicals arising from human activity on tropical reef-building corals? A systematic map protocol. Environmental Evidence, 2020, 9, .	2.7	5
11	Metal(loid)s in superficial sediments from coral reefs of French Polynesia. Marine Pollution Bulletin, 2020, 155, 111175.	5.0	6
12	Community composition predicts photogrammetry-based structural complexity on coral reefs. Coral Reefs, 2020, 39, 967-975.	2.2	24
13	Contrasting patterns of mortality in Polynesian coral reefs following the third global coral bleaching event in 2016. Coral Reefs, 2020, 39, 939-952.	2.2	19
14	Development of a quantitative PCR–high-resolution melting assay for absolute measurement of coral-Symbiodiniaceae associations and its application to investigating variability at three spatial scales. Marine Biology, 2019, 166, 1.	1.5	16
15	Thermal resistances and acclimation potential during coral larval ontogeny in Acropora pulchra. Marine Environmental Research, 2018, 135, 1-10.	2.5	12
16	High contribution of the particulate uptake pathway to metal bioaccumulation in the tropical marine clam Gafrarium pectinatum. Environmental Science and Pollution Research, 2018, 25, 11206-11218.	5.3	5
17	Supervised Classification of Satellite Images with Spatially Inaccurate Training Field Data. , 2018, , .		1
18	Bilateral asymmetry in bleaching susceptibility within a giant clam, Tridacna maxima. Coral Reefs, 2018, 37, 825-825.	2.2	3

Laetitia S Hédouin

#	Article	IF	CITATIONS
19	Boat noise prevents soundscape-based habitat selection by coral planulae. Scientific Reports, 2018, 8, 9283.	3.3	27
20	Spatio-temporal variability, distribution and sources of n-alkanes and polycyclic aromatic hydrocarbons in reef surface sediments of Kharg and Lark coral reefs, Persian Gulf, Iran. Ecotoxicology and Environmental Safety, 2018, 163, 307-322.	6.0	35
21	Improving the ecological relevance of toxicity tests on scleractinian corals: Influence of season, life stage, and seawater temperature. Environmental Pollution, 2016, 213, 240-253.	7.5	39
22	Bioaccumulation of 63 Ni in the scleractinian coral Stylophora pistillata and isolated Symbiodinium using radiotracer techniques. Chemosphere, 2016, 156, 420-427.	8.2	10
23	Differential bioaccumulation of 134Cs in tropical marine organisms and the relative importance of exposure pathways. Journal of Environmental Radioactivity, 2016, 152, 127-135.	1.7	32
24	Hyposalinity stress compromises the fertilization of gametes more than the survival of coral larvae. Marine Environmental Research, 2015, 104, 1-9.	2.5	20
25	Metal bioconcentration in the scleractinian coral Stylophora pistillata: investigating the role of different components of the holobiont using radiotracers. Environmental Monitoring and Assessment, 2015, 187, 178.	2.7	15
26	High resistance of Acropora coral gametes facing copper exposure. Chemosphere, 2015, 120, 563-567.	8.2	14
27	Sedimentation and the Reproductive Biology of the Hawaiian Reef-Building Coral <i>Montipora capitata</i> . Biological Bulletin, 2014, 226, 8-18.	1.8	17
28	Savoirs locaux à propos des gorgones chez les travailleurs de la mer des îles de la Guadeloupe (Antilles françaises). VertigO: La Revue Electronique En Sciences De L'environnement, 2014, , .	0.1	1
29	Are all eggs created equal? A case study from the Hawaiian reef-building coral Montipora capitata. Coral Reefs, 2013, 32, 137-152.	2.2	37
30	Assessing fertilization success of the coral Montipora capitata under copper exposure: Does the night of spawning matter?. Marine Pollution Bulletin, 2013, 66, 221-224.	5.0	25
31	Validation of two tropical marine bivalves as bioindicators ofÂmining contamination in the New Caledonia lagoon: Field transplantation experiments. Water Research, 2011, 45, 483-496.	11.3	37
32	Ecotoxicological approach for assessing the contamination of a Hawaiian coral reef ecosystem (Honolua Bay, Maui) by metals and a metalloid. Marine Environmental Research, 2011, 71, 149-161.	2.5	12
33	Development of Gene Expression Markers of Acute Heat-Light Stress in Reef-Building Corals of the Genus Porites. PLoS ONE, 2011, 6, e26914.	2.5	108
34	Influence of food on the assimilation of selected metals in tropical bivalves from the New Caledonia lagoon: Qualitative and quantitative aspects. Marine Pollution Bulletin, 2010, 61, 568-575.	5.0	24
35	Metal and metalloid bioaccumulation in the Pacific blue shrimp Litopenaeus stylirostris (Stimpson) from New Caledonia: Laboratory and field studies. Marine Pollution Bulletin, 2010, 61, 576-584.	5.0	39
36	Metal and metalloid bioconcentration capacity of two tropical bivalves for monitoring the impact of land-based mining activities in the New Caledonia lagoon. Marine Pollution Bulletin, 2010, 61, 554-567.	5.0	17

Laetitia S Hédouin

#	Article	IF	CITATIONS
37	Delineation of heavy metal contamination pathways (seawater, food and sediment) in tropical oysters from New Caledonia using radiotracer techniques. Marine Pollution Bulletin, 2010, 61, 542-553.	5.0	40
38	Assessment of metals and a metalloid in sediments from Hawaiian coral reef ecosystems. Marine Pollution Bulletin, 2009, 58, 1759-1765.	5.0	9
39	Bioaccumulation of essential metals (Co, Mn and Zn) in the king scallop Pecten maximus: seawater, food and sediment exposures. Marine Biology, 2009, 156, 2063-2075.	1.5	35
40	Trends in concentrations of selected metalloid and metals in two bivalves from the coral reefs in the SW lagoon of New Caledonia. Ecotoxicology and Environmental Safety, 2009, 72, 372-381.	6.0	50
41	Delineation of heavy metal uptake pathways (seawater and food) in the variegated scallop Chlamys varia, using radiotracer techniques. Marine Ecology - Progress Series, 2009, 375, 161-171.	1.9	34
42	The brown alga Lobophora variegata, a bioindicator species for surveying metal contamination in tropical marine environments. Journal of Experimental Marine Biology and Ecology, 2008, 362, 49-54.	1.5	23
43	Investigation of Ag in the king scallop Pecten maximus using field and laboratory approaches. Journal of Experimental Marine Biology and Ecology, 2008, 367, 53-60.	1.5	30
44	The tropical brown alga Lobophora variegata as a bioindicator of mining contamination in the New Caledonia lagoon: A field transplantation study. Marine Environmental Research, 2008, 66, 438-444.	2.5	38
45	Allometric relationships in the bioconcentration of heavy metals by the edible tropical clam Gafrarium tumidum. Science of the Total Environment, 2006, 366, 154-163.	8.0	48
46	Use of Radiotracer Techniques to Study Subcellular Distribution of Metals and Radionuclides in Bivalves from the Noumea Lagoon, New Calendonia. Bulletin of Environmental Contamination and Toxicology, 2005, 75, 89-93.	2.7	25