

Kosuke Kiyohara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7489374/publications.pdf>

Version: 2024-02-01

126
papers

2,145
citations

318942

23
h-index

340414

39
g-index

130
all docs

130
docs citations

130
times ranked

2583
citing authors

#	ARTICLE	IF	CITATIONS
1	Use of heated tobacco products in smoke-free locations in Japan: the JASTIS 2019 study. <i>Tobacco Control</i> , 2022, 31, 65-72.	1.8	9
2	Characteristics and outcomes of pediatric blunt renal trauma: a nationwide cohort study in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 2047-2057.	0.8	4
3	Effect of fluid administration on scene to traffic accident patients by EMS personnel: a propensity score-matched study using population-based ambulance records and nationwide trauma registry in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2022, 48, 999-1007.	0.8	5
4	An Association of Influenza Epidemics in Children With Mobile App Data: Population-Based Observational Study in Osaka, Japan. <i>JMIR Formative Research</i> , 2022, 6, e31131.	0.7	0
5	Survival Trends in Adults with Out-of-Hospital Cardiac Arrests after Traffic Collisions in Japan: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 745.	1.0	2
6	Relationship between in-hospital mortality and abdominal angiography among patients with blunt liver injuries: a propensity score-matching from a nationwide trauma registry of Japan. <i>Acute Medicine & Surgery</i> , 2022, 9, e725.	0.5	1
7	Assessing the impact of the national traffic safety campaign: a nationwide cohort study in Japan. <i>BMJ Open</i> , 2022, 12, e054295.	0.8	3
8	Risk factors for pneumococcal disease in persons with chronic medical conditions: Results from the LIFE Study. <i>International Journal of Infectious Diseases</i> , 2022, 116, 216-222.	1.5	5
9	Epidemiology and Outcome of Pediatric Out-of-Hospital Cardiac Arrest after Traffic Collision in Japan: A Population-Based Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 831.	1.0	2
10	Dissemination of Chest Compression-Only Cardiopulmonary Resuscitation by Bystanders for Out-of-Hospital Cardiac Arrest in Students: A Nationwide Investigation in Japan. <i>Journal of Clinical Medicine</i> , 2022, 11, 928.	1.0	2
11	Impact of the COVID-19 Pandemic on Prehospital Intervention and Survival of Patients With Out-of-Hospital Cardiac Arrest in Osaka City, Japan. <i>Circulation Journal</i> , 2022, 86, 1579-1585.	0.7	8
12	Cardiopulmonary resuscitation duration and favorable neurological outcome after out-of-hospital cardiac arrest: a nationwide multicenter observational study in Japan (the JAAM-OHCA registry). <i>Critical Care</i> , 2022, 26, 120.	2.5	9
13	Clinical outcomes among out-of-hospital cardiac arrest patients treated by extracorporeal cardiopulmonary resuscitation: The CRITICAL study in Osaka. <i>Resuscitation</i> , 2022, 178, 116-123.	1.3	11
14	Association between Timing of Epinephrine Administration and Outcomes of Traumatic Out-of-Hospital Cardiac Arrest following Traffic Collisions. <i>Journal of Clinical Medicine</i> , 2022, 11, 3564.	1.0	3
15	Relationship between the number of pediatric patients with rotavirus and telephone triage for associated symptoms. <i>American Journal of Emergency Medicine</i> , 2021, 39, 6-10.	0.7	6
16	Pelvic angiography is effective for emergency pediatric patients with pelvic fractures: a propensity-score-matching study with a nationwide trauma registry in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, 47, 515-521.	0.8	12
17	Abdominal angiography is associated with reduced in-hospital mortality among pediatric patients with blunt splenic and hepatic injury: A propensity-score-matching study from the national trauma registry in Japan. <i>Journal of Pediatric Surgery</i> , 2021, 56, 1013-1019.	0.8	2
18	Early-start vs delayed-start donepezil against cognitive decline in Parkinson disease: a randomized clinical trial. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 363-371.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Factors associated with posttraumatic meningitis among traumatic head injury patients: a nationwide study in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, 47, 251-259.	0.8	7
20	A Mobile App for Self-Triage for Pediatric Emergency Patients in Japan: 4 Year Descriptive Epidemiological Study. <i>JMIR Pediatrics and Parenting</i> , 2021, 4, e27581.	0.8	9
21	Impact of medical reimbursement revision on ambulance transport of self-inflicted injury patients: a nationwide study in Japan. <i>Acute Medicine & Surgery</i> , 2021, 8, e693.	0.5	0
22	Epinephrine administration for adult out-of-hospital cardiac arrest patients with refractory shockable rhythm: time-dependent propensity score-sequential matching analysis from a nationwide population-based registry. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, , .	1.4	3
23	Influence of COVID-19 pandemic on bystander interventions, emergency medical service activities, and patient outcomes in out-of-hospital cardiac arrest in Osaka City, Japan. <i>Resuscitation Plus</i> , 2021, 5, 100088.	0.6	23
24	A Real-World Comparison of 1-Year Survival and Expenditures for Transcatheter Aortic Valve Replacements: SAPIEN 3 Versus CoreValve Versus Evolut R. <i>Value in Health</i> , 2021, 24, 497-504.	0.1	10
25	Association Between Resuscitative Time on the Scene and Survival After Pediatric Out-of-Hospital Cardiac Arrest. <i>Circulation Reports</i> , 2021, 3, 211-216.	0.4	7
26	Regarding: "Abdominal angiography is associated with reduced in-hospital mortality among pediatric patients with blunt splenic and hepatic injury: A propensity-score-matching study from the national trauma registry in Japan" <i>Journal of Pediatric Surgery</i> , 2021, 56, 1090.	0.8	0
27	Timing of Prehospital Advanced Airway Management for Adult Patients With Out-of-Hospital Cardiac Arrest: A Nationwide Cohort Study in Japan. <i>Journal of the American Heart Association</i> , 2021, 10, e021679.	1.6	7
28	Patient age affects sex-based differences in post-traumatic mortality: a national trauma registry study in Japan. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, , 1.	0.8	2
29	Serum potassium level on hospital arrival and survival after out-of-hospital cardiac arrest: The CRITICAL study in Osaka, Japan. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S175-S183.	0.4	13
30	Effectiveness of dispatcher instructions-dependent or independent bystander cardiopulmonary resuscitation on neurological survival among patients with out-of-hospital cardiac arrest. <i>Journal of Cardiology</i> , 2020, 75, 315-322.	0.8	9
31	Public-access automated external defibrillator pad application and favorable neurological outcome after out-of-hospital cardiac arrest in public locations: A prospective population-based propensity score-matched study. <i>International Journal of Cardiology</i> , 2020, 299, 140-146.	0.8	8
32	Characteristics of Sports-Related Emergency Transport: A Population-Based Descriptive Study in Osaka City. <i>Journal of Epidemiology</i> , 2020, 30, 268-275.	1.1	2
33	Public location and survival from out-of-hospital cardiac arrest in the public-access defibrillation era in Japan. <i>Journal of Cardiology</i> , 2020, 75, 97-104.	0.8	23
34	Impact of nighttime and weekends on outcomes of emergency trauma patients. <i>Medicine (United Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	0.4	24
35	Prehospital characteristics, incidence trends, and outcome of emergency self-inflicted injury patients with gas substances: a population-based descriptive study in Osaka, Japan. <i>Acute Medicine & Surgery</i> , 2020, 7, e452.	0.5	3
36	Influence of the COVID-19 pandemic on an emergency medical service system: a population-based, descriptive study in Osaka, Japan. <i>Acute Medicine & Surgery</i> , 2020, 7, e534.	0.5	44

#	ARTICLE	IF	CITATIONS
37	The relationship between seasonal influenza and telephone triage for fever: A population-based study in Osaka, Japan. <i>PLoS ONE</i> , 2020, 15, e0236560.	1.1	9
38	Trends and outcomes of blunt renal trauma management: a nationwide cohort study in Japan. <i>World Journal of Emergency Surgery</i> , 2020, 15, 50.	2.1	11
39	Characteristics and outcome of patients triaged by telephone and transported by ambulance: a population-based study in Osaka, Japan. <i>Acute Medicine & Surgery</i> , 2020, 7, e609.	0.5	6
40	Prehospital cardiopulmonary resuscitation duration and neurological outcome after adult out-of-hospital cardiac arrest by location of arrest. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S90-S99.	0.4	1
41	Effectiveness of a digital device providing real-time visualized tooth brushing instructions: A randomized controlled trial. <i>PLoS ONE</i> , 2020, 15, e0235194.	1.1	9
42	Incidence, characteristics, and outcomes of pediatric out-of-hospital cardiac arrest in nursery schools and kindergartens in Japan. <i>Journal of Cardiology</i> , 2020, 76, 549-556.	0.8	7
43	Characteristics and Outcomes of Out-of-Hospital Cardiac Arrest in Educational Institutions in Japan—All-Japan Utstein Registry. <i>Circulation Journal</i> , 2020, 84, 577-583.	0.7	3
44	Pre-Hospital Administration of Epinephrine in Pediatric Patients With Out-of-Hospital Cardiac Arrest. <i>Journal of the American College of Cardiology</i> , 2020, 75, 194-204.	1.2	17
45	Impact of Bystander Cardiopulmonary Resuscitation and Dispatcher Assistance on Survival After Out-of-Hospital Cardiac Arrest Among Adult Patients by Location of Arrest. <i>International Heart Journal</i> , 2020, 61, 46-53.	0.5	13
46	Epidemiological profile of emergency medical services in Japan: a population-based descriptive study in 2016. <i>Acute Medicine & Surgery</i> , 2020, 7, e485.	0.5	18
47	Gender disparities in the application of public-access AED pads among OHCA patients in public locations. <i>Resuscitation</i> , 2020, 150, 60-64.	1.3	9
48	Ecological study on the penetration of induction heating cookers and birth outcomes in Japan. <i>AIMS Public Health</i> , 2020, 7, 336-343.	1.1	4
49	Effect of Instituting Upper Limits for Chest Compression Depth for Laypersons at Six-months After Chest Compression-Only Training: A Randomized Controlled Simulation Study. <i>International Journal of First Aid Education</i> , 2020, 3, 22-35.	0.1	0
50	Intra-aortic balloon pump and survival with favorable neurological outcome after out-of-hospital cardiac arrest: A multicenter, prospective propensity score-matched study. <i>Resuscitation</i> , 2019, 143, 165-172.	1.3	5
51	Prehospital cardiopulmonary resuscitation duration and neurological outcome after out-of-hospital cardiac arrest among children by location of arrest: a Nationwide cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 79.	1.1	9
52	Prehospital advanced airway management for paediatric patients with out-of-hospital cardiac arrest: A nationwide cohort study. <i>Resuscitation</i> , 2019, 145, 175-184.	1.3	29
53	Sex Differences in Receiving Layperson Cardiopulmonary Resuscitation in Pediatric Out-of-Hospital Cardiac Arrest: A Nationwide Cohort Study in Japan. <i>Journal of the American Heart Association</i> , 2019, 8, e010324.	1.6	12
54	Public-Access Defibrillation and Survival of Out-of-Hospital Cardiac Arrest in Public vs. Residential Locations in Japan. <i>Circulation Journal</i> , 2019, 83, 1682-1688.	0.7	24

#	ARTICLE	IF	CITATIONS
55	Sex Disparities in Receipt of Bystander Interventions for Students Who Experienced Cardiac Arrest in Japan. <i>JAMA Network Open</i> , 2019, 2, e195111.	2.8	19
56	The association between public access defibrillation and outcome in witnessed out-of-hospital cardiac arrest with shockable rhythm. <i>Resuscitation</i> , 2019, 140, 93-97.	1.3	18
57	Location of arrest and survival from out-of-hospital cardiac arrest among children in the public-access defibrillation era in Japan. <i>Resuscitation</i> , 2019, 140, 150-158.	1.3	23
58	Networks for early career epidemiologists around the world: the current status and future directions. <i>International Journal of Epidemiology</i> , 2019, 48, 1021-1023.	0.9	1
59	Pre-hospital advanced airway management for adults with out-of-hospital cardiac arrest: nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, 1430.	2.4	47
60	Sex-Based Disparities in Receiving Bystander Cardiopulmonary Resuscitation by Location of Cardiac Arrest in Japan. <i>Mayo Clinic Proceedings</i> , 2019, 94, 577-587.	1.4	37
61	Outcomes of Patients 65 Years or Older After Out-of-Hospital Cardiac Arrest Based on Location of Cardiac Arrest in Japan. <i>JAMA Network Open</i> , 2019, 2, e191011.	2.8	27
62	Sports activity and paediatric out-of-hospital cardiac arrest at schools in Japan. <i>Resuscitation</i> , 2019, 139, 33-40.	1.3	11
63	Prehospital factors associated with death on hospital arrival after traffic crash in Japan: a national observational study. <i>BMJ Open</i> , 2019, 9, e025350.	0.8	10
64	Out-of-Hospital Cardiac Arrest at Home in Japan. <i>American Journal of Cardiology</i> , 2019, 123, 1060-1068.	0.7	18
65	Full Moon and Out-of-Hospital Cardiac Arrest in Japan – Population-Based, Double-Controlled Case Series Analysis. <i>Circulation Reports</i> , 2019, 1, 212-218.	0.4	3
66	Surgical Outcomes for Perihilar Cholangiocarcinoma with Vascular Invasion. <i>Journal of Gastrointestinal Surgery</i> , 2019, 23, 1443-1453.	0.9	30
67	Cardiopulmonary resuscitation performed by off-duty medical professionals versus laypersons and survival from out-of-hospital cardiac arrest among adult patients. <i>Resuscitation</i> , 2019, 135, 66-72.	1.3	8
68	Surgery in node-positive gallbladder cancer: The implication of an involved superior retro-pancreatic lymph node. <i>Surgery</i> , 2019, 165, 541-547.	1.0	6
69	Perceived Barriers to Career Progression Among Early-Career Epidemiologists: Report of a Workshop at the 22nd World Congress of Epidemiology. <i>Journal of Epidemiology</i> , 2019, 29, 38-41.	1.1	10
70	Public-access automated external defibrillation and bystander-initiated cardiopulmonary resuscitation in schools: a nationwide investigation in Japan. <i>Europace</i> , 2019, 21, 451-458.	0.7	23
71	Chest compression-only versus conventional cardiopulmonary resuscitation for bystander-witnessed out-of-hospital cardiac arrest of medical origin: A propensity score-matched cohort from 143,500 patients. <i>Resuscitation</i> , 2018, 126, 29-35.	1.3	27
72	A Smartphone Application to Reduce the Time to Automated External Defibrillator Delivery After a Witnessed Out-of-Hospital Cardiac Arrest. <i>Simulation in Healthcare</i> , 2018, 13, 387-393.	0.7	16

#	ARTICLE	IF	CITATIONS
73	Regional variation in functional outcome after out-of-hospital cardiac arrest across 47 prefectures in Japan. <i>Resuscitation</i> , 2018, 124, 21-28.	1.3	19
74	Recall of mobile phone usage and laterality in young people: The multinational Mobi-Expo study. <i>Environmental Research</i> , 2018, 165, 150-157.	3.7	21
75	Characteristics and Outcomes of Out-of-Hospital Cardiac Arrest Occurring While in a Motor Vehicle. <i>American Journal of Cardiology</i> , 2018, 121, 1387-1392.	0.7	4
76	Long-term recall accuracy for mobile phone calls in young Japanese people: A follow-up validation study using software-modified phones. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 166-172.	1.8	4
77	Factors associated with prehospital death among traffic accident patients in Osaka City, Japan: A population-based study. <i>Traffic Injury Prevention</i> , 2018, 19, 49-53.	0.6	11
78	Electronic cigarette use in restaurants and workplaces where combustible tobacco smoking is not allowed: an Internet survey in Japan. <i>Tobacco Control</i> , 2018, 27, 254-257.	1.8	18
79	Three-Year Follow-up After the Great East Japan Earthquake in the Incidence of Out-of-Hospital Cardiac Arrest With Cardiac Origin. <i>Circulation Journal</i> , 2018, 82, 919-922.	0.7	7
80	Motor vehicle accident mortality by elderly drivers in the super-aging era. <i>Medicine (United States)</i> , 2018, 97, e12350.	0.4	12
81	1553: THE RELATIONSHIP BETWEEN TIMING OF CT AND PROGNOSIS AMONG BTAI: A NATIONWIDE STUDY FROM JAPAN. <i>Critical Care Medicine</i> , 2018, 46, 761-761.	0.4	0
82	Work Sustainability Among Male Cancer Survivors After Returning to Work. <i>Journal of Epidemiology</i> , 2018, 28, 88-93.	1.1	11
83	Delay of computed tomography is associated with poor outcome in patients with blunt traumatic aortic injury. <i>Medicine (United States)</i> , 2018, 97, e12112.	0.4	7
84	Ten-Year Trends of Public-Access Defibrillation in Japanese School-Aged Patients Having Neurologically Favorable Survival After Out-of-Hospital Cardiac Arrest. <i>American Journal of Cardiology</i> , 2018, 122, 890-897.	0.7	20
85	Epidemiology of Pediatric Out-of-Hospital Cardiac Arrest at School—An Investigation of a Nationwide Registry in Japan. <i>Circulation Journal</i> , 2018, 82, 1026-1032.	0.7	20
86	Out-of-hospital cardiac arrests in the toilet in Japan: a population-based descriptive study. <i>Acute Medicine & Surgery</i> , 2018, 5, 369-373.	0.5	4
87	Early use of donepezil against psychosis and cognitive decline in Parkinson's disease: a randomised controlled trial for 2 years. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 1332-1340.	0.9	27
88	Assessment of the 11-year nationwide trend of out-of-hospital cardiac arrest cases among elderly patients in Japan (2005–2015). <i>Resuscitation</i> , 2018, 131, 83-90.	1.3	18
89	Epidemiology of Out-of-Hospital Cardiac Arrest Due to Suffocation Focusing on Suffocation Due to Japanese Rice Cake: A Population-Based Observational Study From the Utstein Osaka Project. <i>Journal of Epidemiology</i> , 2018, 28, 67-74.	1.1	24
90	Impact of cardiopulmonary resuscitation duration on neurologically favourable outcome after out-of-hospital cardiac arrest: A population-based study in Japan. <i>Resuscitation</i> , 2017, 113, 1-7.	1.3	34

#	ARTICLE	IF	CITATIONS
91	Public-Access Defibrillation in Japan. <i>New England Journal of Medicine</i> , 2017, 376, e12.	13.9	1
92	Nationwide and regional trends in survival from out-of-hospital cardiac arrest in Japan: A 10-year cohort study from 2005 to 2014. <i>Resuscitation</i> , 2017, 115, 120-128.	1.3	63
93	Hospital characteristics and favourable neurological outcome among patients with out-of-hospital cardiac arrest in Osaka, Japan. <i>Resuscitation</i> , 2017, 110, 146-153.	1.3	34
94	Exercise-Related Out-of-Hospital Cardiac Arrest Among the General Population in the Era of Public-Access Defibrillation: A Population-Based Observation in Japan. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	14
95	Out-of-hospital cardiac arrests during exercise among urban inhabitants in Japan: Insights from a population-based registry of Osaka City. <i>Resuscitation</i> , 2017, 117, 14-17.	1.3	11
96	Association between climatic elements and acute appendicitis in Japan. <i>Journal of Surgical Research</i> , 2017, 211, 64-69.	0.8	6
97	Effectiveness of a One-minute Self-retraining for Chest Compression-only Cardiopulmonary Resuscitation: Randomized Controlled Trial. <i>AEM Education and Training</i> , 2017, 1, 200-207.	0.6	2
98	Evaluation of factors associated with the difficulty in finding receiving hospitals for traffic accident patients at the scene treated by emergency medical services: a population-based study in Osaka City, Japan. <i>Acute Medicine & Surgery</i> , 2017, 4, 401-407.	0.5	10
99	Factors associated with the difficulty in hospital acceptance among elderly emergency patients: A population-based study in Osaka City, Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 2441-2448.	0.7	13
100	Prehospital intravenous access for survival from out-of-hospital cardiac arrest: propensity score matched analyses from a population-based cohort study in Osaka, Japan. <i>BMJ Open</i> , 2017, 7, e015055.	0.8	6
101	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. <i>Environment International</i> , 2017, 107, 65-74.	4.8	27
102	Improvements in Patient Acceptance by Hospitals Following the Introduction of a Smartphone App for the Emergency Medical Service System: A Population-Based Before-and-After Observational Study in Osaka City, Japan. <i>JMIR MHealth and UHealth</i> , 2017, 5, e134.	1.8	19
103	Time trend in incidence of malignant neoplasms of the central nervous system in relation to mobile phone use among young people in Japan. <i>Bioelectromagnetics</i> , 2016, 37, 282-289.	0.9	15
104	Awareness and use of electronic cigarettes and heat-not-burn tobacco products in <scp>Japan</scp>. <i>Addiction</i> , 2016, 111, 706-713.	1.7	131
105	Incidence and outcomes of emergency self-harm among adolescents: a descriptive epidemiological study in Osaka City, Japan. <i>BMJ Open</i> , 2016, 6, e011419.	0.8	3
106	Recall accuracy of mobile phone calls among Japanese young people. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016, 26, 566-574.	1.8	9
107	High-rise buildings and neurologically favorable outcome after out-of-hospital cardiac arrest. <i>International Journal of Cardiology</i> , 2016, 224, 178-182.	0.8	17
108	Public-access AED pad application and outcomes for out-of-hospital cardiac arrests in Osaka, Japan. <i>Resuscitation</i> , 2016, 106, 70-75.	1.3	38

#	ARTICLE	IF	CITATIONS
109	Is Survival After Out-of-Hospital Cardiac Arrests Worse During Days of National Academic Meetings in Japan? A Population-Based Study. <i>Journal of Epidemiology</i> , 2016, 26, 155-162.	1.1	10
110	Characteristics and Outcomes of Bath-Related Out-of-Hospital Cardiac Arrest in Japan. <i>Circulation Journal</i> , 2016, 80, 1564-1570.	0.7	18
111	Public-Access Defibrillation and Out-of-Hospital Cardiac Arrest in Japan. <i>New England Journal of Medicine</i> , 2016, 375, 1649-1659.	13.9	234
112	Factors associated with the difficulty in hospital acceptance at the scene by emergency medical service personnel: a population-based study in Osaka City, Japan. <i>BMJ Open</i> , 2016, 6, e013849.	0.8	33
113	Characteristics and outcomes of emergency patients with self-inflicted injuries: a report from ambulance records in Osaka City, Japan. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 68.	1.1	18
114	Temporal Trends in Outcomes after Out-of-Hospital Cardiac Arrests Witnessed by Emergency Medical Services in Japan: A Population-Based Study. <i>Prehospital Emergency Care</i> , 2016, 20, 477-484.	1.0	7
115	Epidemiology of Out-of-Hospital Cardiac Arrests Among Japanese Centenarians: 2005 to 2013. <i>American Journal of Cardiology</i> , 2016, 117, 894-900.	0.7	6
116	Dissemination of Chest Compression—Only Cardiopulmonary Resuscitation and Survival After Out-of-Hospital Cardiac Arrest. <i>Circulation</i> , 2015, 132, 415-422.	1.6	117
117	Impact of the Great East Japan earthquake on out-of-hospital cardiac arrest with cardiac origin in non-disaster reas. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 185-188.	2.0	8
118	Epidemiology and outcome of adult out-of-hospital cardiac arrest of non-cardiac origin in Osaka: a population-based study. <i>BMJ Open</i> , 2014, 4, e006462.	0.8	71
119	Survival following witnessed pediatric out-of-hospital cardiac arrests during nights and weekends. <i>Resuscitation</i> , 2014, 85, 1692-1698.	1.3	28
120	Trends in survival among elderly patients with out-of-hospital cardiac arrest: a prospective, population-based observation from 1999 to 2011 in Osaka. <i>Resuscitation</i> , 2014, 85, 1432-1438.	1.3	47
121	Changes in COPD mortality rate after amendments to the Preventive Vaccination Law in Japan. <i>European Journal of Public Health</i> , 2013, 23, 133-139.	0.1	6
122	The Great East Japan Earthquake and Out-of-Hospital Cardiac Arrest. <i>New England Journal of Medicine</i> , 2013, 369, 2165-2166.	13.9	35
123	Relief of Chronic Shoulder and Neck Pain by Electro-Acupuncture and Transcutaneous Electrical Nervous Stimulation: A Randomized Crossover Trial. <i>Medical Acupuncture</i> , 2012, 24, 97-103.	0.3	12
124	Changes in the SF-8 scores among healthy non-smoking school teachers after the enforcement of a smoke-free school policy: a comparison by passive smoke status. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 44.	1.0	10
125	The start of smoking and prior lifestyles among Japanese college students: a retrospective cohort study. <i>Nicotine and Tobacco Research</i> , 2010, 12, 1043-1049.	1.4	3
126	Target cattle age of post-slaughter testing for bovine spongiform encephalopathy and infectivity entering the human food chain in Japan. <i>Food Control</i> , 2010, 21, 29-35.	2.8	1