

Young-Han Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7489845/publications.pdf>

Version: 2024-02-01

72
papers

1,217
citations

361296

20
h-index

434063

31
g-index

74
all docs

74
docs citations

74
times ranked

1846
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative gene expression analysis of stemness between periodontal ligament and umbilical cord tissues in humans. <i>Journal of Dental Sciences</i> , 2023, 18, 211-219.	1.2	1
2	Identification of a novel gene signature in second-trimester amniotic fluid for the prediction of preterm birth. <i>Scientific Reports</i> , 2022, 12, 3085.	1.6	3
3	Ureaplasma and Prevotella colonization with Lactobacillus abundance during pregnancy facilitates term birth. <i>Scientific Reports</i> , 2022, 12, .	1.6	8
4	The Influence of Disease Activity on Pregnancy Outcomes in Women With Inflammatory Bowel Disease: A Systematic Review and Meta-Analysis. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 719-732.	0.6	34
5	Prediction of preterm birth based on machine learning using bacterial risk score in cervicovaginal fluid. <i>American Journal of Reproductive Immunology</i> , 2021, 86, e13435.	1.2	14
6	Women with multiple gestations have an increased risk of development of hypertension in the future. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 510.	0.9	2
7	Ultrasonographic evaluation of ovarian mass for predicting malignancy in pregnant women. <i>Gynecologic Oncology</i> , 2021, 163, 385-391.	0.6	8
8	Reproductive, Obstetric and Neonatal Outcomes in Women with Congenital Uterine Anomalies: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4797.	1.0	12
9	Electronic Fetal Monitoring: Past, Present and Future. <i>Perinatology</i> , 2021, 32, 157.	0.0	0
10	The Clinical Usefulness of Predictive Models for Preterm Birth with Potential Benefits: A Korean Preterm collaboratE Network (KOPEN) Registry-Linked Data-Based Cohort Study. <i>International Journal of Medical Sciences</i> , 2020, 17, 1-12.	1.1	12
11	Maternal total cell-free DNA in preeclampsia with and without intrauterine growth restriction. <i>Scientific Reports</i> , 2020, 10, 11848.	1.6	15
12	High-risk human papillomavirus testing as a primary screening for cervical cancer: position statement by the Korean Society of Obstetrics and Gynecology and the Korean Society of Gynecologic Oncology. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e31.	1.0	6
13	High-risk human papillomavirus testing as a primary screening for cervical cancer: position statement by the Korean Society of Obstetrics and Gynecology and the Korean Society of Gynecologic Oncology. <i>Obstetrics and Gynecology Science</i> , 2020, 63, 107-107.	0.6	2
14	Prediction of small-for-gestational age by fetal growth rate according to gestational age. <i>PLoS ONE</i> , 2019, 14, e0215737.	1.1	5
15	Cesarean section does not increase the prevalence of allergic disease within 3 years of age in the offsprings. <i>Obstetrics and Gynecology Science</i> , 2019, 62, 11.	0.6	6
16	MicroRNA-548 regulates high mobility group box 1 expression in patients with preterm birth and chorioamnionitis. <i>Scientific Reports</i> , 2019, 9, 19746.	1.6	29
17	CD133+/C-kit+Lin ⁻ endothelial progenitor cells in fetal circulation demonstrate impaired differentiation potency in severe preeclampsia. <i>Pregnancy Hypertension</i> , 2019, 15, 146-153.	0.6	6
18	The Association Between Low 50â€%g Glucose Challenge Test Values and Adverse Pregnancy Outcomes. <i>Journal of Women's Health</i> , 2018, 27, 801-807.	1.5	6

#	ARTICLE	IF	CITATIONS
19	Effect of DJ-1 Downregulation on the Functions of the First Trimester Extravillous Trophoblasts. <i>Reproductive Sciences</i> , 2018, 25, 1436-1445.	1.1	4
20	Prenatally detected thoracic neuroblastoma. <i>Obstetrics and Gynecology Science</i> , 2018, 61, 278.	0.6	3
21	Bilateral salpingectomy to reduce the risk of ovarian/fallopian/peritoneal cancer in women at average risk: a position statement of the Korean Society of Obstetrics and Gynecology (KSOG). <i>Obstetrics and Gynecology Science</i> , 2018, 61, 542.	0.6	11
22	Preeclampsia Increases the Incidence of Postpartum Cerebrovascular Disease in Korean Population. <i>Journal of Korean Medical Science</i> , 2018, 33, e35.	1.1	21
23	Clinical significance of platelet-to-lymphocyte ratio in women with preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2018, 80, e12973.	1.2	28
24	Abnormal lymphatic vessel development is associated with decreased decidual regulatory T cells in severe preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2018, 80, e12970.	1.2	16
25	The Level of Serum and Urinary Nephlin in Normal Pregnancy and Pregnancy with Subsequent Preeclampsia. <i>Yonsei Medical Journal</i> , 2017, 58, 401.	0.9	10
26	The Delta Neutrophil Index as a predictive marker of histological chorioamnionitis in patients with preterm premature rupture of membranes: A retrospective study. <i>PLoS ONE</i> , 2017, 12, e0173382.	1.1	20
27	The risk of emergency cesarean section after failure of vaginal delivery according to prepregnancy body mass index or gestational weight gain by the 2009 Institute of Medicine guidelines. <i>Obstetrics and Gynecology Science</i> , 2016, 59, 169.	0.6	7
28	Differential Expression of Extracellular Matrix and Adhesion Molecules in Fetal-Origin Amniotic Epithelial Cells of Preeclamptic Pregnancy. <i>PLoS ONE</i> , 2016, 11, e0156038.	1.1	30
29	Efficacy of Bakri Balloon Tamponade in Massive Postpartum Hemorrhage: A Series of 57 Cases. <i>Perinatology</i> , 2016, 27, 236.	0.0	4
30	Implementation of a multidisciplinary clinical pathway for the management of postpartum hemorrhage: a retrospective study. <i>International Journal for Quality in Health Care</i> , 2015, 27, 459-465.	0.9	10
31	Efficacy of Intrauterine Bakri Balloon Tamponade in Cesarean Section for Placenta Previa Patients. <i>PLoS ONE</i> , 2015, 10, e0134282.	1.1	41
32	Comparison of the performance of screening test for gestational diabetes in singleton versus twin pregnancies. <i>Obstetrics and Gynecology Science</i> , 2015, 58, 439.	0.6	14
33	Pregnancy Outcomes in Women with Moyamoya Disease: Experiences at a Single Center in Korea. <i>Yonsei Medical Journal</i> , 2015, 56, 793.	0.9	19
34	Feasibility of three-dimensional reconstruction and automated measurement of fetal long bones using 5D Long Bone. <i>Obstetrics and Gynecology Science</i> , 2015, 58, 268.	0.6	13
35	Usefulness of maternal serum C-reactive protein with vaginal <i>Ureaplasma urealyticum</i> as a marker for prediction of imminent preterm delivery and chorioamnionitis in patients with preterm labor or preterm premature rupture of membranes. <i>Journal of Perinatal Medicine</i> , 2015, 43, 409-15.	0.6	13
36	Diagnosis of Placenta Accreta by Uterine Artery Doppler Velocimetry in Patients With Placenta Previa. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1571-1575.	0.8	17

#	ARTICLE	IF	CITATIONS
37	HbA1c for diagnosis and prognosis of gestational diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 38-43.	1.1	40
38	Co-infection with vaginal <i>Ureaplasma urealyticum</i> and <i>Mycoplasma hominis</i> increases adverse pregnancy outcomes in patients with preterm labor or preterm premature rupture of membranes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 333-337.	0.7	66
39	The effect of hypoxia on the expression of SIRT1 and HIF-1 α in villous explants from normal pregnancy and preeclampsia. <i>Placenta</i> , 2014, 35, A79.	0.7	0
40	Risk Factors for Cesarean Delivery after Induction of Labor in Nulliparous Women with an Unfavorable Cervix at or beyond 41 Weeks of Gestation. <i>Gynecologic and Obstetric Investigation</i> , 2013, 76, 254-259.	0.7	13
41	Random urine protein/creatinine ratio readily predicts proteinuria in preeclampsia. <i>Obstetrics and Gynecology Science</i> , 2013, 56, 8.	0.6	16
42	Senescence of fetal endothelial progenitor cell in pregnancy with idiopathic fetal growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1769-1773.	0.7	8
43	Feasibility of Measuring 3-Dimensional Renal Parenchymal Volume to Predict Postnatal Renal Function in Near-Term Fetuses With Congenital Hydronephrosis. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 955-962.	0.8	9
44	Comparison of nuchal translucency measurements obtained using Volume NT TM and two- and three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 175-180.	0.9	17
45	Obstetric and Perinatal Outcomes of Dichorionic Twin Pregnancies According to Methods of Conception: Spontaneous Versus In-Vitro Fertilization. <i>Twin Research and Human Genetics</i> , 2011, 14, 98-103.	0.3	50
46	Clinical significance of serum sRAGE and esRAGE in women with normal pregnancy and preeclampsia. <i>Journal of Perinatal Medicine</i> , 2011, 39, 507-13.	0.6	18
47	Mode of Delivery Influences the Regression of Abnormal Cervical Cytology. <i>Gynecologic and Obstetric Investigation</i> , 2011, 72, 234-238.	0.7	8
48	Urinary Excretion of Nephryn in Patients with Severe Preeclampsia. <i>Hypertension in Pregnancy</i> , 2011, 30, 408-413.	0.5	11
49	A case of ovarian decidualis in pregnancy. <i>Korean Journal of Obstetrics & Gynecology</i> , 2011, 54, 373.	0.1	3
50	Pregnancy outcome according to gestational weight gain in twin pregnancies on the basis of the 2009 Institute of Medicine (IOM) recommendations. <i>Korean Journal of Obstetrics and Gynecology</i> , 2010, 53, 687.	0.1	4
51	Pregnancy outcome after cervical conization: risk factors for preterm delivery and the efficacy of prophylactic cerclage. <i>Journal of Gynecologic Oncology</i> , 2010, 21, 225.	1.0	50
52	A case of pulmonary sequestration mimicking mediastinal mass detected by prenatal ultrasonography. <i>Korean Journal of Obstetrics and Gynecology</i> , 2010, 53, 58.	0.1	0
53	Maternal serum triglycerides as predictive factors for large-for-gestational age newborns in women with gestational diabetes mellitus. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 700-704.	1.3	115
54	A case of fetal congenital epulis mimicking oral tumor detected by prenatal ultrasonography. <i>Korean Journal of Obstetrics and Gynecology</i> , 2010, 53, 175.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Prenatal detection of congenital malignant extrarenal rhabdoid tumor primarily involving the right upper extremity that ruptured <i>in utero</i> . <i>Prenatal Diagnosis</i> , 2009, 29, 819-821.	1.1	11
56	Nestin expression during differentiation of fetal endothelial progenitor cells and hypoxic culture of human umbilical vein endothelial cells. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 643-651.	1.3	6
57	Uterine artery Doppler velocimetry and maternal weight gain by the mid-second trimester for prediction of fetal growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1291-1295.	1.3	1
58	Increased senescence and reduced functional ability of fetal endothelial progenitor cells in pregnancies complicated by preeclampsia without intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 199, 259.e1-259.e7.	0.7	24
59	Modulation of Matrix Metalloproteinase Secretion by Adenosine A3 Receptor in Preeclamptic Villous Explants. <i>Reproductive Sciences</i> , 2008, 15, 939-949.	1.1	14
60	Decreased Endothelial Progenitor Cells in Umbilical Cord Blood in Severe Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2007, 64, 103-108.	0.7	37
61	Difference in the expression of alpha 7 nicotinic receptors in the placenta in normal versus severe preeclampsia pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 132, 35-39.	0.5	20
62	Maternal serum highly sensitive C-reactive protein in normal pregnancy and pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 105-109.	1.0	54
63	The Usefulness of Fetal MRI for Prenatal Diagnosis. <i>Yonsei Medical Journal</i> , 2007, 48, 671.	0.9	29
64	22: Increased senescence and reduced functional ability of fetal endothelial progenitor cells in pregnancies complicated by preeclampsia without intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, S11.	0.7	0
65	Differential expression of nestin in normal and pre-eclamptic human placentas. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 909-914.	1.3	12
66	Neonatal Outcome after Preterm Delivery in HELLP Syndrome. <i>Yonsei Medical Journal</i> , 2006, 47, 393.	0.9	29
67	Abnormal Doppler velocimetry is related to adverse perinatal outcome for borderline amniotic fluid index during third trimester. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006, 32, 545-549.	0.6	30
68	Exaggerated hypoxia-related endothelin-1 (ET-1) production in preeclamptic placentae comparing to normal placentae. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, S125.	0.7	0
69	Vaginal fluid β -human chorionic gonadotropin level in the diagnosis of premature rupture of membranes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 802-805.	1.3	38
70	Adenosine A2A-receptor blockade abolishes the roll-off respiratory response to hypoxia in awake lambs. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 288, R1185-R1194.	0.9	34
71	Association of A19G polymorphism in the leptin gene with cord serum leptin level and birth weight. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, S170.	0.7	0
72	215 Increased β HCG levels in vaginal secretions to detect premature rupture of membranes. <i>American Journal of Obstetrics and Gynecology</i> , 2001, 185, S140.	0.7	0