

Barbara Oliván-Blázquez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/749213/publications.pdf>

Version: 2024-02-01

75
papers

1,322
citations

361413

20
h-index

414414

32
g-index

86
all docs

86
docs citations

86
times ranked

1941
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparing the use of flipped classroom in combination with problem-based learning or with case-based learning for improving academic performance and satisfaction. <i>Active Learning in Higher Education</i> , 2023, 24, 373-388.	5.4	6
2	Variables associated with a higher awareness of gender-based violence by students of the health sciences and social work. <i>Gaceta Sanitaria</i> , 2022, 36, 146-151.	1.5	4
3	Evaluation of primary care responsiveness by people with mental illness in Spain. <i>BMC Health Services Research</i> , 2022, 22, 133.	2.2	2
4	Analysis of Clinical Parameters, Drug Consumption and Use of Health Resources in a Southern European Population with Alcohol Abuse Disorder during COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1358.	2.6	4
5	Approximation to the Consumption of Healthcare Resources and the Economic Cost of SARS-CoV-2 Patient Management: A Retrospective Study. <i>Frontiers in Public Health</i> , 2022, 10, 843751.	2.7	7
6	Associations Between Severity of Depression, Lifestyle Patterns, and Personal Factors Related to Health Behavior: Secondary Data Analysis From a Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2022, 13, 856139.	2.1	9
7	Analysis of Drug and Health Resource Use Before and After COVID-19 Lockdown in a Population Undergoing Treatment for Depression or Anxiety. <i>Frontiers in Psychology</i> , 2022, 13, 861643.	2.1	6
8	The impact of the COVID-19 lockdown on depression sufferers: a qualitative study from the province of Zaragoza, Spain. <i>BMC Public Health</i> , 2022, 22, 780.	2.9	6
9	Exploring the Risk of Suicide in Real Time on Spanish Twitter: Observational Study. <i>JMIR Public Health and Surveillance</i> , 2022, 8, e31800.	2.6	2
10	Analysis of Clinical Parameters, Drug Consumption and Use of Health Resources in a Southern European Population with Diabetes That Did Not Contract COVID-19: A Longitudinal Big Data Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6835.	2.6	2
11	Value Conflict, Lack of Rewards, and Sense of Community as Psychosocial Risk Factors of Burnout in Communication Professionals (Press, Radio, and Television). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 365.	2.6	11
12	Measuring happiness in the social sciences: An overview. <i>Journal of Sociology</i> , 2021, 57, 1044-1067.	1.5	3
13	Perception of the primary health care response capacity by patients with and without mental health problems, and health professionals: qualitative study. <i>BMC Health Services Research</i> , 2021, 21, 285.	2.2	2
14	Geographic Factors Associated with Poorer Outcomes in Patients Diagnosed with COVID-19 in Primary Health Care. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3842.	2.6	6
15	Validation and Psychometric Properties of the Spanish Version of the Hopkins Symptom Checklist-25 Scale for Depression Detection in Primary Care. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7843.	2.6	5
16	The Relationship between Adherence to the Mediterranean Diet, Intake of Specific Foods and Depression in an Adult Population (45â€“75 Years) in Primary Health Care. A Cross-Sectional Descriptive Study. <i>Nutrients</i> , 2021, 13, 2724.	4.1	15
17	Knowledge, Attitudes, Risk Perceptions, and Practices of Spanish Adolescents Toward the COVID-19 Pandemic: Validation and Results of the Spanish Version of the Questionnaire. <i>Frontiers in Psychology</i> , 2021, 12, 804531.	2.1	5
18	Short-term memory, attention, and temporal orientation as predictors of the cognitive impairment in older adults: A cross-sectional observational study. <i>PLoS ONE</i> , 2021, 16, e0261313.	2.5	6

#	ARTICLE	IF	CITATIONS
19	Flipped classroom and role-playing as active learning methods in the social work degree: randomized experimental study. <i>Social Work Education</i> , 2020, 39, 879-892.	1.3	7
20	Efficacy and efficiency of a new therapeutic approach based on activity-oriented proprioceptive antiedema therapy (TAPA) for edema reduction and improved occupational performance in the rehabilitation of breast cancer-related arm lymphedema in women: a controlled, randomized clinical trial. <i>BMC Cancer</i> , 2020, 20, 1074.	2.6	15
21	Coagulation Parameters: An Efficient Measure for Predicting the Prognosis and Clinical Management of Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2020, 9, 3482.	2.4	14
22	Mental Health Patients'™ Expectations about the Non-Medical Care They Receive in Primary Care: A Cross-Sectional Descriptive Study. <i>Healthcare (Switzerland)</i> , 2020, 8, 235.	2.0	0
23	Variables Associated With Negotiation Effectiveness: The Role of Mindfulness. <i>Frontiers in Psychology</i> , 2020, 11, 1214.	2.1	11
24	Factors Associated With Depressive Episode Recurrences in Primary Care: A Retrospective, Descriptive Study. <i>Frontiers in Psychology</i> , 2020, 11, 1230.	2.1	8
25	Effectiveness and cost-effectiveness of a lifestyle modification programme in the prevention and treatment of subclinical, mild and moderate depression in primary care: a randomised clinical trial protocol. <i>BMJ Open</i> , 2020, 10, e038457.	1.9	11
26	Analysis of depressive episodes, their recurrence and pharmacologic treatment in primary care patients: A retrospective descriptive study. <i>PLoS ONE</i> , 2020, 15, e0233454.	2.5	10
27	Prevalence of celiac disease in primary care: the need for its own code. <i>BMC Health Services Research</i> , 2019, 19, 578.	2.2	6
28	Changes in metabolites in the brain of patients with fibromyalgia after treatment with an NMDA receptor antagonist. <i>Neuroradiology Journal</i> , 2019, 32, 408-419.	1.2	11
29	Validation of Five Facets Mindfulness Questionnaire " Short form, in Spanish, general health care services patients sample: Prediction of depression through mindfulness scale. <i>PLoS ONE</i> , 2019, 14, e0214503.	2.5	21
30	The use of flipped classroom as an active learning approach improves academic performance in social work: A randomized trial in a university. <i>PLoS ONE</i> , 2019, 14, e0214623.	2.5	32
31	<p>Relation of the Psychological Constructs of Resilience, Mindfulness, and Self-Compassion on the Perception of Physical and Mental Health</p>. <i>Psychology Research and Behavior Management</i> , 2019, Volume 12, 1155-1166.	2.8	21
32	Variabilidad en adecuaci3n de las peticiones de anal3ticas por atenci3n primaria para dislipemia, diabetes mellitus e hipertensi3n arterial. <i>Revista Del Laboratorio Cl3nico</i> , 2018, 11, 6-14.	0.1	0
33	Variability of the Prevalence of Depression in Function of Sociodemographic and Environmental Factors: Ecological Model. <i>Frontiers in Psychology</i> , 2018, 9, 2182.	2.1	20
34	Facilitators and barriers to modifying dietary and hygiene behaviours as adjuvant treatment in patients with depression in primary care: a qualitative study. <i>BMC Psychiatry</i> , 2018, 18, 205.	2.6	15
35	TWITTER FOR LEARNING IN HIGHER EDUCATION. <i>EDULEARN Proceedings</i> , 2018, , .	0.0	0
36	Del c3borg al humobile. El tel3fono m3vil en el transporte p3blico de Zaragoza (Espa3a). <i>Revista Internacional De Tecnologia, Ciencia Y Sociedad</i> , 2018, 7, .	0.0	0

#	ARTICLE	IF	CITATIONS
37	Síntesis de los procedimientos analíticos recomendados por la evidencia en factores de riesgo cardiovascular. Revista Del Laboratorio Clínico, 2017, 10, 55-59.	0.1	1
38	Burnout and Mindfulness Self-Compassion in Nurses of Intensive Care Units. Holistic Nursing Practice, 2017, 31, 225-233.	0.7	34
39	Contribution of Dry Needling to Individualized Physical Therapy Treatment of Shoulder Pain: A Randomized Clinical Trial. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 11-20.	3.5	45
40	Factors related to the development of health-promoting community activities in Spanish primary healthcare: two case-control studies. BMJ Open, 2017, 7, e015934.	1.9	13
41	Spanish version of the Self-Efficacy for Writing Scale (SEWS). Anales De Psicología, 2017, 34, 86.	0.7	11
42	A smartphone-based system for detecting hand tremors in unconstrained environments. Personal and Ubiquitous Computing, 2016, 20, 959-971.	2.8	21
43	Obesity, metabolic syndrome and Mediterranean diet: Impact on depression outcome. Journal of Affective Disorders, 2016, 194, 105-108.	4.1	46
44	Lifestyle change recommendations in major depression: Do they work?. Journal of Affective Disorders, 2015, 183, 221-228.	4.1	24
45	Patients' Opinions about Knowing Their Risk for Depression and What to Do about It. The PredictD-Qualitative Study. PLoS ONE, 2014, 9, e92008.	2.5	15
46	Effectiveness of group acceptance and commitment therapy for fibromyalgia: A 6-month randomized controlled trial (EFFIGACT study). Pain, 2014, 155, 693-702.	4.2	125
47	Changes in Metabolites after Treatment with Memantine in Fibromyalgia. A Double-Blind Randomized Controlled Trial with Magnetic Resonance Spectroscopy with a 6-month Follow-up. CNS Neuroscience and Therapeutics, 2014, 20, 999-1007.	3.9	22
48	Efficacy of memantine in the treatment of fibromyalgia: A double-blind, randomised, controlled trial with 6-month follow-up. Pain, 2014, 155, 2517-2525.	4.2	65
49	Age differences in presentation, diagnosis pathway and management of colorectal cancer. Cancer Epidemiology, 2014, 38, 346-353.	1.9	23
50	Evaluation of the efficacy of memantine in the treatment of fibromyalgia: study protocol for a doubled-blind randomized controlled trial with six-month follow-up. Trials, 2013, 14, 3.	1.6	8
51	Factors related with symptom duration until diagnosis and treatment of symptomatic colorectal cancer. BMC Cancer, 2013, 13, 87.	2.6	79
52	Expectations, experiences and attitudes of patients and primary care health professionals regarding online psychotherapeutic interventions for depression: protocol for a qualitative study. BMC Psychiatry, 2013, 13, 64.	2.6	19
53	Low intensity vs. self-guided Internet-delivered psychotherapy for major depression: a multicenter, controlled, randomized study. BMC Psychiatry, 2013, 13, 21.	2.6	22
54	Adherencia a las recomendaciones sobre estilo de vida en pacientes con depresión. Revista De Psiquiatría Y Salud Mental, 2012, 5, 236-240.	1.8	12

#	ARTICLE	IF	CITATIONS
55	Understanding burnout according to individual differences: ongoing explanatory power evaluation of two models for measuring burnout types. BMC Public Health, 2012, 12, 922.	2.9	32
56	Double-blind single-session neurofeedback training in upper-alpha for cognitive enhancement of healthy subjects. , 2012, 2012, 4643-7.		20
57	Adherence to lifestyle recommendations by patients with depression. Revista De Psiquiatría Y Salud Mental (English Edition), 2012, 5, 236-240.	0.3	5
58	Observational study on factors related to health-promoting community activity development in primary care (frAC Project): a study protocol. BMJ Open, 2012, 2, e001287.	1.9	4
59	Hygienic-dietary recommendations for major depression treatment: Study protocol of a randomized controlled trial. BMC Psychiatry, 2012, 12, 201.	2.6	11
60	Four hygienic-dietary recommendations as add-on treatment in depression. Journal of Affective Disorders, 2012, 140, 200-203.	4.1	48
61	Estrés y otros factores psicológicos asociados en estudiantes de fisioterapia. Fisioterapia, 2011, 33, 19-24.	0.2	10
62	Reliability of goniometric measurements in children with cerebral palsy: A comparative analysis of universal goniometer and electronic inclinometer. A pilot study. BMC Musculoskeletal Disorders, 2011, 12, 155.	1.9	37
63	Predicting the onset of major depression in primary care: international validation of a risk prediction algorithm from Spain. Psychological Medicine, 2011, 41, 2075-2088.	4.5	45
64	Study of the therapeutic effects of an advanced hippotherapy simulator in children with cerebral palsy: a randomised controlled trial. BMC Musculoskeletal Disorders, 2010, 11, 71.	1.9	33
65	Psychosocial and sociodemographic predictors of attrition in a longitudinal study of major depression in primary care: the predictD-Spain study. Journal of Epidemiology and Community Health, 2010, 64, 874-884.	3.7	27
66	Percutaneous Electrical Nerve Stimulation Versus Dry Needling: Effectiveness in the Treatment of Chronic Low Back Pain. Journal of Musculoskeletal Pain, 2010, 18, 23-30.	0.3	32
67	Contributions of myofascial pain in diagnosis and treatment of shoulder pain. A randomized control trial. BMC Musculoskeletal Disorders, 2009, 10, 92.	1.9	19
68	Pharmaceutical cost control in primary care: opinion and contributions by healthcare professionals. BMC Health Services Research, 2009, 9, 209.	2.2	0
69	Efectividad de la neuroestimulación eléctrica percutánea en la desactivación de los puntos gatillo miofasciales en la lumbalgia crónica. Fisioterapia, 2009, 31, 81-86.	0.2	1
70	Predicting the onset and persistence of episodes of depression in primary health care. The predictD-Spain study: Methodology. BMC Public Health, 2008, 8, 256.	2.9	23
71	Personality disorders in somatization disorder patients: A controlled study in Spain. Journal of Psychosomatic Research, 2007, 62, 675-680.	2.6	38
72	Factors influencing delay in the diagnosis of colorectal cancer: a study protocol. BMC Cancer, 2007, 7, 86.	2.6	22

#	ARTICLE	IF	CITATIONS
73	Efectividad de la punción seca en los puntos gatillo miofasciales en la lumbalgia crónica. Fisioterapia, 2007, 29, 270-277.	0.2	3
74	Tratamiento psicológico en el trastorno de somatización : eficacia y propuestas de intervención. Revista De Psicopatología Y Psicología Clínica, 2005, 10, 15.	0.2	5
75	Storytelling: Una metodología de aprendizaje activo para la enseñanza de la Psicología Social en la Educación Superior. Summa Psychologica UST, 1970, 16, .	0.0	2