
Junji Uchino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7492806/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | AXL confers intrinsic resistance to osimertinib and advances the emergence of tolerant cells. Nature Communications, 2019, 10, 259. | 5.8 | 223 |
| 2 | Anamorelin (ONOâ€7643) for the treatment of patients with non–small cell lung cancer and cachexia: Results from a randomized, doubleâ€blind, placeboâ€controlled, multicenter study of Japanese patients (ONOâ€7643â€04). Cancer, 2018, 124, 606-616. | 2.0 | 147 |
| 3 | Immune Checkpoint Inhibitors for Lung Cancer Treatment: A Review. Journal of Clinical Medicine, 2020, 9, 1362. | 1.0 | 102 |
| 4 | Tumor Neovascularization and Developments in Therapeutics. Cancers, 2019, 11, 316. | 1.7 | 85 |
| 5 | Retrospective efficacy analysis of immune checkpoint inhibitors in patients with EGFRâ€mutated nonâ€small cell lung cancer. Cancer Medicine, 2019, 8, 1521-1529. | 1.3 | 82 |
| 6 | ONO-7475, a Novel AXL Inhibitor, Suppresses the Adaptive Resistance to Initial EGFR-TKI Treatment in <i>EGFR</i> -Mutated Non–Small Cell Lung Cancer. Clinical Cancer Research, 2020, 26, 2244-2256. | 3.2 | 75 |
| 7 | Association of Sarcopenia with and Efficacy of Anti-PD-1/PD-L1 Therapy in Non-Small-Cell Lung Cancer. Journal of Clinical Medicine, 2019, 8, 450. | 1.0 | 72 |
| 8 | The role of the gut microbiome on the efficacy of immune checkpoint inhibitors in Japanese responder patients with advanced non-small cell lung cancer. Translational Lung Cancer Research, 2019, 8, 847-853. | 1.3 | 52 |
| 9 | Retrospective Efficacy Analysis of Immune Checkpoint Inhibitor Rechallenge in Patients with Non-Small Cell Lung Cancer. Journal of Clinical Medicine, 2020, 9, 102. | 1.0 | 42 |
| 10 | A phase II study of afatinib treatment for elderly patients with previously untreated advanced non-small-cell lung cancer harboring EGFR mutations. Lung Cancer, 2018, 126, 41-47. | 0.9 | 39 |
| 11 | Clinical features of immune‑related thyroid dysfunction and its association with outcomes in patients with advanced malignancies treated by PD‑1 blockade. Oncology Letters, 2019, 18, 2140-2147. | 0.8 | 35 |
| 12 | Safety and Usefulness of Cryobiopsy and Stamp Cytology for the Diagnosis of Peripheral Pulmonary Lesions. Cancers, 2019, 11, 410. | 1.7 | 34 |
| 13 | Efficacy and safety of immune checkpoint inhibitor monotherapy in pretreated elderly patients with non-small cell lung cancer. Cancer Chemotherapy and Pharmacology, 2020, 85, 761-771. | 1.1 | 32 |
| 14 | Clinical impact of pembrolizumab combined with chemotherapy in elderly patients with advanced non-small-cell lung cancer. Lung Cancer, 2021, 161, 26-33. | 0.9 | 31 |
| 15 | Neoadjuvant immunotherapy or chemoimmunotherapy in non-small cell lung cancer: a systematic review and meta-analysis. Translational Lung Cancer Research, 2022, 11, 277-294. | 1.3 | 29 |
| 16 | The clinical efficacy and safety of a fluoroquinolone-containing regimen for pulmonary MAC disease. Journal of Infection and Chemotherapy, 2012, 18, 146-151. | 0.8 | 25 |
| 17 | Infectivity enhanced, hTERT promoter-based conditionally replicative adenoviruses are useful for SCLC treatment. Cancer Gene Therapy, 2005, 12, 737-748. | 2.2 | 24 |
| 18 | Advanced Non-Small-Cell Lung Cancer in Elderly Patients: Patient Features and Therapeutic Management. BioMed Research International, 2018, 2018, 1-8. | 0.9 | 24 |

Јилјі Исніло

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Significance of inflammatory indexes in atezolizumab monotherapy outcomes in previously treated non-small-cell lung cancer patients. Scientific Reports, 2020, 10, 17495. | 1.6 | 24 |
| 20 | Combination with low-dose gemcitabine and hTERT-promoter-dependent conditionally replicative adenovirus enhances cytotoxicity through their crosstalk mechanisms in pancreatic cancer. Cancer Letters, 2010, 294, 178-186. | 3.2 | 23 |
| 21 | Impact of cancer cachexia on the therapeutic outcome of combined chemoimmunotherapy in patients with non-small cell lung cancer: a retrospective study. Oncolmmunology, 2021, 10, 1950411. | 2.1 | 22 |
| 22 | Efficacy and safety of first-line pembrolizumab monotherapy in elderly patients (aged ≥ 75Âyears) with non-small cell lung cancer. Journal of Cancer Research and Clinical Oncology, 2020, 146, 457-466. | 1.2 | 21 |
| 23 | Retrospective analysis of docetaxel in combination with ramucirumab for previously treated non-small cell lung cancer patients. Translational Lung Cancer Research, 2019, 8, 450-460. | 1.3 | 18 |
| 24 | A multicenter, openâ€label, singleâ€arm study of anamorelin (ONOâ€7643) in patients with cancer cachexia and low body mass index. Cancer, 2022, 128, 2025-2035. | 2.0 | 18 |
| 25 | The clinical efficacy and safety of micafungin–itraconazole combination therapy in patients with pulmonary aspergilloma. Journal of Infection and Chemotherapy, 2012, 18, 668-674. | 0.8 | 17 |
| 26 | Carcinoembryonic antigen and CYFRA 21-1 responses as prognostic factors in advanced non-small cell lung cancer. Translational Lung Cancer Research, 2019, 8, 227-234. | 1.3 | 17 |
| 27 | Osimertinib in Elderly Patients with Epidermal Growth Factor Receptor T790M-Positive Non-Small-Cell Lung Cancer Who Progressed During Prior Treatment: A Phase II Trial. Oncologist, 2019, 24, 593-e170. | 1.9 | 17 |
| 28 | Immune-Related Adverse Events Are Associated With Clinical Benefit in Patients With Non-Small-Cell Lung Cancer Treated With Immunotherapy Plus Chemotherapy: A Retrospective Study. Frontiers in Oncology, 2021, 11, 630136. | 1.3 | 17 |
| 29 | Prognostic Nutritional Index and Lung Immune Prognostic Index as Prognostic Predictors for Combination Therapies of Immune Checkpoint Inhibitors and Cytotoxic Anticancer Chemotherapy for Patients with Advanced Non-Small Cell Lung Cancer. Diagnostics, 2022, 12, 423. | 1.3 | 17 |
| 30 | Critical role of tumor necrosis factor receptor 1 in the pathogenesis of pulmonary emphysema in mice. International Journal of COPD, 2016, Volume 11, 1705-1712. | 0.9 | 16 |
| 31 | Adenoid Cystic Carcinoma of the Lung with an <i>EGFR</i> Mutation. Internal Medicine, 2016, 55, 1621-1624. | 0.3 | 13 |
| 32 | Impact of bowel movement condition on immune checkpoint inhibitor efficacy in patients with advanced nonâ€small cell lung cancer. Thoracic Cancer, 2019, 10, 526-532. | 0.8 | 13 |
| 33 | Impact of preexisting antinuclear antibodies on combined immunotherapy and chemotherapy in advanced non-small cell lung cancer patients. Medical Oncology, 2020, 37, 111. | 1.2 | 13 |
| 34 | Endocrinopathies Associated with Immune Checkpoint Inhibitor Cancer Treatment: A Review. Journal of Clinical Medicine, 2020, 9, 2033. | 1.0 | 13 |
| 35 | Anlotinib combined with gefitinib can significantly improve the proliferation of epidermal growth factor receptor-mutant advanced non-small cell lung cancer in vitro and in vivo. Translational Lung Cancer Research, 2021, 10, 1873-1888. | 1.3 | 13 |
| 36 | Inhibition of c-Jun N-terminal kinase signaling increased apoptosis and prevented the emergence of ALK-TKI-tolerant cells in ALK-rearranged non-small cell lung cancer. Cancer Letters, 2021, 522, 119-128. | 3.2 | 13 |

Јилјі Исніло

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | HER3 activation contributes toward the emergence of ALK inhibitor-tolerant cells in ALK-rearranged lung cancer with mesenchymal features. Npj Precision Oncology, 2022, 6, 5. | 2.3 | 13 |
| 38 | Impact of tumor programmed death ligand-1 expression on osimertinib efficacy in untreated EGFR-mutated advanced non-small cell lung cancer: a prospective observational study. Translational Lung Cancer Research, 2021, 10, 3582-3593. | 1.3 | 12 |
| 39 | Expert consensus on perioperative immunotherapy for local advanced non-small cell lung cancer. Translational Lung Cancer Research, 2021, 10, 3713-3736. | 1.3 | 12 |
| 40 | Species D Human Adenovirus Type 9 Exhibits Better Virus-Spread Ability for Antitumor Efficacy among Alternative Serotypes. PLoS ONE, 2014, 9, e87342. | 1.1 | 12 |
| 41 | Nicotine Induces Resistance to Erlotinib Therapy in Non-Small-Cell Lung Cancer Cells Treated with Serum from Human Patients. Cancers, 2019, 11, 282. | 1.7 | 11 |
| 42 | Chronic Pseudomonas aeruginosa infection-induced chronic bronchitis and emphysematous changes in CCSP-deficient mice. International Journal of COPD, 2016, Volume 11, 2321-2327. | 0.9 | 10 |
| 43 | Comparing three different anti-PD-L1 antibodies for immunohistochemical evaluation of small cell lung cancer. Lung Cancer, 2019, 137, 108-112. | 0.9 | 10 |
| 44 | Final Results from a Phase II Trial of Osimertinib for Elderly Patients with Epidermal Growth Factor Receptor t790m-Positive Non-Small Cell Lung Cancer That Progressed during Previous Treatment. Journal of Clinical Medicine, 2020, 9, 1762. | 1.0 | 10 |
| 45 | Safety and tolerability of PD-1/PD-L1 inhibitors in elderly and frail patients with advanced malignancies. Oncology Letters, 2020, 20, 14. | 0.8 | 10 |
| 46 | Association of immune checkpoint inhibitors with respiratory infections: A review. Cancer Treatment Reviews, 2020, 90, 102109. | 3.4 | 9 |
| 47 | Efficacy of Aprepitant in Patients with Advanced or Recurrent Lung Cancer Receiving Moderately Emetogenic Chemotherapy. Asian Pacific Journal of Cancer Prevention, 2012, 13, 4187-4190. | 0.5 | 9 |
| 48 | Prognostic impact of pleural effusion in <i>EGFR</i> â€mutant nonâ€small cell lung cancer patients without brain metastasis. Thoracic Cancer, 2019, 10, 557-563. | 0.8 | 8 |
| 49 | Clinical Characteristics of Osimertinib Responder in Non-Small Cell Lung Cancer Patients with EGFR-T790M Mutation. Cancers, 2019, 11, 365. | 1.7 | 8 |
| 50 | Rationale and Design of a Phase II Trial of Osimertinib Combined With Bevacizumab in Patients With Untreated Epidermal Growth Factor Receptor-mutated Non–small-cell Lung Cancer and Malignant Pleural and/or Pericardial Effusion (SPIRAL II Study). Clinical Lung Cancer, 2019, 20, e402-e406. | 1.1 | 8 |
| 51 | Rationale and design of a phase II trial of durvalumab treatment in patients with NSCLC ineligible for stage III chemoradiotherapy following radiation monotherapy (SPIRAL-RT study). Therapeutic Advances in Medical Oncology, 2020, 12, 175883592092784. | 1.4 | 8 |
| 52 | The Impact of VEGF Inhibition on Clinical Outcomes in Patients With Advanced Non-Small Cell Lung Cancer Treated With Immunotherapy: A Retrospective Cohort Study. Frontiers in Oncology, 2021, 11, 663612. | 1.3 | 8 |
| 53 | Low-dose Epidermal Growth Factor Receptor (EGFR)-Tyrosine Kinase Inhibition of EGFR Mutation-positive Lung Cancer: Therapeutic Benefits and Associations Between Dosage, Efficacy and Body Surface Area. Asian Pacific Journal of Cancer Prevention, 2016, 17, 785-789. | 0.5 | 8 |
| 54 | Late-onset Pleural and Pericardial Effusion as Immune-related Adverse Events after 94 Cycles of Nivolumab. Internal Medicine, 2021, 60, 3585-3588. | 0.3 | 7 |

Јинјі Исніно

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | First reported case of hemoglobin lansing in Asia detected by false low oxygen saturation on pulse oximetry. International Journal of Hematology, 2012, 95, 731-732. | 0.7 | 6 |
| 56 | Identifying risk factors for refractory febrile neutropenia in patients with lung cancer. Journal of Infection and Chemotherapy, 2012, 18, 53-58. | 0.8 | 6 |
| 57 | Vascular endothelial growth factor promoterâ€based conditionally replicative adenoviruses effectively suppress growth of malignant pleural mesothelioma. Cancer Science, 2017, 108, 116-123. | 1.7 | 6 |
| 58 | Treatment rationale and design of the SPIRAL study. Medicine (United States), 2018, 97, e11081. | 0.4 | 6 |
| 59 | Successful sequential treatment of refractory tumors caused by small cell carcinoma transformation and EGFR-T790M mutation diagnosed by repeated genetic testing in a patient with lung adenocarcinoma harboring epidermal growth factor receptor mutations: A case report. Respiratory Medicine Case Reports. 2018, 25, 261-263. | 0.2 | 5 |
| 60 | Nab-paclitaxel maintenance therapy following carboplatin + nab-paclitaxel combination therapy in chemotherapy naÃ ⁻ ve patients with advanced non-small cell lung cancer: multicenter, open-label, single-arm phase II trial. Investigational New Drugs, 2018, 36, 903-910. | 1.2 | 5 |
| 61 | Treatment rationale and design of the RAMNITA study. Medicine (United States), 2018, 97, e11084. | 0.4 | 5 |
| 62 | Phase I study of S-1 plus paclitaxel combination therapy as a first-line treatment in elderly patients with advanced non-small cell lung cancer. Investigational New Drugs, 2019, 37, 291-296. | 1.2 | 4 |
| 63 | Randomized Phase II Study of Weekly Paclitaxel plus Carboplatin Versus Biweekly Paclitaxel plus Carboplatin for Patients with Previously Untreated Advanced Non-Small Cell Lung Cancer. Oncologist, 2019, 24, 1420-e1010. | 1.9 | 4 |
| 64 | Erlotinib as standard adjuvant therapy for resectable EGFR mutation-positive non-small cell lung cancer. Translational Lung Cancer Research, 2019, 8, S369-S372. | 1.3 | 4 |
| 65 | Phase II Study on Biweekly Combination Therapy of Gemcitabine plus Carboplatin for the Treatment of Elderly Patients with Advanced Non-Small Cell Lung Cancer. Oncologist, 2020, 25, 208-e417. | 1.9 | 4 |
| 66 | Efficacy and safety of S â€1 monotherapy in previously treated elderly patients (aged ≥75 years) with nonâ€small cell lung cancer: A retrospective analysis. Thoracic Cancer, 2020, 11, 2867-2876. | 0.8 | 4 |
| 67 | Early discontinuation of induction therapy in chemoimmunotherapy as an effective alternative to the standard regimen in patients with non-small cell lung cancer: a retrospective study. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2437-2446. | 1.2 | 4 |
| 68 | TTF-1 and c-MYC-defined Phenotypes of Large Cell Neuroendocrine Carcinoma and Delta-like Protein 3 Expression for Treatment Selection. Applied Immunohistochemistry and Molecular Morphology, 2021, 29, 313-320. | 0.6 | 4 |
| 69 | The Impact of Immune-related Adverse Events on the Effect of Immune Checkpoint Inhibitors in Non-small Cell Lung Cancer. Japanese Journal of Lung Cancer, 2019, 59, 128-136. | 0.0 | 4 |
| 70 | Editorial: Treatment for Non-Small Cell Lung Cancer in Distinct Patient Populations. Frontiers in Oncology, 2022, 12, 838570. | 1.3 | 4 |
| 71 | Phase II Study of S-1 and Paclitaxel Combination Therapy in Patients with Previously Treated Non-Small Cell Lung Cancer. Oncologist, 2019, 24, 1033-e617. | 1.9 | 3 |
| | | | |

Rationale and design of a phase II trial of osimertinib as first-line treatment for elderly patients with epidermal growth factor receptor mutation-positive advanced non-small cell lung cancer (SPIRAL-0) Tj ETQq0 0 0 rgB3 /Overlack 10 Tf 50

Јилјі Исніло

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A Phase II Study of Sâ€1 and Paclitaxel Combination Therapy as a Firstâ€Line Treatment in Elderly Patients with Advanced Nonâ€Small Cell Lung Cancer. Oncologist, 2019, 24, 459. | 1.9 | 3 |
| 74 | Respiratory complications of Stevens-Johnson syndrome (SJS): 3 cases of SJS-induced obstructive bronchiolitis. Allergology International, 2020, 69, 465-467. | 1.4 | 3 |
| 75 | The Quality of Life of Patients with Suspected Lung Cancer before and after Bronchoscopy and the Effect of Mirtazapine on the Depressive Status. Internal Medicine, 2020, 59, 1605-1610. | 0.3 | 3 |
| 76 | Prognostic factors in older patients with wild-type epidermal growth factor receptor advanced non-small cell lung cancer: a multicenter retrospective study. Translational Lung Cancer Research, 2021, 10, 193-201. | 1.3 | 2 |
| 77 | Elevation of serum C-reactive protein predicts failure of the initial antimicrobial treatment for febrile neutropenia with lung cancer. Journal of Infection and Chemotherapy, 2013, 19, 202-207. | 0.8 | 1 |
| 78 | Pulmonary MALT Lymphoma Demonstrating a Crazy-paving Appearance on Imaging. Internal Medicine, 2015, 54, 2705-2706. | 0.3 | 1 |
| 79 | The impact of the tumor shrinkage by initial EGFR inhibitors according to the detection of EGFR-T790M mutation in patients with non-small cell lung cancer harboring EGFR mutations. BMC Cancer, 2018, 18, 1241. | 1.1 | 1 |
| 80 | Rationale and design of a phase II study to evaluate prophylactic treatment of dacomitinib-induced dermatologic adverse events in epidermal growth factor receptor-mutated advanced non-small cell lung cancer (SPIRAL-Daco study). Translational Lung Cancer Research, 2019, 8, 519-523. | 1.3 | 1 |
| 81 | Phase I/II Study of Docetaxel and S-1 in Previously-Treated Patients with Advanced Non-Small Cell Lung Cancer: LOGIK0408. Journal of Clinical Medicine, 2019, 8, 2196. | 1.0 | 1 |
| 82 | Serum immune modulators during the first cycle of antiâ€PDâ€1 antibody therapy in nonâ€small cell lung cancer: Perforin as a biomarker. Thoracic Cancer, 2020, 11, 3223-3233. | 0.8 | 1 |
| 83 | Impact of maintenance therapy following induction immunochemotherapy for untreated advanced non-small cell lung cancer patients. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2985-2994. | 1.2 | 1 |
| 84 | An observational study of the epidermal growth factor receptor-tyrosine kinase inhibitor resistance mechanism in epidermal growth factor receptor gene mutation-positive non-small cell lung cancer. Medicine (United States), 2018, 97, e12660. | 0.4 | 0 |
| 85 | Osimertinib in first line setting: for Asian patients. Translational Lung Cancer Research, 2019, 8, 550-552. | 1.3 | 0 |
| 86 | Can the assessment of lymphocyte exhaustion serve as a prognostic predictor after lung cancer surgery?. Translational Lung Cancer Research, 2020, 9, 184-187. | 1.3 | 0 |
| 87 | Randomized Phase II Study of Firstâ€Line Biweekly Gemcitabine and Carboplatin Versus Biweekly Gemcitabine and Carboplatin plus Maintenance Gemcitabine in Elderly Patients with Untreated Nonâ€Small Cell Lung Cancer: LOGIK0801. Oncologist, 2020, 25, e1146-e1157. | 1.9 | 0 |
| 88 | Overexpression of I.KAPPA.B.ALPHA. Suppresses Lung Cancer Growth Through Reduced VEGF Production. Japanese Journal of Lung Cancer, 2005, 45, 13-18. | 0.0 | 0 |
| 89 | A New Cancer Cell Detection Method Using an Infectivity-enhanced Adenoviral Vector. Asian Pacific Journal of Cancer Prevention, 2012, 13, 5551-5556. | 0.5 | 0 |
| 90 | Chronic Obstructive Pulmonary Diseases-Like Pathologic Changes by Chronic Infection of Pseudomonas aeruginosa in CCSP-Deficient Mice. Open Forum Infectious Diseases, 2015, 2, . | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Education Program for Male Patients with Chronic Obstructive Pulmonary Disease to Change Dietary Behavior. Kobe Journal of Medical Sciences, 2020, 66, E82-E89. | 0.2 | 0 |