

# Anna N Bukiya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7494397/publications.pdf>

Version: 2024-02-01

66  
papers

1,497  
citations

361045

20  
h-index

360668

35  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1035  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Direct Regulation of BK Channels by Phosphatidylinositol 4,5-Bisphosphate as a Novel Signaling Pathway. <i>Journal of General Physiology</i> , 2008, 132, 13-28.   | 0.9 | 90        |
| 2  | Multiple Cholesterol Recognition/Interaction Amino Acid Consensus (CRAC) Motifs in Cytosolic C Tail of Slo1 Subunit Determine Cholesterol Sensitivity of Ca <sup>2+</sup> - and Voltage-gated K <sup>+</sup> (BK) Channels. <i>Journal of Biological Chemistry</i> , 2012, 287, 20509-20521. | 1.6 | 82        |
| 3  | Î²1 (KCNMB1) Subunits Mediate Lithocholate Activation of Large-Conductance Ca <sup>2+</sup> -Activated K <sup>+</sup> Channels and Dilation in Small, Resistance-Size Arteries. <i>Molecular Pharmacology</i> , 2007, 72, 359-369.   | 1.0 | 79        |
| 4  | Specificity of cholesterol and analogs to modulate BK channels points to direct sterolâ€channel protein interactions. <i>Journal of General Physiology</i> , 2011, 137, 93-110.  | 0.9 | 78        |
| 5  | Large conductance, calcium- and voltage-gated potassium (BK) channels: Regulation by cholesterol. , 2012, 135, 133-150.  |     | 74        |
| 6  | Calcium- and voltage-gated BK channels in vascular smooth muscle. <i>Pflugers Archiv European Journal of Physiology</i> , 2018, 470, 1271-1289.  | 1.3 | 73        |
| 7  | An alcohol-sensing site in the calcium- and voltage-gated, large conductance potassium (BK) channel. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9313-9318.  | 3.3 | 67        |
| 8  | The BK channel accessory Î² <sub>1</sub> subunit determines alcoholâ€induced cerebrovascular constriction. <i>FEBS Letters</i> , 2009, 583, 2779-2784.   | 1.3 | 61        |
| 9  | Smooth Muscle Cholesterol Enables BK Î²1 Subunit-Mediated Channel Inhibition and Subsequent Vasoconstriction Evoked by Alcohol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2410-2423.   | 1.1 | 49        |
| 10 | The steroid interaction site in transmembrane domain 2 of the large conductance, voltage- and calcium-gated potassium (BK) channel accessory Î²1 subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 20207-20212.                   | 3.3 | 45        |
| 11 | The second transmembrane domain of the large conductance, voltageâ€and calciumâ€gated potassium channel Î² <sub>1</sub> subunit is a lithocholate sensor. <i>FEBS Letters</i> , 2008, 582, 673-678.  | 1.3 | 41        |
| 12 | Channel Î² <sub>4</sub> subunits fail to substitute for Î²1 in sensitizing BK channels to lithocholate. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 995-1000.  | 1.0 | 40        |
| 13 | Ethanol modulation of mammalian BK channels in excitable tissues: molecular targets and their possible contribution to alcohol-induced altered behavior. <i>Frontiers in Physiology</i> , 2014, 5, 466.  | 1.3 | 40        |
| 14 | Cerebrovascular Dilation via Selective Targeting of the Cholane Steroid-Recognition Site in the BK Channel Î²1-Subunit by a Novel Nonsteroidal Agent. <i>Molecular Pharmacology</i> , 2013, 83, 1030-1044.   | 1.0 | 38        |
| 15 | Cholesterol up-regulates neuronal G protein-gated inwardly rectifying potassium (GIRK) channel activity in the hippocampus. <i>Journal of Biological Chemistry</i> , 2017, 292, 6135-6147.   | 1.6 | 37        |
| 16 | Hypercholesterolemia Induces Up-regulation of KACH Cardiac Currents via a Mechanism Independent of Phosphatidylinositol 4,5-Bisphosphate and GÎ² <sub>3</sub> . <i>Journal of Biological Chemistry</i> , 2012, 287, 4925-4935.   | 1.6 | 36        |
| 17 | Lipid regulation of BK channel function. <i>Frontiers in Physiology</i> , 2014, 5, 312.  | 1.3 | 35        |
| 18 | Maternal alcohol exposure during mid-pregnancy dilates fetal cerebral arteries via endocannabinoid receptors. <i>Alcohol</i> , 2017, 61, 51-61.  | 0.8 | 33        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Structural determinants of monohydroxylated bile acids to activate $\hat{2}1$ subunit-containing BK channels. <i>Journal of Lipid Research</i> , 2008, 49, 2441-2451.  | 2.0 | 28        |
| 20 | Dietary Cholesterol Protects Against Alcoholâ€­induced Cerebral Artery Constriction. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 1216-1226.  | 1.4 | 28        |
| 21 | Common structural features of cholesterol binding sites in crystallized soluble proteins. <i>Journal of Lipid Research</i> , 2017, 58, 1044-1054.  | 2.0 | 28        |
| 22 | Fetal Cerebral Circulation as Target of Maternal Alcohol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1006-1018.   | 1.4 | 23        |
| 23 | Cholesterol increases the open probability of cardiac KACH currents. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 2406-2413.  | 1.4 | 22        |
| 24 | Cholesterol intake and statin use regulate neuronal G protein-gated inwardly rectifying potassium channels. <i>Journal of Lipid Research</i> , 2019, 60, 19-29.  | 2.0 | 19        |
| 25 | The Effect of Prenatal Alcohol Exposure on Fetal Growth and Cardiovascular Parameters in a Baboon Model of Pregnancy. <i>Reproductive Sciences</i> , 2018, 25, 1116-1123.  | 1.1 | 19        |
| 26 | Distinct Sensitivity of Slo1 Channel Proteins to Ethanol. <i>Molecular Pharmacology</i> , 2013, 83, 235-244.   | 1.0 | 18        |
| 27 | Regulation of BK Channel Activity by Cholesterol and Its Derivatives. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1115, 53-75.  | 0.8 | 18        |
| 28 | Synergistic activation of G protein-gated inwardly rectifying potassium channels by cholesterol and PI(4,5)P 2. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 1233-1241.   | 1.4 | 17        |
| 29 | Calciumâ€­and Voltageâ€­Gated Potassium (BK) Channel Activators in the 5 $\hat{2}$ â€­Cholanic Acidâ€­ $\hat{3}$ â€­ $\hat{1}$ â€­ $\hat{1}$ â€­ $\hat{1}$ Analogue Series with Modifications in the Lateral Chain. <i>ChemMedChem</i> , 2012, 7, 1784-1792. | 1.6 | 16        |
| 30 | Activation of Calcium- and Voltage-gated Potassium Channels of Large Conductance by Leukotriene B4. <i>Journal of Biological Chemistry</i> , 2014, 289, 35314-35325.   | 1.6 | 16        |
| 31 | Statin therapy exacerbates alcohol-induced constriction of cerebral arteries via modulation of ethanol-induced BK channel inhibition in vascular smooth muscle. <i>Biochemical Pharmacology</i> , 2017, 145, 81-93.  | 2.0 | 16        |
| 32 | Distinct mechanisms underlying cholesterol protection against alcohol-induced BK channel inhibition and resulting vasoconstriction. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1756-1766.                     | 1.2 | 15        |
| 33 | Endothelial Nitric Oxide Mediates Caffeine Antagonism of Alcohol-Induced Cerebral Artery Constriction. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015, 356, 106-115.  | 1.3 | 14        |
| 34 | Fetal Cerebral Artery Mitochondrion as Target of Prenatal Alcohol Exposure. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1586.   | 1.2 | 14        |
| 35 | Extra-endothelial TRPV1 channels participate in alcohol and caffeine actions on cerebral artery diameter. <i>Alcohol</i> , 2018, 73, 45-55.  | 0.8 | 13        |
| 36 | Type 2 ryanodine receptors are highly sensitive to alcohol. <i>FEBS Letters</i> , 2014, 588, 1659-1665.  | 1.3 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Celastrol Dilates and Counteracts Ethanol-Induced Constriction of Cerebral Arteries. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 375, 247-257.   | 1.3 | 12        |
| 38 | Cholesterol activates BK channels by increasing KCNMB1 protein levels in the plasmalemma. <i>Journal of Biological Chemistry</i> , 2021, 296, 100381.   | 1.6 | 12        |
| 39 | Differential distribution and functional impact of BK channel beta1 subunits across mesenteric, coronary, and different cerebral arteries of the rat. <i>Pflugers Archiv European Journal of Physiology</i> , 2017, 469, 263-277.   | 1.3 | 11        |
| 40 | Enrichment of Mammalian Tissues and <i>Xenopus</i> Oocytes with Cholesterol. <i>Journal of Visualized Experiments</i> , 2020, , .   | 0.2 | 11        |
| 41 | Regulation of Ca <sup>2+</sup> -Sensitive K <sup>+</sup> Channels by Cholesterol and Bile Acids via Distinct Channel Subunits and Sites. <i>Current Topics in Membranes</i> , 2017, 80, 53-93.  | 0.5 | 10        |
| 42 | Molecular Determinants of Cholesterol Binding to Soluble and Transmembrane Protein Domains. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1135, 47-66.   | 0.8 | 10        |
| 43 | Design and synthesis of hydroxy-alkynoic acids and their methyl esters as novel activators of BK channels. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3427-3430.   | 1.0 | 9         |
| 44 | Age-Dependent Susceptibility to Alcohol-Induced Cerebral Artery Constriction. <i>Journal of Drug and Alcohol Research</i> , 2016, 5, 1-12.  | 0.9 | 9         |
| 45 | A molecular switch controls the impact of cholesterol on a Kir channel. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2109431119.  | 3.3 | 9         |
| 46 | Multi-generational pharmacophore modeling for ligands to the cholane steroid-recognition site in the $\beta 1$ modulatory subunit of the BKCa channel. <i>Journal of Molecular Graphics and Modelling</i> , 2014, 54, 174-183.  | 1.3 | 8         |
| 47 | Proteomic Analysis of Baboon Cerebral Artery Reveals Potential Pathways of Damage by Prenatal Alcohol Exposure*. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 294-307.  | 2.5 | 8         |
| 48 | Voltage-Sensitive Potassium Channels of the BK Type and Their Coding Genes Are Alcohol Targets in Neurons. <i>Handbook of Experimental Pharmacology</i> , 2017, 248, 281-309.   | 0.9 | 7         |
| 49 | Tyrosine 450 in the Voltage- and Calcium-Gated Potassium Channel of Large Conductance Channel Pore-Forming (slo1) Subunit Mediates Cholesterol Protection against Alcohol-Induced Constriction of Cerebral Arteries. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 234-244. | 1.3 | 7         |
| 50 | Gestational Age-Dependent Interplay between Endocannabinoid Receptors and Alcohol in Fetal Cerebral Arteries. , 2018, 08, .   |     | 6         |
| 51 | Physiology of the Endocannabinoid System During Development. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1162, 13-37.  | 0.8 | 5         |
| 52 | BK channel-forming slo1 proteins mediate the brain artery constriction evoked by the neurosteroid pregnenolone. <i>Neuropharmacology</i> , 2021, 192, 108603.   | 2.0 | 5         |
| 53 | Cholesterol Inhibition of Slo1 Channels Is Calcium-Dependent and Can Be Mediated by Either High-Affinity Calcium-Sensing Site in the Slo1 Cytosolic Tail. <i>Molecular Pharmacology</i> , 2022, 101, 132-143.   | 1.0 | 5         |
| 54 | Cholesterol-induced Trafficking of beta1 Subunits Switches Modulation of BK Function by this Steroid from Inhibition to Activation. <i>Biophysical Journal</i> , 2020, 118, 109a-110a.  | 0.2 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Cholesterol antagonism of alcohol inhibition of smooth muscle BK channel requires cell integrity and involves a protein kinase C-dependent mechanism(s). <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 158874. | 1.2 | 3         |
| 56 | Large conductance voltage- and calcium-gated potassium channels (BK) in cerebral artery myocytes of perinatal fetal primates share several major characteristics with the adult phenotype. <i>PLoS ONE</i> , 2018, 13, e0203199.                           | 1.1 | 2         |
| 57 | Cannabinoid Interactions with Proteins: Insights from Structural Studies. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1162, 39-50.  | 0.8 | 2         |
| 58 | Common laboratory research methods for detection and quantification of cholesterol. , 2022, , 259-288.   |     | 2         |
| 59 | Sodium 3-Hydroxyolean-12-en-30-Oate is a Novel and Selective Activator of $\text{Î}^21$ Subunit-Containing BK Channels and thus Cerebral Artery Dilator. <i>Biophysical Journal</i> , 2012, 102, 133a-134a.  | 0.2 | 1         |
| 60 | Prenatal Alcohol Exposure, Anesthesia, and Fetal Loss in Baboon Model of Pregnancy. <i>Journal of Drug and Alcohol Research</i> , 2018, 7, .   | 0.9 | 1         |
| 61 | Approaches for modifying cellular cholesterol levels and their application to mechanistic studies: Examples from the ion channel field. , 2022, , 289-340.   |     | 1         |
| 62 | Discovery of agonist-antagonist pairs for the modulation of $\text{Ca}^{2+}$ and voltage-gated $\text{K}^+$ channels of large conductance that contain beta1 subunits. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 68, 116876.                       | 1.4 | 1         |
| 63 | Modulation of Neuronal GIRK Channels by Cholesterol. <i>FASEB Journal</i> , 2015, 29, 574.28.  | 0.2 | 0         |
| 64 | Membrane Lipids and Modulation of Vascular Smooth Muscle Ion Channels. , 2016, , 349-380.  |     | 0         |
| 65 | Temporal Requirement for the Protective Effect of Dietary Cholesterol against Alcohol-Induced Vasoconstriction. <i>Journal of Drug and Alcohol Research</i> , 2020, 9, .   | 0.9 | 0         |
| 66 | Modification of vascular receptor pharmacology by cholesterol: From molecular determinants to impact on arterial function. , 2022, , 825-851.  |     | 0         |