## Owen M Wolkowitz

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7494510/publications.pdf

Version: 2024-02-01

208 papers 14,586 citations

18482 62 h-index 22166 113 g-index

219 all docs

219 docs citations

219 times ranked

15228 citing authors

#	Article	IF	CITATIONS
1	Neurobiological and neuropsychiatric effects of dehydroepiandrosterone (DHEA) and DHEA sulfate (DHEAS). Frontiers in Neuroendocrinology, 2009, 30, 65-91.	5.2	600
2	Selective Alteration of Personality and Social Behavior by Serotonergic Intervention. American Journal of Psychiatry, 1998, 155, 373-379.	7.2	536
3	Cell aging in relation to stress arousal and cardiovascular disease risk factors. Psychoneuroendocrinology, 2006, 31, 277-287.	2.7	391
4	Analyses and comparisons of telomerase activity and telomere length in human T and B cells: Insights for epidemiology of telomere maintenance. Journal of Immunological Methods, 2010, 352, 71-80.	1.4	369
5	Intensive meditation training, immune cell telomerase activity, and psychological mediators. Psychoneuroendocrinology, 2011, 36, 664-681.	2.7	361
6	Double-Blind Treatment of Major Depression With Dehydroepiandrosterone. American Journal of Psychiatry, 1999, 156, 646-649.	7.2	357
7	Leukocyte Telomere Length in Major Depression: Correlations with Chronicity, Inflammation and Oxidative Stress - Preliminary Findings. PLoS ONE, 2011, 6, e17837.	2.5	353
8	Stress and telomere biology: A lifespan perspective. Psychoneuroendocrinology, 2013, 38, 1835-1842.	2.7	340
9	Good stress, bad stress and oxidative stress: Insights from anticipatory cortisol reactivity. Psychoneuroendocrinology, 2013, 38, 1698-1708.	2.7	336
10	Oxidative stress, inflammation and treatment response in major depression. Psychoneuroendocrinology, 2017, 76, 197-205.	2.7	332
11	Dehydroepiandrosterone (DHEA) treatment of depression. Biological Psychiatry, 1997, 41, 311-318.	1.3	308
12	Resting-State Functional Connectivity of Subgenual Anterior Cingulate Cortex in Depressed Adolescents. Biological Psychiatry, 2013, 74, 898-907.	1.3	300
13	Psychiatric disorders and leukocyte telomere length: Underlying mechanisms linking mental illness with cellular aging. Neuroscience and Biobehavioral Reviews, 2015, 55, 333-364.	6.1	264
14	Depression gets old fast: do stress and depression accelerate cell aging?. Depression and Anxiety, 2010, 27, 327-338.	4.1	242
15	Major depressive disorder and accelerated cellular aging: results from a large psychiatric cohort study. Molecular Psychiatry, 2014, 19, 895-901.	7.9	227
16	Childhood Trauma Associated with Short Leukocyte Telomere Length in Posttraumatic Stress Disorder. Biological Psychiatry, 2011, 70, 465-471.	1.3	223
17	Is Serum Brain-Derived Neurotrophic Factor a Biomarker for Cognitive Enhancement in Schizophrenia?. Biological Psychiatry, 2009, 66, 549-553.	1.3	215
18	Dysregulated relationship of inflammation and oxidative stress in major depression. Brain, Behavior, and Immunity, 2013, 31, 143-152.	4.1	199

#	Article	IF	CITATIONS
19	Dynamics of telomerase activity in response to acute psychological stress. Brain, Behavior, and Immunity, 2010, 24, 531-539.	4.1	192
20	Is Post-Traumatic Stress Disorder Associated with Premature Senescence? A Review of the Literature. American Journal of Geriatric Psychiatry, 2015, 23, 709-725.	1.2	185
21	Prospective controlled studies of the behavioral and biological effects of exogenous corticosteroidsa~†. Psychoneuroendocrinology, 1994, 19, 233-255.	2.7	181
22	Does cellular aging relate to patterns of allostasis?. Physiology and Behavior, 2012, 106, 40-45.	2.1	181
23	The Association Between Psychiatric Disorders and Telomere Length: A Meta-Analysis Involving 14,827 Persons. Psychosomatic Medicine, 2016, 78, 776-787.	2.0	179
24	Proinflammatory milieu in combat-related PTSD is independent of depression and early life stress. Brain, Behavior, and Immunity, 2014, 42, 81-88.	4.1	178
25	Of sound mind and body: depression, disease, and accelerated aging. Dialogues in Clinical Neuroscience, 2011, 13, 25-39.	3.7	175
26	Low serum IL-10 concentrations and loss of regulatory association between IL-6 and IL-10 in adults with major depression. Journal of Psychiatric Research, 2009, 43, 962-969.	3.1	171
27	Adverse Consequences of Glucocorticoid Medication: Psychological, Cognitive, and Behavioral Effects. American Journal of Psychiatry, 2014, 171, 1045-1051.	7.2	168
28	Antiglucocorticoid treatment of depression: double-blind ketoconazole. Biological Psychiatry, 1999, 45, 1070-1074.	1.3	160
29	Telomere length and cortisol reactivity in children of depressed mothers. Molecular Psychiatry, 2015, 20, 615-620.	7.9	154
30	Treatment of Depression With Antiglucocorticoid Drugs. Psychosomatic Medicine, 1999, 61, 698-711.	2.0	153
31	Glucocorticoids. Annals of the New York Academy of Sciences, 2009, 1179, 19-40.	3.8	149
32	Divergent Trajectories of Physical, Cognitive, and Psychosocial Aging in Schizophrenia. Schizophrenia Bulletin, 2011, 37, 451-455.	4.3	141
33	Pessimism correlates with leukocyte telomere shortness and elevated interleukin-6 in post-menopausal women. Brain, Behavior, and Immunity, 2009, 23, 446-449.	4.1	135
34	Circulating cell-free mitochondrial DNA, but not leukocyte mitochondrial DNA copy number, is elevated in major depressive disorder. Neuropsychopharmacology, 2018, 43, 1557-1564.	5.4	135
35	Serum BDNF levels before treatment predict SSRI response in depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1623-1630.	4.8	133
36	High prevalence of visual hallucinations in research subjects with chronic schizophrenia. American Journal of Psychiatry, 1989, 146, 526-528.	7.2	131

#	Article	IF	CITATIONS
37	Stress appraisals and cellular aging: A key role for anticipatory threat in the relationship between psychological stress and telomere length. Brain, Behavior, and Immunity, 2012, 26, 573-579.	4.1	131
38	Metabolism, Metabolomics, and Inflammation in Posttraumatic Stress Disorder. Biological Psychiatry, 2018, 83, 866-875.	1.3	131
39	Glucocorticoid Medication, Memory and Steroid Psychosis in Medical Illness. Annals of the New York Academy of Sciences, 1997, 823, 81-96.	3.8	129
40	Ketoconazole administration in hypercortisolemic depression. American Journal of Psychiatry, 1993, 150, 810-812.	<b>7.</b> 2	124
41	Prednisone Effects on Neurochemistry and Behavior. Archives of General Psychiatry, 1990, 47, 963.	12.3	122
42	The Effects of Clozapine on Symptom Reduction, Neurocognitive Function, and Clinical Management in Treatment-Refractory State Hospital Schizophrenic Inpatients. Neuropsychopharmacology, 1996, 15, 361-369.	5.4	116
43	Stress Hormone-Related Psychopathology: Pathophysiological and Treatment Implications. World Journal of Biological Psychiatry, 2001, 2, 115-143.	2.6	116
44	Resting leukocyte telomerase activity is elevated in major depression and predicts treatment response. Molecular Psychiatry, 2012, 17, 164-172.	7.9	112
45	Dysregulated diurnal cortisol pattern is associated with glucocorticoid resistance in women with major depressive disorder. Biological Psychology, 2013, 93, 150-158.	2.2	109
46	Maintenance of a positive outlook during acute stress protects against pro-inflammatory reactivity and future depressive symptoms. Brain, Behavior, and Immunity, 2012, 26, 346-352.	4.1	94
47	Increased pro-inflammatory milieu in combat related PTSD – A new cohort replication study. Brain, Behavior, and Immunity, 2017, 59, 260-264.	4.1	93
48	Dysregulated physiological stress systems and accelerated cellular aging. Neurobiology of Aging, 2014, 35, 1422-1430.	3.1	89
49	Alprazolam Augmentation of the Antipsychotic Effects of Fluphenazine in Schizophrenic Patients. Archives of General Psychiatry, 1988, 45, 664.	12.3	84
50	The "Steroid Dementia Syndrome†An Unrecognized Complication of Glucocorticoid Treatment. Annals of the New York Academy of Sciences, 2004, 1032, 191-194.	3.8	84
51	Physical Activity Moderates Effects of Stressor-Induced Rumination on Cortisol Reactivity. Psychosomatic Medicine, 2011, 73, 604-611.	2.0	81
52	Antidepressant and Cognitionâ€Enhancing Effects of DHEA in Major Depression. Annals of the New York Academy of Sciences, 1995, 774, 337-339.	3.8	80
53	Spontaneous brain activity in combat related PTSD. Neuroscience Letters, 2013, 547, 1-5.	2.1	76
54	Antiglucocorticoid drugs in the treatment of depression. Expert Opinion on Investigational Drugs, 2001, 10, 1789-1796.	4.1	74

#	Article	IF	CITATIONS
55	Greater endogenous estrogen exposure is associated with longer telomeres in postmenopausal women at risk for cognitive decline. Brain Research, 2011, 1379, 224-231.	2.2	74
56	Mitochondrial DNA copy number is reduced in male combat veterans with PTSD. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 64, 10-17.	4.8	73
57	Selective effects of triazolam on memory. Psychopharmacology, 1992, 106, 341-345.	3.1	72
58	Altered Cerebral Perfusion in Executive, Affective, and Motor Networks During Adolescent Depression. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 1076-1091.e2.	0.5	72
59	Chronic corticosterone administration in rats: Behavioral and biochemical evidence of increased central dopaminergic activity. European Journal of Pharmacology, 1986, 122, 329-338.	3.5	69
60	Depression, telomeres and mitochondrial DNA: between- and within-person associations from a 10-year longitudinal study. Molecular Psychiatry, 2018, 23, 850-857.	7.9	68
61	Multi-omic biomarker identification and validation for diagnosing warzone-related post-traumatic stress disorder. Molecular Psychiatry, 2020, 25, 3337-3349.	7.9	68
62	Estrogen replacement therapy and cognitive decline in memory-impaired post-menopausal women. Biological Psychiatry, 1999, 46, 182-188.	1.3	67
63	Neurobiological effects of lumbar puncture stress in psychiatric patients and healthy volunteers. Psychiatry Research, 1988, 25, 187-194.	3.3	65
64	Global arginine bioavailability, a marker of nitric oxide synthetic capacity, is decreased in PTSD and correlated with symptom severity and markers of inflammation. Brain, Behavior, and Immunity, 2016, 52, 153-160.	4.1	65
65	Hunger in humans induced by MK-329, a specific peripheral-type cholecystokinin receptor antagonist. Biological Psychiatry, 1990, 28, 169-173.	1.3	62
66	Movement Disorder, Memory, Psychiatric Symptoms and Serum DHEA Levels in Schizophrenic and Schizoaffective Patients. World Journal of Biological Psychiatry, 2001, 2, 99-102.	2.6	61
67	Accelerating research on biological aging and mental health: Current challenges and future directions. Psychoneuroendocrinology, 2019, 106, 293-311.	2.7	61
68	Pre-deployment risk factors for PTSD in active-duty personnelÂdeployed to Afghanistan: a machine-learning approach for analyzing multivariate predictors. Molecular Psychiatry, 2021, 26, 5011-5022.	7.9	55
69	Severity of depression in abstinent alcoholics is associated with monoamine metabolites and dehydroepiandrosterone-sulfate concentrations. Psychiatry Research, 1999, 89, 97-106.	3.3	54
70	Anxiety disorders and accelerated cellular ageing. British Journal of Psychiatry, 2015, 206, 371-378.	2.8	54
71	Depressive and Anxiety Disorders Showing Robust, but Non-Dynamic, 6-Year Longitudinal Association With Short Leukocyte Telomere Length. American Journal of Psychiatry, 2016, 173, 617-624.	7.2	54
72	Metabolomic analysis of male combat veterans with post traumatic stress disorder. PLoS ONE, 2019, 14, e0213839.	2.5	54

#	Article	IF	CITATIONS
73	A DNA methylation clock associated with age-related illnesses and mortality is accelerated in men with combat PTSD. Molecular Psychiatry, 2021, 26, 4999-5009.	7.9	52
74	Adverse childhood experiences and leukocyte telomere maintenance in depressed and healthy adults. Journal of Affective Disorders, 2014, 169, 86-90.	4.1	51
75	Plasma serotonin levels are associated with antidepressant response to SSRIs. Journal of Affective Disorders, 2019, 250, 65-70.	4.1	50
76	Telomerase activation as a possible mechanism of action for psychopharmacological interventions. Drug Discovery Today, 2015, 20, 1305-1309.	6.4	48
77	Evidence for disrupted gray matter structural connectivity in posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2015, 234, 194-201.	1.8	47
78	Neuroscience-informed auditory training in schizophrenia: A final report of the effects on cognition and serum brain-derived neurotrophic factor. Schizophrenia Research: Cognition, 2016, 3, 1-7.	1.3	47
79	"GrimAge,―an epigenetic predictor of mortality, is accelerated in major depressive disorder. Translational Psychiatry, 2021, 11, 193.	4.8	46
80	Serum brain-derived neurotrophic factor predicts responses to escitalopram in chronic posttraumatic stress disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 1279-1284.	4.8	45
81	Whole-genome DNA methylation status associated with clinical PTSD measures of OIF/OEF veterans. Translational Psychiatry, 2017, 7, e1169-e1169.	4.8	45
82	Cortisol levels predict cognitive impairment induced by electroconvulsive therapy. Biological Psychiatry, 2001, 50, 331-336.	1.3	44
83	Biological predictors of insulin resistance associated with posttraumatic stress disorder in young military veterans. Psychoneuroendocrinology, 2017, 82, 91-97.	2.7	44
84	Dexamethasone increases plasma HVA but not MHPG in normal humans. Psychiatry Research, 1985, 16, 101-109.	3.3	43
85	The "Steroid Dementia Syndromeâ€: A Possible Model of Human Glucocorticoid Neurotoxicity. Neurocase, 2007, 13, 189-200.	0.6	43
86	Peripheral telomere length and hippocampal volume in adolescents with major depressive disorder. Translational Psychiatry, 2015, 5, e676-e676.	4.8	43
87	The association of comorbid depression with mortality and amputation in veterans with peripheral artery disease. Journal of Vascular Surgery, 2018, 68, 536-545.e2.	1.1	43
88	Severity of anxiety– but not depression– is associated with oxidative stress in Major Depressive Disorder. Journal of Affective Disorders, 2017, 219, 193-200.	4.1	42
89	Cellular aging in depression: Permanent imprint or reversible process?. BioEssays, 2014, 36, 968-978.	2.5	41
90	Increased circulating blood cell counts in combat-related PTSD: Associations with inflammation and PTSD severity. Psychiatry Research, 2017, 258, 330-336.	3.3	41

#	Article	IF	Citations
91	Dehydroepiandrosterone Supplementation and Bone Turnover in Middle-Aged to Elderly Men. Journal of Clinical Endocrinology and Metabolism, 2002, 87, 1544-1549.	3.6	39
92	RBC folic acid levels and cognitive performance in elderly patients: A preliminary report. Biological Psychiatry, 1988, 24, 352-354.	1.3	38
93	Association of dimensional psychological health measures with telomere length in male war veterans. Journal of Affective Disorders, 2016, 190, 537-542.	4.1	38
94	Abnormal levels of mitochondrial proteins in plasma neuronal extracellular vesicles in major depressive disorder. Molecular Psychiatry, 2021, 26, 7355-7362.	7.9	36
95	A Psychopharmacological Perspective of Cognitive Functions. Neuropsychobiology, 1985, 14, 133-156.	1.9	35
96	Behavioral Implications of Lowering Cholesterol Levels: A Double-Blind Pilot Study. Psychosomatics, 2003, 44, 412-414.	2.5	35
97	Leukocyte telomere length: Effects of schizophrenia, age, and gender. Journal of Psychiatric Research, 2017, 85, 42-48.	3.1	35
98	Epigenetic Age in Male Combat-Exposed War Veterans: Associations with Posttraumatic Stress Disorder Status. Molecular Neuropsychiatry, 2018, 4, 90-99.	2.9	35
99	Pre- and post-dexamethasone plasma ACTH levels in depressed patients and normal controls. Journal of Affective Disorders, 1986, 10, 95-99.	4.1	34
100	Steroid modulation of human memory: Biochemical correlates. Biological Psychiatry, 1993, 33, 744-746.	1.3	34
101	Neurobiologic Correlates. Annals of the New York Academy of Sciences, 1986, 487, 189-196.	3.8	33
102	Chronic pregnenolone effects in normal humans: attenuation of benzodiazepine-induced sedation. Psychoneuroendocrinology, 2004, 29, 486-500.	2.7	33
103	PBMC telomerase activity, but not leukocyte telomere length, correlates with hippocampal volume in major depression. Psychiatry Research - Neuroimaging, 2015, 232, 58-64.	1.8	33
104	Alterations in leukocyte transcriptional control pathway activity associated with major depressive disorder and antidepressant treatment. Translational Psychiatry, 2016, 6, e821-e821.	4.8	33
105	Leukocyte Telomere Length Predicts SSRI Response in Major Depressive Disorder: A Preliminary Report. Molecular Neuropsychiatry, 2016, 2, 88-96.	2.9	32
106	Altering Cortisol Level does not Change the Pleasurable Effects of Methamphetamine in Humans. Neuropsychopharmacology, 2003, 28, 1677-1684.	5.4	31
107	Peripheral antioxidant markers are associated with total hippocampal and CA3/dentate gyrus volume in MDD and healthy controls–preliminary findings. Psychiatry Research - Neuroimaging, 2014, 224, 168-174.	1.8	31
108	Elevated plasma F2-isoprostane levels in schizophrenia. Schizophrenia Research, 2016, 176, 320-326.	2.0	31

#	Article	IF	CITATIONS
109	The Effects of Dexamethasone on Plasma Homovanillic Acid and 3-Methoxy-4-hydroxyphenylglycol. Archives of General Psychiatry, 1987, 44, 782.	12.3	30
110	Beneficial Effects of Nalmefene Augmentation in Neuroleptic-Stabilized Schizophrenic Patients. Neuropsychopharmacology, 1993, 9, 111-115.	5.4	30
111	Serotonergic Intervention Increases Affiliative Behavior in Humans. Annals of the New York Academy of Sciences, 1997, 807, 492-493.	3.8	30
112	Repeated psychological stress testing in stimulant-dependent patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 669-677.	4.8	30
113	Accelerated aging in serious mental disorders. Current Opinion in Psychiatry, 2019, 32, 381-387.	6.3	30
114	MRI Deep white matter hyperintensity in a psychiatric population. Biological Psychiatry, 1991, 29, 918-922.	1.3	29
115	Cortisol/DHEA ratio and hippocampal volume: A pilot study in major depression and healthy controls. Psychoneuroendocrinology, 2016, 72, 139-146.	2.7	29
116	Low serum brain-derived neurotrophic factor is associated with suicidal ideation in major depressive disorder. Psychiatry Research, 2019, 273, 108-113.	3.3	29
117	Single-dose naloxone acutely reduces eating in obese humans: Behavioral and biochemical effects. Biological Psychiatry, 1988, 24, 483-487.	1.3	28
118	Methylphenidate-Induced Cardiac Arrhythmias. New England Journal of Medicine, 1986, 315, 1485-1485.	27.0	27
119	Prednisone decreases CSF somatostatin in healthy humans: Implications for neuropsychiatric illness. Life Sciences, 1987, 41, 1929-1933.	4.3	27
120	Partial reversal of stress-induced behavioral sensitization to amphetamine following metyrapone treatment. Brain Research, 1998, 783, 133-142.	2.2	27
121	Evidence for a daily rhythm of plasma HVA in normal controls but not in schizophrenic patients. Psychopharmacology Bulletin, 1985, 21, 694-7.	0.0	27
122	Rational Polypharmacy in Schizophrenia. Annals of Clinical Psychiatry, 1993, 5, 79-80.	0.6	26
123	EDITORIAL. World Journal of Biological Psychiatry, 2008, 9, 2-5.	2.6	26
124	Self-Destructive Dermatoses. Psychiatric Clinics of North America, 1985, 8, 291-298.	1.3	25
125	Fluphenazine treatment reduces CSF somatostatin in patients with schizophrenia: Correlations with CSF HVA. Biological Psychiatry, 1989, 25, 431-439.	1.3	25
126	A population of atypical CD56â^'CD16+ natural killer cells is expanded in PTSD and is associated with symptom severity. Brain, Behavior, and Immunity, 2016, 56, 264-270.	4.1	25

#	Article	IF	CITATIONS
127	Plasma levels of catecholamines and corticotrophin during acute glucopenia induced by 2-deoxy-D-glucose in normal man. Clinical Autonomic Research, 1992, 2, 359-366.	2.5	24
128	Novel Pharmacological Targets for Combat PTSDâ€"Metabolism, Inflammation, The Gut Microbiome, and Mitochondrial Dysfunction. Military Medicine, 2020, 185, 311-318.	0.8	24
129	A Preliminary Study: Efficacy of Mindfulness-Based Cognitive Therapy versus Sertraline as First-line Treatments for Major Depressive Disorder. Mindfulness, 2015, 6, 475-482.	2.8	23
130	The Pathophysiologic Significance of Hyperadrenocorticism: Antiglucocorticoid Strategies. Psychiatric Annals, 1993, 23, 682-690.	0.1	23
131	Neurotransmitters, neurosteroids and neurotrophins: New models of the pathophysiology and treatment of depression. World Journal of Biological Psychiatry, 2003, 4, 98-102.	2.6	22
132	Mechanistic inferences on metabolic dysfunction in posttraumatic stress disorder from an integrated model and multiomic analysis: role of glucocorticoid receptor sensitivity. American Journal of Physiology - Endocrinology and Metabolism, 2019, 317, E879-E898.	3.5	22
133	Epigenetic biotypes of post-traumatic stress disorder in war-zone exposed veteran and active duty males. Molecular Psychiatry, 2021, 26, 4300-4314.	7.9	22
134	Vitamin D and inflammation in major depressive disorder. Journal of Affective Disorders, 2020, 267, 33-41.	4.1	21
135	Long-lasting behavioral changes following prednisone withdrawal. JAMA - Journal of the American Medical Association, 1989, 261, 1731-1732.	7.4	21
136	Higher serum DHEA concentrations before and after SSRI treatment are associated with remission of major depression. Psychoneuroendocrinology, 2017, 77, 122-130.	2.7	20
137	Frailty Index as a clinical measure of biological age in psychiatry. Journal of Affective Disorders, 2020, 268, 183-187.	4.1	20
138	Accelerated biological aging in serious mental disorders. World Psychiatry, 2018, 17, 144-145.	10.4	19
139	Association of comorbid depression with inpatient outcomes in critical limb ischemia. Vascular Medicine, 2020, 25, 25-32.	1.5	19
140	Pathologic Gambling and Other Risk-Taking Pursuits. Psychiatric Clinics of North America, 1985, 8, 311-322.	1.3	19
141	A Psychopharmacological Perspective of Cognitive Functions. Neuropsychobiology, 1985, 14, 88-96.	1.9	18
142	Effect of Naloxone on Food Consumption in Obesity. New England Journal of Medicine, 1985, 313, 327-327.	27.0	18
143	Posttraumatic stress disorder, symptoms, and white matter abnormalities among combat-exposed veterans. Brain Imaging and Behavior, 2018, 12, 989-999.	2.1	18
144	Naloxone's effect on cognitive functioning in drug-free and diazepam-treated normal humans. Psychopharmacology, 1985, 85, 221-223.	3.1	17

#	Article	IF	CITATIONS
145	Specificity of plasma HVA response to dexamethasone in psychotic depression. Psychiatry Research, 1989, 29, 177-186.	3.3	17
146	BDNF Serum Concentrations Show No Relationship with Diagnostic Group or Medication Status in Neurodegenerative Disease. Current Alzheimer Research, 2012, 9, 815-821.	1.4	17
147	High levels of mitochondrial DNA are associated with adolescent brain structural hypoconnectivity and increased anxiety but not depression. Journal of Affective Disorders, 2018, 232, 283-290.	4.1	17
148	Neurochemical and Neural Mechanisms of Positive and Negative Symptoms in Schizophrenia. Modern Problems of Pharmacopsychiatry, 1990, 24, 124-151.	2.5	16
149	HPA axis regulation and epigenetic programming of immune-related genes in chronically stressed and non-stressed mid-life women. Brain, Behavior, and Immunity, 2021, 92, 49-56.	4.1	16
150	Pre-treatment allostatic load and metabolic dysregulation predict SSRI response in major depressive disorder: a preliminary report. Psychological Medicine, 2021, 51, 2117-2125.	4.5	16
151	Marijuana: Differential effects on right and left hemisphere functions in man. Life Sciences, 1977, 21, 1793-1799.	4.3	15
152	Endogenous opioid regulation of hypothalamo-pituitary-adrenal axis activity in schizophrenia. Biological Psychiatry, 1986, 21, 366-373.	1.3	15
153	Improvement in indices of cellular protection after psychological treatment for social anxiety disorder. Translational Psychiatry, 2019, 9, 340.	4.8	15
154	Memory facilitation following the administration of the benzodiazepine triazolam Experimental and Clinical Psychopharmacology, 1995, 3, 298-303.	1.8	14
155	Depression severity is associated with increased inflammation in veterans with peripheral artery disease. Vascular Medicine, 2018, 23, 445-453.	1.5	14
156	Drug trials and heterogeneity in schizophrenia: The mean is not the end. Biological Psychiatry, 1990, 28, 1021-1025.	1.3	13
157	Double-Blind Antiglucocorticoid Treatment in Schizophrenia and Schizoaffective Disorder: A Pilot Study. World Journal of Biological Psychiatry, 2002, 3, 156-161.	2.6	13
158	Behavioral Side Effects of Corticosteroid Therapy. Psychiatric Annals, 1993, 23, 703-708.	0.1	13
159	Cortisol, moderated by age, is associated with antidepressant treatment outcome and memory improvement in Major Depressive Disorder: A retrospective analysis. Psychoneuroendocrinology, 2019, 109, 104386.	2.7	11
160	Utilization of machine learning for identifying symptom severity military-related PTSD subtypes and their biological correlates. Translational Psychiatry, 2021, 11, 227.	4.8	11
161	Blood-based mitochondrial respiratory chain function in major depression. Translational Psychiatry, 2021, 11, 593.	4.8	11
162	Dr. Wolkowitz and Associates Reply. American Journal of Psychiatry, 1986, 143, 1312-1313.	7.2	10

#	Article	IF	Citations
163	Effect of Combat Exposure and Posttraumatic Stress Disorder on Telomere Length and Amygdala Volume. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 678-687.	1.5	10
164	Quantitative Electroencephalographic Correlates of Steroid Administration in Man. Neuropsychobiology, 1993, 27, 224-230.	1.9	9
165	Hormonal changes with cholesterol reduction: a double-blind pilot study. Journal of Clinical Pharmacy and Therapeutics, 2004, 29, 71-73.	1.5	9
166	Neural and Molecular Mechanisms in Anxiety. Psychiatric Clinics of North America, 1985, 8, 145-158.	1.3	9
167	Metabolic stress effects in normal volunteers and schizophrenic patients. Psychopharmacology Bulletin, 1988, 24, 431-3.	0.0	9
168	Prednisone-induced behavioral and biological changes in medically healthy volunteers. Psychopharmacology Bulletin, 1988, 24, 492-4.	0.0	9
169	Prednisone effects on blood-brain barrier permeability and CNS IgG synthesis in healthy humans. Psychoneuroendocrinology, 1990, 15, 155-158.	2.7	8
170	Telomere length is inversely correlated with urinary stress hormone levels in healthy controls but not in un-medicated depressed individuals-preliminary findings. Journal of Psychosomatic Research, 2017, 99, 177-180.	2.6	8
171	NOVEL STRATEGIES FOR TREATMENT-RESISTANT DEPRESSION. Psychiatric Clinics of North America, 1996, 19, 387-405.	1.3	7
172	Human Pharmacokinetics and Tolerability of Lâ€365,260, a Novel Cholecystokininâ€B Antagonist. Journal of Clinical Pharmacology, 1996, 36, 292-300.	2.0	7
173	Benzodiazepines in Schizophrenia: Prefrontal Cortex Atrophy Predicts Clinical Response to Alprazolam Augmentation. World Journal of Biological Psychiatry, 2002, 3, 221-224.	2.6	7
174	An immunogenomic phenotype predicting behavioral treatment response: Toward precision psychiatry for mothers and children with trauma exposure. Brain, Behavior, and Immunity, 2022, 99, 350-362.	4.1	7
175	The Role of Dehydroepiandrosterone (DHEA) in Psychiatry. Psychiatric Annals, 2000, 30, 123-128.	0.1	7
176	Dr. Amsterdam and Associates Reply. American Journal of Psychiatry, 1987, 144, 1375-1375.	7.2	6
177	TRH test in schizophrenic patients and controls. Biological Psychiatry, 1989, 25, 523-526.	1.3	6
178	Dr. Wolkowitz and Dr. Pickar Reply. American Journal of Psychiatry, 1992, 149, 422-422.	7.2	6
179	Serum brain-derived neurotrophic factor remains elevated after long term follow-up of combat veterans with chronic post-traumatic stress disorder. Psychoneuroendocrinology, 2021, 134, 105360.	2.7	6
180	Development of differences in response latencies to right and left visual fields. Brain and Cognition, 1984, 3, 335-342.	1.8	5

#	Article	lF	Citations
181	Suicidality and corticosteroid psychosis. Biological Psychiatry, 1990, 27, 459.	1.3	5
182	Unresolved Issues in Longitudinal Telomere Length Research: Response to Susser et al American Journal of Psychiatry, 2016, 173, 1147-1149.	7.2	5
183	Neuropsychiatric Effects of Dehydroepiandrosterone (DHEA). , 0, , .		4
184	Higher fasting glucose levels are associated with reduced circulating angiogenic cell migratory capacity among healthy individuals. American Journal of Cardiovascular Disease, 2012, 2, 12-9.	0.5	4
185	Alternate-Day Corticosteroid Treatment, Mood and Plasma HVA in Patients with Systemic Lupus erythematosus. Neuropsychobiology, 1988, 19, 17-19.	1.9	3
186	Antiglucocorticoid medication effects on specific depressive symptoms. Biological Psychiatry, 1994, 35, 678-679.	1.3	3
187	Dexamethasone effects on dopamine and the "prolactin suppression test― Acta Psychiatrica Scandinavica, 1988, 77, 618-619.	4.5	2
188	510. Major Depression, Childhood Trauma, Parenting Styles and Oxidative Stress: A Well-controlled Study in Unmedicated Individuals. Biological Psychiatry, 2017, 81, S207-S208.	1.3	2
189	Is Depression Associated With Accelerated Aging? Mechanisms and Implications. , 2019, , 207-229.		2
190	Epigenetic Biotypes of PTSD in War-Zone Exposed Veteran and Active Duty Males. Biological Psychiatry, 2020, 87, S8-S9.	1.3	2
191	Cortisol awakening response and cortisol/DHEA ratio associations with hippocampal volume in MDD. HÃ $\P$ gre Utbildning, 2012, 3, .	3.0	2
192	Benzodiazepine responsivity in schizophrenia. Schizophrenia Research, 1991, 4, 296.	2.0	1
193	Dehydroepiandrosterone in aging and mental health. , 2000, , 144-167.		1
194	Catecholamine Response to Methamphetamine is Related to Glucocorticoid Levels but not to Pleasurable Subjective Response. Pharmacopsychiatry, 2006, 39, 100-108.	3.3	1
195	F174. Higher Baseline Plasma Serotonin, and a Greater Decrease in Serotonin Over Treatment, is Associated With Better SSRI Response in MDD. Biological Psychiatry, 2018, 83, S306.	1.3	1
196	62. Circulating Cell-Free Mitochondrial DNA $\hat{a}\in$ a Novel Marker of Mitochondrial Stress Associated With Suicidality and Major Depressive Disorder. Biological Psychiatry, 2018, 83, S25-S26.	1.3	1
197	Cell aging and resilience: associations between daily emotion regulation and increased telomerase activity. HÃ $\P$ gre Utbildning, 2012, 3, .	3.0	1
198	Alprazolam augmentation of neuroleptics in schizophrenia. American Journal of Psychiatry, 1989, 146, 1087-8.	7.2	1

#	Article	IF	CITATIONS
199	Neurobiological correlates of stress in schizophrenia. Schizophrenia Research, 1988, 1, 250-251.	2.0	0
200	Models for Research in Consultation Psychiatry. Advances in Psychosomatic Medicine, 1990, 20, 125-135.	2.2	0
201	Psychoneuroendocrine aspects of treatment-resistant mood disorders. , 2001, , 49-79.		O
202	Telomere length is inversely correlated with urinary stress hormone levels in healthy controls but not in un-medicated depressed individuals – Preliminary findings. Psychoneuroendocrinology, 2015, 61, 61.	2.7	0
203	1005. Pre-Treatment Allostatic Load and Metabolic Dysregulation Predict Antidepressant Response in Major Depressive Disorder. Biological Psychiatry, 2017, 81, S406-S407.	1.3	0
204	709. Increased Circulating Blood Cell Counts in Combat-Related PTSD: Associations with Inflammation and Symptom Severity. Biological Psychiatry, 2017, 81, S287-S288.	1.3	0
205	S13. Can Psychological Treatment Slow Down Cellular Aging in Social Anxiety Disorder? An Intervention Study Evaluating Changes in Telomere Length and Telomerase Activity. Biological Psychiatry, 2018, 83, S351-S352.	1.3	0
206	233. Indices of Cellular Health are Associated With Antidepressant Treatment Response. Biological Psychiatry, 2018, 83, S93-S94.	1.3	0
207	228. Cross-Sectional and Longitudinal Studies of Cellular Aging and Related Biomarkers in Combat PTSD. Biological Psychiatry, 2019, 85, S94-S95.	1.3	0
208	Dr. Knutson and Colleagues Reply. American Journal of Psychiatry, 1999, 156, 985a-985.	7.2	0