


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7494515/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Impact of contrast-induced acute kidney injury with transient or persistent renal dysfunction on long-term outcomes of patients with acute myocardial infarction undergoing percutaneous coronary intervention. Heart, 2011, 97, 1753-1757.	1.2	156
2	Virtual ablation for atrial fibrillation in personalized in-silico three-dimensional left atrial modeling: Comparison with clinical catheter ablation. Progress in Biophysics and Molecular Biology, 2014, 116, 40-47.	1.4	40
3	Prediction of Contrastâ€Induced Nephropathy With Persistent Renal Dysfunction and Adverse Longâ€ŧerm Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. Clinical Cardiology, 2013, 36, 46-53.	0.7	38
4	Left Ventricular Diastolic Function Is Closely Associated With Mechanical Function of the Left Atrium in Patients With Paroxysmal Atrial Fibrillation. Circulation Journal, 2013, 77, 697-704.	0.7	32
5	Prevalence, risk, and benefits of radiofrequency catheter ablation at the aortic cusp for the treatment of mid to anteroseptal supra-ventricular tachyarrhythmias. International Journal of Cardiology, 2013, 167, 981-986.	0.8	28
6	Transient New-Onset Atrial Fibrillation Is Associated With Poor Clinical Outcomes in Patients With Acute Myocardial Infarction. Circulation Journal, 2016, 80, 1615-1623.	0.7	22
7	Optimal pharmacologic approach to patients with hypertriglyceridemia and low high-density lipoprotein-cholesterol: Randomized comparison of fenofibrate 160mg and niacin 1500mg. Atherosclerosis, 2010, 213, 235-240.	0.4	21
8	Fate of Preoperative Atrial Fibrillation After Correction of Atrial Septal Defect. Circulation Journal, 2013, 77, 109-115.	0.7	21
9	Different Vascular Healing Patterns With Various Drug-Eluting Stents in Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction: Optical Coherence Tomographic Findings. American Journal of Cardiology, 2010, 105, 972-976.	0.7	20
10	Complex Fractionated Atrial Electrograms Related to Left Atrial Wall Thickness. Journal of Cardiovascular Electrophysiology, 2014, 25, 1141-1149.	0.8	19
11	Part 3. Advanced cardiac life support: 2015 Korean Guidelines for Cardiopulmonary Resuscitation. Clinical and Experimental Emergency Medicine, 2016, 3, S17-S26.	0.5	19
12	Acute Myocardial Infarction due to Polyarteritis Nodosa in a Young Female Patient. Korean Circulation Journal, 2010, 40, 197.	0.7	18
13	Prolonged Atrial Effective Refractory Periods in Atrial Fibrillation Patients Associated with Structural Heart Disease or Sinus Node Dysfunction Compared with Lone Atrial Fibrillation. PACE - Pacing and Clinical Electrophysiology, 2013, 36, 163-171.	0.5	17
14	Left atrial wall thickness rather than epicardial fat thickness is related to complex fractionated atrial electrogram. International Journal of Cardiology, 2014, 172, e411-e413.	0.8	17
15	An electrocardiography algorithm combined with clinical features could localize the origins of focal atrial tachycardias in adjacent structures. Europace, 2014, 16, 1061-1068.	0.7	16
16	Population Pharmacokinetics and Dose Optimization of Teicoplanin during Venoarterial Extracorporeal Membrane Oxygenation. Antimicrobial Agents and Chemotherapy, 2017, 61, .	1.4	16
17	Population pharmacokinetics of remifentanil in critically ill patients receiving extracorporeal membrane oxygenation. Scientific Reports, 2017, 7, 16276.	1.6	14
18	Role of atrial wall thickness in wave-dynamics of atrial fibrillation. PLoS ONE, 2017, 12, e0182174.	1.1	13

Jin Wi

#	Article	IF	CITATIONS
19	Importance of Tachycardia Cycle Length for Differentiating Typical Atrial Flutter from Scarâ€Related in Adult Congenital Heart Disease. PACE - Pacing and Clinical Electrophysiology, 2012, 35, 1338-1347.	0.5	12
20	Early Repolarization and Myocardial Scar Predict Poorest Prognosis in Patients with Coronary Artery Disease. Yonsei Medical Journal, 2014, 55, 928.	0.9	9
21	Aortic Valve Avulsion. Journal of the American College of Cardiology, 2012, 60, e3.	1.2	7
22	Catheter Ablation of Atrial Fibrillation Raises the Plasma Level of NGF-Î <sup>2</sup> Which Is Associated with Sympathetic Nerve Activity. Yonsei Medical Journal, 2015, 56, 1530.	0.9	7
23	Dose Optimization of Cefpirome Based on Population Pharmacokinetics and Target Attainment during Extracorporeal Membrane Oxygenation. Antimicrobial Agents and Chemotherapy, 2020, 64, .	1.4	7
24	Serological Predictors for the Recurrence of Atrial Fibrillation After Electrical Cardioversion. Korean Circulation Journal, 2010, 40, 185.	0.7	6
25	Population Pharmacokinetics and Dosing Optimization of Piperacillin-Tazobactam in Critically Ill Patients on Extracorporeal Membrane Oxygenation and the Influence of Concomitant Renal Replacement Therapy. Microbiology Spectrum, 2021, 9, e0063321.	1.2	5
26	Population pharmacokinetics of intravenous sufentanil in critically ill patients supported with extracorporeal membrane oxygenation therapy. Critical Care, 2019, 23, 248.	2.5	4
27	Vitamin D Deficiency and Neurologic Outcome After Sudden Cardiac Arrest. Shock, 2019, 52, e146-e152.	1.0	4
28	Permanent Pacemaker for Syncope after Heart Transplantation with Bicaval Technique. Yonsei Medical Journal, 2009, 50, 588.	0.9	3
29	Endovascular Treatment of Isolated Common Iliac Artery Aneurysms With Short Necks Using Bifurcated Stent-Grafts. Korean Circulation Journal, 2010, 40, 343.	0.7	3
30	Liver Laceration with Hemoperitoneum after Cardiopulmonary Resuscitation. The Korean Journal of Critical Care Medicine, 2014, 29, 141.	0.2	3
31	Secondary Pituitary Hyperplasia Induced by Hashimoto's Thyroiditis Related Hypothyroidism: A Case Report. Journal of Korean Endocrine Society, 2010, 25, 72.	0.1	2
32	Association of Vitamin D Deficiency with Profound Cardiogenic Shock in Patients Resuscitated From Sudden Cardiac Arrest. Shock, 2020, 53, 717-722.	1.0	2
33	Cerebral Infarction Observed on Brain MRI in Unconscious Out-of-Hospital Cardiac Arrest Survivors: A Pilot Study. Neurocritical Care, 2021, 34, 248-258.	1.2	1
34	Radiofrequency Ablation of Atrial Fibrillation Raises Plasma Levels of Nerve Growth Factor-beta, and Is Associated with Post-Ablation Premature Ventricular Contractions. Journal of Arrhythmia, 2011, 27, OP20_5.	0.5	0
35	The Fate of Preoperative Atrial Fibrillation after the Correction of Atrial Septal Defect. Journal of Arrhythmia, 2011, 27, OP33_6.	0.5	0