

Jin Wi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7494515/jin-wi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

463
citations

13
h-index

21
g-index

35
ext. papers

531
ext. citations

3.4
avg, IF

2.91
L-index

#	Paper	IF	Citations
33	Cerebral Infarction Observed on Brain MRI in Unconscious Out-of-Hospital Cardiac Arrest Survivors: A Pilot Study. <i>Neurocritical Care</i> , 2021 , 34, 248-258	3.3	0
32	Population Pharmacokinetics and Dosing Optimization of Piperacillin-Tazobactam in Critically Ill Patients on Extracorporeal Membrane Oxygenation and the Influence of Concomitant Renal Replacement Therapy.. <i>Microbiology Spectrum</i> , 2021 , 9, e0063321	8.9	0
31	Dose Optimization of Cefpirome Based on Population Pharmacokinetics and Target Attainment during Extracorporeal Membrane Oxygenation. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	3
30	Association of Vitamin D Deficiency with Profound Cardiogenic Shock in Patients Resuscitated From Sudden Cardiac Arrest. <i>Shock</i> , 2020 , 53, 717-722	3.4	1
29	Population pharmacokinetics of intravenous sufentanil in critically ill patients supported with extracorporeal membrane oxygenation therapy. <i>Critical Care</i> , 2019 , 23, 248	10.8	3
28	Vitamin D Deficiency and Neurologic Outcome After Sudden Cardiac Arrest. <i>Shock</i> , 2019 , 52, e146-e152	3.4	1
27	Role of atrial wall thickness in wave-dynamics of atrial fibrillation. <i>PLoS ONE</i> , 2017 , 12, e0182174	3.7	13
26	Population pharmacokinetics of remifentanil in critically ill patients receiving extracorporeal membrane oxygenation. <i>Scientific Reports</i> , 2017 , 7, 16276	4.9	10
25	Population Pharmacokinetics and Dose Optimization of Teicoplanin during Venoarterial Extracorporeal Membrane Oxygenation. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	8
24	Transient New-Onset Atrial Fibrillation Is Associated With Poor Clinical Outcomes in Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2016 , 80, 1615-23	2.9	13
23	Part 3. Advanced cardiac life support: 2015 Korean Guidelines for Cardiopulmonary Resuscitation. <i>Clinical and Experimental Emergency Medicine</i> , 2016 , 3, S17-S26	1.7	15
22	Catheter Ablation of Atrial Fibrillation Raises the Plasma Level of NGF-Which Is Associated with Sympathetic Nerve Activity. <i>Yonsei Medical Journal</i> , 2015 , 56, 1530-7	3	5
21	Virtual ablation for atrial fibrillation in personalized in-silico three-dimensional left atrial modeling: comparison with clinical catheter ablation. <i>Progress in Biophysics and Molecular Biology</i> , 2014 , 116, 40-7	4.7	31
20	Left atrial wall thickness rather than epicardial fat thickness is related to complex fractionated atrial electrogram. <i>International Journal of Cardiology</i> , 2014 , 172, e411-3	3.2	13
19	Early repolarization and myocardial scar predict poorest prognosis in patients with coronary artery disease. <i>Yonsei Medical Journal</i> , 2014 , 55, 928-36	3	6
18	Complex fractionated atrial electrograms related to left atrial wall thickness. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 1141-9	2.7	17
17	An electrocardiography algorithm combined with clinical features could localize the origins of focal atrial tachycardias in adjacent structures. <i>Europace</i> , 2014 , 16, 1061-8	3.9	10

16	Liver Laceration with Hemoperitoneum after Cardiopulmonary Resuscitation. <i>The Korean Journal of Critical Care Medicine</i> , 2014 , 29, 141		2
15	Prolonged atrial effective refractory periods in atrial fibrillation patients associated with structural heart disease or sinus node dysfunction compared with lone atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013 , 36, 163-71	1.6	14
14	Prediction of Contrast-Induced Nephropathy With Persistent Renal Dysfunction and Adverse Long-term Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. <i>Clinical Cardiology</i> , 2013 , 36, 46-53	3.3	32
13	Prevalence, risk, and benefits of radiofrequency catheter ablation at the aortic cusp for the treatment of mid- to anteroseptal supra-ventricular tachyarrhythmias. <i>International Journal of Cardiology</i> , 2013 , 167, 981-6	3.2	25
12	Fate of preoperative atrial fibrillation after correction of atrial septal defect. <i>Circulation Journal</i> , 2013 , 77, 109-15	2.9	16
11	Left ventricular diastolic function is closely associated with mechanical function of the left atrium in patients with paroxysmal atrial fibrillation. <i>Circulation Journal</i> , 2013 , 77, 697-704	2.9	26
10	Importance of tachycardia cycle length for differentiating typical atrial flutter from scar-related in adult congenital heart disease. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 1338-47	1.6	10
9	Aortic valve avulsion: uncommon complication of coronary angiography. <i>Journal of the American College of Cardiology</i> , 2012 , 60, e3	15.1	4
8	Impact of contrast-induced acute kidney injury with transient or persistent renal dysfunction on long-term outcomes of patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Heart</i> , 2011 , 97, 1753-7	5.1	124
7	Serological predictors for the recurrence of atrial fibrillation after electrical cardioversion. <i>Korean Circulation Journal</i> , 2010 , 40, 185-90	2.2	5
6	Secondary Pituitary Hyperplasia Induced by Hashimoto's Thyroiditis Related Hypothyroidism: A Case Report. <i>Journal of Korean Endocrine Society</i> , 2010 , 25, 72		2
5	Acute Myocardial Infarction due to Polyarteritis Nodosa in a Young Female Patient. <i>Korean Circulation Journal</i> , 2010 , 40, 197-200	2.2	15
4	Endovascular treatment of isolated common iliac artery aneurysms with short necks using bifurcated stent-grafts. <i>Korean Circulation Journal</i> , 2010 , 40, 343-7	2.2	3
3	Optimal pharmacologic approach to patients with hypertriglyceridemia and low high-density lipoprotein-cholesterol: randomized comparison of fenofibrate 160 mg and niacin 1500 mg. <i>Atherosclerosis</i> , 2010 , 213, 235-40	3.1	16
2	Different vascular healing patterns with various drug-eluting stents in primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: optical coherence tomographic findings. <i>American Journal of Cardiology</i> , 2010 , 105, 972-6	3	18
1	Permanent pacemaker for syncope after heart transplantation with bicaval technique. <i>Yonsei Medical Journal</i> , 2009 , 50, 588-90	3	2