

Zoltan Kovacs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7495380/publications.pdf>

Version: 2024-02-01

41
papers

1,821
citations

471509

17
h-index

330143

37
g-index

42
all docs

42
docs citations

42
times ranked

3548
citing authors

#	ARTICLE	IF	CITATIONS
1	How the Chemical Properties of GBCAs Influence Their Safety Profiles In Vivo. <i>Molecules</i> , 2022, 27, 58.	3.8	10
2	2 Gadolinium(III)-Based Contrast Agents for Magnetic Resonance Imaging. A Re-Appraisal. , 2021, , 39-70.		5
3	¹³ C-Labeled Diethyl Ketoglutarate Derivatives as Hyperpolarized Probes of 2-Ketoglutarate Dehydrogenase Activity. <i>Analysis & Sensing</i> , 2021, 1, 156-160.	2.0	3
4	A Frequency-Selective pH-Responsive paraCEST Agent. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 21671-21676.	13.8	10
5	Simultaneous Assessment of Intracellular and Extracellular pH Using Hyperpolarized [1- ¹³ C]Alanine Ethyl Ester. <i>Analytical Chemistry</i> , 2020, 92, 11681-11686.	6.5	10
6	Hyperpolarized 89Y-EDTMP complex as a chemical shift-based NMR sensor for pH at the physiological range. <i>Journal of Magnetic Resonance</i> , 2020, 320, 106837.	2.1	3
7	A Frequency-Selective pH-Responsive paraCEST Agent. <i>Angewandte Chemie</i> , 2020, 132, 21855-21860.	2.0	0
8	Hyperpolarized 15N-labeled, deuterated tris(2-pyridylmethyl)amine as an MRI sensor of freely available Zn ²⁺ . <i>Communications Chemistry</i> , 2020, 3, .	4.5	11
9	Comparison of the equilibrium, kinetic and water exchange properties of some metal ion-DOTA and DOTA-bis(amide) complexes. <i>Journal of Inorganic Biochemistry</i> , 2020, 206, 111042.	3.5	10
10	Probing carbohydrate metabolism using hyperpolarized ¹³ C-labeled molecules. <i>NMR in Biomedicine</i> , 2019, 32, e4018.	2.8	11
11	Novel compounds that specifically bind and modulate MscL: insights into channel gating mechanisms. <i>FASEB Journal</i> , 2019, 33, 3180-3189.	0.5	17
12	Engineering a pH-Sensitive Liposomal MRI Agent by Modification of a Bacterial Channel. <i>Small</i> , 2018, 14, e1704256.	10.0	16
13	Improved Efficacy of Synthesizing ¹¹¹ M-Labeled DOTA Complexes in Binary Mixtures of Water and Organic Solvents. A Combined Radio- and Physicochemical Study. <i>Inorganic Chemistry</i> , 2018, 57, 6107-6117.	4.0	21
14	Hyperpolarized [¹³ C]gluconolactone as a probe of the pentose phosphate pathway. <i>NMR in Biomedicine</i> , 2017, 30, e3713.	2.8	21
15	Influence of ¹³ C Isotopic Labeling Location on Dynamic Nuclear Polarization of Acetate. <i>Journal of Physical Chemistry A</i> , 2017, 121, 3227-3233.	2.5	10
16	Lanthanide DO3A-Tropone Complexes: Efficient Dual MR/NIR Imaging Probes in Aqueous Medium. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 4965-4968.	2.0	12
17	Measuring glucose cerebral metabolism in the healthy mouse using hyperpolarized ¹³ C magnetic resonance. <i>Scientific Reports</i> , 2017, 7, 11719.	3.3	43
18	Gallium(III) chelates of mixed phosphonate-carboxylate triazamacrocyclic ligands relevant to nuclear medicine: Structural, stability and in vivo studies. <i>Journal of Inorganic Biochemistry</i> , 2017, 177, 8-16.	3.5	14

#	ARTICLE	IF	CITATIONS
19	Lanthanide DO3A-Tropone Complexes: Efficient Dual MR/NIR Imaging Probes in Aqueous Medium. European Journal of Inorganic Chemistry, 2017, 2017, 4963-4963.	2.0	0
20	Electrochemical Investigation of the Eu ³⁺ /2+ Redox Couple in Complexes with Variable Numbers of Glycinamide and Acetate Pendant Arms. European Journal of Inorganic Chemistry, 2017, 2017, 5001-5005.	2.0	15
21	The rate of lactate production from glucose in hearts is not altered by per-deuteration of glucose. Journal of Magnetic Resonance, 2017, 284, 86-93.	2.1	12
22	Front Cover: Lanthanide DO3A-Tropone Complexes: Efficient Dual MR/NIR Imaging Probes in Aqueous Medium (Eur. J. Inorg. Chem. 43/2017). European Journal of Inorganic Chemistry, 2017, 2017, 4962-4962.	2.0	0
23	Oxidative Conversion of a Europium(II)-Based ¹ T ₁ Agent into a Europium(III)-Based paraCEST Agent that can be Detected In Vivo by Magnetic Resonance Imaging. Angewandte Chemie - International Edition, 2016, 55, 5024-5027.	13.8	25
24	Hepatic gluconeogenesis influences ¹³ C enrichment in lactate in human brain tumors during metabolism of [1,2- ¹³ C]acetate. Neurochemistry International, 2016, 97, 133-136.	3.8	7
25	The Relationship between NMR Chemical Shifts of Thermally Polarized and Hyperpolarized ⁸⁹ Y Complexes and Their Solution Structures. Chemistry - A European Journal, 2016, 22, 16657-16667.	3.3	16
26	Physico-chemical properties of MnII complexes formed with cis- and trans-DO2A: thermodynamic, electrochemical and kinetic studies. Journal of Inorganic Biochemistry, 2016, 163, 206-213.	3.5	36
27	Oxidative Conversion of a Europium(II)-Based ¹ T ₁ Agent into a Europium(III)-Based paraCEST Agent that can be Detected In Vivo by Magnetic Resonance Imaging. Angewandte Chemie, 2016, 128, 5108-5111.	2.0	7
28	Hyperpolarized ¹⁵ N-pyridine Derivatives as pH-Sensitive MRI Agents. Scientific Reports, 2015, 5, 9104.	3.3	86
29	Hyperpolarized ¹³ C NMR detects rapid drug-induced changes in cardiac metabolism. Magnetic Resonance in Medicine, 2015, 74, 312-319.	3.0	35
30	Molecular Platform for Design and Synthesis of Targeted Dual-Modality Imaging Probes. Bioconjugate Chemistry, 2015, 26, 549-558.	3.6	18
31	A comparative study of trans- and cis-isomers of a bone-seeking agent, DO2A2P. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 571-574.	2.2	4
32	Conditions for ¹³ C NMR detection of 2-hydroxyglutarate in tissue extracts from isocitrate dehydrogenase-mutated gliomas. Analytical Biochemistry, 2015, 481, 4-6.	2.4	10
33	Development and performance of a 129-GHz dynamic nuclear polarizer in an ultra-wide bore superconducting magnet. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2015, 28, 195-205.	2.0	24
34	Acetate Is a Bioenergetic Substrate for Human Glioblastoma and Brain Metastases. Cell, 2014, 159, 1603-1614.	28.9	594
35	Oxidation of Alpha-Ketoglutarate Is Required for Reductive Carboxylation in Cancer Cells with Mitochondrial Defects. Cell Reports, 2014, 7, 1679-1690.	6.4	281
36	Fast Dissolution Dynamic Nuclear Polarization NMR of ¹³ C-Enriched ⁸⁹ Y-DOTA Complex: Experimental and Theoretical Considerations. Applied Magnetic Resonance, 2012, 43, 69-79.	1.2	30

#	ARTICLE	IF	CITATIONS
37	Production and NMR Characterization of Hyperpolarized ^{107,109} Ag Complexes. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 525-527.	13.8	40
38	DNP by Thermal Mixing under Optimized Conditions Yields >60,000-fold Enhancement of ⁸⁹ Y NMR Signal. <i>Journal of the American Chemical Society</i> , 2011, 133, 8673-8680.	13.7	86
39	BDPA: An Efficient Polarizing Agent for Fast Dissolution Dynamic Nuclear Polarization NMR Spectroscopy. <i>Chemistry - A European Journal</i> , 2011, 17, 10825-10827.	3.3	72
40	Synthesis, Potentiometric, Kinetic, and NMR Studies of 1,4,7,10-Tetraazacyclododecane-1,7-bis(acetic) Tj ETQq0 0 0 rgBT /Overlock 10 T Lanthanide(III) Ions. <i>Inorganic Chemistry</i> , 2008, 47, 3851-3862.	4.0	65
41	Equilibrium and Formation/Dissociation Kinetics of Some LnIII PCTA Complexes. <i>Inorganic Chemistry</i> , 2006, 45, 9269-9280.	4.0	92