

# Hao Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7495946/publications.pdf>

Version: 2024-02-01

106  
papers

5,473  
citations

81743

39  
h-index

85405

71  
g-index

106  
all docs

106  
docs citations

106  
times ranked

5333  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Ilmenite as alternative bed material for the combustion of coal and biomass blends in a fluidised bed combustor to improve combustion performance and reduce agglomeration tendency. <i>Energy</i> , 2022, 239, 121913.  | 4.5 | 23        |
| 2  | Effectiveness of bed additives in abating agglomeration during biomass air/oxy combustion in a fluidised bed combustor. <i>Renewable Energy</i> , 2022, 185, 945-958.  | 4.3 | 3         |
| 3  | Synthesis and characterization of advanced bio-carbon materials from Kraft lignin with enhanced CO <sub>2</sub> capture properties. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107471.   | 3.3 | 4         |
| 4  | Fluidised bed combustion and ash fusibility behaviour of coal and spent coffee grounds blends: CO and NO <sub>x</sub> emissions, combustion performance and agglomeration tendency. <i>Fuel</i> , 2022, 326, 125008.   | 3.4 | 7         |
| 5  | Performance of a silica-polyethyleneimine adsorbent for post-combustion CO <sub>2</sub> capture on a 100Âkg scale in a fluidized bed continuous unit. <i>Chemical Engineering Journal</i> , 2021, 407, 127209.   | 6.6 | 7         |
| 6  | Oxy-coal combustion in a 30ÂkWth pressurized fluidized bed: Effect of combustion pressure on combustion performance, pollutant emissions and desulfurization. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 4121-4129.                                      | 2.4 | 15        |
| 7  | Experimental investigations on the chlorine-induced corrosion of HVOF thermal sprayed Stellite-6 and NiAl coatings with fluidised bed biomass/anthracite combustion systems. <i>Fuel</i> , 2021, 288, 119607.  | 3.4 | 13        |
| 8  | Energy and daylight performance of a smart window: Window integrated with thermotropic parallel slat-transparent insulation material. <i>Applied Energy</i> , 2021, 293, 116826.   | 5.1 | 24        |
| 9  | Experimental study and modeling of oxy-char combustion in a pressurized fluidized bed combustor. <i>Chemical Engineering Journal</i> , 2021, 418, 129356.  | 6.6 | 18        |
| 10 | Coupling the biochemical and thermochemical biorefinery platforms to enhance energy and product recovery from Agave tequilana bagasse. <i>Applied Energy</i> , 2021, 299, 117293.  | 5.1 | 3         |
| 11 | Characterisation of the combustion behaviours of individual pulverised coal particles entrained by air using image processing techniques. <i>Measurement Science and Technology</i> , 2021, 32, 034005.  | 1.4 | 2         |
| 12 | Analysis of the daylight performance of window integrated photovoltaics systems. <i>Renewable Energy</i> , 2020, 145, 153-163.   | 4.3 | 49        |
| 13 | Chemical Characteristics of Ash Formed from the Combustion of Shoe Manufacturing Waste in a 2.5 MWth Circulating Fluidized Bed Combustor. <i>Waste and Biomass Valorization</i> , 2020, 11, 4551-4560.   | 1.8 | 2         |
| 14 | Experimental study of NO <sub>x</sub> emissions in a 30 kWth pressurized oxy-coal fluidized bed combustor. <i>Energy</i> , 2020, 194, 116756.  | 4.5 | 21        |
| 15 | Experimental study of SO <sub>2</sub> emissions and desulfurization of oxy-coal combustion in a 30 kWth pressurized fluidized bed combustor. <i>Fuel</i> , 2020, 264, 116795.  | 3.4 | 30        |
| 16 | Thermal and kinetic analysis of diverse biomass fuels under different reaction environment: A way forward to renewable energy sources. <i>Energy Conversion and Management</i> , 2020, 203, 112266.  | 4.4 | 131       |
| 17 | Design and development of 3D hierarchical ultra-microporous CO <sub>2</sub> -sieving carbon architectures for potential flow-through CO <sub>2</sub> capture at typical practical flue gas temperatures. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17025-17035. | 5.2 | 17        |
| 18 | Synthesis of functionalized 3D microporous carbon foams for selective CO <sub>2</sub> capture. <i>Chemical Engineering Journal</i> , 2020, 402, 125459.  | 6.6 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Cyclic performance evaluation of a polyethylenimine/silica adsorbent with steam regeneration using simulated NGCC flue gas and actual flue gas of a gas-fired boiler in a bubbling fluidized bed reactor. <i>International Journal of Greenhouse Gas Control</i> , 2020, 95, 102975. | 2.3 | 6         |
| 20 | In-situ monitoring of the transformation of ash upon heating and the prediction of ash fusion behaviour of coal/biomass blends. <i>Energy</i> , 2020, 199, 117330.   | 4.5 | 40        |
| 21 | Comparative study of the inherent combustion reactivity of sawdust chars produced by TGA and in the drop tube furnace. <i>Fuel Processing Technology</i> , 2020, 201, 106361.  | 3.7 | 20        |
| 22 | Investigation of Elemental Mercury Removal from Coal-Fired Boiler Flue Gas over MIL101-Cr. <i>Energy &amp; Fuels</i> , 2019, 33, 8864-8875.  | 2.5 | 15        |
| 23 | Magnetic $\text{Fe}_2\text{O}_3$ -Loaded Attapulgite Sorbent for $\text{Hg}^0$ Removal in Coal-Fired Flue Gas. <i>Energy &amp; Fuels</i> , 2019, 33, 7522-7533.  | 2.5 | 32        |
| 24 | Mesocellular silica foam supported polyamine adsorbents for dry $\text{CO}_2$ scrubbing: Performance of single versus blended polyamines for impregnation. <i>Applied Energy</i> , 2019, 255, 113643.  | 5.1 | 23        |
| 25 | Determination of creep damage properties from small punch creep tests considering pre-straining effect using an inverse approach. <i>Mechanics of Materials</i> , 2019, 139, 103171.   | 1.7 | 16        |
| 26 | Experimental investigation of tar arresting techniques and their evaluation for product syngas cleaning from bubbling fluidized bed gasifier. <i>Journal of Cleaner Production</i> , 2019, 240, 118239.  | 4.6 | 61        |
| 27 | Assessment of biomass energy potential for SRC willow woodchips in a pilot scale bubbling fluidized bed gasifier. <i>Fuel</i> , 2019, 258, 116143.   | 3.4 | 66        |
| 28 | Continuous testing of silica-PEI adsorbents in a lab.-scale twin bubbling fluidized-bed system. <i>International Journal of Greenhouse Gas Control</i> , 2019, 82, 184-191.  | 2.3 | 19        |
| 29 | CFD and kinetic modelling study of methane MILD combustion in $\text{O}_2/\text{N}_2$ , $\text{O}_2/\text{CO}_2$ and $\text{O}_2/\text{H}_2\text{O}$ atmospheres. <i>Applied Energy</i> , 2019, 240, 1003-1013.  | 5.1 | 67        |
| 30 | Mechanisms of Toluene Removal in Relation to the Main Components of Biosyngas in a Catalytic Nonthermal Plasma Process. <i>Energy &amp; Fuels</i> , 2019, 33, 4287-4301.   | 2.5 | 18        |
| 31 | Development of a 1000 W organic Rankine cycle micro-turbine-generator using polymeric structural materials and its performance test with compressed air. <i>Energy Conversion and Management</i> , 2019, 190, 105-120.   | 4.4 | 16        |
| 32 | Developing hierarchically ultra-micro/mesoporous biocarbons for highly selective carbon dioxide adsorption. <i>Chemical Engineering Journal</i> , 2019, 361, 199-208.  | 6.6 | 79        |
| 33 | An investigation of lime addition to fuel as a countermeasure to bed agglomeration for the combustion of non-woody biomass fuels in a 20kWth bubbling fluidised bed combustor. <i>Fuel</i> , 2019, 240, 349-361.   | 3.4 | 25        |
| 34 | Experimental Investigation of Oxy-coal Combustion in a 15 kW <sub>th</sub> Pressurized Fluidized Bed Combustor. <i>Energy &amp; Fuels</i> , 2019, 33, 1694-1703.   | 2.5 | 24        |
| 35 | High Density and Super Ultra-Microporous Activated Carbon Macrospheres with High Volumetric Capacity for $\text{CO}_2$ Capture. <i>Advanced Sustainable Systems</i> , 2018, 2, 1700115.  | 2.7 | 30        |
| 36 | Oxy-fuel combustion study of biomass fuels in a 20 kW <sub>th</sub> fluidized bed combustor. <i>Fuel</i> , 2018, 215, 778-786.   | 3.4 | 124       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Studies on combustion behaviours of single biomass particles using a visualization method. Biomass and Bioenergy, 2018, 109, 54-60.   | 2.9 | 33        |
| 38 | Catalytic and non-catalytic synergistic effects and their individual contributions to improved combustion performance of coal/biomass blends. Applied Energy, 2018, 211, 334-345.   | 5.1 | 30        |
| 39 | A review of the applications of phase change materials in cooling, heating and power generation in different temperature ranges. Applied Energy, 2018, 220, 242-273.  | 5.1 | 434       |
| 40 | Coupling detailed radiation model with process simulation in Aspen Plus: A case study on fluidized bed combustor. Applied Energy, 2018, 227, 168-179.   | 5.1 | 18        |
| 41 | Energy analysis for transportation fuels produced from corn stover in China. Journal of Cleaner Production, 2018, 174, 213-225.   | 4.6 | 10        |
| 42 | Total environmental impacts of biofuels from corn stover using a hybrid life cycle assessment model combining process life cycle assessment and economic input-output life cycle assessment. Integrated Environmental Assessment and Management, 2018, 14, 139-149. | 1.6 | 15        |
| 43 | Synthesis and functionalisation of spherical meso-, hybrid meso/macro- and macro-porous cellular silica foam materials with regulated pore sizes for CO <sub>2</sub> capture. Journal of Materials Chemistry A, 2018, 6, 23587-23601.                               | 5.2 | 32        |
| 44 | Prediction of In-Situ Gasification Chemical Looping Combustion Effects of Operating Conditions. Catalysts, 2018, 8, 526.  | 1.6 | 9         |
| 45 | Integrated semi-transparent cadmium telluride photovoltaic glazing into windows: Energy and daylight performance for different architecture designs. Applied Energy, 2018, 231, 972-984.  | 5.1 | 86        |
| 46 | Removal of Toluene as a Biomass Tar Surrogate in a Catalytic Nonthermal Plasma Process. Energy & Fuels, 2018, 32, 10709-10719.  | 2.5 | 28        |
| 47 | Experimental investigation on the coal combustion in a pressurized fluidized bed. Energy, 2018, 165, 1119-1128.   | 4.5 | 41        |
| 48 | Characterising pulverised fuel ignition in a visual drop tube furnace by use of a high-speed imaging technique. Fuel Processing Technology, 2017, 157, 1-11.  | 3.7 | 30        |
| 49 | Dynamic Experimental Investigation on the Volatilization Behavior of Lead and Cadmium in the Simulated Municipal Solid Waste (MSW) Influenced by Sulfur Compounds during Incineration. Energy & Fuels, 2017, 31, 847-853.   | 2.5 | 8         |
| 50 | Combustion behavior profiling of single pulverized coal particles in a drop tube furnace through high-speed imaging and image analysis. Experimental Thermal and Fluid Science, 2017, 85, 322-330.  | 1.5 | 27        |
| 51 | A novel index for the study of synergistic effects during the co-processing of coal and biomass. Applied Energy, 2017, 188, 215-225.  | 5.1 | 80        |
| 52 | Process simulations of post-combustion CO <sub>2</sub> capture for coal and natural gas-fired power plants using a polyethyleneimine/silica adsorbent. International Journal of Greenhouse Gas Control, 2017, 58, 276-289.  | 2.3 | 34        |
| 53 | Three-Dimensional Full Loop Modeling and Optimization of an in Situ Gasification Chemical Looping Combustion System. Energy & Fuels, 2017, 31, 13859-13870.   | 2.5 | 29        |
| 54 | Advanced materials for the impeller in an ORC radial microturbine. Energy Procedia, 2017, 129, 1047-1054.   | 1.8 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | CO <sub>2</sub> Sorption Characteristics of Various Sorbents in the Bubbling Fluidized-Bed. Energy Procedia, 2017, 114, 2336-2340.   | 1.8 | 0         |
| 56 | Multiple-relaxation-time lattice Boltzmann simulation for flow, mass transfer, and adsorption in porous media. Physical Review E, 2017, 96, 013313.  | 0.8 | 17        |
| 57 | Further Improvement of Fluidized Bed Models by Incorporating Zone Method with Aspen Plus Interface. Energy Procedia, 2017, 105, 1895-1901.   | 1.8 | 3         |
| 58 | Experimental investigation of woody and non-woody biomass combustion in a bubbling fluidised bed combustor focusing on gaseous emissions and temperature profiles. Energy, 2017, 141, 2069-2080.                                   | 4.5 | 74        |
| 59 | Potassium and Zeolitic Structure Modified Ultra-microporous Adsorbent Materials from a Renewable Feedstock with Favorable Surface Chemistry for CO <sub>2</sub> Capture. ACS Applied Materials & Interfaces, 2017, 9, 26826-26839. | 4.0 | 36        |
| 60 | Evaluation of Mixing and Mixing Rate in a Multiple Spouted Bed by Image Processing Technique. International Journal of Chemical Reactor Engineering, 2017, 15, .   | 0.6 | 3         |
| 61 | Investigation of the Optical Performance of a Novel Planar Static PV Concentrator with Lambertian Rear Reflectors. Buildings, 2017, 7, 88.   | 1.4 | 8         |
| 62 | Parametric study on the regeneration heat requirement of an amine-based solid adsorbent process for post-combustion carbon capture. Applied Energy, 2016, 168, 394-405.  | 5.1 | 136       |
| 63 | Measurement of coal particle combustion behaviors in a drop tube furnace through high-speed imaging and image processing. , 2016, , .  |     | 4         |
| 64 | Experimental Evaluation of a Novel 20 kW <sub>th</sub> in Situ Gasification Chemical Looping Combustion Unit with an Iron Ore as the Oxygen Carrier. Industrial & Engineering Chemistry Research, 2016, 55, 11775-11784.           | 1.8 | 32        |
| 65 | Experimental Evaluation of a Chinese Sulfur-Containing Lean Iron Ore as the Oxygen Carrier for Chemical-Looping Combustion. Industrial & Engineering Chemistry Research, 2016, 55, 428-435.  | 1.8 | 11        |
| 66 | Optimization of in Situ Gasification Chemical Looping Combustion through Experimental Investigations with a Cold Experimental System. Industrial & Engineering Chemistry Research, 2015, 54, 5749-5758.                            | 1.8 | 21        |
| 67 | Spherical potassium intercalated activated carbon beads for pulverised fuel CO <sub>2</sub> post-combustion capture. Carbon, 2015, 94, 243-255.  | 5.4 | 65        |
| 68 | Surface-modified spherical activated carbon materials for pre-combustion carbon dioxide capture. RSC Advances, 2015, 5, 33681-33690.   | 1.7 | 41        |
| 69 | Coking and deactivation of a mesoporous Ni-CaO-ZrO <sub>2</sub> catalyst in dry reforming of methane: A study under different feeding compositions. Fuel, 2015, 143, 527-535.  | 3.4 | 90        |
| 70 | Performance of polyethyleneimine-silica adsorbent for post-combustion CO <sub>2</sub> capture in a bubbling fluidized bed. Chemical Engineering Journal, 2014, 251, 293-303.   | 6.6 | 79        |
| 71 | Micro-scale ORC-based combined heat and power system using a novel scroll expander. International Journal of Low-Carbon Technologies, 2014, 9, 91-99.  | 1.2 | 28        |
| 72 | Nitrogen-enriched and hierarchically porous carbon macro-spheres – ideal for large-scale CO <sub>2</sub> capture. Journal of Materials Chemistry A, 2014, 2, 5481-5489.  | 5.2 | 66        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | GAS-SOLID FLOW BEHAVIOR IN A PRESSURIZED HIGH-FLUX CIRCULATING FLUIDIZED BED RISER. Chemical Engineering Communications, 2014, 201, 352-366.  | 1.5 | 19        |
| 74 | Three-Dimensional Eulerian-Eulerian Modeling of Gaseous Pollutant Emissions from Circulating Fluidized-Bed Combustors. Energy & Fuels, 2014, 28, 5523-5533.                                 | 2.5 | 30        |
| 75 | The Properties of Individual Carbon Residuals and Their Influence on The Deactivation of Ni-CaO-ZrO <sub>2</sub> Catalysts in CH <sub>4</sub> Dry Reforming. ChemCatChem, 2014, 6, 640-648. | 1.8 | 69        |
| 76 | Capturing CO <sub>2</sub> from ambient air using a polyethyleneimine-silica adsorbent in fluidized beds. Chemical Engineering Science, 2014, 116, 306-316.                                  | 1.9 | 136       |
| 77 | Development of Low-Cost Functional Adsorbents for Control of Mercury (Hg) Emissions from Coal Combustion. Energy & Fuels, 2013, 27, 3875-3882.  | 2.5 | 37        |
| 78 | CO <sub>2</sub> Capture with Activated Carbon Grafted by Nitrogenous Functional Groups. Energy & Fuels, 2013, 27, 4818-4823.  | 2.5 | 67        |
| 79 | Industrial polymer effluent treatment by chemical coagulation and flocculation. Journal of Environmental Chemical Engineering, 2013, 1, 684-689.  | 3.3 | 129       |
| 80 | Synthesis, characterization and evaluation of activated spherical carbon materials for CO <sub>2</sub> capture. Fuel, 2013, 113, 854-862.   | 3.4 | 47        |
| 81 | Enhanced conductivity of reduced graphene oxide decorated with aluminium oxide nanoparticles by oxygen annealing. Nanoscale, 2013, 5, 5725.   | 2.8 | 15        |
| 82 | Control of NO <sub>x</sub> emissions of a domestic/small-scale biomass pellet boiler by air staging. Fuel, 2013, 103, 792-798.  | 3.4 | 98        |
| 83 | Experimental Investigation on Flow Behaviors in a Novel In Situ Gasification Chemical Looping Combustion Apparatus. Industrial & Engineering Chemistry Research, 2013, 52, 14208-14218.     | 1.8 | 14        |
| 84 | Gas cleaning strategies for biomass gasification product gas. International Journal of Low-Carbon Technologies, 2012, 7, 69-74.   | 1.2 | 40        |
| 85 | An overview of CFD modelling of small-scale fixed-bed biomass pellet boilers with preliminary results from a simplified approach. Energy Conversion and Management, 2012, 63, 149-156.      | 4.4 | 92        |
| 86 | Experimental investigation of a biomass-fired ORC-based micro-CHP for domestic applications. Fuel, 2012, 96, 374-382.   | 3.4 | 202       |
| 87 | Comparative performance of U-tube™ and coaxial™ loop designs for use with a ground source heat pump. Applied Thermal Engineering, 2012, 37, 190-195.  | 3.0 | 48        |
| 88 | Factors Affecting NO Reduction during O <sub>2</sub> /CO <sub>2</sub> Combustion. Energy & Fuels, 2011, 25, 2487-2492.  | 2.5 | 12        |
| 89 | Expanders for micro-CHP systems with organic Rankine cycle. Applied Thermal Engineering, 2011, 31, 3301-3307.   | 3.0 | 267       |
| 90 | A biomass-fired micro-scale CHP system with organic Rankine cycle (ORC) Thermodynamic modelling studies. Biomass and Bioenergy, 2011, 35, 3985-3994.  | 2.9 | 150       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Modeling of NO conversion during combustion under high CO <sub>2</sub> concentration using detailed chemical kinetics. Fuel Processing Technology, 2011, 92, 939-945.   | 3.7 | 11        |
| 92  | Carbon-capture and storage benefits: NO <sub>x</sub> reduction in O <sub>2</sub> /CO <sub>2</sub> pulverized fuel combustion. , 2011, , .   |     | 0         |
| 93  | An investigation of the heat pump performance and ground temperature of a piled foundation heat exchanger system for a residential building. Energy, 2010, 35, 4932-4940.   | 4.5 | 94        |
| 94  | Experimental and modeling study of NO emission under high CO <sub>2</sub> concentration. Science China Technological Sciences, 2010, 53, 3275-3283.   | 2.0 | 3         |
| 95  | Predictions of the impurities in the CO <sub>2</sub> stream of an oxy-coal combustion plant. Applied Energy, 2010, 87, 3162-3170.   | 5.1 | 74        |
| 96  | A Comparison of Combustion of Coal Chars in O <sub>2</sub> /CO <sub>2</sub> and O <sub>2</sub> /N <sub>2</sub> Mixtures - Isothermal TGA Studies. International Journal of Chemical Reactor Engineering, 2009, 7, .           | 0.6 | 2         |
| 97  | Development of small-scale and micro-scale biomass-fuelled CHP systems " A literature review. Applied Thermal Engineering, 2009, 29, 2119-2126.   | 3.0 | 320       |
| 98  | Combustion of Coal Chars in O <sub>2</sub> /CO <sub>2</sub> and O <sub>2</sub> /N <sub>2</sub> Mixtures: A Comparative Study with Non-isothermal Thermogravimetric Analyzer (TGA) Tests. Energy & Fuels, 2009, 23, 4278-4285. | 2.5 | 77        |
| 99  | Comparisons of pulverized coal combustion in air and in mixtures of O/CO. Fuel, 2005, 84, 833-840.  | 3.4 | 272       |
| 100 | Pulverized coal combustion in air and in O/CO mixtures with NO recycle. Fuel, 2005, 84, 2109-2115.  | 3.4 | 103       |
| 101 | COAL PROPERTY EFFECTS ON N <sub>2</sub> O AND NO <sub>x</sub> FORMATION FROM CIRCULATING FLUIDIZED BED COMBUSTION OF COAL. Chemical Engineering Communications, 2005, 192, 1482-1489.   | 1.5 | 24        |
| 102 | Modeling NH <sub>3</sub> and HCN emissions from biomass circulating fluidized bed gasifiers. Fuel, 2003, 82, 1591-1604.   | 3.4 | 79        |
| 103 | Modeling of NH <sub>3</sub> and HCN Emissions From Biomass CFB Gasifiers. , 2003, , 547.  |     | 0         |
| 104 | Modelling of NO and N <sub>2</sub> O emissions from biomass-fired circulating fluidized bed combustors. Fuel, 2002, 81, 271-280.  | 3.4 | 103       |
| 105 | Reduction of N <sub>2</sub> O emissions from a coal-fired circulating fluidised bed combustor by afterburning. Fuel, 1998, 77, 1579-1587.   | 3.4 | 23        |
| 106 | Evaluation of the optimal fuel characteristics for efficient NO reduction by coal reburning. Fuel, 1997, 76, 985-993.   | 3.4 | 68        |