
Nobuhito Ohte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7496072/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Effects of bedrock groundwater discharge on spatial variability of dissolved carbon, nitrogen, and phosphorous concentrations in stream water within a forest headwater catchment. Hydrological Processes, 2021, 35, .	1.1	1
2	In the shadow of the rising sun: a systematic review of Japanese bat research and conservation. Mammal Review, 2021, 51, 109-126.	2.2	8
3	The Kiryu Experimental Watershed: 50â€years of rainfallâ€runoff data for a forest catchment in central Japan. Hydrological Processes, 2021, 35, e14104.	1.1	7
4	Life history of Juniperus sabina L. adapted to the sand shifting environment in the Mu Us Sandy Land, China: A review. Landscape and Ecological Engineering, 2021, 17, 281.	0.7	1
5	Effects of changes in canopy interception on stream runoff response and recovery following clearâ€cutting of a Japanese coniferous forest in Fukuroyamasawa Experimental Watershed in Japan. Hydrological Processes, 2021, 35, e14177.	1.1	7
6	Roosting ecology of endangered plantâ€roosting bats on Okinawa Island: Implications for batâ€friendly forestry practices. Ecology and Evolution, 2021, 11, 13961-13971.	0.8	1
7	Consequences of microbial diversity in forest nitrogen cycling: diverse ammonifiers and specialized ammonia oxidizers. ISME Journal, 2020, 14, 12-25.	4.4	61
8	Distinct Community Composition of Previously Uncharacterized Denitrifying Bacteria and Fungi across Different Land-Use Types. Microbes and Environments, 2020, 35, n/a.	0.7	10
9	Geographic Factors Explain the Variability of Atmospheric Deposition of Sulfur and Nitrogen onto Coniferous Forests Within and Beyond the Tokyo Metropolis. Water, Air, and Soil Pollution, 2020, 231, 1.	1.1	3
10	Dissimilatory Nitrate Reduction to Ammonium and Responsible Microbes in Japanese Rice Paddy Soil. Microbes and Environments, 2020, 35, n/a.	0.7	10
11	Comparison of nitrate export patterns in forested catchments in Japan and the Northeastern United States: A metaâ€analysis. Hydrological Processes, 2019, 33, 3184-3194.	1.1	3
12	Contrasting Patterns in the Decrease of Spatial Variability With Increasing Catchment Area Between Stream Discharge and Water Chemistry. Water Resources Research, 2019, 55, 7419-7435.	1.7	9
13	The effects of canopy alteration–induced atmospheric deposition changes on stream chemistry in Japanese cedar forest. Forest Ecology and Management, 2019, 448, 85-93.	1.4	7
14	Unprocessed Atmospheric Nitrate in Waters of the Northern Forest Region in the U.S. and Canada. Environmental Science & Technology, 2019, 53, 3620-3633.	4.6	34
15	The Spatial Distribution of Radiocesium Over a Four-Year Period in a Forest Ecosystem in North Fukushima After the Nuclear Power Station Accident. , 2019, , 141-152.		1
16	Studying 137Cs dynamics during litter decomposition in three forest types in the vicinity of Fukushima Dai-ichi Nuclear Power Plant. Journal of Forest Research, 2018, 23, 85-90.	0.7	1
17	The International Longâ€Term Ecological Research–East Asia–Pacific Regional Network (ILTERâ€EAP): history, development, and perspectives. Ecological Research, 2018, 33, 19-34.	0.7	20
18	Hydro-biogeochemical Processes of a Riparian Wetland and Their Effects on Surface Water Quality in a Forested Catchment. Suimon Mizu Shigen Gakkaishi, 2018, 31, 178-189.	0.1	1

#	Article	IF	CITATIONS
19	A water acquisition strategy may regulate the biomass and distribution of winter forage species in cold Asian rangeland. Ecosphere, 2018, 9, e02511.	1.0	2
20	Stream Runoff and Nitrate Recovery Times After Forest Disturbance in the USA and Japan. Water Resources Research, 2018, 54, 6042-6054.	1.7	14
21	Using food network unfolding to evaluate food–web complexity in terms of biodiversity: theory and applications. Ecology Letters, 2018, 21, 1065-1074.	3.0	12
22	Effects of litter feeders on the transfer of 137Cs to plants. Scientific Reports, 2018, 8, 6691.	1.6	2
23	Recent Topics of Hillslope Hydrology and Related Research Fields in Forested Catchments. Suimon Mizu Shigen Gakkaishi, 2018, 31, 487-499.	0.1	1
24	Estimation of field soil nitrogen mineralization and nitrification rates using soil N transformation parameters obtained through laboratory incubation. Ecological Research, 2017, 32, 279-285.	0.7	3
25	Spatial variations in the molecular diversity of dissolved organic matter in water moving through a boreal forest in eastern Finland. Scientific Reports, 2017, 7, 42102.	1.6	24
26	Influence of bedrock groundwater on streamflow characteristics in a volcanic catchment. Hydrological Processes, 2016, 30, 558-572.	1.1	12
27	Quantifying aggregation and change in runoff source in accordance with catchment area increase in a forested headwater catchment. Hydrological Processes, 2016, 30, 4125-4138.	1.1	13
28	137Cs distributions in soil and trees in forest ecosystems after the radioactive fallout – Comparison study between southern Finland and Fukushima, Japan. Journal of Environmental Radioactivity, 2016, 161, 73-81.	0.9	17
29	Terrestrialâ€aquatic linkage in stream food webs along a forest chronosequence: multiâ€isotopic evidence. Ecology, 2016, 97, 1146-1158.	1.5	19
30	Factors contributing to soil nitrogen mineralization and nitrification rates of forest soils in the Japanese archipelago. Forest Ecology and Management, 2016, 361, 382-396.	1.4	71
31	Role of natural organic matter on iodine and 239,240Pu distribution and mobility in environmental samples from the northwestern Fukushima Prefecture, Japan. Journal of Environmental Radioactivity, 2016, 153, 156-166.	0.9	46
32	Ecosystem Monitoring of Radiocesium Redistribution Dynamics in a Forested Catchment in Fukushima After the Nuclear Power Plant Accident in March 2011. , 2016, , 175-188.		7
33	Movements and storages of radiocesium in a forest ecosystem in Fukushima. Atomos, 2016, 58, 589-593.	0.0	Ο
34	Estimation of radioactive 137-cesium transportation by litterfall, stemflow and throughfall in the forests of Fukushima. Journal of Environmental Radioactivity, 2015, 149, 176-185.	0.9	61
35	Differences in hydrophyte life forms induce spatial heterogeneity of CH ₄ production and its carbon isotopic signature in a temperate bog peatland. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 1177-1195.	1.3	3
36	Microbial regulation of nitrogen dynamics along the hillslope of a natural forest. Frontiers in Environmental Science, 2015, 2, .	1.5	27

#	Article	IF	CITATIONS
37	Biogeochemical nitrogen properties of forest soils in the Japanese archipelago. Ecological Research, 2015, 30, 1-2.	0.7	44
38	Higher diversity and abundance of denitrifying microorganisms in environments than considered previously. ISME Journal, 2015, 9, 1954-1965.	4.4	182
39	Development of PCR primers targeting fungal nirK to study fungal denitrification in the environment. Soil Biology and Biochemistry, 2015, 81, 282-286.	4.2	46
40	Ecosystem Monitoring of Radiocesium Dynamics in a Forested Ecosystem in Fukushima after the Nuclear Power Plant Accident. Trends in the Sciences, 2015, 20, 10_16-10_27.	0.0	0
41	Ecological Perspectives on Microbes Involved in N-Cycling. Microbes and Environments, 2014, 29, 4-16.	0.7	111
42	The nitrogen cycle in cryoconites: naturally occurring nitrificationâ€denitrification granules on a glacier. Environmental Microbiology, 2014, 16, 3250-3262.	1.8	72
43	N2O emission from cropland field soil through fungal denitrification after surface applications of organic fertilizer. Soil Biology and Biochemistry, 2014, 69, 157-167.	4.2	97
44	Seasonal changes and controlling factors of gross N transformation in an evergreen plantation forest in central Japan. Journal of Forest Research, 2014, 19, 77-85.	0.7	7
45	Merging perspectives in the catchment sciences: the US-Japan Joint Seminar on catchment hydrology and forest biogeochemistry. Hydrological Processes, 2014, 28, 2878-2880.	1.1	1
46	Nitrate isotopic composition reveals nitrogen deposition and transformation dynamics along the canopy–soil continuum of a suburban forest in Japan. Rapid Communications in Mass Spectrometry, 2014, 28, 2539-2549.	0.7	20
47	Biological proliferation of cesium-137 through the detrital food chain in a forest ecosystem in Japan. Scientific Reports, 2014, 4, 3599.	1.6	81
48	Relevant study subjects on nitrogen dynamics and cycles in forested catchment and expected strategies. Journal of Japanese Association of Hydrological Sciences, 2014, 44, 135-145.	0.2	0
49	Tracing sources and pathways of dissolved nitrate in forest and river ecosystems using highâ€resolution isotopic techniques: a review. Ecological Research, 2013, 28, 749-757.	0.7	22
50	Nitrogen availability in the taiga forest ecosystem of northeastern Siberia. Soil Science and Plant Nutrition, 2013, 59, 427-441.	0.8	10
51	Relationship between catchment scale and the spatial variability of stream discharge and chemistry in a catchment with multiple geologies. Hydrological Research Letters, 2013, 7, 12-17.	0.3	10
52	Diffusion and Transportation Dynamics of 137Cs Deposited on the Forested Area in Fukushima After the Fukushima Daiichi Nuclear Power Plant Accident in March 2011. , 2013, , 177-186.		9
53	Implications of seasonal variation in nitrate export from forested ecosystems: a review from the hydrological perspective of ecosystem dynamics. Ecological Research, 2012, 27, 657-665.	0.7	18
54	Nematomorph parasites indirectly alter the food web and ecosystem function of streams through behavioural manipulation of their cricket hosts. Ecology Letters, 2012, 15, 786-793.	3.0	113

#	Article	IF	CITATIONS
55	Importance of frequent storm flow data for evaluating changes in stream water chemistry following clear-cutting in Japanese headwater catchments. Forest Ecology and Management, 2011, 262, 1305-1317.	1.4	12
56	Evaluation of wastewater nitrogen transformation in a natural wetland (Ulaanbaatar, Mongolia) using dual-isotope analysis of nitrate. Science of the Total Environment, 2011, 409, 1530-1538.	3.9	32
57	Effects of hillslope topography on runoff response in a small catchment in the Fudoji Experimental Watershed, central Japan. Hydrological Processes, 2011, 25, 1874-1886.	1.1	18
58	Hydrology and Biogeochemistry of Temperate Forests. Ecological Studies, 2011, , 261-283.	0.4	9
59	Seasonal Patterns of Nitrate Discharge from Forested Catchments: Information Derived from Japanese Case Studies. Geography Compass, 2010, 4, 1358-1376.	1.5	14
60	Hydrological influences on spatiotemporal variations of <i>δ</i> ¹⁵ N and <i>δ</i> ¹⁸ O of nitrate in a forested headwater catchment in central Japan: Denitrification plays a critical role in groundwater. Journal of Geophysical Research, 2010, 115, .	3.3	44
61	Spatial distribution of nitrate sources of rivers in the Lake Biwa watershed, Japan: Controlling factors revealed by nitrogen and oxygen isotope values. Water Resources Research, 2010, 46, .	1.7	55
62	Methane flux characteristics in forest soils under an East Asian monsoon climate. Soil Biology and Biochemistry, 2009, 41, 388-395.	4.2	37
63	Biomass allocation and nitrogen limitation in a <i>Cryptomeria japonica</i> plantation chronosequence. Journal of Forest Research, 2009, 14, 276-285.	0.7	16
64	Biogeochemistry of nitrous oxide in groundwater in a forested ecosystem elucidated by nitrous oxide isotopomer measurements. Geochimica Et Cosmochimica Acta, 2009, 73, 3115-3133.	1.6	92
65	Elucidation of the relationship between geographic and time sources of stream water using a tracer approach in a headwater catchment. Water Resources Research, 2009, 45, .	1.7	35
66	Denitrification Activity and Relevant Bacteria Revealed by Nitrite Reductase Gene Fragments in Soil of Temperate Mixed Forest. Microbes and Environments, 2009, 24, 76.	0.7	1
67	Hydrological control of dissolved organic carbon dynamics in a forested headwater catchment, Kiryu Experimental Watershed, Japan. Hydrological Processes, 2008, 22, 429-442.	1.1	9
68	Carbon isotope fractionation of dissolved inorganic carbon (DIC) due to outgassing of carbon dioxide from a headwater stream. Hydrological Processes, 2008, 22, 2410-2423.	1.1	214
69	Effects of hillslope topography on hydrological responses in a weathered granite mountain, Japan: comparison of the runoff response between the valleyâ€head and the side slope. Hydrological Processes, 2008, 22, 2581-2594.	1.1	43
70	Analysis of methane production pathways in a riparian wetland of a temperate forest catchment, using <i>δ</i> ¹³ C of pore water CH ₄ and CO ₂ . Journal of Geophysical Research, 2008, 113, .	3.3	14
71	Sources, transformations, and hydrological processes that control stream nitrate and dissolved organic matter concentrations during snowmelt in an upland forest. Water Resources Research, 2008, 44, .	1.7	155
72	Denitrification Activity and Relevant Bacteria Revealed by Nitrite Reductase Gene Fragments in Soil of Temperate Mixed Forest. Microbes and Environments, 2008, 23, 337-345.	0.7	52

#	Article	IF	CITATIONS
73	Impacts of Hydrological Characteristics on Water Quality of Semiarid River in California. Suimon Mizu Shigen Gakkaishi, 2008, 21, 57-63.	0.1	Ο
74	Sources and transport of algae and nutrients inÂa Californian river in a semi-arid climate. Freshwater Biology, 2007, 52, 2476-2493.	1.2	19
75	Hydrologic effects on methane dynamics in riparian wetlands in a temperate forest catchment. Journal of Geophysical Research, 2007, 112, .	3.3	23
76	Estimation of mean residence times of subsurface waters using seasonal variation in deuterium excess in a small headwater catchment in Japan. Hydrological Processes, 2007, 21, 308-322.	1.1	70
77	Hydrologic controls on nitrous oxide production and consumption in a forested headwater catchment in central Japan. Journal of Geophysical Research, 2006, 111, .	3.3	23
78	Necessity to consider hydrological controls of biogeochemical cycling when developing a catchment-scale ecosystem model. Japanese Journal of Limnology, 2006, 67, 259-266.	0.1	6
79	Biogeochemical model in forest ecosystem; Application and problem of PnET model. Japanese Journal of Limnology, 2006, 67, 235-244.	0.1	5
80	Biogeochemical and hydrological controls on carbon export from a forested catchment in central Japan. Ecological Research, 2005, 20, 347-358.	0.7	27
81	Biogeochemical and hydrological controls on carbon export from a forested catchment in central Japan. , 2005, , 113-124.		1
82	Three years of carbon and energy fluxes from Japanese evergreen broad-leaved forest. Agricultural and Forest Meteorology, 2005, 132, 329-343.	1.9	42
83	Effects of bedrock permeability on hillslope and riparian groundwater dynamics in a weathered granite catchment. Water Resources Research, 2005, 41, .	1.7	92
84	Temporal and spatial variability of Methane flux in a temperate forest watershed. Suimon Mizu Shigen Gakkaishi, 2005, 18, 244-256.	0.1	11
85	Sources of weathering-derived solutes in two granitic catchments with contrasting forest growth. Hydrological Processes, 2004, 18, 651-666.	1.1	21
86	Changes in biogeochemical cycling following forest defoliation by pine wilt disease in Kiryu experimental catchment in Japan. Hydrological Processes, 2004, 18, 2727-2736.	1.1	26
87	Colored Moisture Analysis Estimates of Variations in 1998 Asian Monsoon Water Sources. Journal of the Meteorological Society of Japan, 2004, 82, 1315-1329.	0.7	87
88	Episodic increases in nitrate concentrations in streamwater due to the partial dieback of a pine forest in Japan: runoff generation processes control seasonality. Hydrological Processes, 2003, 17, 237-249.	1.1	54
89	Analysis of flowpath dynamics in a steep unchannelled hollow in the Tanakami Mountains of Japan. Hydrological Processes, 2003, 17, 417-430.	1.1	49
90	Interactive Responses of dissolved sulfate and nitrate to disturbance associated with pine wilt disease in a temperate forest. Soil Science and Plant Nutrition, 2003, 49, 539-550.	0.8	7

#	Article	IF	CITATIONS
91	Hydrologic and geochemical influences on the dissolved silica concentration in natural water in a steep headwater catchment. Geochimica Et Cosmochimica Acta, 2003, 67, 1973-1989.	1.6	64
92	WATER UTILIZATION OF NATURAL AND PLANTED TREES IN THE SEMIARID DESERT OF INNER MONGOLIA, CHINA. , 2003, 13, 337-351.		75
93	Seepage area and rate of bedrock groundwater discharge at a granitic unchanneled hillslope. Water Resources Research, 2003, 39, .	1.7	113
94	Residence times and flow paths of water in steep unchannelled catchments, Tanakami, Japan. Journal of Hydrology, 2002, 261, 173-192.	2.3	175
95	Determining the sources of stormflow from the fluorescence properties of dissolved organic carbon in a forested headwater catchment. Journal of Hydrology, 2002, 268, 192-202.	2.3	60
96	Observations of Energy Fluxes and Evapotranspiration over Terrestrial Complex Land Covers in the Tropical Monsoon Environment. Journal of the Meteorological Society of Japan, 2002, 80, 465-484.	0.7	38
97	Effects of the Ground Cover Conditions on Horizontal Profiles of Chloride Concentration, Oxygen and Hydrogen Stable Isotope Ratios of Groundwater in Mu Us Desert, China Suimon Mizu Shigen Gakkaishi, 2002, 15, 13-22.	0.1	2
98	The dynamics of DOC in the hydrological process in a forested watershed Japanese Journal of Limnology, 2002, 63, 31-45.	0.1	12
99	Mechanism of nitrate loss from a forested catchment following a small-scale, natural disturbance. Canadian Journal of Forest Research, 2001, 31, 1326-1335.	0.8	51
100	Evolution of groundwater and streamwater chemistry of vegetated catchments. Journal of Groundwater Hydrology, 2001, 43, 201-213.	0.1	3
101	A three-component end-member analysis of streamwater hydrochemistry in a small Japanese forested headwater catchment. Hydrological Processes, 2001, 15, 249-260.	1.1	79
102	Hydrology and biogeochemistry of forested catchments. Hydrological Processes, 2001, 15, 1673-1674.	1.1	19
103	Title is missing!. Plant and Soil, 2001, 234, 195-205.	1.8	44
104	Title is missing!. Water, Air, and Soil Pollution, 2001, 130, 649-654.	1.1	71
105	Hydrobiogeochemistry of forest ecosystems in Japan: major themes and research issues. Hydrological Processes, 2001, 15, 1771-1789.	1.1	42
106	Plant species effect on the spatial patterns of soil properties in the Mu-us desert ecosystem, Inner Mongolia, China. , 2001, 234, 195.		1
107	Contribution of Bedrock Groundwater on Perennial Spring at a Forested Headwater Catchment. Journal of Japanese Association of Hydrological Sciences, 2001, 31, 2_59-2_72.	0.2	1
108	Sediment yield on a devastated hill in southern China: effects of microbiotic crust on surface erosion process. Geomorphology, 2000, 32, 129-145.	1.1	23

#	Article	IF	CITATIONS
109	Effects of the Differences of Hydrological Processes on the Streamwater Chemistry Suimon Mizu Shigen Gakkaishi, 2000, 13, 227-239.	0.1	8
110	Geographical variation of the acid buffering of vegetated catchments: Factors determining the bicarbonate leaching. Global Biogeochemical Cycles, 1999, 13, 969-996.	1.9	31
111	Comparison of the pH Determining Factor of the Streamwater in World Forest Watershed. , 1997, , 105-120.		0
112	An in situ lysimeter experiment on soil moisture influence on inorganic nitrogen discharge from forest soil. Journal of Hydrology, 1997, 195, 78-98.	2.3	28
113	Spatial Variation on Acid Buffering Mechanism in Forest Catchment: Vertical Distribution of The Buffering Process in The Weathered Granitic Catchment Suimon Mizu Shigen Gakkaishi, 1997, 10, 463-476.	0.1	5
114	The Influence of Pipe Flow on Slope Stability Suimon Mizu Shigen Gakkaishi, 1996, 9, 330-339.	0.1	8
115	Biogeochemical Influences on the Determination of Water Chemistry in a Temperate Forest Basin: Factors Determining the p H value. Water Resources Research, 1995, 31, 2823-2834.	1.7	71
116	Redistribution of the soil ¹³⁷ Cs inventory through litter and sediment transport on a hillslope covered by deciduous forest in Fukushima, Japan. Earth Surface Processes and Landforms, 0, ,	1.2	3

•