

Patrick C Mchugh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7497619/patrick-c-mchugh-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

534
citations

15
h-index

22
g-index

34
ext. papers

641
ext. citations

4.3
avg, IF

3.43
L-index

#	Paper	IF	Citations
31	Astragalus and human mesenchymal stem cells promote wound healing by mediating immunomodulatory effects through paracrine signaling.. <i>Regenerative Medicine</i> , 2022 ,	2.5	2
30	The Identification of Blood Biomarkers of Chronic Neuropathic Pain by Comparative Transcriptomics. <i>NeuroMolecular Medicine</i> , 2021 , 1	4.6	1
29	Repurposing of Tranalast for Potential Neuropathic Pain Treatment by Inhibition of Sepiapterin Reductase in the BH Pathway. <i>ACS Omega</i> , 2019 , 4, 11960-11972	3.9	9
28	Evolution of a maternal immune activation (mIA) model in rats: Early developmental effects. <i>Brain, Behavior, and Immunity</i> , 2019 , 75, 48-59	16.6	41
27	The Development of Translational Biomarkers as a Tool for Improving the Understanding, Diagnosis and Treatment of Chronic Neuropathic Pain. <i>Molecular Neurobiology</i> , 2018 , 55, 2420-2430	6.2	6
26	Increased Oxidative Stress as a Risk Factor in Chronic Idiopathic Axonal Polyneuropathy. <i>Journal of Molecular Neuroscience</i> , 2018 , 66, 547-551	3.3	7
25	MicroRNA Quantitation During Dendritic Cell Endocytosis Using Imaging Flow Cytometry: Key Factors and Requirements. <i>Cellular Physiology and Biochemistry</i> , 2018 , 51, 793-811	3.9	2
24	Nonsynonymous Polymorphism in Guanine Monophosphate Synthetase Is a Risk Factor for Unfavorable Thiopurine Metabolite Ratios in Patients With Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 2606-2612	4.5	2
23	Sphingosine and dihydrosphingosine as biomarkers for multiple sclerosis identified by metabolomic profiling using coupled UPLC-MS. <i>Analytical Methods</i> , 2017 , 9, 5929-5934	3.2	2
22	Cognitive ability in Down syndrome and its relationship to urinary neopterin, a marker of activated cellular immunity. <i>Neuroscience Letters</i> , 2017 , 636, 254-257	3.3	11
21	Effects of different isoforms of apoE on aggregation of the β synuclein protein implicated in Parkinson's disease. <i>Neuroscience Letters</i> , 2016 , 618, 146-151	3.3	21
20	The structure and function of the dopamine transporter and its role in CNS diseases. <i>Vitamins and Hormones</i> , 2015 , 98, 339-69	2.5	36
19	Role of carbohydrate response element-binding protein (ChREBP) in generating an aerobic metabolic phenotype and in breast cancer progression. <i>British Journal of Cancer</i> , 2014 , 110, 715-23	8.7	22
18	Memory decline in Down syndrome and its relationship to iPF2alpha, a urinary marker of oxidative stress. <i>PLoS ONE</i> , 2014 , 9, e97709	3.7	17
17	The presence of both serotonin 1A receptor (HTR1A) and dopamine transporter (DAT1) gene variants increase the risk of borderline personality disorder. <i>Frontiers in Genetics</i> , 2014 , 4, 313	4.5	16
16	Counter-regulation of alpha- and beta-synuclein expression at the transcriptional level. <i>Molecular and Cellular Neurosciences</i> , 2013 , 57, 33-41	4.8	16
15	Prion protein expression alters APP cleavage without interaction with BACE-1. <i>Neurochemistry International</i> , 2012 , 61, 672-80	4.4	10

14	Contribution of individual histidines to prion protein copper binding. <i>Biochemistry</i> , 2011 , 50, 10781-91	3.2	20
13	A polymorphism of the GTP-cyclohydrolase I feedback regulator gene alters transcriptional activity and may affect response to SSRI antidepressants. <i>Pharmacogenomics Journal</i> , 2011 , 11, 207-13	3.5	9
12	Transcriptional regulation of the beta-synuclein 5'promoter metal response element by metal transcription factor-1. <i>PLoS ONE</i> , 2011 , 6, e17354	3.7	12
11	Proteomic analysis of rat hippocampus exposed to the antidepressant paroxetine. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1243-51	4.6	16
10	Association of a functional polymorphism in the adrenomedullin gene (ADM) with response to paroxetine. <i>Pharmacogenomics Journal</i> , 2010 , 10, 126-33	3.5	16
9	Activation and repression of prion protein expression by key regions of intron 1. <i>Cellular and Molecular Life Sciences</i> , 2009 , 66, 3809-20	10.3	10
8	Relationships between angry-impulsive personality traits and genetic polymorphisms of the dopamine transporter. <i>Biological Psychiatry</i> , 2009 , 66, 717-21	7.9	27
7	Polymorphisms of sepiapterin reductase gene alter promoter activity and may influence risk of bipolar disorder. <i>Pharmacogenetics and Genomics</i> , 2009 , 19, 330-7	1.9	10
6	Proteomic analysis of embryonic stem cell-derived neural cells exposed to the antidepressant paroxetine. <i>Journal of Neuroscience Research</i> , 2008 , 86, 306-16	4.4	29
5	Downregulation of Ccnd1 and Hes6 in rat hippocampus after chronic exposure to the antidepressant paroxetine. <i>Acta Neuropsychiatrica</i> , 2008 , 20, 307-13	3.9	5
4	A dopamine transporter polymorphism is a risk factor for borderline personality disorder in depressed patients. <i>Psychological Medicine</i> , 2006 , 36, 807-13	6.9	49
3	Molecular analysis of polymerase gamma gene and mitochondrial polymorphism in fertile and subfertile men. <i>Journal of Developmental and Physical Disabilities</i> , 2006 , 29, 421-33		17
2	Research of single mitochondrial nucleotide substitutions in male infertility should consider human mitochondrial haplogroups. <i>Journal of Developmental and Physical Disabilities</i> , 2002 , 25, 372-3; author reply 374		6
1	High incidence of single nucleotide substitutions in the mitochondrial genome is associated with poor semen parameters in men. <i>Journal of Developmental and Physical Disabilities</i> , 2001 , 24, 175-82		81