## **Graham Thornicroft**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7497695/publications.pdf

Version: 2024-02-01

831 papers 55,671 citations

997 114 h-index 199 g-index

959 all docs

959 docs citations 959 times ranked 31520 citing authors

#	Article	IF	CITATIONS
1	What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. Psychological Medicine, 2015, 45, 11-27.	4.5	1,918
2	Estimating the true global burden of mental illness. Lancet Psychiatry, the, 2016, 3, 171-178.	7.4	1,553
3	The Lancet Commission on global mental health and sustainable development. Lancet, The, 2018, 392, 1553-1598.	13.7	1,534
4	Resources for mental health: scarcity, inequity, and inefficiency. Lancet, The, 2007, 370, 878-889.	13.7	1,392
5	Global pattern of experienced and anticipated discrimination against people with schizophrenia: a cross-sectional survey. Lancet, The, 2009, 373, 408-415.	13.7	888
6	A Brief Mental Health Outcome Scale. British Journal of Psychiatry, 1995, 166, 654-659.	2.8	852
7	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	7.4	815
8	Evidence for effective interventions to reduce mental-health-related stigma and discrimination. Lancet, The, 2016, 387, 1123-1132.	13.7	776
9	The Camberwell Assessment of Need: The Validity and Reliability of an Instrument to Assess the Needs of People with Severe Mental Illness. British Journal of Psychiatry, 1995, 167, 589-595.	2.8	739
10	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
11	Scale up services for mental disorders: a call for action. Lancet, The, 2007, 370, 1241-1252.	13.7	649
12	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2016, 387, 1672-1685.	13.7	586
13	Scale up of services for mental health in low-income and middle-income countries. Lancet, The, 2011, 378, 1592-1603.	13.7	564
14	Mental Illness Stigma, Help Seeking, and Public Health Programs. American Journal of Public Health, 2013, 103, 777-780.	2.7	552
15	Stigma: ignorance, prejudice or discrimination?. British Journal of Psychiatry, 2007, 190, 192-193.	2.8	545
16	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. World Psychiatry, 2017, 16, 30-40.	10.4	477
17	Mental health-related stigma in health care and mental health-care settings. Lancet Psychiatry,the, 2014, 1, 467-482.	7.4	461
18	COVID-19 mental health impact and responses in low-income and middle-income countries: reimagining global mental health. Lancet Psychiatry,the, 2021, 8, 535-550.	7.4	455

#	Article	IF	CITATIONS
19	Physical health disparities and mental illness: the scandal of premature mortality. British Journal of Psychiatry, 2011, 199, 441-442.	2.8	451
20	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	8.4	436
21	Self-stigma, empowerment and perceived discrimination among people with schizophrenia in 14 European countries: The GAMIAN-Europe study. Schizophrenia Research, 2010, 122, 232-238.	2.0	417
22	Definition and prevalence of severe and persistent mental illness. British Journal of Psychiatry, 2000, 177, 149-155.	2.8	414
23	Reducing psychiatric stigma and discrimination: evaluation of educational interventions in UK secondary schools. British Journal of Psychiatry, 2003, 182, 342-346.	2.8	373
24	The South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register: development and descriptive data. BMC Psychiatry, 2009, 9, 51.	2.6	367
25	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. British Journal of Psychiatry, 1996, 168, 612-619.	2.8	354
26	Components of a modern mental health service: a pragmatic balance of community and hospital care. British Journal of Psychiatry, 2004, 185, 283-290.	2.8	352
27	Standardised Assessment of Personality – Abbreviated Scale (SAPAS): Preliminary validation of a brief screen for personality disorder. British Journal of Psychiatry, 2003, 183, 228-232.	2.8	348
28	â€~Diagnostic overshadowing': worse physical health care for people with mental illness. Acta Psychiatrica Scandinavica, 2008, 118, 169-171.	4.5	332
29	Global pattern of experienced and anticipated discrimination reported by people with major depressive disorder: a cross-sectional survey. Lancet, The, 2013, 381, 55-62.	13.7	331
30	Association between public views of mental illness and self-stigma among individuals with mental illness in 14 European countries. Psychological Medicine, 2012, 42, 1741-1752.	4.5	325
31	Experiences of mental illness stigma, prejudice and discrimination: a review of measures. BMC Health Services Research, 2010, 10, 80.	2.2	320
32	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
33	Stigma and discrimination limit access to mental health care. Epidemiologia E Psichiatria Sociale, 2008, 17, 14-19.	0.9	307
34	Discrimination in health care against people with mental illness. International Review of Psychiatry, 2007, 19, 113-122.	2.8	302
35	Camberwell Assessment of Need for the Elderly (CANE). British Journal of Psychiatry, 2000, 176, 444-452.	2.8	280
36	Systematic review of beliefs, behaviours and influencing factors associated with disclosure of a mental health problem in the workplace. BMC Psychiatry, 2012, 12, 11.	2.6	274

#	Article	IF	CITATIONS
37	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
38	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. PLoS ONE, 2014, 9, e88437.	2.5	255
39	Interventions to reduce discrimination and stigma: the state of the art. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 249-258.	3.1	249
40	Effect of joint crisis plans on use of compulsory treatment in psychiatry: single blind randomised controlled trial. BMJ: British Medical Journal, 2004, 329, 136.	2.3	248
41	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. PLoS Medicine, 2011, 8, e1001122.	8.4	246
42	Deinstitutionalisation â€" from Hospital Closure to Service Development. British Journal of Psychiatry, 1989, 155, 739-753.	2.8	245
43	Evidence for effective interventions to reduce mental health-related stigma and discrimination in the medium and long term: Systematic review. British Journal of Psychiatry, 2015, 207, 377-384.	2.8	245
44	Development and Psychometric Properties of the Mental Health Knowledge Schedule. Canadian Journal of Psychiatry, 2010, 55, 440-448.	1.9	242
45	Development and psychometric properties of the Reported and Intended Behaviour Scale (RIBS): a stigma-related behaviour measure. Epidemiology and Psychiatric Sciences, 2011, 20, 263-271.	3.9	238
46	Social Networks and Mental Health Service Utilisation - a Literature Review. International Journal of Social Psychiatry, 1998, 44, 248-266.	3.1	231
47	Community mental health care worldwide: current status and further developments. World Psychiatry, 2016, 15, 276-286.	10.4	231
48	WPA guidance on steps, obstacles and mistakes to avoid in the implementation of community mental health care. World Psychiatry, 2010, 9, 67-77.	10.4	224
49	Reversing hard won victories in the name of human rights: a critique of the General Comment on Article 12 of the UN Convention on the Rights of Persons with Disabilities. Lancet Psychiatry, the, 2015, 2, 844-850.	7.4	215
50	Self-stigma, empowerment and perceived discrimination among people with bipolar disorder or depression in 13 European countries: The GAMIAN–Europe study. Journal of Affective Disorders, 2011, 129, 56-63.	4.1	213
51	Cannabis and Psychosis. British Journal of Psychiatry, 1990, 157, 25-33.	2.8	210
52	Most people with mental illness are not treated. Lancet, The, 2007, 370, 807-808.	13.7	209
53	Effectiveness of a community-based intervention for people with schizophrenia and their caregivers in India (COPSI): a randomised controlled trial. Lancet, The, 2014, 383, 1385-1394.	13.7	207
54	Stigma and discrimination in mental illness: Time to Change. Lancet, The, 2009, 373, 1928-1930.	13.7	197

#	Article	IF	CITATIONS
55	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. BMC Medicine, 2015, 13, 79.	5.5	190
56	The Camberwell Assessment of Need (CAN): comparison of assessments by staff and patients of the needs of the severely mentally ill. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 109-113.	3.1	187
57	The economic impact of mental health stigma and discrimination: A systematic review. Epidemiologia E Psichiatria Sociale, 2010, 19, 223-232.	0.9	178
58	WHO Mental Health Gap Action Programme (mhGAP) Intervention Guide: a systematic review of evidence from low and middle-income countries. Evidence-Based Mental Health, 2018, 21, 30-34.	4.5	176
59	Service user and caregiver involvement in mental health system strengthening in low- and middle-income countries: systematic review. BMC Health Services Research, 2016, 16, 79.	2.2	175
60	The personal impact of schizophrenia in Europe. Schizophrenia Research, 2004, 69, 125-132.	2.0	174
61	Diagnostic Overshadowing and Other Challenges Involved in the Diagnostic Process of Patients with Mental Illness Who Present in Emergency Departments with Physical Symptoms – A Qualitative Study. PLoS ONE, 2014, 9, e111682.	2.5	173
62	Mental Health, â€~Burnout' and Job Satisfaction among Hospital and Community-Based Mental Health Staff. British Journal of Psychiatry, 1996, 169, 334-337.	2.8	172
63	Active ingredients in anti-stigma programmes in mental health. International Review of Psychiatry, 2005, 17, 123-131.	2.8	172
64	Knowledge and Attitudes as Predictors of Intentions to Seek Help for and Disclose a Mental Illness. Psychiatric Services, 2011, 62, 675-678.	2.0	172
65	Public knowledge, attitudes and behaviour regarding people with mental illness in England 2009-2012. British Journal of Psychiatry, 2013, 202, s51-s57.	2.8	172
66	Packages of Care for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: PLoS Medicine Series. PLoS Medicine, 2009, 6, e1000160.	8.4	169
67	Effects of Short-Term Interventions to Reduce Mental Health–Related Stigma in University or College Students. Journal of Nervous and Mental Disease, 2013, 201, 490-503.	1.0	168
68	A comparison of needs assessed by staff and by an epidemiologically representative sample of patients with psychosis. Psychological Medicine, 1998, 28, 543-550.	4.5	166
69	Patient-rated mental health needs and quality of life improvement. British Journal of Psychiatry, 2005, 187, 256-261.	2.8	164
70	Reducing stigma and discrimination: candidate interventions. International Journal of Mental Health Systems, 2008, 2, 3.	2.7	164
71	Growing recognition of the importance of service user involvement in mental health service planning and evaluation. Epidemiologia E Psichiatria Sociale, 2005, 14, 1-3.	0.9	163
72	Efficacy of psychosocial interventions for mental health outcomes in low-income and middle-income countries: an umbrella review. Lancet Psychiatry, the, 2020, 7, 162-172.	7.4	163

#	Article	IF	CITATIONS
73	Reducing psychiatric stigma and discrimination. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 337-344.	3.1	162
74	Development and psychometric properties the Barriers to Access to Care Evaluation scale (BACE) related to people with mental ill health. BMC Psychiatry, 2012, 12, 36.	2.6	161
75	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	10.4	160
76	Rationale and design. British Journal of Psychiatry, 1998, 173, 363-370.	2.8	159
77	Mental health research priorities for Europe. Lancet Psychiatry,the, 2015, 2, 1036-1042.	7.4	158
78	Social Deprivation and Rates of Treated Mental Disorder. British Journal of Psychiatry, 1991, 158, 475-484.	2.8	157
79	Mental Health of Communities during the COVID-19 Pandemic. Canadian Journal of Psychiatry, 2020, 65, 681-687.	1.9	157
80	The stigma of mental health problems and other barriers to care in the UK Armed Forces. BMC Health Services Research, 2011, 11, 31.	2.2	156
81	The feasibility of routine outcome measures in mental health. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 243-249.	3.1	155
82	Adherence therapy for people with schizophrenia. British Journal of Psychiatry, 2006, 189, 508-514.	2.8	155
83	Filmed <i>v.</i> live social contact interventions to reduce stigma: randomised controlled trial. British Journal of Psychiatry, 2012, 201, 57-64.	2.8	155
84	From efficacy to effectiveness in community mental health services. British Journal of Psychiatry, 1998, 173, 423-427.	2.8	153
85	The clinical characterization of the patient with primary psychosis aimed at personalization of management. World Psychiatry, 2021, 20, 4-33.	10.4	153
86	Substance misuse and risk of aggression and offending among the severely mentally ill. British Journal of Psychiatry, 1998, 172, 345-350.	2.8	152
87	The Mental Health Consequences of the Recession: Economic Hardship and Employment of People with Mental Health Problems in 27 European Countries. PLoS ONE, 2013, 8, e69792.	2.5	151
88	Public attitudes towards people with mental illness in England and Scotland, 1994–2003. British Journal of Psychiatry, 2009, 194, 278-284.	2.8	148
89	Mass media interventions for reducing mental health-related stigma. The Cochrane Library, 2013, 2013, CD009453.	2.8	148
90	Clinical outcomes of Joint Crisis Plans to reduce compulsory treatment for people with psychosis: a randomised controlled trial. Lancet, The, 2013, 381, 1634-1641.	13.7	148

#	Article	IF	Citations
91	Development and psychometric evaluation of the Discrimination and Stigma Scale (DISC). Psychiatry Research, 2013, 208, 33-40.	3.3	145
92	Recent advances in cross-cultural measurement in psychiatric epidemiology: utilizing 'what matters most' to identify culture-specific aspects of stigma. International Journal of Epidemiology, 2014, 43, 494-510.	1.9	145
93	Quality of life in patients with schizophrenia in five European countries: the EPSILON study. Acta Psychiatrica Scandinavica, 2002, 105, 283-292.	4.5	141
94	Review of mentalâ€healthâ€related stigma in <scp>J</scp> apan. Psychiatry and Clinical Neurosciences, 2013, 67, 471-482.	1.8	141
95	Cancer diagnosis in people with severe mental illness: practical and ethical issues. Lancet Oncology, The, 2010, 11, 797-804.	10.7	139
96	Mental disorders among Somali refugees. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 400-408.	3.1	137
97	Stigma and discrimination related to mental illness in low- and middle-income countries. Epidemiology and Psychiatric Sciences, 2015, 24, 382-394.	3.9	137
98	Ethnic differences in risk of compulsory psychiatric admission among representative cases of psychosis in London. BMJ: British Medical Journal, 1996, 312, 533-537.	2.3	137
99	A Typology of Advance Statements in Mental Health Care. Psychiatric Services, 2008, 59, 63-71.	2.0	136
100	Effect of the Time to Change anti-stigma campaign on trends in mental-illness-related public stigma among the English population in $2003\hat{a}\in 13$ : an analysis of survey data. Lancet Psychiatry,the, 2014, 1, 121-128.	7.4	135
101	Burnout, compassion fatigue, and compassion satisfaction among staff in community-based mental health services. Psychiatry Research, 2012, 200, 933-938.	3.3	134
102	The General Fertility Rate in Women With Psychotic Disorders. American Journal of Psychiatry, 2002, 159, 991-997.	7.2	132
103	Implementation science: understanding the translation of evidence into practice. British Journal of Psychiatry, 2009, 195, 283-285.	2.8	130
104	Development and responsiveness of a scale to measure clinicians' attitudes to people with mental illness (medical student version). Acta Psychiatrica Scandinavica, 2010, 122, 153-161.	4.5	129
105	Experiences of discrimination among people Using mental health services in England 2008-2011. British Journal of Psychiatry, 2013, 202, s58-s63.	2.8	127
106	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. Health Policy and Planning, 2017, 32, 699-709.	2.7	127
107	The development of a lay health worker delivered collaborative community based intervention for people with schizophrenia in India. BMC Health Services Research, 2012, 12, 42.	2.2	125
108	250 labels used to stigmatise people with mental illness. BMC Health Services Research, 2007, 7, 97.	2.2	124

#	Article	IF	Citations
109	Facilitators and barriers to implementing clinical care pathways. BMC Health Services Research, 2010, 10, 182.	2.2	124
110	Reliability of the Camberwell Assessment of Need – European Version. British Journal of Psychiatry, 2000, 177, s34-s40.	2.8	122
111	Use of standardised outcome measures in adult mental health services. British Journal of Psychiatry, 2006, 189, 330-336.	2.8	121
112	Does Meeting Needs Improve Quality of Life?. Psychotherapy and Psychosomatics, 2004, 73, 183-189.	8.8	120
113	Ethnic differences in satisfaction with mental health services among representative people with psychosis in South London: PRiSM Study 4. British Journal of Psychiatry, 1997, 171, 260-264.	2.8	119
114	Perceived sources of work stress and satisfaction among hospital and community mental health staff, and their relation to mental health, burnout and job satisfaction. Journal of Psychosomatic Research, 1997, 43, 51-59.	2.6	119
115	Who decides what evidence is? Developing a multiple perspectives paradigm in mental health. Acta Psychiatrica Scandinavica, 2006, 113, 109-114.	4.5	119
116	Influence of Time to Change's social marketing interventions on stigma in England 2009-2011. British Journal of Psychiatry, 2013, 202, s77-s88.	2.8	119
117	National Service Framework for Mental Health. Psychiatric Bulletin, 2000, 24, 203-206.	0.3	119
118	Medication Adherence in Schizophrenia: Exploring Patients', Carers' and Professionals' Views. Schizophrenia Bulletin, 2005, 32, 786-794.	4.3	118
119	Effectiveness of interventions to promote help-seeking for mental health problems: systematic review and meta-analysis. Psychological Medicine, 2018, 48, 2658-2667.	4.5	118
120	Experiences of stigma and discrimination of people with schizophrenia in India. Social Science and Medicine, 2014, 123, 149-159.	3.8	115
121	A study of â€~crisis cards' in a community psychiatric service. Acta Psychiatrica Scandinavica, 1999, 100, 56-61.	4.5	112
122	A blind spot on the global mental health map: a scoping review of 25 years' development of mental health care for people with severe mental illnesses in central and eastern Europe. Lancet Psychiatry,the, 2017, 4, 634-642.	7.4	112
123	Mental Illness: Clinicians' Attitudes (MICA) Scaleâ€"Psychometric properties of a version for healthcare students and professionals. Psychiatry Research, 2013, 206, 81-87.	3.3	111
124	The simulation of hallucinations to reduce the stigma of schizophrenia: A systematic review. Schizophrenia Research, 2011, 133, 8-16.	2.0	110
125	The state of the art in European research on reducing social exclusion and stigma related to mental health: A systematic mapping of the literature. European Psychiatry, 2014, 29, 381-389.	0.2	110
126	Disease burden and government spending on mental, neurological, and substance use disorders, and self-harm: cross-sectional, ecological study of health system response in the Americas. Lancet Public Health, The, 2019, 4, e89-e96.	10.0	110

#	Article	IF	CITATIONS
127	ROAMER: roadmap for mental health research in Europe. International Journal of Methods in Psychiatric Research, 2014, 23, 1-14.	2.1	109
128	The Impact of Social Marketing Campaigns on Reducing Mental Health Stigma: Results From the 2009–2014 Time to Change Programme. European Psychiatry, 2017, 40, 116-122.	0.2	109
129	Mental health-related stigma and pathways to care for people at risk of psychotic disorders or experiencing first-episode psychosis: a systematic review. Psychological Medicine, 2017, 47, 1867-1879.	4.5	108
130	Social inclusion, social quality and mental illness. British Journal of Psychiatry, 2003, 182, 289-290.	2.8	107
131	Why is recruitment to trials difficult? An investigation into recruitment difficulties in an RCT of supported employment in patients with severe mental illness. Contemporary Clinical Trials, 2009, 30, 40-46.	1.8	107
132	User perspective on needs and satisfaction with mental health services. British Journal of Psychiatry, 1998, 173, 409-415.	2.8	105
133	Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. Acta Psychiatrica Scandinavica, 2002, 105, 42-54.	4.5	105
134	Challenges in Developing Evidence-Based Recommendations Using the GRADE Approach: The Case of Mental, Neurological, and Substance Use Disorders. PLoS Medicine, 2010, 7, e1000322.	8.4	105
135	Routine clinical outcome measures for patients with severe mental illness: CANSAS and HoNOS. British Journal of Psychiatry, 1999, 174, 404-408.	2.8	104
136	The association between needs and quality of life in an epidemiologically representative sample of people with psychosis. Acta Psychiatrica Scandinavica, 1999, 100, 149-157.	4.5	104
137	A conceptual framework for mental health services: the matrix model. Psychological Medicine, 1998, 28, 503-508.	4.5	103
138	Explanations for stress and satisfaction in mental health professionals: a qualitative study. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 301-308.	3.1	102
139	Responses to Mental Health Stigma Questions: The Importance of Social Desirability and Data Collection Method. Canadian Journal of Psychiatry, 2012, 57, 152-160.	1.9	102
140	Anti-stigma training for medical students: The Education Not Discrimination project. British Journal of Psychiatry, 2013, 202, s89-s94.	2.8	102
141	Perceived coercion at admission to psychiatric hospital and engagement with follow-up. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 160-166.	3.1	101
142	Post-migration geographical mobility, mental health and health service utilisation among Somali refugees in the UK: A qualitative study. Health and Place, 2006, 12, 503-515.	3.3	101
143	The balanced care model for global mental health. Psychological Medicine, 2013, 43, 849-863.	4.5	101
144	Urban–rural differences in the associations between social deprivation and psychiatric service utilization in schizophrenia and all diagnoses: a case-register study in Northern Italy. Psychological Medicine, 1993, 23, 487-496.	4.5	100

#	Article	IF	Citations
145	Psychosocial characteristics and needs of mothers with psychotic disorders. British Journal of Psychiatry, 2001, 178, 427-432.	2.8	100
146	Messages to use in population-level campaigns to reduce mental health-related stigma: consensus development study. Epidemiologia E Psichiatria Sociale, 2010, 19, 72-79.	0.9	100
147	Premature death among people with mental illness. BMJ, The, 2013, 346, f2969-f2969.	6.0	100
148	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. British Journal of Psychiatry, 1997, 171, 169-174.	2.8	99
149	Mental health, "burnout" and job satisfaction in a longitudinal study of mental health staff. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 295-300.	3.1	99
150	Help-seeking and receipt of treatment among UK service personnel. British Journal of Psychiatry, 2010, 197, 149-155.	2.8	98
151	The course and outcome of depression in different cultures: 10-year follow-up of the WHO Collaborative Study on the Assessment of Depressive Disorders. Psychological Medicine, 1993, 23, 1023-1032.	<b>4.</b> 5	96
152	Collective levels of stigma and national suicide rates in 25 European countries. Epidemiology and Psychiatric Sciences, 2015, 24, 166-171.	3.9	96
153	Capacity Building in Global Mental Health Research. Harvard Review of Psychiatry, 2012, 20, 13-24.	2.1	95
154	Randomized controlled trial of computerized cognitive behavioural therapy for depressive symptoms: effectiveness and costs of a workplace intervention. Psychological Medicine, 2014, 44, 741-752.	4.5	94
155	Characteristics of Subgroups of Individuals With Psychotic Illness and a Comorbid Substance Use Disorder. Psychiatric Services, 2003, 54, 554-561.	2.0	93
156	Development of a scalable mental healthcare plan for a rural district in Ethiopia. British Journal of Psychiatry, 2016, 208, s4-s12.	2.8	93
157	New trends in assessing the outcomes of mental health interventions. World Psychiatry, 2014, 13, 118-124.	10.4	92
158	Evaluation of district mental healthcare plans: The PRIME consortium methodology. British Journal of Psychiatry, 2016, 208, s63-s70.	2.8	92
159	Emergency department staff views and experiences on diagnostic overshadowing related to people with mental illness. Epidemiology and Psychiatric Sciences, 2013, 22, 255-262.	3.9	91
160	Effectiveness of an anti-stigma training on improving attitudes and decreasing discrimination towards people with mental disorders among care assistant workers in Guangzhou, China. International Journal of Mental Health Systems, 2019, 13, 1.	2.7	91
161	Dropping out of care: inappropriate terminations of contact with community-based psychiatric services. British Journal of Psychiatry, 2002, 181, 331-338.	2.8	89
162	Satisfaction With Mental Health Services Among People With Schizophrenia in Five European Sites: Results From the EPSILON Study. Schizophrenia Bulletin, 2003, 29, 229-245.	4.3	89

#	Article	IF	CITATIONS
163	The concept of case management for long-term mental illness. International Review of Psychiatry, 1991, 3, 125-132.	2.8	87
164	Discrimination against people with mental illness: what can psychiatrists do?. Advances in Psychiatric Treatment, 2010, 16, 53-59.	0.5	87
165	Does the stigma of mental illness contribute to suicidality?. British Journal of Psychiatry, 2014, 205, 257-259.	2.8	85
166	Prospective cohort study of mental health during imprisonment. British Journal of Psychiatry, 2011, 198, 37-42.	2.8	84
167	England's Time to Change Antistigma Campaign: One-Year Outcomes of Service User-Rated Experiences of Discrimination. Psychiatric Services, 2012, 63, 451-457.	2.0	84
168	Experiences of stigma and discrimination faced by family caregivers of people with schizophrenia in India. Social Science and Medicine, 2017, 178, 66-77.	3.8	83
169	Service user involvement in mental health system strengthening in a rural African setting: qualitative study. BMC Psychiatry, 2017, 17, 187.	2.6	83
170	Patient preference randomised controlled trials in mental health research. British Journal of Psychiatry, 2006, 188, 303-304.	2.8	82
171	Supported employment: randomised controlled trial. British Journal of Psychiatry, 2010, 196, 404-411.	2.8	82
172	Qualitative analysis of mental health service users' reported experiences of discrimination. Acta Psychiatrica Scandinavica, 2016, 134, 14-22.	4.5	81
173	Service user and caregiver involvement in mental health system strengthening in low- and middle-income countries: a cross-country qualitative study. Epidemiology and Psychiatric Sciences, 2018, 27, 29-39.	3.9	81
174	A systematic review and meta-analysis on prevalence of and risk factors associated with depression, anxiety and insomnia in infectious diseases, including COVID-19: a call to action. Molecular Psychiatry, 2022, 27, 3214-3222.	7.9	81
175	Medical outcome of pregnancy in women with psychotic disorders and their infants in the first year after birth. British Journal of Psychiatry, 2003, 182, 63-67.	2.8	80
176	Anticipated and experienced discrimination amongst people with schizophrenia, bipolar disorder and major depressive disorder: a cross sectional study. BMC Psychiatry, 2014, 14, 157.	2.6	80
177	Competing Priorities: Staff Perspectives on Supporting Recovery. Administration and Policy in Mental Health and Mental Health Services Research, 2015, 42, 429-438.	2.1	80
178	Accessibility and pathways to psychiatric care in a community-based mental health system. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 500-507.	3.1	79
179	People With Schizophrenia in Five Countries: Conceptual Similarities and Intercultural Differences in Family Caregiving. Schizophrenia Bulletin, 2003, 29, 573-586.	4.3	78
180	Mental health problems in the workplace: Changes in employers' knowledge, attitudes and practices in England 2006-2010. British Journal of Psychiatry, 2013, 202, s70-s76.	2.8	78

#	Article	IF	Citations
181	Reliability and validity of the CANDID $\hat{a}\in$ a needs assessment instrument for adults with learning disabilities and mental health problems. British Journal of Psychiatry, 2000, 176, 473-478.	2.8	77
182	Mental health needs, service use and costs among Somali refugees in the UK. Acta Psychiatrica Scandinavica, 2005, 111, 351-357.	4.5	77
183	Identification and management of prisoners with severe psychiatric illness by specialist mental health services. Psychological Medicine, 2013, 43, 1511-1520.	4.5	77
184	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. Epidemiology and Psychiatric Sciences, 2015, 24, 233-240.	3.9	77
185	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. Schizophrenia Research, 2005, 75, 107-117.	2.0	76
186	Dissemination and implementation of evidence based, mental health interventions in post conflict, low resource settings. Intervention, 2014, 12, 94-112.	0.9	76
187	Quality of life in schizophrenia: development, reliability and internal consistency of the Lancashire Quality of Life Profile – European Version. British Journal of Psychiatry, 2000, 177, s49-s54.	2.8	75
188	A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. Acta Psychiatrica Scandinavica, 2001, 103, 370-379.	4.5	75
189	Mass social contact interventions and their effect on mental health related stigma and intended discrimination. BMC Public Health, 2012, 12, 489.	2.9	75
190	The balanced care model: the case for both hospital- and community-based mental healthcare. British Journal of Psychiatry, 2013, 202, 246-248.	2.8	75
191	Dual diagnosis in the suburbs: prevalence, need, and in-patient service use. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 297-304.	3.1	74
192	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. International Clinical Psychopharmacology, 2008, 23, 287-290.	1.7	74
193	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. International Clinical Psychopharmacology, 2006, 21, 355-362.	1.7	73
194	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. British Journal of Psychiatry, 2016, 208, s47-s54.	2.8	73
195	Attitudes Toward Mental Health Help Seeking as Predictors of Future Help-Seeking Behavior and Use of Mental Health Treatments. Psychiatric Services, 2016, 67, 650-657.	2.0	73
196	Efficacy of interventions to reduce coercive treatment in mental health services: umbrella review of randomised evidence. British Journal of Psychiatry, 2021, 218, 185-195.	2.8	73
197	Integrated care for people with long-term mental and physical health conditions in low-income and middle-income countries. Lancet Psychiatry,the, 2019, 6, 174-186.	7.4	72
198	Evidence-based psychotherapeutic interventions in the community care of schizophrenia. British Journal of Psychiatry, 2001, 178, 2-4.	2.8	71

#	Article	IF	Citations
199	Reported stigma and discrimination by people with a diagnosis of schizophrenia. Epidemiology and Psychiatric Sciences, 2011, 20, 193-204.	3.9	71
200	Newspaper coverage of mental illness in England 2008-2011. British Journal of Psychiatry, 2013, 202, s64-s69.	2.8	71
201	Psychiatric stigma and discrimination in South Africa: perspectives from key stakeholders. BMC Psychiatry, 2014, 14, 191.	2.6	71
202	Barriers to shared decision making in mental health care: qualitative study of the Joint Crisis Plan for psychosis. Health Expectations, 2016, 19, 448-458.	2.6	71
203	Balancing community-basedand hospital-based mental health care. World Psychiatry, 2002, 1, 84-90.	10.4	71
204	The EPSILON study of schizophrenia in five European countries. British Journal of Psychiatry, 1999, 175, 514-521.	2.8	70
205	Links between social networks and quality of life: an epidemiologically representative study of psychotic patients in South London. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 299-304.	3.1	69
206	What are the research priorities of mental health service users?. Journal of Mental Health, 2002, 11, 1-3.	1.9	69
207	The reliability and validity of the forensic Camberwell Assessment of Need (CANFOR): a needs assessment for forensic mental health service users. International Journal of Methods in Psychiatric Research, 2008, 17, 111-120.	2.1	69
208	Newspaper coverage of mental illness in the UK, 1992-2008. BMC Public Health, 2011, 11, 796.	2.9	69
209	Impact of the "Like Minds, Like Mine―anti-stigma and discrimination campaign in New Zealand on anticipated and experienced discrimination. Australian and New Zealand Journal of Psychiatry, 2014, 48, 360-370.	2.3	68
210	Promotion, prevention and protection: interventions at the population- and community-levels for mental, neurological and substance use disorders in low- and middle-income countries. International Journal of Mental Health Systems, 2016, 10, 30.	2.7	68
211	The needs of older people with mental health problems according to the user, the carer, and the staff. International Journal of Geriatric Psychiatry, 2003, 18, 803-811.	2.7	67
212	The psychosocial outcome of pregnancy in women with psychotic disorders. Schizophrenia Research, 2004, 71, 49-60.	2.0	67
213	The place of implementation science in the translational medicine continuum. Psychological Medicine, 2011, 41, 2015-2021.	4.5	67
214	Stigma and discrimination against people with schizophrenia related to medical services. International Journal of Social Psychiatry, 2014, 60, 359-366.	3.1	67
215	Public knowledge, attitudes, social distance and reported contact regarding people with mental illness 2009–2015. Acta Psychiatrica Scandinavica, 2016, 134, 23-33.	4.5	67
216	Social networks and service use among representative cases of psychosis in South London. British Journal of Psychiatry, 1997, 171, 15-19.	2.8	66

#	Article	IF	CITATIONS
217	Role of current perceived needs in explaining the association between past trauma exposure and distress in humanitarian settings in Jordan and Nepal. British Journal of Psychiatry, 2012, 201, 276-281.	2.8	66
218	Decision aid on disclosure of mental health status to an employer: feasibility and outcomes of a randomised controlled trial. British Journal of Psychiatry, 2013, 203, 350-357.	2.8	66
219	Acceptability of Online Self-Help to People With Depression: Users' Views of MoodGYM Versus Informational Websites. Journal of Medical Internet Research, 2014, 16, e90.	4.3	66
220	Packages of Care for Schizophrenia in Low- and Middle-Income Countries. PLoS Medicine, 2009, 6, e1000165.	8.4	65
221	Levels of stigma among community mental health staff in Guangzhou, China. BMC Psychiatry, 2014, 14, 231.	2.6	65
222	Evaluation of an anti-stigma campaign related to common mental disorders in rural India: a mixed methods approach. Psychological Medicine, 2017, 47, 565-575.	4.5	65
223	The TAPS Project. 22: A Five-Year Follow-Up of Long-Stay Psychiatric Patients Discharged to the Community. British Journal of Psychiatry, 1994, 165, 13-17.	2.8	64
224	Changes in newspaper coverage of mental illness from 2008 to 2014 in England. Acta Psychiatrica Scandinavica, 2016, 134, 45-52.	4.5	64
225	WHO mental health gap action programme (mhGAP) intervention guide: updated systematic review on evidence and impact. Evidence-Based Mental Health, 2021, 24, 124-130.	4.5	64
226	Evaluation of the Time to Change programme in England 2008-2011. British Journal of Psychiatry, 2013, 202, s45-s48.	2.8	64
227	Translation and cross-cultural adaptation of outcome measurements for schizophrenia. British Journal of Psychiatry, 2000, 177, s8-s14.	2.8	63
228	A controlled trial of mental illness related stigma training for medical students. BMC Medical Education, 2011, 11, 51.	2.4	63
229	Mental health and wellbeing in the Sustainable Development Goals. Lancet Psychiatry,the, 2015, 2, 1052-1054.	7.4	63
230	Community mental health teams: evidence or belief?. British Journal of Psychiatry, 1999, 175, 508-513.	2.8	62
231	Lessons learned in developing community mental health care in Europe. World Psychiatry, 2011, 10, 217-225.	10.4	61
232	Mental health mainstreamed in new UN disaster framework. Lancet Psychiatry, the, 2015, 2, 679-680.	7.4	61
233	In-patient and residential alternatives to standard acute psychiatric wards in England. British Journal of Psychiatry, 2009, 194, 456-463.	2.8	60
234	The Development and Psychometric Properties of the Humanitarian Emergency Settings Perceived Needs (HESPER) Scale. American Journal of Public Health, 2012, 102, e55-e63.	2.7	60

#	Article	IF	Citations
235	Interventions at the Transition from Prison to the Community for Prisoners with Mental Illness: A Systematic Review. Administration and Policy in Mental Health and Mental Health Services Research, 2018, 45, 623-634.	2.1	60
236	Stigma reduction interventions for children and adolescents in low- and middle-income countries: Systematic review of intervention strategies. Social Science and Medicine, 2020, 246, 112749.	3.8	60
237	Poverty, poor services, and compulsory psychiatric admission in England. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 341-345.	3.1	59
238	Randomized controlled trial of supported employment in England: 2 year followâ€up of the Supported Work and Needs (SWAN) study. World Psychiatry, 2011, 10, 132-137.	10.4	59
239	Anticipated discrimination among people with schizophrenia. Acta Psychiatrica Scandinavica, 2012, 125, 77-83.	4.5	58
240	Discrimination against people with severe mental illness and their access to social capital: findings from the Viewpoint survey. Epidemiology and Psychiatric Sciences, 2014, 23, 155-165.	3.9	58
241	Predictors of parenting outcome in women with psychotic disorders discharged from mother and baby units. Acta Psychiatrica Scandinavica, 2004, 110, 347-355.	4.5	57
242	An investigation of factors associated with psychiatric hospital admission despite the presence of crisis resolution teams. BMC Psychiatry, 2007, 7, 52.	2.6	57
243	What is a mental illness? Public views and their effects on attitudes and disclosure. Australian and New Zealand Journal of Psychiatry, 2012, 46, 641-650.	2.3	57
244	Prison mental health inreach services. British Journal of Psychiatry, 2007, 190, 373-374.	2.8	56
245	Including mental health among the new sustainable development goals. BMJ, The, 2014, 349, g5189-g5189.	6.0	56
246	Sustainable development goals and mental health: learnings from the contribution of the FundaMentalSDG global initiative. Global Mental Health (Cambridge, England), 2016, 3, e26.	2.5	56
247	Relationships between anti-stigma programme awareness, disclosure comfort and intended help-seeking regarding a mental health problem. British Journal of Psychiatry, 2017, 211, 316-322.	2.8	56
248	Stigma and discrimination of mental health problems: workplace implications. Occupational Medicine, 2010, 60, 414-415.	1.4	55
249	Joint crisis plans for people with borderline personality disorder: feasibility and outcomes in a randomised controlled trial. British Journal of Psychiatry, 2013, 202, 357-364.	2.8	55
250	Disclosure of a mental health problem in the employment context: qualitative study of beliefs and experiences. Epidemiology and Psychiatric Sciences, 2014, 23, 289-300.	3.9	55
251	The link between mental health-related discrimination and suicidality: service user perspectives. Psychological Medicine, 2015, 45, 2013-2022.	4.5	55
252	Post-traumatic growth in mental health recovery: qualitative study of narratives. BMJ Open, 2019, 9, e029342.	1.9	55

#	Article	IF	Citations
253	Continuity of care and clinical outcome: a prospective cohort study. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 242-247.	3.1	54
254	Joint crisis plans for people with psychosis: economic evaluation of a randomised controlled trial. BMJ: British Medical Journal, 2006, 333, 729.	2.3	54
255	â€~Our community is the worst': The influence of cultural beliefs on stigma, relationships with family and help-seeking in three ethnic communities in London. International Journal of Social Psychiatry, 2013, 59, 535-544.	3.1	54
256	Stigma- and non-stigma-related treatment barriers to mental healthcare reported by service users and caregivers. Psychiatry Research, 2015, 228, 612-619.	3.3	54
257	Assessing violence risk in general adult psychiatry. Psychiatric Bulletin, 2005, 29, 131-133.	0.3	53
258	Views of service users and providers on joint crisis plans. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 369-376.	3.1	53
259	Continuity of care for recently released prisoners with mental illness: a pilot randomised controlled trial testing the feasibility of a Critical Time Intervention. Epidemiology and Psychiatric Sciences, 2012, 21, 187-193.	3.9	53
260	A comparison of SF-6D and EQ-5D utility scores in a study of patients with schizophrenia. Journal of Mental Health Policy and Economics, 2009, 12, 27-31.	0.6	53
261	Discrimination in the workplace, reported by people with major depressive disorder: a cross-sectional study in 35 countries. BMJ Open, 2016, 6, e009961.	1.9	52
262	Exploring the predictors of early readmission to psychiatric hospital. Epidemiology and Psychiatric Sciences, 2016, 25, 181-193.	3.9	52
263	Key lessons learned from the INDIGO global network on mental health related stigma and discrimination. World Psychiatry, 2019, 18, 229-230.	10.4	52
264	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. BMC Medicine, 2020, 18, 215.	5.5	52
265	The sectorisation of psychiatric services in England and Wales. Social Psychiatry and Psychiatric Epidemiology, 1993, 28, 45-47.	3.1	51
266	Utilisation and costs of community mental health services. British Journal of Psychiatry, 1998, 173, 391-398.	2.8	51
267	Service user perspectives on the impact of a mental illness diagnosis. Epidemiologia E Psichiatria Sociale, 2010, 19, 140-147.	0.9	51
268	EPA guidance on the quality of mental health services. European Psychiatry, 2012, 27, 87-113.	0.2	51
269	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. BJPsych Open, 2019, 5, e69.	0.7	51
270	Roadmap to strengthen global mental health systems to tackle the impact of the COVID-19 pandemic. International Journal of Mental Health Systems, 2020, 14, 57.	2.7	51

#	Article	IF	Citations
271	The Equality Act 2010 and mental health. British Journal of Psychiatry, 2012, 200, 182-183.	2.8	50
272	Internalized stigma in people with severe mental illness in rural China. International Journal of Social Psychiatry, 2018, 64, 9-16.	3.1	50
273	Developing capacity-building activities for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners, and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 11-21.	3.9	50
274	The security, clinical and social needs of patients in high security psychiatric hospitals in England. Journal of Forensic Psychiatry and Psychology, 2004, 15, 208-221.	1.0	49
275	Training in dual diagnosis interventions (the COMO Study): Randomised controlled trial. BMC Psychiatry, 2008, 8, 12.	2.6	49
276	Evaluation of a brief anti-stigma campaign in Cambridge: do short-term campaigns work?. BMC Public Health, 2010, 10, 339.	2.9	49
277	What service users with psychotic disorders want in a mental health crisis or relapse: thematic analysis of joint crisis plans. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1609-1617.	3.1	49
278	The COSTAR Programme. 1: Improving Social Networks of the Long-Term Mentally III. British Journal of Psychiatry, 1991, 159, 245-249.	2.8	48
279	Nithsdale, Nunhead and Norwood: Similarities and differences in prevalence of schizophrenia and utilisation of service sin rural and urban areas. British Journal of Psychiatry, 1997, 170, 31-36.	2.8	48
280	Dual diagnosis of severe mental health problems and substance abuse/dependence: a major priority for mental health nursing. Journal of Psychiatric and Mental Health Nursing, 1997, 4, 89-95.	2.1	48
281	Inequalities in mental health. British Journal of Psychiatry, 1998, 173, 105-109.	2.8	48
282	Specialist mental health services in England in 2014: overview of funding, access and levels of care. International Journal of Mental Health Systems, 2015, 9, 34.	2.7	48
283	Reducing mental health-related stigma among medical and nursing students in low- and middle-income countries: a systematic review. Epidemiology and Psychiatric Sciences, 2020, 29, e28.	3.9	48
284	Service use and costs of people with dual diagnosis in South London. Acta Psychiatrica Scandinavica, 2000, 101, 464-472.	4.5	47
285	Mental illness and the workplace: conceal or reveal?. Journal of the Royal Society of Medicine, 2010, 103, 83-86.	2.0	47
286	Burden of mental disorders and unmet needs among street homeless people in Addis Ababa, Ethiopia. BMC Medicine, 2014, 12, 138.	5.5	47
287	Cross-national variations in reported discrimination among people treated for major depression worldwide: The ASPEN/INDIGO international study. British Journal of Psychiatry, 2015, 207, 507-514.	2.8	47
288	European Psychiatric Association (EPA) guidance on the quality of eMental health interventions in the treatment of psychotic disorders. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 125-137.	3.2	47

#	Article	IF	CITATIONS
289	Scaling-up services for psychosis, depression and epilepsy in sub-Saharan Africa and South Asia: development and application of a mental health systems planning tool (OneHealth). Epidemiology and Psychiatric Sciences, 2017, 26, 234-244.	3.9	47
290	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	3.9	47
291	Viewpoint survey of mental health service users' experiences of discrimination in England 2008–2014. Acta Psychiatrica Scandinavica, 2016, 134, 6-13.	4.5	46
292	Conceptualisation of job-related wellbeing, stress and burnout among healthcare workers in rural Ethiopia: a qualitative study. BMC Health Services Research, 2017, 17, 412.	2.2	46
293	A randomised controlled trial of repeated filmed social contact on reducing mental illness-related stigma in young adults. Epidemiology and Psychiatric Sciences, 2018, 27, 199-208.	3.9	46
294	Improving support for mental health staff: a qualitative study. Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 309-315.	3.1	45
295	Steps, challenges and lessons in developing community mental health care. World Psychiatry, 2008, 7, 87-92.	10.4	45
296	Caring for people with depression or with schizophrenia: Are the consequences different?. Psychiatry Research, 2009, 169, 62-69.	3.3	45
297	Does stigma impair prevention of mental disorders?. British Journal of Psychiatry, 2014, 204, 249-251.	2.8	45
298	An In-patient Behavioural Psychotherapy Unit. British Journal of Psychiatry, 1991, 158, 362-367.	2.8	44
299	Outcomes for Long-Term Patients One Year After Discharge From a Psychiatric Hospital. Psychiatric Services, 2005, 56, 1416-1422.	2.0	44
300	Disability hate crime and targeted violence and hostility: A mental health and discrimination perspective. Journal of Mental Health, 2011, 20, 219-225.	1.9	44
301	Discrimination in relation to parenthood reported by community psychiatric service users in the UK: a framework analysis. BMC Psychiatry, 2013, 13, 120.	2.6	44
302	The impact of mental health recovery narratives on recipients experiencing mental health problems: Qualitative analysis and change model. PLoS ONE, 2019, 14, e0226201.	2.5	44
303	Long-term effects of filmed social contact or internet-based self-study on mental health-related stigma: a 2-year follow-up of a randomised controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 33-42.	3.1	44
304	Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. Psychological Medicine, 2020, 50, 2498-2513.	4.5	44
305	Ethnic Group and Compulsory Detention. Medicine, Science and the Law, 1988, 28, 324-328.	1.0	43
306	The TAPS Project. 6: New Long-Stay Psychiatric Patients and Social Deprivation. British Journal of Psychiatry, 1992, 161, 621-624.	2.8	43

#	Article	IF	Citations
307	Impact of community mental health services on users' social networks. British Journal of Psychiatry, 1998, 173, 404-408.	2.8	43
308	Outcomes that matter: A qualitative study with persons with schizophrenia and their primary caregivers in India. Asian Journal of Psychiatry, 2012, 5, 258-265.	2.0	43
309	Change in newspaper coverage of schizophrenia in Japan over 20-year period. Schizophrenia Research, 2016, 175, 193-197.	2.0	43
310	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	3.1	43
311	The Differential Outcomes of Coronavirus Disease 2019 in Low- and Middle-Income Countries vs High-Income Countries. JAMA Psychiatry, 2020, 77, 1207.	11.0	43
312	Service users' experience of violence within a mental health system: A study using grounded theory approach. Journal of Mental Health, 2001, 10, 597-611.	1.9	42
313	Provision of services for people with schizophrenia in five European regions. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 465-474.	3.1	42
314	Collaborative community based care for people and their families living with schizophrenia in India: protocol for a randomised controlled trial. Trials, 2011, 12, 12.	1.6	42
315	Quality of life outcomes for intensive versus standard community mental health services. British Journal of Psychiatry, 1998, 173, 416-422.	2.8	41
316	Gender differences in living with schizophrenia. A cross-sectional European multi-site study. Schizophrenia Research, 2002, 57, 191-200.	2.0	41
317	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. Psychiatric Services, 2008, 59, 276-282.	2.0	41
318	Mental health financing challenges, opportunities and strategies in low- and middle-income countries: findings from the Emerald project. BJPsych Open, 2019, 5, e68.	0.7	41
319	Reducing mental health-related stigma in primary health care settings in low- and middle-income countries: a systematic review. Epidemiology and Psychiatric Sciences, 2020, 29, e3.	3.9	41
320	The geographical mobility of severely mentally ill residents in London. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 164-169.	3.1	40
321	Heterogeneity of outcomes in schizophrenia. British Journal of Psychiatry, 2004, 184, 48-57.	2.8	40
322	Mental illness among journalists: A systematic review. International Journal of Social Psychiatry, 2013, 59, 377-390.	3.1	40
323	Improving Therapeutic Relationships. Qualitative Health Research, 2015, 25, 1637-1647.	2.1	40
324	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Crossâ€sectional analysis of 588 408 records from the ⟨scp⟩UK⟨ scp⟩. Diabetic Medicine, 2017, 34, 916-924.	2.3	40

#	Article	IF	Citations
325	Stigma and discrimination experienced by people with schizophrenia living in the community in Guangzhou, China. Psychiatry Research, 2017, 255, 225-231.	3.3	40
326	The TAPS project. 17: Readmission to hospital for long term psychiatric patients after discharge to the community BMJ: British Medical Journal, 1992, 305, 996-998.	2.3	39
327	Economic evaluation of the anti-stigma social marketing campaign in England 2009-2011. British Journal of Psychiatry, 2013, 202, s95-s101.	2.8	39
328	Stigma in Different Cultures. , 2017, , 67-82.		39
329	Barriers to Family Caregivers' Coping With Patients With Severe Mental Illness in Iran. Qualitative Health Research, 2018, 28, 987-1001.	2.1	39
330	Reducing stigma and discrimination associated with COVID-19: early stage pandemic rapid review and practical recommendations. Epidemiology and Psychiatric Sciences, 2021, 30, e15.	3.9	39
331	Beyond the Biomedical: Community Resources for Mental Health Care in Rural Ethiopia. PLoS ONE, 2015, 10, e0126666.	2.5	39
332	Translating ethical principles into outcome measures for mental health service research. Psychological Medicine, 1999, 29, 761-767.	4.5	38
333	School-Based Curriculum to Improve Depression Literacy Among US Secondary School Students: A Randomized Effectiveness Trial. American Journal of Public Health, 2017, 107, 1970-1976.	2.7	38
334	Ethnic differences among patients in high-security psychiatric hospitals in England. British Journal of Psychiatry, 2006, 188, 380-385.	2.8	37
335	Evidence-based mental health care and implementation science in low- and middle-income countries. Epidemiology and Psychiatric Sciences, 2012, 21, 241-244.	3.9	37
336	Mental health training program for community mental health staff in Guangzhou, China: effects on knowledge of mental illness and stigma. International Journal of Mental Health Systems, 2014, 8, 49.	2.7	37
337	Experience of stigma and discrimination reported by people experiencing the first episode of schizophrenia and those with a first episode of depression: The FEDORA project. International Journal of Social Psychiatry, 2015, 61, 438-445.	3.1	37
338	Information systems for mental health in six low and middle income countries: cross country situation analysis. International Journal of Mental Health Systems, 2016, 10, 60.	2.7	37
339	The TAPS project. 16: Difficult to place, long term psychiatric patients: risk factors for failure to resettle long stay patients in community facilities BMJ: British Medical Journal, 1992, 305, 993-995.	2.3	36
340	Social networks and functional status in patients with psychosis. Acta Psychiatrica Scandinavica, 2000, 102, 376-385.	4.5	36
341	Main determinants of Global Assessment of Functioning score in schizophrenia: a European multicenter study. Comprehensive Psychiatry, 2005, 46, 440-446.	3.1	36
342	Seven criteria for improving effectiveness trials in psychiatry. Psychological Medicine, 2006, 36, 711.	4.5	36

#	Article	IF	Citations
343	Fifty years' development and future perspectives of psychiatric register research. Acta Psychiatrica Scandinavica, 2014, 130, 87-98.	4.5	36
344	Discrimination against people with a mental health diagnosis: qualitative analysis of reported experiences. Journal of Mental Health, 2014, 23, 88-93.	1.9	36
345	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. Health Policy and Planning, 2016, 31, 1100-1106.	2.7	36
346	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	1.6	36
347	Mental Health Service Use by Young People: The Role of Caregiver Characteristics. PLoS ONE, 2015, 10, e0120004.	2.5	36
348	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	1.6	35
349	Discrimination Attributed to Mental Illness or Race-Ethnicity by Users of Community Psychiatric Services. Psychiatric Services, 2014, 65, 1360-1366.	2.0	35
350	Can mental health treatments help prevent or reduce intimate partner violence in low- and middle-income countries? A systematic review. BMC Women's Health, 2019, 19, 34.	2.0	35
351	The quality of life of patients with paranoid schizophrenia in London and Berlin. Social Psychiatry and Psychiatric Epidemiology, 1997, 32, 292-297.	3.1	34
352	Aims, outcome measures, study sites and patient sample. British Journal of Psychiatry, 2000, 177, s1-s7.	2.8	34
353	Global mental health: perspectives from Ethiopia. Global Health Action, 2014, 7, 25447.	1.9	34
354	Health system governance to support scale up of mental health care in Ethiopia: a qualitative study. International Journal of Mental Health Systems, 2017, 11, 38.	2.7	34
355	Reducing the Mortality Gap in People With Severe Mental Disorders: The Role of Lifestyle Psychosocial Interventions. Frontiers in Psychiatry, 2018, 9, 463.	2.6	34
356	Microaggressions towards people affected by mental health problems: a scoping review. Epidemiology and Psychiatric Sciences, 2020, 29, e82.	3.9	34
357	The management of released prisoners with severe and enduring mental illness. Journal of Forensic Psychiatry and Psychology, 2012, 23, 67-75.	1.0	33
358	Stigma and disclosing one's mental illness to family and friends. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1157-1160.	3.1	33
359	Longitudinal assessment of an anti-stigma campaign related to common mental disorders in rural India. British Journal of Psychiatry, 2019, 214, 90-95.	2.8	33
360	Including culture in programs to reduce stigma toward people with mental disorders in low- and middle-income countries. Transcultural Psychiatry, 2020, 57, 140-160.	1.6	33

#	Article	IF	Citations
361	Evolving service interventions in Nunhead and Norwood. British Journal of Psychiatry, 1998, 173, 371-375.	2.8	32
362	The individual needs of patients in high secure psychiatric hospitals in England. Journal of Forensic Psychiatry and Psychology, 2004, 15, 222-243.	1.0	32
363	Assessing the needs of pregnant women and mothers with severe mental illness: the psychometric properties of the Camberwell Assessment of Need $\hat{a} \in Mothers$ (CAN $\hat{a} \in M$ ). International Journal of Methods in Psychiatric Research, 2007, 16, 177-185.	2.1	32
364	The development and validation of the Questionnaire on Anticipated Discrimination (QUAD). BMC Psychiatry, 2013, 13, 297.	2.6	32
365	The importance of global mental health for the Sustainable Development Goals. Journal of Mental Health, 2014, 23, 283-286.	1.9	32
366	Under detection of depression in primary care settings in low and middle-income countries: a systematic review and meta-analysis. Systematic Reviews, 2022, 11, 21.	5.3	32
367	Randomised Controlled Trial of Joint Crisis Plans to Reduce Compulsory Treatment for People with Psychosis: Economic Outcomes. PLoS ONE, 2013, 8, e74210.	2.5	31
368	Can the therapeutic relationship predict 18 month outcomes for individuals with psychosis?. Psychiatry Research, 2014, 220, 585-591.	3.3	31
369	Mental Health–Related Discrimination as a Predictor of Low Engagement With Mental Health Services. Psychiatric Services, 2015, 66, 171-176.	2.0	31
370	Perceived stigma of caregivers: Psychometric evaluation for Devaluation of Consumer Families Scale. International Journal of Clinical and Health Psychology, 2018, 18, 170-178.	5.1	31
371	Evaluating capacity-building for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 3-10.	3.9	31
372	Predictors of mental health service costs for representative cases of psychosis in south London. Psychological Medicine, 1998, 28, 159-164.	4.5	30
373	Training community mental health staff in Guangzhou, China: evaluation of the effect of a new training model. BMC Psychiatry, 2015, 15, 263.	2.6	30
374	Self-stigma as a mediator between social capital and empowerment among people with major depressive disorder in Europe: The ASPEN study. European Psychiatry, 2015, 30, 58-64.	0.2	30
375	Community-based comprehensive intervention for people with schizophrenia in Guangzhou, China: Effects on clinical symptoms, social functioning, internalized stigma and discrimination. Asian Journal of Psychiatry, 2018, 34, 21-30.	2.0	30
376	Development and validation of the DISCUS scale: A reliable short measure for assessing experienced discrimination in people with mental health problems on a global level. Schizophrenia Research, 2019, 212, 213-220.	2.0	30
377	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. British Journal of Psychiatry, 2010, 197, s14-s19.	2.8	29
378	Pattern of experienced and anticipated discrimination among people with depression in Nigeria: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 259-266.	3.1	29

#	Article	IF	CITATIONS
379	Evidence-based guideline implementation in low and middle income countries: lessons for mental health care. International Journal of Mental Health Systems, 2017, 11, 8.	2.7	29
380	Systematic review of pathways to mental health care in Brazil: narrative synthesis of quantitative and qualitative studies. International Journal of Mental Health Systems, 2018, 12, 65.	2.7	29
381	Persuading the persuadable: evaluating compulsory treatment in England using Supervised Discharge Orders. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 260-266.	3.1	28
382	Pre-morbid IQ and response to routine outcome assessment. Psychological Medicine, 2006, 36, 1183-1191.	4.5	28
383	Comparison of Patient and Clinician Perspectives in the Assessment of Antipsychotic Medication Adherence. Psychopathology, 2009, 42, 311-317.	1.5	28
384	The Cares of Life Project (CoLP): An exploratory randomised controlled trial of a community-based intervention for black people with common mental disorder. Journal of Affective Disorders, 2010, 127, 370-374.	4.1	28
385	Employers' attitudes to people with mental health problems in the workplace in Britain: changes between 2006 and 2009. Epidemiology and Psychiatric Sciences, 2011, 20, 73-81.	3.9	28
386	The impact of exercise projects to promote mental wellbeing. Journal of Mental Health, 2013, 22, 519-527.	1.9	28
387	Determinants of treatment of mental disorders in Lebanon: barriers to treatment and changing patterns of service use. Epidemiology and Psychiatric Sciences, 2019, 28, 655-661.	3.9	28
388	Deinstitutionalisation: promises, problems and prospects. , 1996, , 3-18.		27
389	Evaluating mental health policy in England. British Journal of Psychiatry, 1999, 175, 327-330.	2.8	27
390	Mental illness, substance abuse, demographics and offending: dual diagnosis in the suburbs. Journal of Forensic Psychiatry Psychology, 2002, 13, 35-52.	0.3	27
391	Effects of training community staff in interventions for substance misuse in dual diagnosis patients with psychosis (COMO study). British Journal of Psychiatry, 2007, 191, 451-452.	2.8	27
392	CRIMSON [CRisis plan IMpact: Subjective and Objective coercion and eNgagement] Protocol: A randomised controlled trial of joint crisis plans to reduce compulsory treatment of people with psychosis. Trials, 2010, 11, 102.	1.6	27
393	Impact of integrated district level mental health care on clinical and social outcomes of people with severe mental illness in rural Ethiopia: an intervention cohort study. Epidemiology and Psychiatric Sciences, 2020, 29, e45.	3.9	27
394	Frequency and predictors of adverse events. British Journal of Psychiatry, 1998, 173, 376-384.	2.8	26
395	The global response to mental illness. BMJ: British Medical Journal, 2002, 325, 608-609.	2.3	26
396	Fair assessment of the merits of psychiatric research. British Journal of Psychiatry, 2007, 190, 314-318.	2.8	26

#	Article	IF	CITATIONS
397	Clinical pathways in psychiatry. British Journal of Psychiatry, 2008, 193, 4-5.	2.8	26
398	Development and preliminary evaluation of a decision aid for disclosure of mental illness to employers. Patient Education and Counseling, 2014, 94, 238-242.	2.2	26
399	Improving the diagnosis of physical illness in patients with mental illness who present in Emergency Departments: Consensus study. Journal of Psychosomatic Research, 2015, 78, 346-351.	2.6	26
400	Burnout among primary healthcare workers during implementation of integrated mental healthcare in rural Ethiopia: a cohort study. Human Resources for Health, 2019, 17, 58.	3.1	26
401	Prediction of community mental health service utilization by individual and ecological level socio-economic factors. Psychiatry Research, 2013, 209, 691-698.	3.3	25
402	Viewpoint survey of mental health service users' experiences of discrimination in England 2008–2012. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1599-1608.	3.1	25
403	Joint crisis planning in mental health care: the challenge of implementation in randomized trials and in routine care. World Psychiatry, 2015, 14, 281-283.	10.4	25
404	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. Trials, 2018, 19, 192.	1.6	25
405	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. BJPsych Open, 2019, 5, e73.	0.7	25
406	Critical time Intervention for Severely mentally ill Prisoners (CrISP): a randomised controlled trial. Health Services and Delivery Research, 2017, 5, 1-138.	1.4	25
407	Are social deprivation and psychiatric service utilisation associated in neurotic disorders?. Social Psychiatry and Psychiatric Epidemiology, 1993, 28, 225-230.	3.1	25
408	Is "cannabis psychosis―a distinct category?. European Psychiatry, 1992, 7, 277-282.	0.2	24
409	Course of adherence to medication and quality of life in people with schizophrenia. Psychiatry Research, 2009, 165, 224-233.	3.3	24
410	Mistrust of mental health services: ethnicity, hospital admission and unfair treatment. Epidemiology and Psychiatric Sciences, 2015, 24, 258-265.	3.9	24
411	Partnerships in a Global Mental Health Research Programmeâ€"the Example of PRIME. Global Social Welfare, 2019, 6, 159-175.	1.9	24
412	Schizophrenia, social support, caregiving burden and household poverty in rural China. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1571-1580.	3.1	24
413	Systematic review of interventions to reduce mental health stigma in India. Asian Journal of Psychiatry, 2021, 55, 102466.	2.0	24
414	Health services research: is there anything to learn from mental health?. Journal of Health Services Research and Policy, 2005, 10, 1-2.	1.7	24

#	Article	IF	CITATIONS
415	The TAPS Project. 9: The Reliability of the Patient Attitude Questionnaire. British Journal of Psychiatry, 1993, 162, 25-29.	2.8	23
416	Inverse care for mentally ill prisoners: unmet needs in forensic mental health services. Journal of Forensic Psychiatry and Psychology, 2003, 14, 600-614.	1.0	23
417	Employees with mental health problems: Survey of UK employers' knowledge, attitudes and workplace practices. Epidemiology and Psychiatric Sciences, 2010, 19, 326-332.	3.9	23
418	The effect of disclosure of mental illness by interviewers on reports of discrimination experienced by service users: A randomized study. International Review of Psychiatry, 2011, 23, 47-54.	2.8	23
419	Impact of the mass media OBERTAMENT campaign on the levels of stigma among the population of Catalonia, Spain. European Psychiatry, 2016, 31, 44-51.	0.2	23
420	The psychosis treatment gap and its consequences in rural Ethiopia. BMC Psychiatry, 2019, 19, 325.	2.6	23
421	Not the story you want? Assessing the fit of a conceptual framework characterising mental health recovery narratives. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 295-308.	3.1	23
422	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
423	Prevention and management of physical health conditions in adults with severe mental disorders: WHO recommendations. International Journal of Mental Health Systems, 2021, 15, 22.	2.7	23
424	Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders. , 2016, , 1-27.		23
425	Outcomes and costs of a community support worker service for the severely mentally ill. Acta Psychiatrica Scandinavica, 1999, 99, 196-206.	4.5	22
426	Are routine outcome measures feasible in mental health?. Quality in Health Care: QHC, 2000, 9, 84-84.	1.2	22
427	Needs for care of patients with schizophrenia and the consequences for their informal caregivers. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 251-258.	3.1	22
428	Comprehensive SDG goal and targets for non-communicable diseases and mental health. International Journal of Mental Health Systems, 2015, 9, 12.	2.7	22
429	European Psychiatric Association (EPA) guidance on quality assurance in mental healthcare. European Psychiatry, 2015, 30, 360-387.	0.2	22
430	Building the capacity of policy-makers and planners to strengthen mental health systems in low- and middle-income countries: a systematic review. BMC Health Services Research, 2016, 16, 601.	2.2	22
431	Conditional Disclosure on Pathways to Care: Coping Preferences of Young People at Risk of Psychosis. Qualitative Health Research, 2017, 27, 1842-1855.	2.1	22
432	Mental health in Zimbabwe: a health systems analysis. Lancet Psychiatry, the, 2017, 4, 876-886.	7.4	22

#	Article	IF	Citations
433	Rethinking research on the social determinants of global mental health. Lancet Psychiatry, the, 2020, 7, 659-662.	7.4	22
434	Physical health care for people with severe mental illness: The role of the general practitioner (GP). Journal of Mental Health, 2001, 10, 53-61.	1.9	22
435	Stigma among people with dual diagnosis and implications for health services. Advances in Dual Diagnosis, 2010, 3, 4-7.	0.5	21
436	Mental Health Disability. Journal of Disability Policy Studies, 2012, 23, 110-120.	1.5	21
437	How much does mental health discrimination cost: valuing experienced discrimination in relation to healthcare care costs and community participation. Epidemiology and Psychiatric Sciences, 2015, 24, 423-434.	3.9	21
438	Mental health of incarcerated people: a global call to action. Lancet Psychiatry, the, 2018, 5, 391-392.	7.4	21
439	Improving access to psychological therapies in England. Lancet, The, 2018, 391, 636-637.	13.7	21
440	Household economic costs associated with mental, neurological and substance use disorders: a cross-sectional survey in six low- and middle-income countries. BJPsych Open, 2019, 5, e34.	0.7	21
441	Ethnic density and other neighbourhood associations for mortality in severe mental illness: a retrospective cohort study with multi-level analysis from an urbanised and ethnically diverse location in the UK. Lancet Psychiatry,the, 2019, 6, 506-517.	7.4	21
442	Perception of healthcare workers on mobile app-based clinical guideline for the detection and treatment of mental health problems in primary care: a qualitative study in Nepal. BMC Medical Informatics and Decision Making, 2021, 21, 21.	3.0	21
443	An integrated community and primary healthcare worker intervention to reduce stigma and improve management of common mental disorders in rural India: protocol for the SMART Mental Health programme. Trials, 2021, 22, 179.	1.6	21
444	Institutional injustice: Implications for system transformation emerging from the mental health recovery narratives of people experiencing marginalisation. PLoS ONE, 2021, 16, e0250367.	2.5	21
445	How many psychiatric beds?. BMJ: British Medical Journal, 1994, 309, 970-971.	2.3	21
446	A decision aid to assist decisions on disclosure of mental health status to an employer: protocol for the CORAL exploratory randomised controlled trial. BMC Psychiatry, 2012, 12, 133.	2.6	20
447	Discrimination reported by people with major depressive disorder – Authors' reply. Lancet, The, 2013, 381, 1181-1182.	13.7	20
448	Discussion of the updated WHO recommendations for mental, neurological, and substance use disorders. Lancet Psychiatry,the, 2016, 3, 1008-1012.	7.4	20
449	Coping with stigma and discrimination: evidence from mental health service users in England. Epidemiology and Psychiatric Sciences, 2018, 27, 577-588.	3.9	20
450	Burden of Mental, Neurological, Substance Use Disorders and Self-Harm in North America: A Comparative Epidemiology of Canada, Mexico, and the United States. Canadian Journal of Psychiatry, 2020, 65, 070674371989016.	1.9	20

#	Article	IF	CITATIONS
451	Supervised discharge orders in England. Psychiatric Bulletin, 1999, 23, 199-203.	0.3	20
452	The NHS and Community Care Act, 1990. Psychiatric Bulletin, 1994, 18, 13-17.	0.3	19
453	Comparing needs assessed by staff and by service users: paternalism or partnership in mental health?. Epidemiologia E Psichiatria Sociale, 2002, 11, 186-191.	0.9	19
454	Community Mental Health Care in the Future. Journal of Nervous and Mental Disease, 2014, 202, 507-512.	1.0	19
455	Reviving the  double jeopardy' hypothesis: Physical health inequalities, ethnicity and severe mental illness. British Journal of Psychiatry, 2016, 209, 183-185.	2.8	19
456	Costs of the police service and mental healthcare pathways experienced by individuals with enduring mental health needs. British Journal of Psychiatry, 2017, 210, 157-164.	2.8	19
457	Feasibility of WHO mhGAP-intervention guide in reducing experienced discrimination in people with mental disorders: a pilot study in a rural Kenyan setting. Epidemiology and Psychiatric Sciences, 2019, 28, 156-167.	3.9	19
458	Viewpoint: <scp>WHO World Mental Health Surveys International College Student</scp> initiative: Implementation issues in low―and middle―ncome countries. International Journal of Methods in Psychiatric Research, 2019, 28, e1756.	2.1	19
459	Predicting the Costs of Community Care for Individuals With Severe Mental Illness in South London. Schizophrenia Bulletin, 2001, 27, 653-660.	4.3	18
460	Mental health in Europe. BMJ: British Medical Journal, 2005, 330, 613-614.	2.3	18
461	Health system strengthening for mental health in low- and middle-income countries: introduction to the Emerald programme. BJPsych Open, 2019, 5, e66.	0.7	18
462	Mental health of people detained within the justice system in Africa: systematic review and meta-analysis. International Journal of Mental Health Systems, 2019, 13, 31.	2.7	18
463	Changes in treatment status of patients with severe mental illness in rural China, 1994–2015. BJPsych Open, 2019, 5, e31.	0.7	18
464	Feasibility and effectiveness of nurses and clinical officers in implementing the WHO mhGAP intervention guide: Pilot study in Makueni County, Kenya. General Hospital Psychiatry, 2019, 59, 20-29.	2.4	18
465	How do ethnicity and deprivation impact on life expectancy at birth in people with serious mental illness? Observational study in the UK. Psychological Medicine, 2021, 51, 2581-2589.	<b>4.</b> 5	18
466	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial Journal of Affective Disorders, 2021, 282, 112-121.	4.1	18
467	Emergency psychiatric services in England and Wales. BMJ: British Medical Journal, 1995, 311, 287-288.	2.3	18
468	Perspectives of healthcare providers, service users, and family members about mental illness stigma in primary care settings: A multi-site qualitative study of seven countries in Africa, Asia, and Europe. PLoS ONE, 2021, 16, e0258729.	2.5	18

#	Article	IF	CITATIONS
469	Testing and Retesting Assertive Community Treatment. Psychiatric Services, 2000, 51, 703-703.	2.0	17
470	Clinical assessment of risk decision support (CARDS): The development and evaluation of a feasible violence risk assessment for routine psychiatric practice. Journal of Mental Health, 2004, 13, 569-581.	1.9	17
471	Ethnic Differences in Mental Health Service Use Among Patients with Psychotic Disorders. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 771-776.	3.1	17
472	Comparative quality of life in patients with depression and rheumatoid arthritis. International Review of Psychiatry, 2011, 23, 118-124.	2.8	17
473	No time to lose: onset and treatment delay for mental disorders. Epidemiology and Psychiatric Sciences, 2012, 21, 59-61.	3.9	17
474	Understanding the phenomenology of borderline personality disorder from the patient's perspective. Journal of Mental Health, 2014, 23, 78-82.	1.9	17
475	Health equity and mental health in post-2015 sustainable development goals. Lancet Psychiatry,the, 2015, 2, 12-14.	7.4	17
476	Developing mental health research in sub-Saharan Africa: capacity building in the AFFIRM project. Global Mental Health (Cambridge, England), 2016, 3, e33.	2.5	17
477	Mental health capacity building in low and middle income countries: the Emerald Programme. Epidemiology and Psychiatric Sciences, 2018, 27, 1-2.	3.9	17
478	A systematic review of frameworks for the interrelationships of mental health evidence and policy in low- and middle-income countries. Health Research Policy and Systems, 2018, 16, 85.	2.8	17
479	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. BJPsych Open, 2019, 5, e67.	0.7	17
480	Mental Health Service Users' Perceptions of Stigma, From the General Population and From Mental Health Professionals in Mexico: A Qualitative Study. Community Mental Health Journal, 2021, 57, 985-993.	2.0	17
481	Care management and mental health BMJ: British Medical Journal, 1993, 306, 768-771.	2.3	16
482	Community beds: the future for mental health care?. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 241-243.	3.1	16
483	Strategies of measurement and analyses. , 1996, , 121-142.		16
484	Individual patient outcomes., 1996,, 281-295.		16
485	Social networks and service utilisation in patients with severe mental illness. Epidemiologia E Psichiatria Sociale Monograph Supplement, 1997, 6, 113-125.	0.0	16
486	The effectiveness of joint crisis plans for people with borderline personality disorder: protocol for an exploratory randomised controlled trial. Trials, 2010, 11, 18.	1.6	16

#	Article	IF	CITATIONS
487	Corporate social responsibility and mental health: The Premier League football Imagine Your Goals programme. International Review of Psychiatry, 2014, 26, 460-466.	2.8	16
488	Nature and impact of European anti-stigma depression programmes. Health Promotion International, 2014, 29, 403-413.	1.8	16
489	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 627-638.	3.1	16
490	Improving adherence in mental health service users with severe mental illness in South Africa: a pilot randomized controlled trial of a treatment partner and text message intervention vs. treatment as usual. BMC Research Notes, 2017, 10, 584.	1.4	16
491	Mental health stigma in Ukraine: cross-sectional survey. Global Mental Health (Cambridge, England), 2021, 8, e11.	2.5	16
492	The true global disease burden of mental illness: still elusive. Lancet Psychiatry, the, 2022, 9, 98-100.	7.4	16
493	Job share a consultant post BMJ: British Medical Journal, 1992, 305, 1413-1415.	2.3	15
494	Ethnic differences among a community cohort of individuals with dual diagnosis in South London. Journal of Mental Health, 2006, 15, 551-567.	1.9	15
495	A randomised controlled trial of assertive outreach vs. treatment as usual for black people with severe mental illness. Epidemiology and Psychiatric Sciences, 2011, 20, 83-89.	3.9	15
496	Social capital and reported discrimination among people with depression in 15 European countries. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1589-1598.	3.1	15
497	Analysis of the barriers of mental distress disclosure in medical inpatients in Taiwan. International Journal of Social Psychiatry, 2015, 61, 446-455.	3.1	15
498	Implementing a data sharing culture. Epidemiology and Psychiatric Sciences, 2016, 25, 289-290.	3.9	15
499	Does the United Nations care about mental health?. Lancet Psychiatry,the, 2016, 3, 599-600.	7.4	15
500	Factors associated with experienced discrimination among people using mental health services in England. Journal of Mental Health, 2016, 25, 350-358.	1.9	15
501	Mental health information systems in resource-challenged countries: experiences from India. BJPsych International, 2018, 15, 43-46.	1.4	15
502	People with severe mental illness as the perpetrators and victims of violence: time for a new public health approach. Lancet Public Health, The, 2020, 5, e72-e73.	10.0	15
503	"We Are Not Really Marketing Mental Health― Mental Health Advocacy in Zimbabwe. PLoS ONE, 2016, 11, e0161860.	2.5	15
504	A guide to systems-level, participatory, theory-informed implementation research in global health. BMJ Global Health, 2021, 6, e005365.	4.7	15

#	Article	IF	Citations
505	Defining the needs of patients with intellectual disabilities in the high security psychiatric hospitals in England. Journal of Intellectual Disability Research, 2004, 48, 603-610.	2.0	14
506	Redeveloping Secure Psychiatric Services for Women. Medicine, Science and the Law, 2005, 45, 331-339.	1.0	14
507	Individualisation in crisis planning for people with psychotic disorders. Epidemiology and Psychiatric Sciences, 2014, 23, 353-359.	3.9	14
508	Community mental health: a brief, global perspective. Neurology Psychiatry and Brain Research, 2016, 22, 101-104.	2.0	14
509	Satisfaction with psychiatric in-patient care as rated by patients at discharge from hospitals in 11 countries. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 989-1003.	3.1	14
510	Evidence for interventions to promote mental health and reduce stigma in Black faith communities: systematic review. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 895-911.	3.1	14
511	Caregiving in severe mental illness: conceptualisation and measurement., 1996,, 296-316.		13
512	Lessons from Community Mental Health to Drive Implementation in Health Care Systems for People with Long-Term Conditions. International Journal of Environmental Research and Public Health, 2014, 11, 4714-4728.	2.6	13
513	How Does a Decision Aid Help People Decide Whether to Disclose a Mental Health Problem to Employers? Qualitative Interview Study. Journal of Occupational Rehabilitation, 2015, 25, 403-411.	2.2	13
514	Measuring the economic costs of discrimination experienced by people with mental health problems: development of the Costs of Discrimination Assessment (CODA). Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 787-795.	3.1	13
515	Lean economies and innovation in mental health systems. Lancet, The, 2016, 387, 1356-1358.	13.7	13
516	The economic costs of mental healthâ€related discrimination. Acta Psychiatrica Scandinavica, 2016, 134, 34-44.	4.5	13
517	Tackling inequalities: a partnership between mental health services and black faith communities. Journal of Mental Health, 2019, 28, 225-228.	1.9	13
518	Evaluation of performance and perceived utility of mental healthcare indicators in routine health information systems in five low- and middle-income countries. BJPsych Open, 2019, 5, e70.	0.7	13
519	Improving recruitment to healthcare research studies: clinician judgements explored for opting mental health service users out of the time to change viewpoint survey. Journal of Mental Health, 2019, 28, 42-48.	1.9	13
520	Development of the Family Stigma Stress Scale (FSSS) for Detecting Stigma Stress in Caregivers of People With Mental Illness. Evaluation and the Health Professions, 2019, 42, 148-168.	1.9	13
521	Private inpatient psychiatric care BMJ: British Medical Journal, 1990, 300, 892-892.	2.3	12
522	Home treatment teams and facilitated discharge from psychiatric hospital. Epidemiology and Psychiatric Sciences, 2015, 24, 402-414.	3.9	12

#	Article	IF	Citations
523	Care for bipolar disorder in LMICs needs evidence from local settings. Lancet Psychiatry, the, 2015, 2, 772-773.	7.4	12
524	Experience of implementing new mental health indicators within information systems in six low- and middle-income countries. BJPsych Open, 2019, 5, e71.	0.7	12
525	Ukrainian mental health services and World Psychiatric Association Expert Committee recommendations. Lancet Psychiatry,the, 2020, 7, 738-740.	7.4	12
526	EPA guidance on the quality of mental health services: A systematic meta-review and update of recommendations focusing on care coordination. European Psychiatry, 2020, 63, e75.	0.2	12
527	Opportunities, Enablers, and Barriers to the Use of Recorded Recovery Narratives in Clinical Settings. Frontiers in Psychiatry, 2020, 11, 589731.	2.6	12
528	Widespread collapse, glimpses of revival: a scoping review of mental health policy and service development in Central Asia. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1329-1340.	3.1	12
529	Stigma against mental health disorders in Nepal conceptualised with a †what matters most†framework: a scoping review. Epidemiology and Psychiatric Sciences, 2022, 31, e11.	3.9	12
530	Case managers for the mentally ill. Social Psychiatry and Psychiatric Epidemiology, 1990, 25, 141-143.	3.1	11
531	The longer term outcomes of community care: a 12 year follow-up of the Camberwell High Contact Survey. Psychological Medicine, 2001, 31, 351-359.	4.5	11
532	Re-visiting the need for High Security Psychiatric Hospitals in England. Journal of Forensic Psychiatry and Psychology, 2004, 15, 197-207.	1.0	11
533	Evaluation of Greek psychiatric reforms: methodological issues. International Journal of Mental Health Systems, 2013, 7, 11.	2.7	11
534	Time-related changes in suicide attempts after the nuclear accident in Fukushima. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 1911-1918.	3.1	11
535	Using GRADE to update WHO recommendations for MNS. Lancet Psychiatry, the, 2015, 2, 1054-1056.	7.4	11
536	Deinstitutionalisation does not increase imprisonment or homelessness. British Journal of Psychiatry, 2016, 208, 412-413.	2.8	11
537	Joint Decision Making and Reduced Need for Compulsory Psychiatric Admission. JAMA Psychiatry, 2016, 73, 647.	11.0	11
538	Experience of the Time to Change programme in England as predictor of mental health service users' stigma coping strategies. Epidemiology and Psychiatric Sciences, 2017, 26, 517-525.	3.9	11
539	Knowledge, contact and stigma of mental illness: Comparing three stakeholder groups in Hong Kong. International Journal of Social Psychiatry, 2022, 68, 365-375.	3.1	11
540	Characteristics of people with severe mental illness who obtain employment. The Psychiatrist, 2010, 34, 47-50.	0.3	11

#	Article	IF	Citations
541	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. Global Health Action, 2022, 15, 1987044.	1.9	11
542	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. Lancet Psychiatry,the, 2022, 9, 59-71.	7.4	11
543	Greek mental health reform: views and perceptions of professionals and service users. Psychiatrikē = Psychiatriki, 2013, 24, 37-44.	0.6	11
544	Community supervision orders BMJ: British Medical Journal, 1993, 307, 1213-1213.	2.3	10
545	Consultant psychiatrists' experiences of using supervised discharge Results of a national survey. Psychiatric Bulletin, 2000, 24, 412-415.	0.3	10
546	Creating the infrastructure for mental health research. Psychiatric Bulletin, 2002, 26, 403-406.	0.3	10
547	The development of crisis resolution and home treatment teams. , 2008, , 9-22.		10
548	Implications of long-term conditions for both mental and physical health: comparison of rheumatoid arthritis and schizophrenia. Quality of Life Research, 2009, 18, 699-707.	3.1	10
549	Unmet needs of male prisoners under the care of prison Mental Health Inreach Services. Journal of Forensic Psychiatry and Psychology, 2012, 23, 285-296.	1.0	10
550	Global priorities of civil society for mental health services: findings from a 53 country survey. World Psychiatry, 2014, 13, 198-200.	10.4	10
551	Suicide in a rural area of coastal Kenya. BMC Psychiatry, 2018, 18, 267.	2.6	10
552	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. BJPsych Open, 2019, 5, e72.	0.7	10
553	Rural vs urban residence and experience of discrimination among people with severe mental illnesses in Ethiopia. BMC Psychiatry, 2019, 19, 340.	2.6	10
554	Gaps and challenges: WHO treatment recommendations for tobacco cessation and management of substance use disorders in people with severe mental illness. BMC Psychiatry, 2020, 20, 237.	2.6	10
555	Health and social needs of the long-term mentally ill. Current Opinion in Psychiatry, 1995, 8, 126-129.	6.3	10
556	Uptake of welfare benefits by psychiatric patients. Psychiatric Bulletin, 1995, 19, 411-413.	0.3	10
557	Anti-stigma training and positive changes in mental illness stigma outcomes in medical students in ten countries: a mediation analysis on pathways via empathy development and anxiety reduction. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1861-1873.	3.1	10
558	An informal introduction to graphical modelling. , 1996, , 156-175.		9

#	Article	IF	CITATIONS
559	Comments on the UK700 case management trial. British Journal of Psychiatry, 2000, 177, 371-371.	2.8	9
560	Lines of resistance: Exploring professionals' views of compulsory community supervision. Journal of Mental Health, 2002, 11, 177-190.	1.9	9
561	The needs of males detained under the legal category of †psychopathic disorder†in high security: Implications for policy and service development. Journal of Forensic Psychiatry and Psychology, 2005, 16, 523-537.	1.0	9
562	Development of the ITHACA Toolkit for monitoring human rights and general health care in psychiatric and social care institutions. Epidemiology and Psychiatric Sciences, 2013, 22, 241-254.	3.9	9
563	Depression prevention and mental health promotion interventions: is stigma taken into account? An overview of the Italian initiatives. Epidemiology and Psychiatric Sciences, 2013, 22, 363-374.	3.9	9
564	Are community mental health services relevant in low- and middle-income countries?. Epidemiology and Psychiatric Sciences, 2014, 23, 115-118.	3.9	9
565	Customising informed consent procedures for people with schizophrenia in India. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1527-1536.	3.1	9
566	Informed, advance refusals of treatment by people with severe mental illness in a randomised controlled trial of joint crisis plans: demand, content and correlates. BMC Psychiatry, 2017, 17, 376.	2.6	9
567	Changing patterns of mental health knowledge in rural Kenya after intervention using the WHO mhGAP-Intervention Guide. Psychological Medicine, 2019, 49, 2227-2236.	4.5	9
568	On the need for epidemiology in psychiatric sciences. Epidemiology and Psychiatric Sciences, 2020, 29, e1.	3.9	9
569	Stigmatisation of People with Mental Illness and of Psychiatric Institutions. International Library of Ethics, Law, and the New Medicine, 2010, , 11-32.	0.5	9
570	Community care and management of schizophrenia. Current Opinion in Psychiatry, 1998, 11, 49-54.	6.3	9
571	The TAPS Project. 22: A five-year follow-up of long-stay psychiatric patients discharged to the community. The British Journal of Psychiatry Supplement, 1994, , 13-7.	0.1	9
572	Effect of a contact-based education intervention on reducing stigma among community health and care staff in Beijing, China: Pilot randomized controlled study. Asian Journal of Psychiatry, 2022, 73, 103096.	2.0	9
573	Mental health stigma and discrimination in Ethiopia: evidence synthesis to inform stigma reduction interventions. International Journal of Mental Health Systems, 2022, 16, .	2.7	9
574	Rural mental health. Psychiatric Bulletin, 1998, 22, 273-277.	0.3	8
575	Psychiatric patients at greatest risk and in greatest need. British Journal of Psychiatry, 2000, 177, 33-37.	2.8	8
576	Health services research: Is there anything to learn from mental health?. Journal of Health Services Research and Policy, 2005, 10, 1-2.	1.7	8

#	Article	IF	Citations
577	Mental health disability discrimination. International Journal of Discrimination and the Law, 2014, 14, 168-182.	0.9	8
578	Challenges to estimating the true global burden of mental disorders – Authors' reply. Lancet Psychiatry,the, 2016, 3, 403-404.	7.4	8
579	Mass media campaigns to reduce mental health stigma in Bangladesh. Lancet Psychiatry,the, 2018, 5, 616.	7.4	8
580	Early Intervention Services for First Episode of Psychosis in South London and the Maudsley (SLaM): 20 Years of Care and Research for Young People. Frontiers in Psychiatry, 2020, 11, 577110.	2.6	8
581	Implementation science protocol for a participatory, theory-informed implementation research programme in the context of health system strengthening in sub-Saharan Africa (ASSET-ImplementER). BMJ Open, 2021, 11, e048742.	1.9	8
582	Adjusting for underenumeration in the 1991 census. BMJ: British Medical Journal, 1995, 311, 394-394.	2.3	8
583	PrincÃpios que deveriam nortear as polÃŧicas de saúde mental em paÃses de baixa e média rendas. Revista Brasileira De Psiquiatria, 2010, 32, 212-213.	1.7	8
584	Effectiveness of enhancing contact model on reducing stigma of mental illness among family caregivers of persons with schizophrenia in rural China: A cluster randomized controlled trial. The Lancet Regional Health - Western Pacific, 2022, 22, 100419.	2.9	8
585	Cognitive impairment and clozapine. British Journal of Psychiatry, 1994, 164, 132-133.	2.8	7
586	Managing severe mental illness in the community using the Mental Health Act 1983: a comparison of Supervised Discharge and Guardianship in England. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 508-515.	3.1	7
587	Mental health and human rights: the MI Principles-turning rhetoric into action. International Review of Psychiatry, 2002, 14, 19-25.	2.8	7
588	Public attitudes, stigma and discrimination against people with mental illness., 2008,, 179-197.		7
589	There is no wealth without mental health. Lancet Psychiatry, the, 2014, 1, 252-253.	7.4	7
590	The importance of mental health in the Sustainable Development Goals. BJPsych International, 2015, 12, 2-4.	1.4	7
591	Severe mental disorders in rural China: a longitudinal survey. Lancet, The, 2017, 390, S37.	13.7	7
592	Mental health of UK Members of Parliament in the House of Commons: a cross-sectional survey. BMJ Open, 2019, 9, e027892.	1.9	7
593	Household poverty in people with severe mental illness in rural China: 1994–2015. BJPsych Open, 2020, 6, e111.	0.7	7
594	The EVITA framework for evidence-based mental health policy agenda setting in low- and middle-income countries. Health Policy and Planning, 2020, 35, 424-439.	2.7	7

#	Article	lF	CITATIONS
595	Mental illness related discrimination: The role of self-devaluation and anticipated discrimination for decreased well-being Stigma and Health, 2019, 4, 11-18.	1.7	7
596	The EPSILON Study - a study of care for people with schizophrenia in five European centres. World Psychiatry, 2002, 1, 45-7.	10.4	7
597	Employees with mental health problems: Survey of U.K. employers' knowledge, attitudes and workplace practices. Epidemiologia E Psichiatria Sociale, 2010, 19, 326-32.	0.9	7
598	Mental health stigma at primary health care centres in Lebanon: qualitative study. International Journal of Mental Health Systems, 2022, 16, 23.	2.7	7
599	The Evaluation of Mental Health Care Transformation in the Cities of Europe. International Journal of Social Psychiatry, 1992, 38, 40-49.	3.1	6
600	The iceberg tip and the rest. Mental health care for people with schizophrenia in five European centres. Epidemiologia E Psichiatria Sociale, 2002, 11, 6-11.	0.9	6
601	The Draft Mental Health Bill in England: without principles. Psychiatric Bulletin, 2005, 29, 244-247.	0.3	6
602	European mental health policy: the key issue is social inclusion. European Journal of Public Health, 2011, 21, 548-549.	0.3	6
603	Adaptation of the Barriers to Access to Care Evaluation (BACE) scale to the Brazilian social and cultural context. Trends in Psychiatry and Psychotherapy, 2013, 35, 287-291.	0.8	6
604	Development of mental health indicators at the district level in Madhya Pradesh, India: mixed methods study. BMC Health Services Research, 2018, 18, 867.	2.2	6
605	Reported and intended behavior towards people with mental health problems in Argentina. International Journal of Mental Health, 2018, 47, 215-227.	1.3	6
606	Early intervention in psychosis during the COVID-19 pandemic: Maudsley recommendations. European Neuropsychopharmacology, 2021, 47, 130-135.	0.7	6
607	Safety of Psychotropic Medications in People With COVID-19: Evidence Review and Practical Recommendations. Focus (American Psychiatric Publishing), 2020, 18, 466-481.	0.8	6
608	The case for catchment areas for mental health services. Psychiatric Bulletin, 1995, 19, 343-345.	0.3	6
609	Perspectives of university health care students on mental health stigma in Nigeria: Qualitative analysis. Transcultural Psychiatry, 2023, 60, 272-285.	1.6	6
610	Evaluation of an anti-stigma intervention for Mexican psychiatric trainees. Pilot and Feasibility Studies, 2022, 8, 5.	1,2	6
611	Mental healthcare in primary and community-based settings: evidence beyond the WHO Mental Health Gap Action Programme (mhGAP) Intervention Guide. Evidence-Based Mental Health, 2022, 25, e1-e7.	4.5	6
612	Compulsory treatment in the community for the mentally ill?. BMJ: British Medical Journal, 1987, 295, 1562-1563.	2.3	5

#	Article	IF	Citations
613	Progress Towards DHSS Targets for Community Care. British Journal of Psychiatry, 1988, 153, 257-258.	2.8	5
614	Transfer between psychiatric hospitals: symptom, social function and patient attitude changes in long-term patients. Social Psychiatry and Psychiatric Epidemiology, 1991, 26, 217-220.	3.1	5
615	Background and goals of evaluative research in community psychiatry., 1996,, 19-36.		5
616	A brief mental health outcome scale: relationships between scale scores and diagnostic/sociodemographic variables in the long-term mentally ill. Journal of Psychiatric and Mental Health Nursing, 1996, 3, 89-93.	2.1	5
617	The ethical base of mental health service research. Recent developments in mental health service research in the UK. Acta Psychiatrica Scandinavica, 2000, 101, 42-46.	4.5	5
618	The development of a Local Index of Need (LIN) and its use to explain variations in social services expenditure on mental health care in England. Health and Social Care in the Community, 2006, 14, 254-263.	1.6	5
619	Stigma and schizophrenia – Authors' reply. Lancet, The, 2009, 373, 1336-1337.	13.7	5
620	Millennium development goals: lessons for global mental health. Epidemiology and Psychiatric Sciences, 2015, 24, 458-460.	3.9	5
621	Reform of Italian forensic mental health care. Challenges and opportunities following Law 81/2014. International Journal of Prisoner Health, 2018, 14, 1-3.	0.9	5
622	Patterns of Treatment and Barriers to Care in Posttraumatic Stress Disorder., 0,, 137-152.		5
623	Self-Contempt as a Predictor of Suicidality. Journal of Nervous and Mental Disease, 2019, 207, 1056-1057.	1.0	5
624	Safeguarding the physical health of people with severe mental disorders during the COVID-19 pandemic. BJPsych Bulletin, 2020, 44, 223-224.	1.1	5
625	Evaluation of a new set of indicators for mental health care implemented in Madhya Pradesh, India: a mixed methods study. International Journal of Mental Health Systems, 2020, 14, 7.	2.7	5
626	Republished: Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3 <sup>rd</sup> edition. Indian Journal of Social Psychiatry, 2016, 32, 196.	0.3	5
627	Mental health BMJ: British Medical Journal, 1991, 303, 410-412.	2.3	4
628	Sectorised services outcome research. , 1996, , 197-212.		4
629	Needs assessment., 1996,, 317-338.		4
630	Le statut de la désinstitutionnalisation en Grande-Bretagne. Sante Mentale Au Quebec, 1997, 22, 88-114.	0.1	4

#	Article	lF	CITATIONS
631	The unmet needs of people suffering from schizophrenia. , 2000, , 197-217.		4
632	The conduct of successful multi-site EU collaborative research: the Epsilon Study. Epidemiologia E Psichiatria Sociale, $2002,11,2\text{-}5.$	0.9	4
633	Is NHS Direct meeting the needs of mental health callers?. Journal of Mental Health, 2003, 12, 19-27.	1.9	4
634	Integration of the crisis resolution function within community mental health teams. , 2008, , 235-250.		4
635	The Camberwell Elderly Mentally Ill and Their Needs for Services. International Journal of Social Psychiatry, 2009, 55, 82-90.	3.1	4
636	A new mental health strategy for England. BMJ: British Medical Journal, 2011, 342, d1346-d1346.	2.3	4
637	Report From England I. Journal of Nervous and Mental Disease, 2012, 200, 843-846.	1.0	4
638	What do people in forensic secure and community settings think of their personality disorder diagnosis? A qualitative study. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1161-1168.	3.1	4
639	Critical Time Intervention: a qualitative study of the perspectives of prisoners and staff. Journal of Forensic Psychiatry and Psychology, 2020, 31, 76-89.	1.0	4
640	Announcing the Lancet Commission on stigma and discrimination in mental health. Lancet, The, 2020, 396, 1543-1544.	13.7	4
641	Cross-sectional study of mental health related knowledge and attitudes among care assistant workers in Guangzhou, China. International Journal of Mental Health Systems, 2021, 15, 17.	2.7	4
642	Adaptation of the World Health Organization Electronic Mental Health Gap Action Programme Intervention Guide App for Mobile Devices in Nepal and Nigeria: Protocol for a Feasibility Cluster Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e24115.	1.0	4
643	Translation and validation of the Arabic version of the barrier to access to care evaluation (BACE) scale. Mental Health and Social Inclusion, 2021, 25, 352-365.	0.6	4
644	The Time to Change Programme to Reduce Stigma and Discrimination in England and Its Wider Context. , 2017, , 339-356.		4
645	Using the crisis. , 1995, , 116-148.		4
646	Acute home-based care and community psychiatry. , 1995, , 276-297.		4
647	Mental health service users' responses to anticipated discrimination and the Time to Change program in England. European Psychiatry, 2021, 64, e5.	0.2	4
648	The management of individuals with enduring moderate to severe mental health needs: a participatory evaluation of client journeys and the interface of mental health services with the criminal justice system in Cornwall. Health Services and Delivery Research, 2015, 3, 1-232.	1.4	4

#	Article	IF	CITATIONS
649	Management by geographical area or management specialised by disorder? A mixed-methods evaluation of the effects of an organisational intervention on secondary mental health care for common mental disorder. Health Services and Delivery Research, 2016, 4, 1-114.	1.4	4
650	Padrão global de discriminação experimentada e antecipada contra pessoas com esquizofrenia: estudo transversal. Revista Latinoamericana De Psicopatologia Fundamental, 2009, 12, 141-160.	0.0	4
651	The TAPS Project. 9: The reliability of the Patient Attitude Questionnaire. The British Journal of Psychiatry Supplement, 1993, , 25-9.	0.1	4
652	Are England's Psychiatric Services for Schizophrenia Improving?. Psychiatric Services, 1990, 41, 1073-1075.	2.0	3
653	Designing precise instruments for focused international mental health service research. Social Psychiatry and Psychiatric Epidemiology, 1994, 29, 197-197.	3.1	3
654	Social indicators of outcome at the system level. , 1996, , 228-244.		3
655	The uses and limitations of mental health service needs indices. British Journal of Psychiatry, 1996, 169, 792-792.	2.8	3
656	Developments in mental health policy in the United Kingdom. Epidemiologia E Psichiatria Sociale, 1996, 5, 87-91.	0.9	3
657	Annotation: the importance of transitional care in reducing homelessness American Journal of Public Health, 1997, 87, 158-159.	2.7	3
658	Health economics. British Journal of Psychiatry, 1997, 171, 191-193.	2.8	3
659	Can deinstitutionalised care be provided for those at risk of violent offending?. Epidemiologia E Psichiatria Sociale, 1998, 7, 42-51.	0.9	3
660	Homicides and community care: the evidence. British Journal of Psychiatry, 1999, 174, 564-565.	2.8	3
661	The needs of elderly graduates. , 1999, 14, 984-985.		3
662	Social deprivation and the use of secure psychiatric beds. Journal of Forensic Psychiatry Psychology, 2001, 12, 434-445.	0.3	3
663	The classic home treatment studies. , 0, , 37-50.		3
664	An empirical method to identify patterns in the course of psychotic episodes of people with schizophrenia. International Journal of Methods in Psychiatric Research, 2009, 18, 265-278.	2.1	3
665	Sex, relationships and mental health. Life in the Day, 2009, 13, 27-30.	0.2	3
666	Strengthening the Evidence Base to Support PSAs. Psychiatric Services, 2012, 63, 3-3.	2.0	3

#	Article	IF	Citations
667	Recruiting South Asians into a UK Mental Health Randomised Controlled Trial: Experiences of Field Researchers. Journal of Racial and Ethnic Health Disparities, 2014, 1, 181-193.	3.2	3
668	The Economic Impact of Mental Health Stigma. , 2017, , 401-414.		3
669	Public anti-stigma programmes might impove help-seeking. British Journal of Psychiatry, 2017, 211, 182-182.	2.8	3
670	Discrimination and Stigma., 2017, , 123-139.		3
671	Global mental health – Authors' reply. Lancet, The, 2019, 394, 119.	13.7	3
672	Barriers to care among people with schizophrenia attending a tertiary psychiatric hospital in Nigeria. South African Journal of Psychiatry, 2019, 25, 1392.	0.4	3
673	Reducing mental health-related stigma in primary health care settings in low- and middle-income countries: a systematic review – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2020, 29, .	3.9	3
674	EVITA 2.0, an updated framework for understanding evidence-based mental health policy agenda-setting: tested and informed by key informant interviews in a multilevel comparative case study. Health Research Policy and Systems, 2021, 19, 35.	2.8	3
675	Fighting Mental Illness-Related Stigma: What We Have Learned. , 2019, , 621-635.		3
676	Users' perspective on emergency needs., 1995,, 39-60.		3
677	Family placement schemes as an alternative to short-term hospitalisation., 1995,, 259-275.		3
678	The Syndemic Approach in relation to Clinical Practice and Research in Psychiatry. Consortium Psychiatricum, 2020, 1, 3-6.	0.7	3
679	Protocol for process evaluation of SMART Mental Health cluster randomised control trial: an intervention for management of common mental disorders in India. BMJ Open, 2022, 12, e058669.	1.9	3
680	Implementation strategy in collaboration with people with lived experience of mental illness to reduce stigma among primary care providers in Nepal (RESHAPE): protocol for a type 3 hybrid implementation effectiveness cluster randomized controlled trial. Implementation Science, 2022, 17, .	6.9	3
681	Setting Mental Health Targets for England. Psychiatric Services, 1992, 43, 1069-1072.	2.0	2
682	Legal landmark for community care of former psychiatric patients BMJ: British Medical Journal, 1993, 307, 248-250.	2.3	2
683	Dynamic analysis of patterns of care. , 1996, , 213-227.		2
684	Psychiatric admission rates: the relationship with health and social factors and the effects of confounding variables., 1996,, 245-256.		2

#	Article	IF	CITATIONS
685	Social deprivation and the use of secure psychiatric beds. Journal of Forensic Psychiatry Psychology, 2001, 12, 434-445.	0.3	2
686	Community Mental Health Care: Promises and Pitfalls. , 0, , 131-170.		2
687	Researchable questions to support evidence-based mental health policy concerning adult mental illness. Psychiatric Bulletin, 2002, 26, 364-367.	0.3	2
688	Joint crisis plans for people with psychosis: economic evaluation of a randomized controlled trial. BMC Psychiatry, 2007, 7, .	2.6	2
689	Comment on the evaluation of the Time to Change anti-stigma campaign. The Psychiatrist, 2010, 34, 541-542.	0.3	2
690	Completing the unfinished revolution in mental health. BMJ: British Medical Journal, 2011, 343, d7490-d7490.	2.3	2
691	Challenging Mental Health Discrimination in Employment. Journal of Workplace Rights, 2013, 17, 137-152.	0.2	2
692	Interventions for people with schizophrenia and their caregivers in India – Authors' reply. Lancet, The, 2014, 384, 231-232.	13.7	2
693	Michele Tansella 1942–2015. Epidemiology and Psychiatric Sciences, 2015, 24, 461-463.	3.9	2
694	An architect for mental health: An appreciation of Michele Tansella. British Journal of Psychiatry, 2017, 210, 379-380.	2.8	2
695	Are Social Networks Useful to Challenge Stigma Attached to Mental Disorders? Findings from the Time to Change Social Marketing Campaign 2009–2014. European Psychiatry, 2017, 41, S89-S89.	0.2	2
696	Maudsley International: improving mental health and well-being around the world. BJPsych International, 2018, 15, 49-51.	1.4	2
697	Principle of gradient rationality: Revisiting stigma and conceptualizing its guiding mechanism. Social Science and Medicine, 2020, 245, 112716.	3.8	2
698	Alcohol consumption of UK members of parliament: cross-sectional survey. BMJ Open, 2020, 10, e034929.	1.9	2
699	Assessing Needs for Mental Health Services. , 2010, , 217-226.		2
700	Community assessment of crisis. , 1995, , 149-174.		2
701	Maintaining an emergency service. , 1995, , 197-212.		2
702	Psychiatric emergencies in the casualty department., 1995,, 213-232.		2

#	Article	IF	CITATIONS
703	Acute in-patient wards., 1995, , 320-339.		2
704	Assessment: from theory to practice. British Journal of Psychiatry, 2000, 176, 394-395.	2.8	2
705	Mexican Psychiatric Trainees' Attitudes Towards People with Mental Illness: A Qualitative Study. Community Mental Health Journal, 2021, , 1.	2.0	2
706	Private inpatient psychiatric care. BMJ: British Medical Journal, 1990, 300, 892.	2.3	2
707	Mental health. Everybody needs good neighbours. The Health Service Journal, 1996, 106, 32-3.	0.0	2
708	A UK perspective of case management. Australian and New Zealand Journal of Psychiatry, 2002, 36, 701-2; author reply 702.	2.3	2
709	Tackling discrimination. Mental Health Today (brighton, England), 2006, , 26-9.	0.0	2
710	Contemporary Psychiatry in China. International Journal of Mental Health, 1987, 16, 86-94.	1.3	1
711	Private inpatient psychiatric care. BMJ: British Medical Journal, 1990, 300, 1272-1272.	2.3	1
712	Research designs for the evaluation of services. , 1996, , 37-49.		1
713	The Mannheim Project. , 1996, , 82-95.		1
714	Randomised controlled trials of programmes. , 1996, , 259-280.		1
715	The history and development of community psychiatry. European Psychiatry, 1998, 13, 179s-179s.	0.2	1
716	The Mark of Shame: Stigma of Mental Illness and an Agenda for Change By Stephen P. Hinshaw. Oxford University Press. 2007. 352pp. £19.99 (hb). ISBN 0195308441. British Journal of Psychiatry, 2008, 193, 173-173.	2.8	1
717	Olson RP. Mental health systems compared European Journal of Public Health, 2008, 18, 428-428.	0.3	1
718	Responding to diversity in home treatment. , 2008, , 205-222.		1
719	Working with repeat users of crisis resolution services. , 2008, , 197-204.		1
720	The COPSI Trial: additional fidelity testing needed – Authors' reply. Lancet, The, 2014, 384, 1573-1574.	13.7	1

#	Article	IF	Citations
721	Service Use., 0,, 314-323.		1
722	Failure to tackle suicide inequalities across Europe. British Journal of Psychiatry, 2018, 212, 331-332.	2.8	1
723	Inside Ukrainian social care homes. Lancet, The, 2019, 394, 2209-2211.	13.7	1
724	Predictors of receiving a diagnosis, referral and treatment of depression in people on antiretroviral therapy in South African primary care: a secondary analysis of data from a randomised trial. Tropical Medicine and International Health, 2020, 25, 1450-1466.	2.3	1
725	Establishing a local emergency service. , 1995, , 177-196.		1
726	Acute crisis respite care., 1995,, 233-258.		1
727	Service users' experience of violence within a mental health system: A study using grounded theory approach. Journal of Mental Health, 2001, 10, 597-611.	1.9	1
728	GPs need training in care programme approach more than in supervised discharge. BMJ: British Medical Journal, 1997, 315, 61-62.	2.3	1
729	Nordic European countries. , 1999, , 228-242.		1
730	Population and Community Platform Interventions., 2016,, 183-200.		1
731	Editorial: Mental Health Reform and a Window of Opportunity for Community Mental Health. Israel Journal of Psychiatry, 2016, 53, 3-5.	0.2	1
732	Validation of the spanish version of the discrimination and stigma scale (DISC 12). Actas Espanolas De Psiquiatria, 2019, 47, 137-48.	0.1	1
733	Measuring discrimination experienced by people with a mental illness: replication of the short-form DISCUS in six world regions. Psychological Medicine, 2023, 53, 3963-3973.	4.5	1
734	Contemporary psychiatry in China BMJ: British Medical Journal, 1986, 292, 813-815.	2.3	0
735	Discharge of long-stay psychiatric patients. Bulletin of the Royal College of Psychiatrists, 1987, 11, 431-432.	0.0	0
736	Altering behaviorâ€"The ethics of controlled experience. Behaviour Research and Therapy, 1988, 26, 362-363.	3.1	0
737	The halfway house. Behaviour Research and Therapy, 1989, 27, 699.	3.1	0
738	The future of Britain's mental hospitals. BMJ: British Medical Journal, 1989, 299, 1525-1525.	2.3	0

#	Article	IF	CITATIONS
739	Community Based Psychiatry: Long-term Patterns of Care in South Verona. Psychological Medicine Monograph Supplement 19. Edited by M. Tansella. (Pp. 54; illustrated; £4.95.) Cambridge University Press: Cambridge. 1991 Psychological Medicine, 1992, 22, 525-526.	4.5	0
740	Predicting psychiatric admission rates. BMJ: British Medical Journal, 1992, 304, 1511-1511.	2.3	0
741	Targeting mental health services to severe mental illness. Epidemiologia E Psichiatria Sociale, 1995, 4, 181-186.	0.9	0
742	The Copenhagen Community Psychiatric Project (CCPP)., 1996,, 67-81.		0
743	Psychiatric evaluation as a process of quality assurance. , 1996, , 96-118.		0
744	Experimental and quasi-experimental design in evaluative research., 1996,, 143-155.		0
745	Programme-level and system-level health economics. , 1996, , 341-364.		0
746	Evaluation and public policy., 1996,, 50-64.		0
747	Extending the use of standardised instruments in mental health service research. Social Psychiatry and Psychiatric Epidemiology, 1996, 31, 49-49.	3.1	0
748	Trends & Perspectives in Mental Health Care from Research to Practice. European Psychiatry, 1997, 12, 110s-110s.	0.2	0
749	Developments in UK services - a UK perspective. International Review of Psychiatry, 2000, 12, 233-239.	2.8	0
750	S02.02 Epsilon study of schizophrenia: Outcome measures, care and service costs. European Psychiatry, 2000, 15, 215s-215s.	0.2	0
751	S25.01 The epsilon study of schizophrenia in five European countries. European Psychiatry, 2000, 15, 264s-264s.	0.2	0
752	How to set up and evaluate a community mental health service for the severely mentally ill. European Psychiatry, 2002, 17, 265s-265s.	0.2	0
<b>75</b> 3	The implications of epidemiology for service planning in schizophrenia. , 2002, , 411-426.		O
754	Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenic in fünf europäschen Zentren. Zeitschrift Fur Gesundheitswissenschaften, 2002, 10, 72-94.	1.6	0
755	Assessing the needs of pregnant women and mothers with severe mental illness. European Psychiatry, 2007, 22, S87-S88.	0.2	0
756	How to set up and evaluate a community mental health service for people with severe mentally illness. European Psychiatry, 2007, 22, S100.	0.2	0

#	Article	IF	CITATIONS
757	Joint Crisis Plans reduce coercive treatment. BMC Psychiatry, 2007, 7, .	2.6	O
758	Multidimensional Outcomes in â€~Real World' Mental Health Services. Follow-up Findings from the South Verona Outcome Project. Edited by A. Lasalvia and M. Ruggeri. Acta Psychiatrica Scandinavica Supplementum no. 437, volume 116. Blackwell. 2007 Psychological Medicine, 2008, 38, 1516-1517.	4.5	O
759	Integrating crisis residential care and crisis resolution teams. , 2008, , 283-292.		o
760	Assessment and management of risk. , 2008, , 111-120.		0
761	Beginning the journey:. , 2008, , 1-4.		0
762	Mental health of the population and care in the community. , 2008, , 5-18.		0
763	The historical context. , 2008, , 19-30.		0
764	The ethical base for mental health care. , 2008, , 31-48.		0
765	The evidence base for mental health care. , 2008, , 49-70.		0
766	The geographical dimension:., 2008,, 97-104.		0
767	The geographical dimension:., 2008, , 111-120.		0
768	The time dimension: the input phase., 0,, 121-128.		0
769	The time dimension: the process phase. , 0, , 129-140.		O
770	The time dimension:. , 2008, , 141-152.		0
771	Informed actions for better mental health care. , 2008, , 165-177.		0
772	Assessment of crises. , 0, , 97-110.		0
773	Community psychiatry and service delivery models. , 2008, , 498-514.		0
774	Determinants of wanting to seek full versus part-time paid employment among people with severe mental illness. Journal of Mental Health, 2009, 18, 424-432.	1.9	0

#	Article	IF	CITATIONS
775	Reported Stigma and Discrimination by People with a Diagnosis of Schizophrenia – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2011, 20, 379-379.	3.9	O
776	EPA-1382 – Idea inpatient discharge project: experiences and analysis. European Psychiatry, 2014, 29, 1.	0.2	0
777	008.2â€Stigma predicts severity of major depressive disorder in women living with hiv in rural india. Sexually Transmitted Infections, 2015, 91, A42.3-A43.	1.9	O
778	WHO Director-General candidates: where does mental health feature? Lancet, The, 2017, 389, 34-35.	13.7	0
779	Satisfaction with psychiatric in-patient care across 11 countries: Final report of the IDEA-study (inpatient discharge: experiences and analysis). European Psychiatry, 2017, 41, S338-S338.	0.2	O
780	33.4 UNDER WHAT CONDITIONS DO YOUNG PEOPLE DISCLOSE THEIR DIFFICULTIES? SUBJECTIVE EXPERIENCES OF YOUNG PEOPLE AT RISK OF DEVELOPING PSYCHIATRIC DISORDER. Schizophrenia Bulletin, 2018, 44, S55-S55.	4.3	0
781	Improve access to quality primary care for patients with anxiety or depression – Authors' reply. Lancet, The, 2018, 392, 1308-1309.	13.7	O
782	Development of the Camberwell Assessment of Need (CAN)., 2020,, 4-5.		0
783	Camberwell Assessment of Need – Clinical (CAN-C), 2nd Edition. , 2020, , 22-26.		O
784	Camberwell Assessment of Need – Research (CAN-R), 2nd Edition. , 2020, , 27-32.		0
785	Training Programme for the Camberwell Assessment of Need (CAN). , 2020, , 33-38.		O
786	Camberwell Assessment of Need Short Appraisal Schedule – Patient (CANSAS-P), 2nd Edition. , 2020, , 18-21.		0
787	Introduction to the Camberwell Assessment of Need (CAN), 2nd Edition. , 2020, , 1-3.		О
788	Frequently Asked Questions About the Camberwell Assessment of Need (CAN)., 2020,, 39-45.		0
789	Camberwell Assessment of Need Short Appraisal Schedule (CANSAS), 2nd Edition., 2020, , 14-17.		О
790	Research and Practice Using the CAN: Evidence Review., 2020,, 6-13.		0
791	Latent structure and factor reliability of the National Health Service Community Mental Health Service User Questionnaire. Journal of Mental Health, 2021, , 1-7.	1.9	О
792	Policies, Plans, and Programs. , 0, , 90-96.		0

#	Article	IF	Citations
793	Some wobbly planks in the platform of mental health care. , 0, , 394-402.		O
794	â€~New long-stay' patients and social deprivation. British Journal of Psychiatry, 1990, 156, 592-592.	2.8	0
795	Computer Applications in Psychiatry and Psychology. Edited by David Baskin. New York: Bronner/Mazel. 1990. 127 pp. \$23.95 British Journal of Psychiatry, 1990, 157, 790-790.	2.8	0
796	[No Title] - Mental Health Programme in Poland. Published by the Institute of Psychiatry and Neurology, Warsaw, 1992. Psychiatric Bulletin, 1994, 18, 125-125.	0.3	0
797	The economics of mental health emergency services. , 1995, , 81-95.		0
798	Acute day hospital care. , 1995, , 298-319.		0
799	The future of mental health emergency services. , 1995, , 340-347.		0
800	Service models in emergency psychiatry: an international review., 1995,, 16-38.		0
801	The scope and limitations of emergency mental health services in the community. , 1995, , 3-15.		0
802	CHALLENGE OF IMPLEMENTATION., 1995, , 175-176.		0
803	PRINCIPLES AND POLICIES., 1995, , 1-2.		O
804	Suicide prevention., 1995,, 96-115.		0
805	Legal aspects of mental health emergencise. , 1995, , 61-80.		0
806	The historical context., 1999,, 24-38.		0
807	The process phase. , 1999, , 78-89.		0
808	The matrix model as a pragmatic guide to improve services. , 1999, , 263-266.		0
809	The country / regional level. , 1999, , 41-47.		0
810	Community, mental health services and the public health. , 1999, , 9-23.		0

#	Article	IF	CITATIONS
811	Planning based on evidence and on ethical principles. , 1999, , 158-174.		O
812	The evidence base for mental health services. , 1999, , 109-124.		0
813	Key resources: training and morale of staff. , 1999, , 142-157.		0
814	The input phase., 1999,, 67-77.		0
815	The local level. , 1999, , 48-55.		0
816	The outcome phase. , 1999, , 90-106.		0
817	The matrix model: the temporal dimension. , 1999, , 65-66.		0
818	Foreword Professor Sir David Goldberg. , 1999, , xiii-xvi.		0
819	The patient level. , 1999, , 56-64.		0
820	Preface <i>Professor Leon Eisenberg </i> , 1999, , xvii-xx.		0
821	Aims, concepts and structure of the book. , 1999, , 3-8.		0
822	Developing quality standards for mental healthcare in low- and middle-income countries. Psychiatrie (Stuttgart, Germany), 2015, 12, 52-53.	0.0	0
823	O-90â€Randomised controlled trial of joint crisis plans to reduce compulsory treatment for people with psychosis: Clinical outcomes and implementation. BMJ Supportive and Palliative Care, 2015, 5, A28.3-A28.	1.6	0
824	Mental Health Care in 11 Major Cities Over Two Decades. Mental Health and Illness Worldwide, 2017, , 1-60.	0.1	0
825	Mental Health Care in 11 Major Cities Over Two Decades. Mental Health and Illness Worldwide, 2017, , 223-282.	0.1	0
826	The EVITA evidence action tool to improve evidence-based policymaking for public mental health. European Journal of Public Health, 2020, 30, .	0.3	0
827	Homelessness, outreach and advocacy: Current themes in North American community psychiatry. Bulletin of the Royal College of Psychiatrists, 1988, 12, 286-288.	0.0	0
828	Chinese and English Psychiatric Nurses' Attitudes on Schizophrenia. Bulletin of the Royal College of Psychiatrists, 1987, 11, 87-89.	0.0	0

#	ARTICLE	IF	CITATIONS
829	The needs of elderly graduates. International Journal of Geriatric Psychiatry, 1999, 14, 984-5.	2.7	0
830	Developments in UK services - a UK perspective. International Review of Psychiatry, 2000, 12, 233-239.	2.8	0
831	MENTAL HEALTH OF HEALTHCARE WORKERS DURING COVID-19 PANDEMIC IN UKRAINE. Proceedings of the Shevchenko Scientific Society Medical Sciences, 2022, 66, .	0.3	0