

# Clifford Bucknall

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7497947/clifford-bucknall-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17  
papers

740  
citations

11  
h-index

19  
g-index

19  
ext. papers

807  
ext. citations

7  
avg. IF

2.74  
L-index

#	Paper	IF	Citations
17	Laser lead extraction to facilitate cardiac implantable electronic device upgrade and revision in the presence of central venous obstruction. <i>Europace</i> , <b>2014</b> , 16, 81-7	3.9	37
16	Percutaneous extraction of cardiac implantable electronic devices (CIEDs) in octogenarians. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2012</b> , 35, 841-9	1.6	11
15	Benefits of endocardial and multisite pacing are dependent on the type of left ventricular electric activation pattern and presence of ischemic heart disease: insights from electroanatomic mapping. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2012</b> , 5, 889-97	6.4	58
14	Percutaneous lead and system extraction in patients with cardiac resynchronization therapy (CRT) devices and coronary sinus leads. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2011</b> , 34, 1209-16	1.6	24
13	A simultaneous X-Ray/MRI and noncontact mapping study of the acute hemodynamic effect of left ventricular endocardial and epicardial cardiac resynchronization therapy in humans. <i>Circulation: Heart Failure</i> , <b>2011</b> , 4, 170-9	7.6	51
12	Pacemaker and defibrillator lead extraction: predictors of mortality during follow-up. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2010</b> , 33, 209-16	1.6	53
11	Extraction of chronic pacemaker and defibrillator leads from the coronary sinus: laser infrequently used but required. <i>Europace</i> , <b>2009</b> , 11, 213-5	3.9	37
10	Pocket infection related to retained products of pacing. <i>Europace</i> , <b>2008</b> , 10, 1122-3	3.9	
9	A system for real-time XMR guided cardiovascular intervention. <i>IEEE Transactions on Medical Imaging</i> , <b>2005</b> , 24, 1428-40	11.7	140
8	Simulation of the Electromechanical Activity of the Heart Using XMR Interventional Imaging. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 786-794	0.9	6
7	Can we predict which patients with implantable cardioverter defibrillators receive appropriate shock therapy? A study of 155 patients. <i>International Journal of Cardiology</i> , <b>2003</b> , 88, 69-75	3.2	10
6	Images in clinical medicine. Aspergilloma as a complication of pacemaker implantation. <i>New England Journal of Medicine</i> , <b>2002</b> , 346, 428	59.2	10
5	Cardiac resynchronization therapy in advanced heart failure the multicenter InSync clinical study. <i>European Journal of Heart Failure</i> , <b>2002</b> , 4, 311-20	12.3	201
4	Is mode switching beneficial? A randomized study in patients with paroxysmal atrial tachyarrhythmias. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 30, 496-504	15.1	79
3	Dual sensor VVIR mode pacing: is it worth it?. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1996</b> , 19, 1560-7	1.6	11
2	Evaluation of a new pacing algorithm to prevent rapid tracking of atrial tachyarrhythmias. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1996</b> , 19, 1714-8	1.6	3
1	Quantitative analysis of contribution of rate response in three different ventricular rate responsive pacemakers during out of hospital activity. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>1990</b> , 13, 37-44	1.6	8

