

# Carlo Sala

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7498130/publications.pdf>

Version: 2024-02-01

122  
papers

11,659  
citations

36203

51  
h-index

29081

104  
g-index

178  
all docs

178  
docs citations

178  
times ranked

13928  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rescuing epileptic and behavioral alterations in a Dravet syndrome mouse model by inhibiting eukaryotic elongation factor 2 kinase (eEF2K). <i>Molecular Autism</i> , 2022, 13, 1.	2.6	10
2	Phelan-McDermid syndrome: a classification system after 30 years of experience. <i>Orphanet Journal of Rare Diseases</i> , 2022, 17, 27.	1.2	32
3	The development of ADAM10 endocytosis inhibitors for the treatment of Alzheimer's disease. <i>Molecular Therapy</i> , 2022, 30, 2474-2490.	3.7	15
4	Developmental impaired Akt signaling in the Shank1 and Shank3 double knock-out mice. <i>Molecular Psychiatry</i> , 2021, 26, 1928-1944.	4.1	26
5	Activation of the medial preoptic area (MPOA) ameliorates loss of maternal behavior in a Shank2 mouse model for autism. <i>EMBO Journal</i> , 2021, 40, e104267.	3.5	16
6	N-methyl-d-aspartate receptor function in neuronal and synaptic development and signaling. <i>Current Opinion in Pharmacology</i> , 2021, 56, 93-101.	1.7	23
7	Editorial: Dendritic Spines: From Biophysics to Neuropathology. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 652117.	1.3	2
8	Another step toward understanding brain functional connectivity alterations in autism. <i>Journal of Neurochemistry</i> , 2021, 159, 12-14.	2.1	4
9	Restoring glutamate receptor dynamics at synapses rescues autism-like deficits in Shank3-deficient mice. <i>Molecular Psychiatry</i> , 2021, 26, 7596-7609.	4.1	25
10	A literature overview on epilepsy and inflammasome activation. <i>Brain Research Bulletin</i> , 2021, 172, 229-235.	1.4	19
11	Modelling genetic mosaicism of neurodevelopmental disorders in vivo by a Cre-amplifying fluorescent reporter. <i>Nature Communications</i> , 2020, 11, 6194.	5.8	8
12	Human induced pluripotent stem cells technology in treatment resistant depression: novel strategies and opportunities to unravel ketamine's fast-acting antidepressant mechanisms. <i>Therapeutic Advances in Psychopharmacology</i> , 2020, 10, 204512532096833.	1.2	4
13	Eukaryotic Elongation Factor 2 Kinase a Pharmacological Target to Regulate Protein Translation Dysfunction in Neurological Diseases. <i>Neuroscience</i> , 2020, 445, 42-49.	1.1	15
14	The Synaptic and Neuronal Functions of the X-linked Intellectual Disability Protein Interleukin-1 Receptor Accessory Protein Like 1 (IL1RAPL1). <i>Developmental Neurobiology</i> , 2019, 79, 85-95.	1.5	27
15	High-Aspect-Ratio Semiconducting Polymer Pillars for 3D Cell Cultures. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 28125-28137.	4.0	33
16	SynGO: An Evidence-Based, Expert-Curated Knowledge Base for the Synapse. <i>Neuron</i> , 2019, 103, 217-234.e4.	3.8	518
17	IL-38 Ameliorates Skin Inflammation and Limits IL-17 Production from Th17 T Cells. <i>Cell Reports</i> , 2019, 27, 835-846.e5.	2.9	68
18	The Up and Down of the N-Methyl-D-Aspartate Receptor That Causes Autism. <i>Biological Psychiatry</i> , 2019, 85, 530-531.	0.7	1

#	ARTICLE	IF	CITATIONS
19	Different attentional dysfunctions in <i>eEF2K</i> <sup>+/+</sup> , <i>IL1RAPL1</i> <sup>+/+</sup> and <i>SHANK3</i> <sup>+/+</sup> mice. <i>Genes, Brain and Behavior</i> , 2019, 18, e12563.	1.1	7
20	Adipocyte proteome and secretome influence inflammatory and hormone pathways in glioma. <i>Metabolic Brain Disease</i> , 2019, 34, 141-152.	1.4	17
21	SHANK genes in autism: Defining therapeutic targets. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 84, 416-423.	2.5	45
22	IL-38 Restricts Skin Inflammation and Anti-Tumor Immunity by Limiting IL-17 Production from T Cells. <i>SSRN Electronic Journal</i> , 2018, .	0.4	1
23	SOD1 stimulates lamellipodial protrusions in Neuro 2A cell lines. <i>Communicative and Integrative Biology</i> , 2018, 11, 1-7.	0.6	0
24	eEF2K/eEF2 Pathway Controls the Excitation/Inhibition Balance and Susceptibility to Epileptic Seizures. <i>Cerebral Cortex</i> , 2017, 27, bhw075.	1.6	57
25	Homer1 Scaffold Proteins Govern Ca <sup>2+</sup> Dynamics in Normal and Reactive Astrocytes. <i>Cerebral Cortex</i> , 2017, 27, 2365-2384.	1.6	37
26	Pharmacological enhancement of mGlu5 receptors rescues behavioral deficits in SHANK3 knock-out mice. <i>Molecular Psychiatry</i> , 2017, 22, 689-702.	4.1	134
27	Epilepsy and intellectual disability linked protein Shrm4 interaction with GABABRs shapes inhibitory neurotransmission. <i>Nature Communications</i> , 2017, 8, 14536.	5.8	31
28	Homer1b/c clustering is impaired in Phelan-McDermid Syndrome iPSCs derived neurons. <i>Molecular Psychiatry</i> , 2017, 22, 637-637.	4.1	4
29	The X-Linked Intellectual Disability Protein IL1RAPL1 Regulates Dendrite Complexity. <i>Journal of Neuroscience</i> , 2017, 37, 6606-6627.	1.7	36
30	Fluorescent nanodiamond tracking reveals intraneuronal transport abnormalities induced by brain-disease-related genetic risk factors. <i>Nature Nanotechnology</i> , 2017, 12, 322-328.	15.6	111
31	Proteomic Analysis of Post-synaptic Density Fractions from Shank3 Mutant Mice Reveals Brain Region Specific Changes Relevant to Autism Spectrum Disorder. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 26.	1.4	66
32	Modelling Autistic Neurons with Induced Pluripotent Stem Cells. <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2017, 224, 49-64.	1.0	5
33	Mutations in Synaptic Adhesion Molecules. , 2016, , 161-175.		0
34	The differential role of cortical protein synthesis in taste memory formation and persistence. <i>Npj Science of Learning</i> , 2016, 1, 16001.	1.5	21
35	Cilial degeneration with oxidative damage drives neuronal demise in MPSII disease. <i>Cell Death and Disease</i> , 2016, 7, e2331-e2331.	2.7	27
36	Shank synaptic scaffold proteins: keys to understanding the pathogenesis of autism and other synaptic disorders. <i>Journal of Neurochemistry</i> , 2015, 135, 849-858.	2.1	152

#	ARTICLE	IF	CITATIONS
37	Novel IL1RAPL1 mutations associated with intellectual disability impair synaptogenesis. <i>Human Molecular Genetics</i> , 2015, 24, 1106-1118.	1.4	31
38	Elongation factor-2 phosphorylation in dendrites and the regulation of dendritic mRNA translation in neurons. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 35.	1.8	84
39	LRRK2 kinase activity regulates synaptic vesicle trafficking and neurotransmitter release through modulation of LRRK2 macro-molecular complex. <i>Frontiers in Molecular Neuroscience</i> , 2014, 7, 49.	1.4	82
40	Structural and Functional Organization of the Postsynaptic Density. , 2014, , 129-153.		2
41	Functional and molecular defects of hiPSC-derived neurons from patients with ATM deficiency. <i>Cell Death and Disease</i> , 2014, 5, e1342-e1342.	2.7	31
42	Spikar speaks to spines and nuclei. <i>Journal of Neurochemistry</i> , 2014, 128, 473-475.	2.1	0
43	Phosphorylation of neuronal Lysine-specific Demethylase 1LSD1/KDM1A impairs transcriptional repression by regulating interaction with CoREST and histone deacetylases HDAC1/2. <i>Journal of Neurochemistry</i> , 2014, 128, 603-616.	2.1	112
44	Leucine-Rich Repeat Kinase 2 Binds to Neuronal Vesicles through Protein Interactions Mediated by Its C-Terminal WD40 Domain. <i>Molecular and Cellular Biology</i> , 2014, 34, 2147-2161.	1.1	91
45	Dendritic Spines: The Locus of Structural and Functional Plasticity. <i>Physiological Reviews</i> , 2014, 94, 141-188.	13.1	399
46	A Cell Surface Biotinylation Assay to Reveal Membrane-associated Neuronal Cues: Negr1 Regulates Dendritic Arborization. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 733-748.	2.5	57
47	Molecular basis for prospective pharmacological treatment strategies in intellectual disability syndromes. <i>Developmental Neurobiology</i> , 2014, 74, 197-206.	1.5	8
48	A Non-Canonical Initiation Site Is Required for Efficient Translation of the Dendritically Localized Shank1 mRNA. <i>PLoS ONE</i> , 2014, 9, e88518.	1.1	20
49	Expression of Cocaine-Evoked Synaptic Plasticity by GluN3A-Containing NMDA Receptors. <i>Neuron</i> , 2013, 80, 1025-1038.	3.8	97
50	Mutations of the synapse genes and intellectual disability syndromes. <i>European Journal of Pharmacology</i> , 2013, 719, 112-116.	1.7	17
51	Developmental vulnerability of synapses and circuits associated with neuropsychiatric disorders. <i>Journal of Neurochemistry</i> , 2013, 126, 165-182.	2.1	106
52	SHANK3 Gene Mutations Associated with Autism Facilitate Ligand Binding to the Shank3 Ankyrin Repeat Region. <i>Journal of Biological Chemistry</i> , 2013, 288, 26697-26708.	1.6	52
53	Comparative neuronal differentiation of self-renewing neural progenitor cell lines obtained from human induced pluripotent stem cells. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 175.	1.8	28
54	The neuropeptide <u>PACAP38</u> induces dendritic spine remodeling through ADAM10/N-Cadherin signaling pathway. <i>Journal of Cell Science</i> , 2012, 125, 1401-6.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Antiangiogenic Therapy for Glioma. <i>Journal of Signal Transduction</i> , 2012, 2012, 1-15.	2.0	28
56	The X-Linked Intellectual Disability Protein TSPAN7 Regulates Excitatory Synapse Development and AMPAR Trafficking. <i>Neuron</i> , 2012, 73, 1143-1158.	3.8	97
57	Synaptic Dysfunction and Intellectual Disability. <i>Advances in Experimental Medicine and Biology</i> , 2012, 970, 433-449.	0.8	36
58	Molecular and synaptic defects in intellectual disability syndromes. <i>Current Opinion in Neurobiology</i> , 2012, 22, 530-536.	2.0	32
59	CDKL5 ensures excitatory synapse stability by reinforcing NGL-1-PSD95 interaction in the postsynaptic compartment and is impaired in patient iPSC-derived neurons. <i>Nature Cell Biology</i> , 2012, 14, 911-923.	4.6	231
60	Scaffold Proteins at the Postsynaptic Density. <i>Advances in Experimental Medicine and Biology</i> , 2012, 970, 29-61.	0.8	67
61	Postsynaptic molecular mechanisms. Preface. <i>Advances in Experimental Medicine and Biology</i> , 2012, 970, v-vi.	0.8	2
62	Importance of Shank3 Protein in Regulating Metabotropic Glutamate Receptor 5 (mGluR5) Expression and Signaling at Synapses. <i>Journal of Biological Chemistry</i> , 2011, 286, 34839-34850.	1.6	180
63	A circadian clock in hippocampus is regulated by interaction between oligophrenin-1 and Rev-erb1. <i>Nature Neuroscience</i> , 2011, 14, 1293-1301.	7.1	57
64	LRRK2 Controls Synaptic Vesicle Storage and Mobilization within the Recycling Pool. <i>Journal of Neuroscience</i> , 2011, 31, 2225-2237.	1.7	240
65	The X-linked intellectual disability protein IL1RAPL1 regulates excitatory synapse formation by binding PTPI and RhoGAP2. <i>Human Molecular Genetics</i> , 2011, 20, 4797-4809.	1.4	97
66	A Postsynaptic Signaling Pathway that May Account for the Cognitive Defect Due to IL1RAPL1 Mutation. <i>Current Biology</i> , 2010, 20, 103-115.	1.8	106
67	Combination of temozolomide with immunocytokine F16-IL2 for the treatment of glioblastoma. <i>British Journal of Cancer</i> , 2010, 103, 827-836.	2.9	53
68	Anti-Angiogenic Therapy Induces Integrin-Linked Kinase 1 Up-Regulation in a Mouse Model of Glioblastoma. <i>PLoS ONE</i> , 2010, 5, e13710.	1.1	4
69	Synaptic Activity Controls Dendritic Spine Morphology by Modulating eEF2-Dependent BDNF Synthesis. <i>Journal of Neuroscience</i> , 2010, 30, 5830-5842.	1.7	128
70	Alternative Splicing of the Histone Demethylase LSD1/KDM1 Contributes to the Modulation of Neurite Morphogenesis in the Mammalian Nervous System. <i>Journal of Neuroscience</i> , 2010, 30, 2521-2532.	1.7	138
71	Synaptic Localization and Activity of ADAM10 Regulate Excitatory Synapses through N-Cadherin Cleavage. <i>Journal of Neuroscience</i> , 2010, 30, 16343-16355.	1.7	102
72	Neuronal JNK pathway activation by IL-1 is mediated through IL1RAPL1, a protein required for development of cognitive functions. <i>Communicative and Integrative Biology</i> , 2010, 3, 245-247.	0.6	32

#	ARTICLE	IF	CITATIONS
73	Regulated RalBP1 Binding to RalA and PSD-95 Controls AMPA Receptor Endocytosis and LTD. <i>PLoS Biology</i> , 2009, 7, e1000187.	2.6	57
74	Combined targeting of interleukin-6 and vascular endothelial growth factor potently inhibits glioma growth and invasiveness. <i>International Journal of Cancer</i> , 2009, 125, 1054-1064.	2.3	98
75	The Postsynaptic Density Proteins Homer and Shank Form a Polymeric Network Structure. <i>Cell</i> , 2009, 137, 159-171.	13.5	324
76	1TA3-02 The Postsynaptic Density Proteins Homer and Shank Form a Polymeric Network Structure(The Tj ETQq0 0,0 rgBT /Oylock 10	0.0	0
77	A dimerizable cationic lipid with potential for gene delivery. <i>Journal of Gene Medicine</i> , 2008, 10, 637-645.	1.4	24
78	Paralemmin-1, a Modulator of Filopodia Induction Is Required for Spine Maturation. <i>Molecular Biology of the Cell</i> , 2008, 19, 2026-2038.	0.9	54
79	Smaller Dendritic Spines, Weaker Synaptic Transmission, but Enhanced Spatial Learning in Mice Lacking Shank1. <i>Journal of Neuroscience</i> , 2008, 28, 1697-1708.	1.7	321
80	Molecular mechanisms of dendritic spine development and maintenance. <i>Acta Neurobiologiae Experimentalis</i> , 2008, 68, 289-304.	0.4	26
81	Proteomic Analysis of Activity-Dependent Synaptic Plasticity in Hippocampal Neurons. <i>Journal of Proteome Research</i> , 2007, 6, 3203-3215.	1.8	40
82	Synapse-Associated Protein-97 Mediates $\hat{A}$ -Secretase ADAM10 Trafficking and Promotes Its Activity. <i>Journal of Neuroscience</i> , 2007, 27, 1682-1691.	1.7	164
83	SAP97 Directs the Localization of Kv4.2 to Spines in Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2007, 282, 28691-28699.	1.6	40
84	Extracellular Interactions between GluR2 and N-Cadherin in Spine Regulation. <i>Neuron</i> , 2007, 54, 461-477.	3.8	313
85	The fragile X mental retardation protein RNP granules show an mGluR-dependent localization in the post-synaptic spines. <i>Molecular and Cellular Neurosciences</i> , 2007, 34, 343-354.	1.0	108
86	Dimerizable Redox-Sensitive Triazine-Based Cationic Lipids for in vitro Gene Delivery. <i>ChemMedChem</i> , 2007, 2, 292-296.	1.6	38
87	DNA methylation regulates tissue-specific expression of Shank3. <i>Journal of Neurochemistry</i> , 2007, 101, 1380-1391.	2.1	67
88	A Preformed Complex of Postsynaptic Proteins Is Involved in Excitatory Synapse Development. <i>Neuron</i> , 2006, 49, 547-562.	3.8	188
89	Regulation of Dendritic Spine Morphology and Synaptic Function By Scaffolding Proteins. , 2006, , 261-276.		0
90	Organization of the Presynaptic Active Zone by ERC2/CAST1-Dependent Clustering of the Tandem PDZ Protein Syntenin-1. <i>Journal of Neuroscience</i> , 2006, 26, 963-970.	1.7	41

#	ARTICLE	IF	CITATIONS
91	Key Role of the Postsynaptic Density Scaffold Proteins Shank and Homer in the Functional Architecture of Ca <sup>2+</sup> Homeostasis at Dendritic Spines in Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2005, 25, 4587-4592.	1.7	150
92	Shank Expression Is Sufficient to Induce Functional Dendritic Spine Synapses in Aspiny Neurons. <i>Journal of Neuroscience</i> , 2005, 25, 3560-3570.	1.7	263
93	NSF interaction is important for direct insertion of GluR2 at synaptic sites. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 650-660.	1.0	41
94	A Functional Role of Postsynaptic Density-95-Guanylate Kinase-Associated Protein Complex in Regulating Shank Assembly and Stability to Synapses. <i>Journal of Neuroscience</i> , 2004, 24, 9391-9404.	1.7	81
95	AMPA Receptor and Synaptic Plasticity. , 2004, , 65-77.		1
96	Induction of dendritic spines by an extracellular domain of AMPA receptor subunit GluR2. <i>Nature</i> , 2003, 424, 677-681.	13.7	285
97	Supramodular structure and synergistic target binding of the N-terminal tandem PDZ domains of PSD-95. <i>Journal of Molecular Biology</i> , 2003, 327, 203-214.	2.0	128
98	Inhibition of Dendritic Spine Morphogenesis and Synaptic Transmission by Activity-Inducible Protein Homer1a. <i>Journal of Neuroscience</i> , 2003, 23, 6327-6337.	1.7	232
99	Molecular Regulation of Dendritic Spine Shape and Function. <i>NeuroSignals</i> , 2002, 11, 213-223.	0.5	27
100	Sharpin, a Novel Postsynaptic Density Protein That Directly Interacts with the Shank Family of Proteins. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 385-397.	1.0	145
101	Modulation of nicotinic acetylcholine receptor turnover by tyrosine phosphorylation in rat myotubes. <i>Neuroscience Letters</i> , 2001, 313, 37-40.	1.0	15
102	Regulation of Dendritic Spine Morphology and Synaptic Function by Shank and Homer. <i>Neuron</i> , 2001, 31, 115-130.	3.8	630
103	PDZ Domains and the Organization of Supramolecular Complexes. <i>Annual Review of Neuroscience</i> , 2001, 24, 1-29.	5.0	1,167
104	Developmentally Regulated NMDA Receptor-Dependent Dephosphorylation of cAMP Response Element-Binding Protein (CREB) in Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2000, 20, 3529-3536.	1.7	185
105	Interaction of the Postsynaptic Density-95/Guanylate Kinase Domain-Associated Protein Complex with a Light Chain of Myosin-V and Dynein. <i>Journal of Neuroscience</i> , 2000, 20, 4524-4534.	1.7	245
106	The fyn art of N-methyl-D-aspartate receptor phosphorylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 335-337.	3.3	37
107	AMPA receptorâ€™PDZ interactions in facilitation of spinal sensory synapses. <i>Nature Neuroscience</i> , 1999, 2, 972-977.	7.1	180
108	Microtubule binding by CRIPT and its potential role in the synaptic clustering of PSD-95. <i>Nature Neuroscience</i> , 1999, 2, 1063-1069.	7.1	102

#	ARTICLE	IF	CITATIONS
109	Shank, a Novel Family of Postsynaptic Density Proteins that Binds to the NMDA Receptor/PSD-95/GKAP Complex and Cortactin. <i>Neuron</i> , 1999, 23, 569-582.	3.8	934
110	Role of subunit composition in determining acetylcholine receptor degradation rates in rat myotubes. <i>Neuroscience Letters</i> , 1998, 256, 1-4.	1.0	3
111	Îµ Subunit-Containing Acetylcholine Receptors in Myotubes Belong to the Slowly Degrading Population. <i>Journal of Neuroscience</i> , 1997, 17, 8937-8944.	1.7	8
112	Expression of two neuronal nicotinic receptor subunits in innervated and denervated adult rat muscle. <i>Neuroscience Letters</i> , 1996, 215, 71-74.	1.0	18
113	N-type Ca <sup>2+</sup> Channels Are Present in Secretory Granules and Are Transiently Translocated to the Plasma Membrane during Regulated Exocytosis. <i>Journal of Biological Chemistry</i> , 1996, 271, 30096-30104.	1.6	53
114	Immunohistochemical localization of neuronal nicotinic receptor subtypes at the pre- and postjunctional sites in mouse diaphragm muscle. <i>Neuroscience Letters</i> , 1995, 196, 13-16.	1.0	49
115	Distribution of Nicotinic Receptors in the Human Hippocampus and Thalamus. <i>European Journal of Neuroscience</i> , 1994, 6, 1596-1604.	1.2	130
116	Distribution of neuronal nicotinic receptor subunits in human brain. <i>Neurochemistry International</i> , 1994, 25, 69-71.	1.9	50
117	Immunolocalisation of chromogranin B, secretogranin II, calcitonin gene-related peptide and substance P at developing and adult neuromuscular synapses. <i>Neuroscience Letters</i> , 1994, 174, 177-180.	1.0	9
118	Tenotomy does not affect cgrp expression at the rat neuromuscular junction. <i>Pharmacological Research</i> , 1992, 25, 117-118.	3.1	1
119	Developmentally regulated expression of calcitonin gene-related peptide at mammalian neuromuscular junction. <i>Journal of Molecular Neuroscience</i> , 1990, 2, 175-184.	1.1	41
120	Morphology and neurophysiology of focal axonal injury experimentally induced in the guinea pig optic nerve. <i>Acta Neuropathologica</i> , 1990, 80, 506-513.	3.9	55
121	Thrombolytic activity of defibrotide: A morphometric evaluation in experimental venous thrombosis. <i>Pharmacological Research</i> , 1989, 21, 293-298.	3.1	11
122	Induction of dendritic spines by an extracellular domain of AMPA receptor subunit GluR2. , 0, .		1