

Tiancong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7498479/publications.pdf>

Version: 2024-02-01

71
papers

6,239
citations

57758

44
h-index

85541

71
g-index

71
all docs

71
docs citations

71
times ranked

8854
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrasmall superparamagnetic iron oxide nanoparticles: A next generation contrast agent for magnetic resonance imaging. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2022, 14, e1740.	6.1	60
2	Anchoring Group-Mediated Radiolabeling of Inorganic Nanoparticles—A Universal Method for Constructing Nuclear Medicine Imaging Nanoprobes. ACS Applied Materials & Interfaces, 2022, 14, 8838-8846.	8.0	19
3	An APN—Activated Chemiluminescent Probe for Image—Guided Surgery of Malignant Tumors. Advanced Optical Materials, 2022, 10, .	7.3	14
4	Quantitative Mapping of Glutathione within Intracranial Tumors through Interlocked MRI Signals of a Responsive Nanoprobe. Angewandte Chemie - International Edition, 2021, 60, 8130-8138.	13.8	57
5	Recent Advances in Renal Clearable Inorganic Nanoparticles for Cancer Diagnosis. Particle and Particle Systems Characterization, 2021, 38, 2000270.	2.3	8
6	Quantitative Mapping of Glutathione within Intracranial Tumors through Interlocked MRI Signals of a Responsive Nanoprobe. Angewandte Chemie, 2021, 133, 8211-8219.	2.0	6
7	A Cyclodextrin—Hosted Ir(III) Complex for Ratiometric Mapping of Tumor Hypoxia In Vivo. Advanced Science, 2021, 8, 2004044.	11.2	22
8	A Pretargeting Strategy Enabled by Bioorthogonal Reactions Towards Advanced Nuclear Medicines: Application and Perspective. Chemical Research in Chinese Universities, 2021, 37, 870-879.	2.6	2
9	Biodegradable Inorganic Nanoparticles for Cancer Theranostics: Insights into the Degradation Behavior. Bioconjugate Chemistry, 2020, 31, 315-331.	3.6	82
10	Doping Lanthanide Nanocrystals With Non-lanthanide Ions to Simultaneously Enhance Up- and Down-Conversion Luminescence. Frontiers in Chemistry, 2020, 8, 832.	3.6	21
11	An MRI contrast agent based on a zwitterionic metal-chelating polymer for hepatorenal angiography and tumor imaging. Journal of Materials Chemistry B, 2020, 8, 6956-6963.	5.8	24
12	Metformin-Induced Stromal Depletion to Enhance the Penetration of Gemcitabine-Loaded Magnetic Nanoparticles for Pancreatic Cancer Targeted Therapy. Journal of the American Chemical Society, 2020, 142, 4944-4954.	13.7	153
13	Nanoparticles weaponized with built—In functions for imaging—guided cancer therapy. View, 2020, 1, e19.	5.3	35
14	Self-Illuminating Agents for Deep-Tissue Optical Imaging. Frontiers in Bioengineering and Biotechnology, 2019, 7, 326.	4.1	23
15	Quantitatively Visualizing Tumor-Related Protease Activity <i>in Vivo</i> Using a Ratiometric Photoacoustic Probe. Journal of the American Chemical Society, 2019, 141, 3265-3273.	13.7	123
16	Coordinatively Unsaturated Fe ³⁺ Based Activatable Probes for Enhanced MRI and Therapy of Tumors. Angewandte Chemie - International Edition, 2019, 58, 11088-11096.	13.8	143
17	Upconversion luminescence mediated photodynamic therapy through hydrophilically engineered porphyrin. Chemical Engineering and Processing: Process Intensification, 2019, 142, 107551.	3.6	9
18	Coordinatively Unsaturated Fe ³⁺ Based Activatable Probes for Enhanced MRI and Therapy of Tumors. Angewandte Chemie, 2019, 131, 11205-11213.	2.0	18

#	ARTICLE	IF	CITATIONS
19	Rational Design and Synthesis of a Metalloproteinase-Activatable Probe for Dual-Modality Imaging of Metastatic Lymph Nodes in Vivo. <i>Journal of Organic Chemistry</i> , 2019, 84, 6126-6133.	3.2	25
20	Multispectral optoacoustic imaging of dynamic redox correlation and pathophysiological progression utilizing upconversion nanoprobes. <i>Nature Communications</i> , 2019, 10, 1087.	12.8	126
21	Emitting/Sensitizing Ions Spatially Separated Lanthanide Nanocrystals for Visualizing Tumors Simultaneously through Up- and Down-Conversion Near-Infrared II Luminescence In Vivo. <i>Small</i> , 2019, 15, e1905344.	10.0	41
22	Timely Visualization of the Collaterals Formed during Acute Ischemic Stroke with Fe ₃ O ₄ Nanoparticle-Based MR Imaging Probe. <i>Small</i> , 2018, 14, e1800573.	10.0	24
23	Recent advancements in biocompatible inorganic nanoparticles towards biomedical applications. <i>Biomaterials Science</i> , 2018, 6, 726-745.	5.4	121
24	Dual-Ratiometric Target-Triggered Fluorescent Probe for Simultaneous Quantitative Visualization of Tumor Microenvironment Protease Activity and pH <i>in Vivo</i> . <i>Journal of the American Chemical Society</i> , 2018, 140, 211-218.	13.7	207
25	Biodegradable Nanoagents with Short Biological Half-Life for SPECT/PAI/MRI Multimodality Imaging and PTT Therapy of Tumors. <i>Small</i> , 2018, 14, 1702700.	10.0	51
26	Detection of lymph node metastasis with near-infrared upconversion luminescent nanoprobes. <i>Nanoscale</i> , 2018, 10, 21772-21781.	5.6	28
27	Ultra-small nanocluster mediated synthesis of Nd ³⁺ -doped core-shell nanocrystals with emission in the second near-infrared window for multimodal imaging of tumor vasculature. <i>Biomaterials</i> , 2018, 175, 30-43.	11.4	81
28	Smart Nanoprobes for Visualization of Tumor Microenvironments. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800391.	7.6	47
29	A Novel Histochemical Staining Approach for Rare-Earth-Based Nanoprobes. <i>Advanced Therapeutics</i> , 2018, 1, 1800005.	3.2	11
30	MRI Probes: Timely Visualization of the Collaterals Formed during Acute Ischemic Stroke with Fe ₃ O ₄ Nanoparticle-Based MR Imaging Probe (Small 23/2018). <i>Small</i> , 2018, 14, 1870108.	10.0	6
31	Molecular Imaging of Vulnerable Atherosclerotic Plaques <i>in Vivo</i> with Osteopontin-Specific Upconversion Nanoprobes. <i>ACS Nano</i> , 2017, 11, 1816-1825.	14.6	91
32	Tumor Microenvironment-Triggered Aggregation of Antiphagocytosis ^{99m} Tc-Labeled Fe ₃ O ₄ Nanoprobes for Enhanced Tumor Imaging In Vivo. <i>Advanced Materials</i> , 2017, 29, 1701095.	21.0	162
33	Fluorometric determination of the antibiotic kanamycin by aptamer-induced FRET quenching and recovery between MoS ₂ nanosheets and carbon dots. <i>Mikrochimica Acta</i> , 2017, 184, 203-210.	5.0	102
34	The Yin and Yang of coordinating co-solvents in the size-tuning of Fe ₃ O ₄ nanocrystals through flow synthesis. <i>Nanoscale</i> , 2017, 9, 18609-18612.	5.6	14
35	MRI/optical dual-modality imaging of vulnerable atherosclerotic plaque with an osteopontin-targeted probe based on Fe ₃ O ₄ nanoparticles. <i>Biomaterials</i> , 2017, 112, 336-345.	11.4	71
36	pH-Responsive Fe(III)-Gallic Acid Nanoparticles for In Vivo Photoacoustic Imaging-Guided Photothermal Therapy. <i>Advanced Healthcare Materials</i> , 2016, 5, 772-780.	7.6	94

#	ARTICLE	IF	CITATIONS
37	Small is Smarter: Nano MRI Contrast Agents – Advantages and Recent Achievements. <i>Small</i> , 2016, 12, 556-576.	10.0	147
38	In vivo covalent cross-linking of photon-converted rare-earth nanostructures for tumour localization and theranostics. <i>Nature Communications</i> , 2016, 7, 10432.	12.8	376
39	Differently sized magnetic/upconversion luminescent NaGdF ₄ :Yb,Er nanocrystals: flow synthesis and solvent effects. <i>Chemical Communications</i> , 2016, 52, 5872-5875.	4.1	28
40	Detection of early primary colorectal cancer with upconversion luminescent NP-based molecular probes. <i>Nanoscale</i> , 2016, 8, 12579-12587.	5.6	36
41	Protease-Activated Ratiometric Fluorescent Probe for pH Mapping of Malignant Tumors. <i>ACS Nano</i> , 2015, 9, 3199-3205.	14.6	102
42	Flow Synthesis of Biocompatible Fe ₃ O ₄ Nanoparticles: Insight into the Effects of Residence Time, Fluid Velocity, and Tube Reactor Dimension on Particle Size Distribution. <i>Chemistry of Materials</i> , 2015, 27, 1299-1305.	6.7	64
43	Ultrasensitive <i>in Vivo</i> Detection of Primary Gastric Tumor and Lymphatic Metastasis Using Upconversion Nanoparticles. <i>ACS Nano</i> , 2015, 9, 2120-2129.	14.6	90
44	No ring without a crown – impact of the nanomaterial-protein corona on nanobiomedicine. <i>Nanomedicine</i> , 2015, 10, 503-519.	3.3	101
45	Chemical Spacer Design for Engineering the Relaxometric Properties of Core–Shell Structured Rare Earth Nanoparticles. <i>Chemistry of Materials</i> , 2015, 27, 7918-7925.	6.7	24
46	Are Rare–Earth Nanoparticles Suitable for In Vivo Applications?. <i>Advanced Materials</i> , 2014, 26, 6922-6932.	21.0	166
47	Upconversion luminescence nanoparticles-based lateral flow immunochromatographic assay for cephalixin detection. <i>Journal of Materials Chemistry C</i> , 2014, 2, 9637-9642.	5.5	48
48	Magnetically engineered Cd-free quantum dots as dual-modality probes for fluorescence/magnetic resonance imaging of tumors. <i>Biomaterials</i> , 2014, 35, 1608-1617.	11.4	110
49	Anchoring Group Effects of Surface Ligands on Magnetic Properties of Fe ₃ O ₄ Nanoparticles: Towards High Performance MRI Contrast Agents. <i>Advanced Materials</i> , 2014, 26, 2694-2698.	21.0	194
50	In situ ¹¹¹ In-doping for achieving biocompatible and non-leachable ¹¹¹ In-labeled Fe ₃ O ₄ nanoparticles. <i>Chemical Communications</i> , 2014, 50, 2170.	4.1	50
51	In vivo multimodality imaging of miRNA-16 iron nanoparticle reversing drug resistance to chemotherapy in a mouse gastric cancer model. <i>Nanoscale</i> , 2014, 6, 14343-14353.	5.6	54
52	Revisiting the coordination chemistry for preparing manganese oxide nanocrystals in the presence of oleylamine and oleic acid. <i>Nanoscale</i> , 2014, 6, 5918.	5.6	34
53	Magnetically Engineered Semiconductor Quantum Dots as Multimodal Imaging Probes. <i>Advanced Materials</i> , 2014, 26, 6367-6386.	21.0	145
54	Magnetic/Upconversion Fluorescent NaGdF ₄ :Yb,Er Nanoparticle-Based Dual-Modal Molecular Probes for Imaging Tiny Tumors <i>in Vivo</i> . <i>ACS Nano</i> , 2013, 7, 7227-7240.	14.6	336

#	ARTICLE	IF	CITATIONS
55	Aqueous Manganese-Doped Core/Shell CdTe/ZnS Quantum Dots with Strong Fluorescence and High Relaxivity. <i>Journal of Physical Chemistry C</i> , 2013, 117, 18752-18761.	3.1	58
56	NaGdF ₄ Nanoparticle-Based Molecular Probes for Magnetic Resonance Imaging of Intraperitoneal Tumor Xenografts <i>in Vivo</i> . <i>ACS Nano</i> , 2013, 7, 330-338.	14.6	207
57	Ultrasmall PEGylated Mn _x Fe _{3-x} O ₄ (x = 0-0.34) nanoparticles: effects of Mn(II) doping on T1- and T2-weighted magnetic resonance imaging. <i>RSC Advances</i> , 2013, 3, 23454.	3.6	19
58	Receptor-Mediated Delivery of Magnetic Nanoparticles across the Blood-Brain Barrier. <i>ACS Nano</i> , 2012, 6, 3304-3310.	14.6	272
59	Surface engineering of gold nanoparticles for <i>in vitro</i> siRNA delivery. <i>Nanoscale</i> , 2012, 4, 5102.	5.6	75
60	Gelification: An Effective Measure for Achieving Differently Sized Biocompatible Fe ₃ O ₄ Nanocrystals through a Single Preparation Recipe. <i>Journal of the American Chemical Society</i> , 2011, 133, 19512-19523.	13.7	66
61	Facile synthesis of ultrasmall PEGylated iron oxide nanoparticles for dual-contrast T ₁ - and T ₂ -weighted magnetic resonance imaging. <i>Nanotechnology</i> , 2011, 22, 245604.	2.6	126
62	Quantum dot-antisense oligonucleotide conjugates for multifunctional gene transfection, mRNA regulation, and tracking of biological processes. <i>Biomaterials</i> , 2011, 32, 1923-1931.	11.4	40
63	One-pot synthesis of PVP-coated Ni _{0.6} Fe _{2.4} O ₄ nanocrystals. <i>Science Bulletin</i> , 2010, 55, 3472-3478.	1.7	5
64	Investigations on the Interactions between Plasma Proteins and Magnetic Iron Oxide Nanoparticles with Different Surface Modifications. <i>Journal of Physical Chemistry C</i> , 2010, 114, 21270-21276.	3.1	64
65	A Novel Type of Dual-Modality Molecular Probe for MR and Nuclear Imaging of Tumor: Preparation, Characterization and <i>in Vivo</i> Application. <i>Molecular Pharmaceutics</i> , 2009, 6, 1074-1082.	4.6	79
66	Superdispersible PVP-Coated Fe ₃ O ₄ Nanocrystals Prepared by a "One-Pot" Reaction. <i>Journal of Physical Chemistry B</i> , 2008, 112, 14390-14394.	2.6	115
67	Synthesis and Shape-Tailoring of Copper Sulfide/Indium Sulfide-Based Nanocrystals. <i>Journal of the American Chemical Society</i> , 2008, 130, 13152-13161.	13.7	246
68	Preparation of magnetite nanocrystals with surface reactive moieties by one-pot reaction. <i>Journal of Colloid and Interface Science</i> , 2007, 311, 469-474.	9.4	55
69	Detection of toxoplasmic lesions in mouse brain by USPIO-enhanced magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2007, 25, 1442-1448.	1.8	19
70	Preparation of Water-Soluble Magnetite Nanocrystals from Hydrated Ferric Salts in 2-Pyrrolidone: Mechanism Leading to Fe ₃ O ₄ . <i>Angewandte Chemie - International Edition</i> , 2005, 44, 123-126.	13.8	229
71	One-Pot Reaction to Synthesize Water-Soluble Magnetite Nanocrystals. <i>Chemistry of Materials</i> , 2004, 16, 1391-1393.	6.7	338