
## Jutta Dierkes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7498560/publications.pdf Version: 2024-02-01



LITTA DIEDKES

#	Article	IF	CITATIONS
1	Cardiac Troponin T Predicts Mortality in Patients With End-Stage Renal Disease. Circulation, 2000, 102, 1964-1969.	1.6	220
2	Serum Acylcarnitines and Risk of Cardiovascular Death and Acute Myocardial Infarction in Patients With Stable Angina Pectoris. Journal of the American Heart Association, 2017, 6, .	3.7	70
3	High rates of central obesity and sarcopenia in CKD irrespective of renal replacement therapy – an observational cross-sectional study. BMC Nephrology, 2018, 19, 259.	1.8	42
4	Vitamin D3 supplementation does not modify cardiovascular risk profile of adults with inadequate vitamin D status. European Journal of Nutrition, 2017, 56, 621-634.	3.9	41
5	Potential Predictors of Plasma Fibroblast Growth Factor 23 Concentrations: Cross-Sectional Analysis in the EPIC-Germany Study. PLoS ONE, 2015, 10, e0133580.	2.5	38
6	Vitamin D3 supplementation: Response and predictors of vitamin D3 metabolites – A randomized controlled trial. Clinical Nutrition, 2016, 35, 351-358.	5.0	27
7	Associations between intake of fish and n-3 long-chain polyunsaturated fatty acids and plasma metabolites related to the kynurenine pathway in patients with coronary artery disease. European Journal of Nutrition, 2017, 56, 261-272.	4.6	22
8	Bioavailability of iron, vitamin A, zinc, and folic acid when added to condiments and seasonings. Annals of the New York Academy of Sciences, 2015, 1357, 29-42.	3.8	20
9	Plasma 25-Hydroxyvitamin D and Mortality in Patients With Suspected Stable Angina Pectoris. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1161-1170.	3.6	18
10	Protein intake in children and growth and risk of overweight or obesity: A systematic review and meta-analysis. Food and Nutrition Research, 2022, 66, .	2.6	18
11	Associations between fish intake and the metabolic syndrome and its components among middle-aged men and women: the Hordaland Health Study. Food and Nutrition Research, 2017, 61, 1347479.	2.6	15
12	Dietary choline is related to increased risk of acute myocardial infarction in patients with stable angina pectoris. Biochimie, 2020, 173, 68-75.	2.6	11
13	Vitamin D status was not associated with â€~one-year' progression of coronary artery disease, assessed by coronary angiography in statin-treated patients. European Journal of Preventive Cardiology, 2015, 22, 594-602.	1.8	10
14	Food Sources Contributing to Intake of Choline and Individual Choline Forms in a Norwegian Cohort of Patients With Stable Angina Pectoris. Frontiers in Nutrition, 2021, 8, 676026.	3.7	9
15	Assessment of Dietary Choline Intake, Contributing Food Items, and Associations with One-Carbon and Lipid Metabolites in Middle-Aged and Elderly Adults: The Hordaland Health Study. Journal of Nutrition, 2022, 152, 513-524.	2.9	8
16	Limited Benefit of Fish Consumption on Risk of Hip Fracture among Men in the Community-Based Hordaland Health Study. Nutrients, 2018, 10, 873.	4.1	7
17	Meal patterns associated with energy intake in people with obesity. British Journal of Nutrition, 2022, 128, 334-344.	2.3	7
18	Medication Prescription, Common Side-effects, and Nutritional Status are Associated in Patients With		6

<sup>&</sup>lt;sup>o</sup> Chronic Kidney Disease. , 2022, 32, 520-528.

Jutta Dierkes

#	Article	IF	CITATIONS
19	Factors associated with nutritional risk in patients receiving haemodialysis assessed by Nutritional Risk Screening 2002 (NRS2002). Journal of Renal Care, 2022, 48, 112-118.	1.2	5
20	Child alcohol use disorder in Eastern Uganda: screening, diagnostics, risk factors and management of children drinking alcohol in Uganda (TREAT C-AUD): a mixed-methods research protocol. BMJ Paediatrics Open, 2021, 5, e001214.	1.4	5
21	Short-term treatment with a peroxisome proliferator-activated receptor $\hat{I}\pm$ agonist influences plasma one-carbon metabolites and B-vitamin status in rats. PLoS ONE, 2019, 14, e0226069.	2.5	4
22	Long-term supplementation with folic acid and vitamin B-12 has no effect on circulating uric acid concentrations in Norwegian patients with coronary artery disease. American Journal of Clinical Nutrition, 2018, 107, 130-132.	4.7	2
23	Total and lean fish intake is positively associated with bone mineral density in older women in the community-based Hordaland Health Study. European Journal of Nutrition, 2019, 58, 1403-1413.	3.9	2
24	No effect of plasma trimethylamine N-Oxide (TMAO) and plasma trimethyllysine (TML) on the association between choline intake and acute myocardial infarction risk in patients with stable angina pectoris. Human Nutrition and Metabolism, 2020, 21, 200112.	1.7	2
25	Weight changes and mobility in the early phase after hip fracture in community-dwelling older persons. European Geriatric Medicine, 2020, 11, 545-553.	2.8	2
26	The Association of Meat Intake With All-Cause Mortality and Acute Myocardial Infarction Is Age-Dependent in Patients With Stable Angina Pectoris. Frontiers in Nutrition, 2021, 8, 642612.	3.7	2
27	Determinants and consequences of malnutrition in hospitalized patients at a Norwegian University Hospital. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
28	Dietary composition is associated with one-carbon metabolites and B-vitamin status in patients with stable angina $\hat{a} \in \hat{a}$ cross-sectional study. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
29	Title is missing!. , 2019, 14, e0226069.		0
30	Title is missing!. , 2019, 14, e0226069.		0
31	Title is missing!. , 2019, 14, e0226069.		0

32 Title is missing!. , 2019, 14, e0226069.

0