
## Lori Lyn Price

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7499057/publications.pdf Version: 2024-02-01



LODI LVN PRICE

#	Article	IF	CITATIONS
1	Effect of Intra-articular Triamcinolone vs Saline on Knee Cartilage Volume and Pain in Patients With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2017, 317, 1967.	3.8	556
2	Effect of tai chi versus aerobic exercise for fibromyalgia: comparative effectiveness randomized controlled trial. BMJ: British Medical Journal, 2018, 360, k851.	2.4	189
3	Responsiveness and Minimally Important Differences for 4ÂPatient-Reported Outcomes Measurement Information System Short Forms: Physical Function, Pain Interference, Depression, and Anxiety in Knee Osteoarthritis. Journal of Pain, 2017, 18, 1096-1110.	0.7	155
4	Inflammation and glucose homeostasis are associated with specific structural features among adults without knee osteoarthritis: a cross-sectional study from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2018, 19, 1.	0.8	105
5	Patient-Reported Outcomes Measurement Information System (PROMIS) instruments among individuals with symptomatic knee osteoarthritis: a cross-sectional study of floor/ceiling effects and construct validity. BMC Musculoskeletal Disorders, 2015, 16, 253.	0.8	86
6	Risk factors and the natural history of accelerated knee osteoarthritis: a narrative review. BMC Musculoskeletal Disorders, 2020, 21, 332.	0.8	81
7	Branched Chain Amino Acids Are Associated With Muscle Mass in Functionally Limited Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 717-724.	1.7	74
8	Hospital-Acquired Acute Kidney Injury and Hospital Readmission: A Cohort Study. American Journal of Kidney Diseases, 2015, 65, 275-282.	2.1	64
9	Serum Glycine Is Associated with Regional Body Fat and Insulin Resistance in Functionally-Limited Older Adults. PLoS ONE, 2013, 8, e84034.	1.1	54
10	Quantitative bone marrow lesion size in osteoarthritic knees correlates with cartilage damage and predicts longitudinal cartilage loss. BMC Musculoskeletal Disorders, 2011, 12, 217.	0.8	46
11	High-flow nasal therapy vs standard oxygen during breaks off noninvasive ventilation for acute respiratory failure: A pilot randomized controlled trial. Journal of Critical Care, 2018, 48, 418-425.	1.0	44
12	Role of Secondary Prophylaxis With Valganciclovir in the Prevention of Recurrent Cytomegalovirus Disease in Solid Organ Transplant Recipients. Clinical Infectious Diseases, 2017, 65, 2000-2007.	2.9	41
13	Individuals with incident accelerated knee osteoarthritis have greater pain than those with common knee osteoarthritis progression: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 1565-1571.	1.0	40
14	Effusion-synovitis and infrapatellar fat pad signal intensity alteration differentiate accelerated knee osteoarthritis. Rheumatology, 2019, 58, 418-426.	0.9	40
15	Coronal tibial slope is associated with accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. BMC Musculoskeletal Disorders, 2016, 17, 299.	0.8	38
16	The role of personality in patients with fibromyalgia. Clinical Rheumatology, 2019, 38, 149-157.	1.0	37
17	Hospital-Associated Hypernatremia Spectrum and Clinical Outcomes in an Unselected Cohort. American Journal of Medicine, 2018, 131, 72-82.e1.	0.6	35
18	Accelerated Knee Osteoarthritis Is Characterized by Destabilizing Meniscal Tears and Preradiographic Structural Disease Burden. Arthritis and Rheumatology, 2019, 71, 1089-1100.	2.9	34

#	Article	IF	CITATIONS
19	Meniscal extrusion or subchondral damage characterize incident accelerated osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2015, 28, 792-799.	1.5	31
20	Development of a clinical prediction algorithm for knee osteoarthritis structural progression in a cohort study: value of adding measurement of subchondral bone density. Arthritis Research and Therapy, 2017, 19, 95.	1.6	31
21	Mindfulness is associated with psychological health and moderates the impact of fibromyalgia. Clinical Rheumatology, 2019, 38, 1737-1745.	1.0	30
22	Early pre-radiographic structural pathology precedes the onset of accelerated knee osteoarthritis. BMC Musculoskeletal Disorders, 2019, 20, 241.	0.8	29
23	Predictors of Dietary Supplement Use by U.S. Coast Guard Personnel. PLoS ONE, 2015, 10, e0133006.	1.1	28
24	Best performing definition of accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Therapeutic Advances in Musculoskeletal Disease, 2016, 8, 165-171.	1.2	28
25	Development of a rapid knee cartilage damage quantification method using magnetic resonance images. BMC Musculoskeletal Disorders, 2014, 15, 264.	0.8	27
26	Altered Appetite-Mediating Hormone Concentrations Precede Compensatory Overeating After Severe, Short-Term Energy Deprivation in Healthy Adults. Journal of Nutrition, 2016, 146, 209-217.	1.3	27
27	Periarticular bone predicts knee osteoarthritis progression: Data from the Osteoarthritis Initiative. Seminars in Arthritis and Rheumatism, 2018, 48, 155-161.	1.6	27
28	Quantification of bone marrow lesion volume and volume change using semi-automated segmentation: data from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2013, 14, 3.	0.8	25
29	Knee symptoms among adults at risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2017, 36, 1083-1089.	1.0	25
30	Administration of fenoldopam in critically ill small animal patients with acute kidney injury: 28 dogs and 34 cats (2008–2012). Journal of Veterinary Emergency and Critical Care, 2015, 25, 396-404.	0.4	24
31	Knee Pain and a Prior Injury Are Associated with Increased Risk of a New Knee Injury: Data from the Osteoarthritis Initiative. Journal of Rheumatology, 2015, 42, 1463-1469.	1.0	24
32	Systolic and pulse pressure associate with incident knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2017, 36, 2121-2128.	1.0	24
33	Safety, Side Effects and Relative Efficacy of Medications for Rhythm Control of Atrial Fibrillation in Hypertrophic Cardiomyopathy. American Journal of Cardiology, 2019, 123, 1859-1862.	0.7	24
34	A novel comparative effectiveness study of Tai Chi versus aerobic exercise for fibromyalgia: study protocol for a randomized controlled trial. Trials, 2015, 16, 34.	0.7	22
35	Resident and fellow participation in Thyroid and Parathyroid surgery: an ACS-NSQIP clinical outcomes analysis. Journal of Surgical Research, 2017, 220, 346-352.	0.8	20
36	Outcome Expectations and Osteoarthritis: Association of Perceived Benefits of Exercise With Selfâ€Efficacy and Depression. Arthritis Care and Research, 2017, 69, 491-498.	1.5	20

#	Article	IF	CITATIONS
37	Longitudinal trends in use of dietary supplements by U.S. Army personnel differ from those of civilians. Applied Physiology, Nutrition and Metabolism, 2016, 41, 1217-1224.	0.9	19
38	Overweight older adults, particularly after an injury, are at high risk for accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 1071-1076.	1.0	18
39	Doseâ€Response Effects of Tai Chi and Physical Therapy Exercise Interventions in Symptomatic Knee Osteoarthritis. PM and R, 2018, 10, 712-723.	0.9	18
40	Development of a Rapid Cartilage Damage Quantification Method for the Lateral Tibiofemoral Compartment Using Magnetic Resonance Images: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.	0.9	17
41	Perioperative Mortality and Longâ€Term Survival in 80 Dogs and 32 Cats Undergoing Excision of Thymic Epithelial Tumors. Veterinary Surgery, 2015, 44, 557-564.	0.5	16
42	Developing Prediction Models for 30-Day Unplanned Readmission Among Children With Medical Complexity. Hospital Pediatrics, 2019, 9, 201-208.	0.6	16
43	Subjective Crepitus as a Risk Factor for Incident Symptomatic Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Arthritis Care and Research, 2018, 70, 53-60.	1.5	15
44	Defining and evaluating a novel outcome measure representing end-stage knee osteoarthritis: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2016, 35, 2523-2530.	1.0	14
45	Glucose homeostasis influences the risk of incident knee osteoarthritis: Data from the osteoarthritis initiative. Journal of Orthopaedic Research, 2017, 35, 2282-2287.	1.2	13
46	Progressive Resistance Training Improves Torque Capacity and Strength in Mobility-Limited Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1316-1321.	1.7	13
47	Mindfulness Is Associated With Treatment Response From Nonpharmacologic Exercise Interventions in Knee Osteoarthritis. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2265-2273.e1.	0.5	12
48	Magnetic Resonance Image Sequence Influences the Relationship between Bone Marrow Lesions Volume and Pain: Data from the Osteoarthritis Initiative. BioMed Research International, 2015, 2015, 1-5.	0.9	11
49	Physical examination findings and their relationship with performance-based function in adults with knee osteoarthritis. BMC Musculoskeletal Disorders, 2016, 17, 273.	0.8	11
50	Effects of Tai Chi versus Physical Therapy on Mindfulness in Knee Osteoarthritis. Mindfulness, 2017, 8, 1195-1205.	1.6	11
51	A single recent injury is a potent risk factor for the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. Rheumatology International, 2017, 37, 1759-1764.	1.5	11
52	Adults with incident accelerated knee osteoarthritis are more likely to receive a knee replacement: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2018, 37, 1115-1118.	1.0	11
53	Mindfulness is associated with sleep quality among patients with fibromyalgia. International Journal of Rheumatic Diseases, 2020, 23, 294-301.	0.9	10
54	The Influence of Health Insurance Stability on Racial/Ethnic Differences in Diabetes Control and Management. Ethnicity and Disease, 2021, 31, 149-158.	1.0	10

#	Article	IF	CITATIONS
55	Impact of the first wave of the COVID-19 pandemic on systemic lupus erythematosus patients: Results from a multi-center prospective cohort. Lupus, 2021, 30, 1747-1755.	0.8	10
56	Quantitative Pectoralis Muscle Area is Associated with the Development of Lung Cancer in a Large Lung Cancer Screening Cohort. Lung, 2020, 198, 847-853.	1.4	9
57	Characterizing the distinct structural changes associated with selfâ€reported knee injury among individuals with incident knee osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2018, 31, 330-334.	1.5	7
58	Role of Magnetic Resonance Imaging in Classifying Individuals Who Will Develop Accelerated Radiographic Knee Osteoarthritis. Journal of Orthopaedic Research, 2019, 37, 2420-2428.	1.2	7
59	Accelerated knee osteoarthritis is associated with pre-radiographic degeneration of the extensor mechanism and cruciate ligaments: data from the Osteoarthritis Initiative. BMC Musculoskeletal Disorders, 2019, 20, 308.	0.8	7
60	Association Between Lymphopenia at 1 Month Posttransplant and Infectious Outcomes or Death in Heart Transplant Recipients. Clinical Infectious Diseases, 2021, 73, e3797-e3803.	2.9	7
61	Composite quantitative knee structure metrics predict the development of accelerated knee osteoarthritis: data from the osteoarthritis initiative. BMC Musculoskeletal Disorders, 2020, 21, 299.	0.8	7
62	Qualitative emphysema and risk of COPD hospitalization in a multicenter CT lung cancer screening cohort study. Respiratory Medicine, 2021, 176, 106245.	1.3	7
63	Association Between Declining Walking Speed and Increasing Bone Marrow Lesion and Effusion Volume in Individuals with Accelerated Knee Osteoarthritis. Arthritis Care and Research, 2019, 71, 259-270.	1.5	6
64	Diffuse tibiofemoral cartilage change prior to the development of accelerated knee osteoarthritis: Data from the osteoarthritis initiative. Clinical Anatomy, 2019, 32, 369-378.	1.5	6
65	Sample size calculations for detecting disease-modifying osteoarthritis drug effects on the incidence of end-stage knee osteoarthritis in clinical trials: Data from the Osteoarthritis Initiative. Seminars in Arthritis and Rheumatism, 2019, 49, 3-8.	1.6	6
66	Effective recruitment strategies in an exercise trial for patients with fibromyalgia. Trials, 2021, 22, 557.	0.7	6
67	Translating the Lifestyle Interventions and Independence for Elders Clinical Trial to Older Adults in a Real-World Community-Based Setting. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 924-928.	1.7	5
68	Adults With Incident Accelerated Knee Osteoarthritis Are More Likely to Use Pharmacological Treatment Options and Receive Arthroscopic Knee Surgery: Data From the Osteoarthritis Initiative. ACR Open Rheumatology, 2019, 1, 359-364.	0.9	5
69	Supraglottic Airway Use for Transfemoral-Transcatheter Aortic Valve Replacement. Journal of Cardiothoracic and Vascular Anesthesia, 2020, 34, 3243-3249.	0.6	5
70	Qualitative coronary artery calcification scores and risk of all cause, COPD and pneumonia hospital admission in a large CT lung cancer screening cohort. Respiratory Medicine, 2021, 186, 106540.	1.3	5
71	Evaluation of red blood cell distribution width as a prognostic indicator in cats with acquired heart disease, with and without congestive heart failure. Journal of Feline Medicine and Surgery, 2017, 19, 648-656.	0.6	4
72	Association between Preâ€intervention Physical Activity Level and Treatment Response to Exercise Therapy in Persons with Knee Osteoarthritis—An Exploratory Study. ACR Open Rheumatology, 2019, 1, 104-112.	0.9	4

#	Article	IF	CITATIONS
73	Novel Framework for Measuring Whole Knee Osteoarthritis Progression Using Magnetic Resonance Imaging. Arthritis Care and Research, 2022, 74, 799-808.	1.5	4
74	Employees' Views and Ethical, Legal, and Social Implications Assessment of Voluntary Workplace Genomic Testing. Frontiers in Genetics, 2021, 12, 643304.	1.1	4
75	Evaluation of cardiac troponin I in dogs presenting to the emergency room using a point-of-care assay. Canadian Veterinary Journal, 2016, 57, 641-5.	0.0	4
76	Maternal lipid metabolism is associated with neonatal adiposity: A longitudinal study. Journal of Clinical Endocrinology and Metabolism, 0, , .	1.8	4
77	Validation of a new symptom outcome for knee osteoarthritis: the Ambulation Adjusted Score for Knee pain. Clinical Rheumatology, 2019, 38, 851-858.	1.0	3
78	Racial Differences in Insurance Stability After Health Insurance Reform. Medical Care, 2019, 57, 256-261.	1.1	2
79	Patient-specific reference values for objective physical function tests: data from the Osteoarthritis Initiative. Clinical Rheumatology, 2020, 39, 1961-1970.	1.0	2
80	Revising the Maximal Contrast Dose for Predicting Acute Kidney Injury following Coronary Intervention. American Journal of Nephrology, 2021, 52, 328-335.	1.4	1
81	Effects of Low Doses of L-Carnitine Tartrate and Lipid Multi-Particulate Formulated Creatine Monohydrate on Muscle Protein Synthesis in Myoblasts and Bioavailability in Humans and Rodents. Nutrients, 2021, 13, 3985.	1.7	1
82	Reply. Arthritis and Rheumatology, 2016, 68, 1565-1566.	2.9	0
83	The relationship between depressive symptoms and BMI in adolescents enrolled in a weight management program. Children's Health Care, 2017, 46, 301-314.	0.5	0
84	Role of Secondary Prophylaxis with Valganciclovir in the Prevention of Recurrent Cytomegalovirus Disease in Solid Organ Transplant Recipients. Open Forum Infectious Diseases, 2017, 4, S712-S712.	0.4	0
85	The Inverse OARSI-OMERACT Criteria Is a Valid Indicator of the Clinical Worsening of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. Journal of Rheumatology, 2021, 48, 442-446.	1.0	0
86	Diabetes Control During Massachusetts Insurance Reform. Journal of Racial and Ethnic Health Disparities, 2021, , 1.	1.8	0
87	Incidence of Physical Impairment and Disability in Puerto Rican Adults: The Boston Puerto Rican Health Study. FASEB Journal, 2012, 26, 367.4.	0.2	0
88	Collaborative biostatistics and epidemiology in academic medical centres: A survey to assess relationships with health researchers and ethical implications. Stat, 2022, 11, .	0.3	0