

# Mark Hayward

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/750063/publications.pdf>

Version: 2024-02-01

112  
papers

2,561  
citations

185998

28  
h-index

233125

45  
g-index

119  
all docs

119  
docs citations

119  
times ranked

1877  
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological Therapies for Auditory Hallucinations (Voices): Current Status and Key Directions for Future Research. <i>Schizophrenia Bulletin</i> , 2014, 40, S202-S212.	2.3	153
2	Relating Therapy for distressing auditory hallucinations: A pilot randomized controlled trial. <i>Schizophrenia Research</i> , 2017, 183, 137-142.	1.1	96
3	Better Than Mermaids and Stray Dogs? Subtyping Auditory Verbal Hallucinations and Its Implications for Research and Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, S275-S284.	2.3	93
4	A systematic review and meta-analysis of low intensity CBT for psychosis. <i>Clinical Psychology Review</i> , 2016, 45, 183-192.	6.0	90
5	Relating therapy for people who hear voices: A case series. <i>Clinical Psychology and Psychotherapy</i> , 2009, 16, 216-227.	1.4	89
6	Group mindfulness-based intervention for distressing voices: A pragmatic randomised controlled trial. <i>Schizophrenia Research</i> , 2016, 175, 168-173.	1.1	86
7	Relating to voices: Exploring the relevance of this concept to people who hear voices. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2009, 82, 1-17.	1.3	84
8	Interpersonal relating and voice hearing: To what extent does relating to the voice reflect social relating?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2003, 76, 369-383.	1.3	82
9	Recovery, psychosis and psychiatry: research is better than rhetoric. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 81-83.	2.2	79
10	Applying interpersonal theories to the understanding of and therapy for auditory hallucinations: A review of the literature and directions for further research. <i>Clinical Psychology Review</i> , 2011, 31, 1313-1323.	6.0	77
11	Group person-based cognitive therapy for distressing voices: Pilot data from nine groups. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 111-116.	0.6	72
12	Patients' perceptions of the impact of involuntary inpatient care on self, relationships and recovery. <i>Journal of Mental Health</i> , 2009, 18, 152-160.	1.0	65
13	Interpersonal Processes and Hearing Voices: A Study of the Association Between Relating to Voices and Distress in Clinical and Non-Clinical Hearers. <i>Behavioural and Cognitive Psychotherapy</i> , 2010, 38, 127-140.	0.9	64
14	Analysis of Accident and Emergency Doctors' Responses to Treating People Who Self-Harm. <i>Qualitative Health Research</i> , 2009, 19, 755-765.	1.0	61
15	The voice and you: development and psychometric evaluation of a measure of relationships with voices. <i>Clinical Psychology and Psychotherapy</i> , 2008, 15, 45-52.	1.4	56
16	Guided self-help cognitive-behaviour Intervention for VoicEs (GiVE): Results from a pilot randomised controlled trial in a transdiagnostic sample. <i>Schizophrenia Research</i> , 2018, 195, 441-447.	1.1	47
17	Hallucinations in Children and Adolescents: An Updated Review and Practical Recommendations for Clinicians. <i>Schizophrenia Bulletin</i> , 2019, 45, S5-S23.	2.3	47
18	Can we respond mindfully to distressing voices? A systematic review of evidence for engagement, acceptability, effectiveness and mechanisms of change for mindfulness-based interventions for people distressed by hearing voices. <i>Frontiers in Psychology</i> , 2015, 6, 1154.	1.1	43

#	ARTICLE	IF	CITATIONS
19	Investigating the Lived Experience of Recovery in People Who Hear Voices. <i>Qualitative Health Research</i> , 2016, 26, 1409-1423.	1.0	43
20	Pilot randomised controlled trial of a brief coping-focused intervention for hearing voices blended with smartphone-based ecological momentary assessment and intervention (SAVVy): Feasibility, acceptability and preliminary clinical outcomes. <i>Schizophrenia Research</i> , 2020, 216, 479-487.	1.1	40
21	A UK validation of the Stages of Recovery Instrument. <i>International Journal of Social Psychiatry</i> , 2011, 57, 446-454.	1.6	38
22	What Can Qualitative Research Tell Us about Service User Perspectives of CBT for Psychosis? A Synthesis of Current Evidence. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 487-494.	0.9	37
23	Can we risk recovery? A grounded theory of clinical psychologists' perceptions of risk and recovery-oriented mental health services. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 96-110.	1.3	37
24	Developing positive relationships with voices: A preliminary Grounded Theory. <i>International Journal of Social Psychiatry</i> , 2011, 57, 487-495.	1.6	35
25	Mindfulness-based exposure and response prevention for obsessive compulsive disorder: Findings from a pilot randomised controlled trial. <i>Journal of Anxiety Disorders</i> , 2018, 57, 39-47.	1.5	35
26	Brief Coping Strategy Enhancement for Distressing Voices: an Evaluation in Routine Clinical Practice. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 226-237.	0.9	34
27	Voice hearing within the context of hearers' social worlds: An interpretative phenomenological analysis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2011, 84, 256-272.	1.3	32
28	Another rather than other: experiences of peer support specialist workers and their managers working in mental health services. <i>Journal of Public Mental Health</i> , 2011, 10, 238-249.	0.8	32
29	Relating therapy for people who hear voices: perspectives from clients, family members, referrers and therapists. <i>Clinical Psychology and Psychotherapy</i> , 2010, 17, 363-373.	1.4	29
30	Group person-based cognitive therapy for chronic depression: A pilot randomized controlled trial. <i>British Journal of Clinical Psychology</i> , 2012, 51, 345-350.	1.7	29
31	Smartphone-based ecological momentary assessment and intervention in a blended coping-focused therapy for distressing voices: Development and case illustration. <i>Internet Interventions</i> , 2018, 14, 18-25.	1.4	28
32	Group person-based cognitive therapy for distressing voices: Views from the hearers. <i>Psychotherapy Research</i> , 2010, 20, 447-461.	1.1	26
33	Service user involvement in clinical guideline development and implementation: Learning from mental health service users in the UK. <i>International Review of Psychiatry</i> , 2011, 23, 352-357.	1.4	24
34	Does insecure attachment mediate the relationship between trauma and voice-hearing in psychosis?. <i>Psychiatry Research</i> , 2016, 246, 776-782.	1.7	21
35	Smartphone-based ecological momentary assessment and intervention in a coping-focused intervention for hearing voices (SAVVy): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 262.	0.7	21
36	Expectations and illusions: a position paper on the relationship between mental health practitioners and social exclusion. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2010, 17, 411-421.	1.2	20

#	ARTICLE	IF	CITATIONS
37	Service user perceptions of involvement in developing NICE mental health guidelines: A grounded theory study. <i>Journal of Mental Health</i> , 2010, 19, 249-257.	1.0	20
38	Hope in psychiatry. <i>Advances in Psychiatric Treatment</i> , 2011, 17, 227-235.	0.6	20
39	Beyond the omnipotence of voices: further developing a relational approach to auditory hallucinations. <i>Psychosis</i> , 2014, 6, 242-252.	0.4	20
40	A Randomised Controlled Trial of a Brief Online Mindfulness-Based Intervention on Paranoia in a Non-Clinical Sample. <i>Mindfulness</i> , 2018, 9, 294-302.	1.6	20
41	Person-based cognitive therapy groups for distressing voices: a thematic analysis of participant experiences of the therapy. <i>Psychosis</i> , 2014, 6, 16-26.	0.4	19
42	The Beliefs about Voices Questionnaire " Revised: A factor structure from 450 participants. <i>Psychiatry Research</i> , 2018, 259, 95-103.	1.7	19
43	A move towards a culture of involvement: involving service users and carers in the selection of future clinical psychologists. <i>Journal of Mental Health Training, Education and Practice</i> , 2007, 2, 34-44.	0.3	18
44	Testing a Model of Research Intention Among U.K. Clinical Psychologists: A Logistic Regression Analysis. <i>Journal of Clinical Psychology</i> , 2012, 68, 263-278.	1.0	18
45	Hear Today, Not gone Tomorrow? An Exploratory Longitudinal Study of Auditory Verbal Hallucinations (Hearing Voices). <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 117-123.	0.9	18
46	Relating Therapy for distressing voices: Who, or what, is changing?. <i>Psychosis</i> , 2018, 10, 132-141.	0.4	17
47	Relating to the Speaker behind the Voice: What Is Changing?. <i>Frontiers in Psychology</i> , 2018, 9, 11.	1.1	17
48	Understanding the Barriers to Accessing Symptom-Specific Cognitive Behavior Therapy (CBT) for Distressing Voices: Reflecting on and Extending the Lessons Learnt From the CBT for Psychosis Literature. <i>Frontiers in Psychology</i> , 2018, 9, 727.	1.1	17
49	"That little doorway where I could suddenly start shouting out" Barriers and enablers to the disclosure of distressing voices. <i>Journal of Health Psychology</i> , 2019, 24, 1307-1317.	1.3	17
50	A systematic review of structural MRI investigations within borderline personality disorder: Identification of key psychological variables of interest going forward. <i>Psychiatry Research</i> , 2020, 286, 112864.	1.7	17
51	The Role of Work in Recovery. <i>British Journal of Occupational Therapy</i> , 2009, 72, 324-326.	0.5	16
52	Mindfulness-based exposure and response prevention for obsessive compulsive disorder: study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2015, 16, 167.	0.7	16
53	Barriers to disseminating brief CBT for voices from a lived experience and clinician perspective. <i>PLoS ONE</i> , 2017, 12, e0178715.	1.1	16
54	Brief coping strategy enhancement for distressing voices: Predictors of engagement and outcome in routine clinical practice. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 634-640.	1.4	15

#	ARTICLE	IF	CITATIONS
55	Service innovations. <i>Psychiatric Bulletin</i> , 2005, 29, 428-430.	0.3	15
56	Bringing the "self" into focus: conceptualising the role of self-experience for understanding and working with distressing voices. <i>Frontiers in Psychology</i> , 2015, 6, 1129.	1.1	14
57	Beyond beliefs: A qualitative study of people's opinions about their changing relations with their voices. <i>Psychosis</i> , 2015, 7, 97-107.	0.4	14
58	Perceived Improvements in Service User Involvement in Two Clinical Psychology Training Courses. <i>Psychology Learning and Teaching</i> , 2010, 9, 16-24.	1.3	11
59	A qualitative study exploring how Practitioners within Early Intervention in Psychosis Services engage with Service Users' experiences of voice hearing?. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 607-615.	1.2	11
60	Cognitive Behavioural Relating Therapy (CBRT) for Voice Hearers: A Case Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 626-631.	0.9	10
61	Construction and validation of the Approve questionnaires "Measures of relating to voices and other people. <i>Schizophrenia Research</i> , 2020, 220, 254-260.	1.1	10
62	Guided self-help cognitive behavioral intervention for VoicEs (GiVE): study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2016, 17, 351.	0.7	9
63	Understanding clinician attitudes towards implementation of guided self-help cognitive behaviour therapy for those who hear distressing voices: using factor analysis to test normalisation process theory. <i>BMC Health Services Research</i> , 2017, 17, 507.	0.9	9
64	Evaluating the "and "in brief cognitive behaviour therapy for distressing voices in routine clinical practice in an uncontrolled study. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 734-742.	1.4	9
65	Feasibility and Participant Experiences of a Written Emotional Disclosure Intervention for Parental Caregivers of People with Psychosis. <i>Stress and Health</i> , 2016, 32, 485-493.	1.4	8
66	Exploring the Development, Validity, and Utility of the Short-Form Version of the CHOICE of Outcome In Cbt for PsychosEs: A Patient-Reported Outcome Measure of Psychological Recovery. <i>Schizophrenia Bulletin</i> , 2021, 47, 653-661.	2.3	8
67	Daring to talk back. <i>Mental Health Practice</i> , 2007, 10, 12-15.	0.1	8
68	Relating therapy for voices (the R2V study): study protocol for a pilot randomized controlled trial. <i>Trials</i> , 2014, 15, 325.	0.7	7
69	An Exploration of the Reliability and Validity of the Spanish Version of the "Voice and You" (VAY): A Scale for Measuring the Relationship with Voices. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 183-188.	1.4	7
70	Building a Grounded Theory of Engagement in Mindfulness-Based Group Therapy for Distressing Voices. <i>Qualitative Health Research</i> , 2018, 28, 2169-2182.	1.0	7
71	Evaluating socially inclusive practice: part two "findings from a mental health team. <i>Journal of Mental Health Training, Education and Practice</i> , 2008, 3, 42-52.	0.3	6
72	Carers' experiences of assertive outreach services: An exploratory study. <i>Journal of Mental Health</i> , 2011, 20, 70-78.	1.0	6

#	ARTICLE	IF	CITATIONS
73	Can brief mindfulness practice be of benefit? Evidence from an evaluation of group Person-based Cognitive Therapy for depression. <i>The Cognitive Behaviour Therapist</i> , 2014, 7, .	0.4	6
74	Establishing the "Fit" between the Patient and the Therapy: The Role of Patient Gender in Selecting Psychological Therapy for Distressing Voices. <i>Frontiers in Psychology</i> , 2016, 7, 424.	1.1	6
75	"It's just a bit like a rollercoaster": a longitudinal qualitative study exploring a model of the phases of voice hearing. <i>Psychosis</i> , 2019, 11, 308-318.	0.4	6
76	A service evaluation of a group mindfulness-based intervention for distressing voices: how do findings from a randomized controlled trial compare with routine clinical practice?. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 76-90.	0.9	6
77	Increasing access to brief Coping Strategy Enhancement for distressing voices: a service valuation exploring a possible role for briefly-trained therapists. <i>The Cognitive Behaviour Therapist</i> , 2021, 14, .	0.4	6
78	Multimodal versus unimodal auditory hallucinations in clinical practice: Clinical characteristics and treatment outcomes. <i>Psychiatry Research</i> , 2021, 297, 113754.	1.7	6
79	Coping strategy enhancement for the treatment of distressing voices in young people: A service evaluation within routine clinical practice. <i>Clinical Child Psychology and Psychiatry</i> , 2022, 27, 1209-1220.	0.8	6
80	Evaluation of a training scheme for peer support workers. <i>Mental Health Practice</i> , 2011, 14, 24-29.	0.1	5
81	Associations between responses to voices, distress and appraisals during daily life: an ecological validation of the cognitive behavioural model. <i>Psychological Medicine</i> , 2022, 52, 538-547.	2.7	5
82	Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). <i>Trials</i> , 2020, 21, 302.	0.7	5
83	Brief coping strategy enhancement for the treatment of distressing voices in the context of borderline personality disorder: A comparison with outcomes in the context of psychosis. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 567-578.	1.4	5
84	Increasing access to cognitive-behavioural therapy for patients with psychosis by evaluating the feasibility of a randomised controlled trial of brief, targeted cognitive-behavioural therapy for distressing voices delivered by assistant psychologists: the GiVE2 trial. <i>BJPsych Open</i> , 2021, 7, .	0.3	5
85	A cross-sectional study of auditory verbal hallucinations experienced by people with a diagnosis of borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2022, 29, 631-641.	1.4	5
86	Psychosis revisited: taking a collaborative look at psychosis. <i>Mental Health Practice</i> , 2006, 9, 40-43.	0.1	5
87	Editorial: Hallucinations: New Interventions Supporting People with Distressing Voices and/or Visions. <i>Frontiers in Psychology</i> , 2016, 7, 1418.	1.1	4
88	Mindfulness as a Mediator Between the Relational Style with Voices and Negative Affect. <i>Mindfulness</i> , 2017, 8, 454-459.	1.6	4
89	Continuing the conversation about AVATAR therapy. <i>Lancet Psychiatry</i> , the, 2018, 5, 196.	3.7	4
90	Demographic predictors of wellbeing in Carers of people with psychosis: secondary analysis of trial data. <i>BMC Psychiatry</i> , 2020, 20, 269.	1.1	4

#	ARTICLE	IF	CITATIONS
91	Enhancing mental health awareness in emergency services (the ENHANcE I project): cross-sectional survey on mental health stigma among emergency services staff. <i>BJPsych Open</i> , 2021, 7, e77.	0.3	4
92	RELATEâ€”a randomised controlled feasibility trial of a Relating Therapy module for distressing auditory verbal hallucinations: a study protocol. <i>BMJ Open</i> , 2021, 11, e046390.	0.8	4
93	Caring for Caregivers (C4C): study protocol for a pilot feasibility randomised control trial of Positive Written Disclosure for older adult caregivers of people with psychosis. <i>Pilot and Feasibility Studies</i> , 2017, 3, 63.	0.5	3
94	Group Person-based Cognitive Therapy for Distressing Psychosis. , 0, , 240-255.		3
95	Voice Hearing in Borderline Personality Disorder Across Perceptual, Subjective, and Neural Dimensions. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 375-386.	1.0	3
96	Evidence-based psychological approaches for auditory hallucinations. <i>BJ Psych Advances</i> , 2018, 24, 174-177.	0.5	2
97	Increasing access to psychological treatments for mental illness. <i>Lancet Psychiatry</i> ,the, 2018, 5, 606-607.	3.7	2
98	Being a Scientistâ€”Practitioner in the Field of Psychosis: Experiences From Voices Clinics. , 2020, , 615-635.		2
99	Distress factors of voiceâ€”hearing in young people and social relating: Exploring a cognitiveâ€”interpersonal voiceâ€”hearing model. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 0, , .	1.3	2
100	Evaluating socially inclusive practice: part one â€”a tool for mental health services. <i>Journal of Mental Health Training, Education and Practice</i> , 2008, 3, 31-41.	0.3	1
101	Patient experience of Guided self-help CBT intervention for VoicEs (GiVE) delivered within a pilot randomized controlled trial. <i>The Cognitive Behaviour Therapist</i> , 2020, 13, .	0.4	1
102	Relating between the voice and voice-hearer: Validation of a revised version of the Voice And You. <i>Schizophrenia Research</i> , 2020, 224, 45-50.	1.1	1
103	Can Gender Differences in Distress Due to Difficult Voices Be Explained by Differences in Relating?. <i>Cognitive Therapy and Research</i> , 2021, 45, 831-839.	1.2	1
104	Person-Based Cognitive Therapy for Distressing Psychosis. , 2015, , 150-169.		1
105	A grounded theory study exploring change processes following cognitive behavioural therapy for distressing voices. <i>Psychosis</i> , 0, , 1-13.	0.4	1
106	Making it work: service users and professionals as research partners. <i>Life in the Day</i> , 2005, 9, 13-17.	0.2	0
107	Talking to people about their psychotic experiences. <i>International Journal of Therapy and Rehabilitation</i> , 2006, 13, 4-4.	0.1	0
108	Enabling Occupational Therapy Students to Take a Fresh Approach to Psychosis. <i>British Journal of Occupational Therapy</i> , 2006, 69, 42-45.	0.5	0

#	ARTICLE	IF	CITATIONS
109	Increasing access to brief Coping Strategy Enhancement for distressing voices: a service valuation exploring a possible role for briefly-trained therapists – CORRIGENDUM. <i>The Cognitive Behaviour Therapist</i> , 2021, 14, .	0.4	0
110	Quiet time via transcendental meditation in secondary school pupils with special educational needs: effects on well-being and behaviour. <i>Pastoral Care in Education</i> , 0, , 1-16.	0.9	0
111	Revisiting Psychosis: A Two-Day Workshop. , 0, , 233-244.		0
112	Pilot evaluation of a brief training video aimed at reducing mental health stigma amongst emergency first responders (the ENHANCe II study). <i>Journal of Mental Health</i> , 2022, , 1-9.	1.0	0