

Anne K Kenworthy

List of Publications by Citations

Source: <https://exaly.com/author-pdf/750121/anne-k-kenworthy-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98 papers	11,167 citations	38 h-index	105 g-index
108 ext. papers	12,545 ext. citations	7 avg, IF	6.07 L-index

#	Paper	IF	Citations
98	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
97	Studying protein dynamics in living cells. <i>Nature Reviews Molecular Cell Biology</i> , 2001 , 2, 444-56	48.7	992
96	Rapid cycling of lipid raft markers between the cell surface and Golgi complex. <i>Journal of Cell Biology</i> , 2001 , 153, 529-41	7.3	462
95	Distribution of a glycosylphosphatidylinositol-anchored protein at the apical surface of MDCK cells examined at a resolution of . <i>Journal of Cell Biology</i> , 1998 , 142, 69-84	7.3	426
94	Imaging protein-protein interactions using fluorescence resonance energy transfer microscopy. <i>Methods</i> , 2001 , 24, 289-96	4.6	425
93	High-resolution FRET microscopy of cholera toxin B-subunit and GPI-anchored proteins in cell plasma membranes. <i>Molecular Biology of the Cell</i> , 2000 , 11, 1645-55	3.5	402
92	Dynamics of putative raft-associated proteins at the cell surface. <i>Journal of Cell Biology</i> , 2004 , 165, 735-46	4.3	387
91	Range and magnitude of the steric pressure between bilayers containing phospholipids with covalently attached poly(ethylene glycol). <i>Biophysical Journal</i> , 1995 , 68, 1921-36	2.9	309
90	Depalmitoylated Ras traffics to and from the Golgi complex via a nonvesicular pathway. <i>Journal of Cell Biology</i> , 2005 , 170, 261-72	7.3	238
89	Dynamics and retention of misfolded proteins in native ER membranes. <i>Nature Cell Biology</i> , 2000 , 2, 288-94	2.54	232
88	Lipid rafts, cholesterol, and the brain. <i>Neuropharmacology</i> , 2008 , 55, 1265-73	5.5	215
87	Endophilin-A2 functions in membrane scission in clathrin-independent endocytosis. <i>Nature</i> , 2015 , 517, 493-6	50.4	213
86	Structure and phase behavior of lipid suspensions containing phospholipids with covalently attached poly(ethylene glycol). <i>Biophysical Journal</i> , 1995 , 68, 1903-20	2.9	197
85	On the use of Ripley's K-function and its derivatives to analyze domain size. <i>Biophysical Journal</i> , 2009 , 97, 1095-103	2.9	159
84	Myosin Vb interacts with Rab8a on a tubular network containing EHD1 and EHD3. <i>Molecular Biology of the Cell</i> , 2007 , 18, 2828-37	3.5	132
83	Friction Mediates Scission of Tubular Membranes Scaffolded by BAR Proteins. <i>Cell</i> , 2017 , 170, 172-184.e16	16.2	128
82	Simplified equation to extract diffusion coefficients from confocal FRAP data. <i>Traffic</i> , 2012 , 13, 1589-600	9.7	126

81	Ras diffusion is sensitive to plasma membrane viscosity. <i>Biophysical Journal</i> , 2005 , 89, 1398-410	2.9	104
80	Quantitative electron microscopy and fluorescence spectroscopy of the membrane distribution of influenza hemagglutinin. <i>Journal of Cell Biology</i> , 2005 , 169, 965-76	7.3	93
79	Cholesterol as a co-solvent and a ligand for membrane proteins. <i>Protein Science</i> , 2014 , 23, 1-22	6.3	91
78	Effect of Bilayer Composition on the Phase Behavior of Liposomal Suspensions Containing Poly(ethylene glycol)-Lipids. <i>Macromolecules</i> , 1995 , 28, 7693-7699	5.5	91
77	Lipid sorting by ceramide structure from plasma membrane to ER for the cholera toxin receptor ganglioside GM1. <i>Developmental Cell</i> , 2012 , 23, 573-86	10.2	90
76	Tracking microdomain dynamics in cell membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 245-53	3.8	89
75	Have we become overly reliant on lipid rafts? Talking Point on the involvement of lipid rafts in T-cell activation. <i>EMBO Reports</i> , 2008 , 9, 531-5	6.5	76
74	A generalization of theory for two-dimensional fluorescence recovery after photobleaching applicable to confocal laser scanning microscopes. <i>Biophysical Journal</i> , 2009 , 97, 1501-11	2.9	74
73	Photobleaching approaches to investigate diffusional mobility and trafficking of Ras in living cells. <i>Methods</i> , 2005 , 37, 154-64	4.6	72
72	Nucleocytoplasmic distribution and dynamics of the autophagosome marker EGFP-LC3. <i>PLoS ONE</i> , 2010 , 5, e9806	3.7	70
71	Peering inside lipid rafts and caveolae. <i>Trends in Biochemical Sciences</i> , 2002 , 27, 435-7	10.3	67
70	The DNA binding activity of p53 displays reaction-diffusion kinetics. <i>Biophysical Journal</i> , 2006 , 91, 330-42.	2.9	63
69	The lateral mobility of NHE3 on the apical membrane of renal epithelial OK cells is limited by the PDZ domain proteins NHERF1/2, but is dependent on an intact actin cytoskeleton as determined by FRAP. <i>Journal of Cell Science</i> , 2004 , 117, 3353-65	5.3	59
68	Analysis of protein and lipid dynamics using confocal fluorescence recovery after photobleaching (FRAP). <i>Current Protocols in Cytometry</i> , 2012 , Chapter 2, Unit2.19	3.6	55
67	APC Inhibits Ligand-Independent Wnt Signaling by the Clathrin Endocytic Pathway. <i>Developmental Cell</i> , 2018 , 44, 566-581.e8	10.2	54
66	A quantitative approach to analyze binding diffusion kinetics by confocal FRAP. <i>Biophysical Journal</i> , 2010 , 99, 2737-47	2.9	48
65	The hydration pressure between lipid bilayers. Comparison of measurements using x-ray diffraction and calorimetry. <i>Biophysical Journal</i> , 1991 , 59, 538-46	2.9	46
64	Functions of cholera toxin B-subunit as a raft cross-linker. <i>Essays in Biochemistry</i> , 2015 , 57, 135-45	7.6	45

63	Attenuated endocytosis and toxicity of a mutant cholera toxin with decreased ability to cluster ganglioside GM1 molecules. <i>Infection and Immunity</i> , 2008 , 76, 1476-84	3.7	45
62	Fluorescence recovery after photobleaching studies of lipid rafts. <i>Methods in Molecular Biology</i> , 2007 , 398, 179-92	1.4	45
61	Mechanisms underlying the confined diffusion of cholera toxin B-subunit in intact cell membranes. <i>PLoS ONE</i> , 2012 , 7, e34923	3.7	42
60	Microtubule motors power plasma membrane tubulation in clathrin-independent endocytosis. <i>Traffic</i> , 2015 , 16, 572-90	5.7	36
59	Heterozygous null bone morphogenetic protein receptor type 2 mutations promote SRC kinase-dependent caveolar trafficking defects and endothelial dysfunction in pulmonary arterial hypertension. <i>Journal of Biological Chemistry</i> , 2015 , 290, 960-71	5.4	35
58	Caveolae: The FAQs. <i>Traffic</i> , 2020 , 21, 181-185	5.7	34
57	Imaging fluorescence resonance energy transfer as probe of membrane organization and molecular associations of GPI-anchored proteins. <i>Methods in Molecular Biology</i> , 1999 , 116, 37-49	1.4	32
56	Characterization of a caveolin-1 mutation associated with both pulmonary arterial hypertension and congenital generalized lipodystrophy. <i>Traffic</i> , 2016 , 17, 1297-1312	5.7	32
55	Molecular consequences of altered neuronal cholesterol biosynthesis. <i>Journal of Neuroscience Research</i> , 2009 , 87, 866-75	4.4	31
54	A closed-form analytic expression for FRAP formula for the binding diffusion model. <i>Biophysical Journal</i> , 2008 , 95, L13-5	2.9	31
53	Investigation of F-BAR domain PACSIN proteins uncovers membrane tubulation function in cilia assembly and transport. <i>Nature Communications</i> , 2019 , 10, 428	17.4	27
52	Dynamic pattern generation in cell membranes: Current insights into membrane organization. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 2018-2031	3.8	26
51	Colloid osmotic pressure of steer alpha- and beta-crystallins: possible functional roles for lens crystallin distribution and structural diversity. <i>Experimental Eye Research</i> , 1994 , 59, 11-30	3.7	26
50	Clostridium difficile Toxin A Undergoes Clathrin-Independent, PACSIN2-Dependent Endocytosis. <i>PLoS Pathogens</i> , 2016 , 12, e1006070	7.6	25
49	Structured clustering of the glycosphingolipid GM1 is required for membrane curvature induced by cholera toxin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 14978-14986	11.5	24
48	In silico characterization of resonance energy transfer for disk-shaped membrane domains. <i>Biophysical Journal</i> , 2007 , 92, 3040-51	2.9	24
47	Antibody-specific detection of caveolin-1 in subapical compartments of MDCK cells. <i>Histochemistry and Cell Biology</i> , 2006 , 126, 27-34	2.4	24
46	Nuclear LC3 Associates with Slowly Diffusing Complexes that Survey the Nucleolus. <i>Traffic</i> , 2016 , 17, 369-99	5.7	24

45	Coordinated regulation of caveolin-1 and Rab11a in apical recycling compartments of polarized epithelial cells. <i>Experimental Cell Research</i> , 2012 , 318, 103-13	4.2	23
44	Glycolipid Crosslinking Is Required for Cholera Toxin to Partition Into and Stabilize Ordered Domains. <i>Biophysical Journal</i> , 2016 , 111, 2547-2550	2.9	23
43	Tagging strategies strongly affect the fate of overexpressed caveolin-1. <i>Traffic</i> , 2015 , 16, 417-38	5.7	21
42	Overexpression of caveolin-1 is sufficient to phenocopy the behavior of a disease-associated mutant. <i>Traffic</i> , 2013 , 14, 663-77	5.7	21
41	A disease-associated frameshift mutation in caveolin-1 disrupts caveolae formation and function through introduction of a de novo ER retention signal. <i>Molecular Biology of the Cell</i> , 2017 , 28, 3095-3111	3.5	20
40	NHE3 mobility in brush borders increases upon NHERF2-dependent stimulation by lyophosphatidic acid. <i>Journal of Cell Science</i> , 2010 , 123, 2434-43	5.3	19
39	Fluorescence-based methods to image palmitoylated proteins. <i>Methods</i> , 2006 , 40, 198-205	4.6	19
38	Imaging protein complex formation in the autophagy pathway: analysis of the interaction of LC3 and Atg4B(C74A) in live cells using FRET resonance energy transfer and fluorescence recovery after photobleaching. <i>Journal of Biomedical Optics</i> , 2012 , 17, 011008	3.5	17
37	Assembly and Turnover of Caveolae: What Do We Really Know?. <i>Frontiers in Cell and Developmental Biology</i> , 2016 , 4, 68	5.7	17
36	Peripheral myelin protein 22 preferentially partitions into ordered phase membrane domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 14168-14177	11.5	16
35	Size, stoichiometry, and organization of soluble LC3-associated complexes. <i>Autophagy</i> , 2014 , 10, 861-77	10.2	16
34	Topologically Diverse Human Membrane Proteins Partition to Liquid-Disordered Domains in Phase-Separated Lipid Vesicles. <i>Biochemistry</i> , 2016 , 55, 985-8	3.2	14
33	Validation of Normalizations, Scaling, and Photofading Corrections for FRAP Data Analysis. <i>PLoS ONE</i> , 2015 , 10, e0127966	3.7	14
32	Analysis of diffusion in curved surfaces and its application to tubular membranes. <i>Molecular Biology of the Cell</i> , 2016 , 27, 3937-3946	3.5	13
31	Fleeting glimpses of lipid rafts: how biophysics is being used to track them. <i>Journal of Investigative Medicine</i> , 2005 , 53, 312-7	2.9	13
30	Size, organization, and dynamics of soluble SQSTM1 and LC3-SQSTM1 complexes in living cells. <i>Autophagy</i> , 2016 , 12, 1660-74	10.2	11
29	Intermolecular protein interactions in solutions of bovine lens beta L-crystallin. Results from 1/T1 nuclear magnetic relaxation dispersion profiles. <i>Biophysical Journal</i> , 1993 , 64, 1178-86	2.9	11
28	Colloid osmotic pressure of steer crystallins: implications for the origin of the refractive index gradient and transparency of the lens. <i>Experimental Eye Research</i> , 1992 , 55, 615-27	3.7	11

27	Intracellular Degradation of <i>Helicobacter pylori</i> VacA Toxin as a Determinant of Gastric Epithelial Cell Viability. <i>Infection and Immunity</i> , 2019 , 87,	3.7	10
26	Determinants of Raft Partitioning of the <i>Helicobacter pylori</i> Pore-Forming Toxin VacA. <i>Infection and Immunity</i> , 2018 , 86,	3.7	10
25	A novel computational framework for D(t) from Fluorescence Recovery after Photobleaching data reveals various anomalous diffusion types in live cell membranes. <i>Traffic</i> , 2019 , 20, 867-880	5.7	10
24	Proposed correction to Feder's anomalous diffusion FRAP equations. <i>Biophysical Journal</i> , 2011 , 100, 791-792	2.9	10
23	Motor and tail homology 1 (Th1) domains antagonistically control myosin-1 dynamics. <i>Biophysical Journal</i> , 2014 , 106, 649-58	2.9	9
22	Structure and assembly of CAV1 8S complexes revealed by single particle electron microscopy. <i>Science Advances</i> , 2020 , 6,	14.3	8
21	Photobleaching FRET Microscopy 2005 , 146-164		8
20	Ceramide structure dictates glycosphingolipid nanodomain assembly and function. <i>Nature Communications</i> , 2021 , 12, 3675	17.4	8
19	Analyzing Single Giant Unilamellar Vesicles With a Slotline-Based RF Nanometer Sensor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 1339-1347	4.1	7
18	Caveolin-1 is an aggresome-inducing protein. <i>Scientific Reports</i> , 2016 , 6, 38681	4.9	6
17	Complex Applications of Simple FRAP on Membranes 2009 , 187-221		5
16	Distinct insulin granule subpopulations implicated in the secretory pathology of diabetes types 1 and 2. <i>ELife</i> , 2020 , 9,	8.9	5
15	Cholera Toxin as a Probe for Membrane Biology. <i>Toxins</i> , 2021 , 13,	4.9	4
14	Bigger Isn't Always Better: Bulking Up Impedes Receptor Internalization. <i>Biophysical Journal</i> , 2018 , 114, 1255-1256	2.9	2
13	The C99 domain of the amyloid precursor protein resides in the disordered membrane phase. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100652	5.4	2
12	Molecular architecture of the human caveolin-1 complex.. <i>Science Advances</i> , 2022 , 8, eabn7232	14.3	2
11	Lipid Domains. Preface. <i>Current Topics in Membranes</i> , 2015 , 75, xiii-xvii	2.2	1
10	Cell Membrane Dynamics1		1

9	Peripheral Myelin Protein 22 Preferentially Partitions into Ordered Phase Membrane Domains		1
8	Structure and assembly of CAV1 8S complexes revealed by single particle electron microscopy		1
7	Expression of a Human Caveolin-1 Mutation in Mice Drives Inflammatory and Metabolic Defect-Associated Pulmonary Arterial Hypertension. <i>Frontiers in Medicine</i> , 2020 , 7, 540	4.9	1
6	Choosing who can ride the raft. <i>Nature Reviews Molecular Cell Biology</i> , 2020 , 21, 566-567	48.7	1
5	High-Content Imaging Platform to Discover Chemical Modulators of Plasma Membrane Rafts.. <i>ACS Central Science</i> , 2022 , 8, 370-378	16.8	1
4	Molecular architecture of the human caveolin-1 complex		1
3	Breaking up isn't so hard to do. <i>Biophysical Journal</i> , 2007 , 93, 2984-5	2.9	
2	Studying Spatial Distributions of Influenza Hemagglutinin on the Plasma Membrane of Fibroblasts: A Work in Progress. <i>Macromolecular Symposia</i> , 2005 , 219, 17-24	0.8	
1	Light Microscopy Beyond the Wavelength Limit: Methods for Characterizing Cell Surface Membranes. <i>Microscopy and Microanalysis</i> , 1998 , 4, 1018-1019	0.5	