

Atsushi Goto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7501363/publications.pdf>

Version: 2024-02-01

192
papers

47,023
citations

57631

44
h-index

3476

182
g-index

202
all docs

202
docs citations

202
times ranked

76112
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 766-781.	6.3	9,122
2	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1545-1602.	6.3	5,298
3	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017, 377, 13-27.	13.9	5,014
4	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 743-800.	6.3	4,951
5	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	6.3	4,203
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	6.3	2,184
7	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	6.3	1,612
8	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	6.3	1,589
9	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	6.3	1,544
10	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	6.3	1,230
11	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 1005-1070.	6.3	786
12	Global, regional, and national levels of maternal mortality, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1775-1812.	6.3	740
13	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 957-979.	6.3	609
14	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1725-1774.	6.3	571
15	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€“2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266.	6.3	480
16	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	3.3	479
17	Cancer Risk in Diabetic Patients Treated with Metformin: A Systematic Review and Meta-analysis. <i>PLoS ONE</i> , 2012, 7, e33411.	1.1	472
18	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980â€“2015: the Global Burden of Disease Study 2015. <i>Lancet HIV</i> , the, 2016, 3, e361-e387.	2.1	461

#	ARTICLE	IF	CITATIONS
19	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	6.3	413
20	Severe hypoglycaemia and cardiovascular disease: systematic review and meta-analysis with bias analysis. <i>BMJ, The</i> , 2013, 347, f4533-f4533.	3.0	402
21	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	3.3	306
22	Japanese Clinical Practice Guideline for Diabetes 2019. <i>Diabetology International</i> , 2020, 11, 165-223.	0.7	266
23	Japanese Clinical Practice Guideline for Diabetes 2016. <i>Diabetology International</i> , 2018, 9, 1-45.	0.7	215
24	Low-Carbohydrate Diets and All-Cause Mortality: A Systematic Review and Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2013, 8, e55030.	1.1	183
25	Japanese Clinical Practice Guideline for Diabetes 2019. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1020-1076.	1.1	159
26	Japanese Clinical Practice Guideline for Diabetes 2016. <i>Journal of Diabetes Investigation</i> , 2018, 9, 657-697.	1.1	158
27	Quality of diet and mortality among Japanese men and women: Japan Public Health Center based prospective study. <i>BMJ, The</i> , 2016, 352, i1209.	3.0	135
28	Smoking and the risk of type 2 diabetes in Japan: A systematic review and meta-analysis. <i>Journal of Epidemiology</i> , 2017, 27, 553-561.	1.1	127
29	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019, 179, 1509.	2.6	120
30	Impact of population aging on trends in diabetes prevalence: A meta-regression analysis of 160,000 Japanese adults. <i>Journal of Diabetes Investigation</i> , 2015, 6, 533-542.	1.1	111
31	Latest insights into the risk of cancer in diabetes. <i>Journal of Diabetes Investigation</i> , 2013, 4, 225-232.	1.1	71
32	Report of the <sc>J</sc>apan Diabetes Society/<sc>J</sc>apanese Cancer Association joint committee on diabetes and cancer. <i>Cancer Science</i> , 2013, 104, 965-976.	1.7	71
33	Coffee and Caffeine Consumption in Relation to Sex Hormone-binding Globulin and Risk of Type 2 Diabetes in Postmenopausal Women. <i>Diabetes</i> , 2011, 60, 269-275.	0.3	66
34	Evidence-based practice guideline for the treatment for diabetes in Japan 2013. <i>Diabetology International</i> , 2015, 6, 151-187.	0.7	65
35	Association of handgrip strength with hospitalization, cardiovascular events, and mortality in Japanese patients with type 2 diabetes. <i>Scientific Reports</i> , 2017, 7, 7041.	1.6	65
36	Long-acting muscarinic antagonist (LAMA) plus long-acting beta-agonist (LABA) versus LABA plus inhaled corticosteroid (ICS) for stable chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2018, 2018, CD012066.	1.5	62

#	ARTICLE	IF	CITATIONS
37	Low-Carbohydrate Diet and Type 2 Diabetes Risk in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. PLoS ONE, 2015, 10, e0118377.	1.1	61
38	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. BMJ: British Medical Journal, 2018, 360, k671.	2.4	61
39	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Case-Control Study of a Large Cohort. Gastroenterology, 2018, 155, 1474-1482.e1.	0.6	59
40	High Dietary Acid Load Score Is Associated with Increased Risk of Type 2 Diabetes in Japanese Men: The Japan Public Health Center-based Prospective Study. Journal of Nutrition, 2016, 146, 1076-1083.	1.3	52
41	Diabetes and cancer risk: A Mendelian randomization study. International Journal of Cancer, 2020, 146, 712-719.	2.3	52
42	Association Between Severe Hypoglycemia and Cardiovascular Disease Risk in Japanese Patients With Type 2 Diabetes. Journal of the American Heart Association, 2016, 5, e002875.	1.6	51
43	Dietary glycemic index, glycemic load and incidence of type 2 diabetes in Japanese men and women: the Japan public health center-based prospective study. Nutrition Journal, 2013, 12, 165.	1.5	46
44	Dietary patterns and suicide in Japanese adults: The Japan Public Health Center-based Prospective Study. British Journal of Psychiatry, 2013, 203, 422-427.	1.7	45
45	Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. BMJ, The, 2020, 368, m34.	3.0	45
46	Red meat consumption is associated with the risk of type 2 diabetes in men but not in women: a Japan Public Health Center-based Prospective Study. British Journal of Nutrition, 2013, 110, 1910-1918.	1.2	44
47	Plasma insulin, C-peptide and blood glucose and the risk of gastric cancer: The Japan Public Health Center-based Prospective Study. International Journal of Cancer, 2015, 136, 1402-1410.	2.3	44
48	Retrospective nationwide study on the trends in first-line antidiabetic medication for patients with type 2 diabetes in Japan. Journal of Diabetes Investigation, 2022, 13, 280-291.	1.1	44
49	Validity of Diabetes Self-Reports in the Saku Diabetes Study. Journal of Epidemiology, 2013, 23, 295-300.	1.1	43
50	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. Ocular Surface, 2020, 18, 56-63.	2.2	42
51	Vegetable and fruit intake and risk of type 2 diabetes: Japan Public Health Center-based Prospective Study. British Journal of Nutrition, 2013, 109, 709-717.	1.2	40
52	Increasing Number of People with Diabetes in Japan: Is This Trend Real?. Internal Medicine, 2016, 55, 1827-1830.	0.3	39
53	High hemoglobin A1c levels within the non-diabetic range are associated with the risk of all cancers. International Journal of Cancer, 2016, 138, 1741-1753.	2.3	39
54	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. American Journal of Clinical Nutrition, 2020, 111, 1027-1035.	2.2	38

#	ARTICLE	IF	CITATIONS
55	Low-molecular-weight adiponectin and high-molecular-weight adiponectin levels in relation to diabetes. <i>Obesity</i> , 2014, 22, 401-407.	1.5	37
56	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021, 60, 1327-1336.	1.8	37
57	Incidence of Type 2 Diabetes in Japan: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e74699.	1.1	37
58	Cholesterol and egg intakes and the risk of type 2 diabetes: The Japan Public Health Center-based Prospective Study. <i>British Journal of Nutrition</i> , 2014, 112, 1636-1643.	1.2	34
59	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.	1.6	34
60	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.	5.8	34
61	Autoimmune Diabetes in HIV-Infected Patients on Highly Active Antiretroviral Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4056-4060.	1.8	32
62	Report of the JDS/JCA Joint Committee on Diabetes and Cancer. <i>Diabetology International</i> , 2013, 4, 81-96.	0.7	32
63	A cluster randomized trial on the effect of a multifaceted intervention improved the technical quality of diabetes care by primary care physicians: The Japan Diabetes Outcome Intervention Trial (JDOIT). <i>Diabetic Medicine</i> , 2016, 33, 599-608.	1.2	32
64	Effects of Coffee and Tea Consumption on Glucose Metabolism: A Systematic Review and Network Meta-Analysis. <i>Nutrients</i> , 2019, 11, 48.	1.7	32
65	Associations of sex hormone-binding globulin and testosterone with diabetes among men and women (the Saku Diabetes study): a case control study. <i>Cardiovascular Diabetology</i> , 2012, 11, 130.	2.7	31
66	Impact of birth weight on adult-onset diabetes mellitus in relation to current body mass index: The Japan Nurses' Health Study. <i>Journal of Epidemiology</i> , 2017, 27, 428-434.	1.1	31
67	A Case of Fulminant Type 1 Diabetes Associated With Significant Elevation of Mumps Titers. <i>Endocrine Journal</i> , 2008, 55, 561-564.	0.7	30
68	Primary Aldosteronism Associated with Severe Rhabdomyolysis Due to Profound Hypokalemia. <i>Internal Medicine</i> , 2009, 48, 219-223.	0.3	30
69	Sex Hormone-Binding Globulin and Risk of Clinical Diabetes in American Black, Hispanic, and Asian/Pacific Islander Postmenopausal Women. <i>Clinical Chemistry</i> , 2012, 58, 1457-1466.	1.5	30
70	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.	1.1	30
71	Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015, 5, e007736-e007736.	0.8	28
72	Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021, 40, 2016-2024.	2.3	28

#	ARTICLE	IF	CITATIONS
73	Hemoglobin A1c Levels and the Risk of Cardiovascular Disease in People Without Known Diabetes. <i>Medicine (United States)</i> , 2015, 94, e785.	0.4	27
74	Gene and environmental interactions according to the components of lifestyle modifications in hypertension guidelines. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 19.	1.4	27
75	Effect of calcium channel blockers on incidence of diabetes: a meta-analysis. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2013, 6, 257.	1.1	26
76	A newer conversion equation for the correlation between HbA1c and glycated albumin. <i>Endocrine Journal</i> , 2014, 61, 553-560.	0.7	26
77	Vaccine-induced humoral response against SARS-CoV-2 dramatically declined but cellular immunity possibly remained at 6 months post BNT162b2 vaccination. <i>Vaccine</i> , 2022, 40, 2652-2655.	1.7	26
78	Correlation between baseline serum 1,5-anhydroglucitol levels and 2-hour post-challenge glucose levels during oral glucose tolerance tests. <i>Endocrine Journal</i> , 2011, 58, 13-17.	0.7	25
79	Hospitalization with hypoglycemia in patients without diabetes mellitus. <i>Medicine (United States)</i> , 2017, 96, e7271.	0.4	25
80	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.	1.7	25
81	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019, 145, 1238-1244.	2.3	24
82	Task Force Report on the Validation of Diagnosis Codes and Other Outcome Definitions in the Japanese Receipt Data. <i>Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku</i> , 2018, 23, 95-123.	0.0	22
83	Depression and cardiovascular disease events among patients with type 2 diabetes: A systematic review and meta-analysis with bias analysis. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107710.	1.2	22
84	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017, 10, 535-541.	0.7	21
85	Sustained Neutralizing Antibodies 6 Months Following Infection in 376 Japanese COVID-19 Survivors. <i>Frontiers in Microbiology</i> , 2021, 12, 661187.	1.5	21
86	Possible discrepancy of HbA1c values and its assessment among patients with chronic renal failure, hemodialysis and other diseases. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1179-1183.	0.7	20
87	The Confounder-Mediator Dilemma: Should We Control for Obesity to Estimate the Effect of Perfluoroalkyl Substances on Health Outcomes?. <i>Toxics</i> , 2020, 8, 125.	1.6	20
88	Development of an Automated Chemiluminescence Assay System for Quantitative Measurement of Multiple Anti-SARS-CoV-2 Antibodies. <i>Frontiers in Microbiology</i> , 2020, 11, 628281.	1.5	20
89	Age, Body Mass, Usage of Exogenous Estrogen, and Lifestyle Factors in Relation to Circulating Sex Hormone-Binding Globulin Concentrations in Postmenopausal Women. <i>Clinical Chemistry</i> , 2014, 60, 174-185.	1.5	19
90	Urinary afamin levels are associated with the progression of diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2019, 147, 37-46.	1.1	19

#	ARTICLE	IF	CITATIONS
91	High-Negative Anti- <i>Helicobacter pylori</i> IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 420-426.	1.1	19
92	Antibody titers against the Alpha, Beta, Gamma, and Delta variants of SARS-CoV-2 induced by BNT162b2 vaccination measured using automated chemiluminescent enzyme immunoassay. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 273-278.	0.8	19
93	Hospitalization for Hypoglycemia in Japanese Diabetic Patients. <i>Medicine (United States)</i> , 2015, 94, e1029.	0.4	18
94	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.	2.3	18
95	Burden of cancer associated with type 2 diabetes mellitus in Japan, 2010-2030. <i>Cancer Science</i> , 2016, 107, 521-527.	1.7	16
96	Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 254-264.	1.1	16
97	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.	0.9	16
98	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	0.6	16
99	Risk perception, self-efficacy, trust for physician, depression, and behavior modification in diabetic patients. <i>Journal of Health Psychology</i> , 2020, 25, 350-360.	1.3	16
100	Effects of walking on medical cost: A quantitative evaluation by simulation focusing on diabetes. <i>Journal of Diabetes Investigation</i> , 2013, 4, 667-672.	1.1	15
101	The best platinum regimens for chemo-naïve incurable non-small cell lung cancer: network meta-analysis. <i>Scientific Reports</i> , 2017, 7, 13185.	1.6	15
102	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.	1.1	15
103	Menstrual and reproductive factors and type 2 diabetes risk: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 147-153.	1.1	15
104	Rapid detection of neutralizing antibodies to SARS-CoV-2 variants in post-vaccination sera. <i>Journal of Molecular Cell Biology</i> , 2022, 13, 918-920.	1.5	15
105	Descriptive Epidemiology of Diabetes Prevalence and HbA1c Distributions Based on a Self-Reported Questionnaire and a Health Checkup in the JPHC Diabetes Study. <i>Journal of Epidemiology</i> , 2014, 24, 460-468.	1.1	14
106	Smoking at the time of diagnosis and mortality in cancer patients: What benefit does the quitter gain?. <i>International Journal of Cancer</i> , 2017, 140, 1789-1795.	2.3	14
107	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722.	2.9	14
108	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017, 141, 2480-2488.	2.3	14

#	ARTICLE	IF	CITATIONS
109	Predictive performance of a genetic risk score using 11 susceptibility alleles for the incidence of Type 2 diabetes in a general Japanese population: a nested case-control study. <i>Diabetic Medicine</i> , 2018, 35, 602-611.	1.2	14
110	Relationship between dietary carbohydrates intake and circulating sex hormone-binding globulin levels in postmenopausal women. <i>Journal of Diabetes</i> , 2018, 10, 467-477.	0.8	14
111	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018, 142, 1130-1138.	2.3	14
112	Association between serum liver enzymes and all-cause mortality: The Japan Public Health Center-based Prospective Study. <i>Liver International</i> , 2019, 39, 1566-1576.	1.9	14
113	Weight control before and during pregnancy for patients with gestational diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1075-1082.	1.1	14
114	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.	2.2	14
115	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese population-based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.	1.3	14
116	Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. <i>Nutrients</i> , 2019, 11, 554.	1.7	12
117	Reduction-responsive double hydrophilic block copolymer nano-capsule synthesized <i>via</i> RCMP-PISA. <i>Polymer Chemistry</i> , 2021, 12, 1060-1067.	1.9	12
118	Low HbA1c levels and all-cause or cardiovascular mortality among people without diabetes: the US National Health and Nutrition Examination Survey 1999-2015. <i>International Journal of Epidemiology</i> , 2021, 50, 1373-1383.	0.9	12
119	Report of the Japan Diabetes Society (JDS)/Japanese Cancer Association (JCA) Joint Committee on Diabetes and Cancer, Second Report. <i>Diabetology International</i> , 2016, 7, 12-15.	0.7	11
120	Association between plasma concentrations of branched-chain amino acids and adipokines in Japanese adults without diabetes. <i>Scientific Reports</i> , 2018, 8, 1043.	1.6	11
121	Fruit and vegetable intake and pancreatic cancer risk in a population-based cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 1858-1866.	2.3	11
122	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403.	1.1	11
123	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984.	1.7	11
124	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021, 60, 217-227.	1.8	11
125	Reduction in Adiposity, β -Cell Function, Insulin Sensitivity, and Cardiovascular Risk Factors: A Prospective Study among Japanese with Obesity. <i>PLoS ONE</i> , 2013, 8, e57964.	1.1	11
126	Long-term Low-carbohydrate Diets and Type 2 Diabetes Risk: A Systematic Review and Meta-analysis of Observational Studies. <i>Journal of General and Family Medicine</i> , 2016, 17, 60-70.	0.3	10

#	ARTICLE	IF	CITATIONS
127	Report of the Japan diabetes society/Japanese cancer association joint committee on diabetes and cancer, Second report. <i>Cancer Science</i> , 2016, 107, 369-371.	1.7	10
128	Being underweight in adolescence is independently associated with adult-onset diabetes among women: The Japan Nurses' Health Study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 827-836.	1.1	10
129	Passive smoking and type 2 diabetes among never-smoking women: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1352-1358.	1.1	10
130	Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. <i>European Journal of Nutrition</i> , 2021, 60, 1389-1401.	1.8	10
131	Successful Treatment of Chronic Intractable Itching Using Oral Pregabalin in a Patient with Diabetes and Systemic Prurigo Nodularis: A Case Report of an Iliopsoas Muscle Abscess. <i>Internal Medicine</i> , 2013, 52, 2629-2633.	0.3	9
132	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. <i>Cancer Science</i> , 2018, 109, 1672-1681.	1.7	9
133	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.	1.1	9
134	Working cancer survivors' physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	1.5	9
135	Genetic susceptibility to hepatocellular carcinoma in chromosome 22q13.31, findings of a genome-wide association study. <i>JGH Open</i> , 2021, 5, 1363-1372.	0.7	9
136	Influence of the COVID-19 Pandemic on Overall Physician Visits and Telemedicine Use Among Patients With Type 1 or Type 2 Diabetes in Japan. <i>Journal of Epidemiology</i> , 2022, 32, 476-482.	1.1	9
137	Dietary glycemic index and glycemic load in relation to HbA1c in Japanese obese adults: a cross-sectional analysis of the Saku Control Obesity Program. <i>Nutrition and Metabolism</i> , 2012, 9, 79.	1.3	8
138	Factors Associated with Untreated Diabetes: Analysis of Data from 20,496 Participants in the Japanese National Health and Nutrition Survey. <i>PLoS ONE</i> , 2015, 10, e0118749.	1.1	8
139	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. <i>Journal of Nutrition</i> , 2019, 149, 1967-1976.	1.3	8
140	Causes of death and estimated life expectancy among people with diabetes: A retrospective cohort study in a diabetes clinic. <i>Journal of Diabetes Investigation</i> , 2020, 11, 52-54.	1.1	8
141	Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. <i>European Journal of Nutrition</i> , 2020, 59, 2075-2087.	1.8	8
142	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. <i>Cancer Science</i> , 2020, 111, 3835-3844.	1.7	8
143	Dietary fiber intake and risk of gastric cancer: The Japan Public Health Center-based prospective study. <i>International Journal of Cancer</i> , 2021, 148, 2664-2673.	2.3	8
144	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. <i>Nutrients</i> , 2021, 13, 1223.	1.7	8

#	ARTICLE	IF	CITATIONS
145	Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Center-Based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021, 47, 449-455.	0.8	8
146	Evaluation of organ-specific glucose metabolism by 18F-FDG in insulin receptor substrate-1 (IRS-1) knockout mice as a model of insulin resistance. <i>Annals of Nuclear Medicine</i> , 2011, 25, 755-761.	1.2	7
147	Time Spent Walking and Risk of Diabetes in Japanese Adults: The Japan Public Health Center-Based Prospective Diabetes Study. <i>Journal of Epidemiology</i> , 2016, 26, 224-232.	1.1	7
148	Association between dietary sugar intake and colorectal adenoma among cancer screening examinees in Japan. <i>Cancer Science</i> , 2020, 111, 3862-3872.	1.7	7
149	A cluster-randomized trial of the effectiveness of a triple-faceted intervention promoting adherence to primary care physician visits by diabetes patients: J-DOIT2 large-scale trial (J-DOIT2-LT). <i>Scientific Reports</i> , 2020, 10, 2842.	1.6	7
150	Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Cancer</i> , 2019, 120, 571-574.	2.9	6
151	Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 420-427.	0.6	6
152	Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 331-337.	2.3	6
153	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.	1.1	6
154	Persistence of Robust Humoral Immune Response in Coronavirus Disease 2019 Convalescent Individuals Over 12 Months After Infection. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofab626.	0.4	6
155	Inverse Association between Fruit and Vegetable Intake and All-Cause Mortality: Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 2245-2254.	1.3	6
156	History of Having a Macrosomic Infant and the Risk of Diabetes: The Japan Public Health Center-Based Prospective Diabetes Study. <i>PLoS ONE</i> , 2013, 8, e84542.	1.1	5
157	Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Center-Based Prospective Study. <i>Cancer Science</i> , 2019, 110, 1442-1452.	1.7	5
158	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 718-729.	2.3	5
159	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020, 150, 2442-2450.	1.3	5
160	Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Center-Based Prospective Study. <i>Cancer Science</i> , 2021, 112, 3682-3690.	1.7	5
161	Association between sugar and starch intakes and type 2 diabetes risk in middle-aged adults in a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 746-755.	1.3	5
162	Association between a single mother family and childhood undervaccination, and mediating effect of household income: a nationwide, prospective birth cohort from the Japan Environment and Children's Study (JECS). <i>BMC Public Health</i> , 2022, 22, 117.	1.2	5

#	ARTICLE	IF	CITATIONS
163	Hypopituitarism Caused by Bilateral Internal Carotid Artery Aneurysms with a Carotid-cavernous Fistula. <i>Internal Medicine</i> , 2008, 47, 815-816.	0.3	4
164	Exploring predictive biomarkers from clinical genome-wide association studies via multidimensional hierarchical mixture models. <i>European Journal of Human Genetics</i> , 2019, 27, 140-149.	1.4	4
165	Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1214-1221.	1.1	4
166	Prevalence of diabetes in Japanese patients with cancer. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1159-1162.	1.1	4
167	Validation Study of Diabetes Definitions Using Japanese Diagnosis Procedure Combination Data Among Hospitalized Patients. <i>Journal of Epidemiology</i> , 2023, 33, 165-169.	1.1	4
168	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1708-1716.	1.1	4
169	Genetic variants in sex hormone pathways and the risk of type 2 diabetes among African American, Hispanic American, and European American postmenopausal women in the US. <i>Journal of Diabetes</i> , 2018, 10, 524-533.	0.8	3
170	Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019, 9, 14329.	1.6	3
171	Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019, 17, 278-284.	2.2	3
172	Association Between Okinawan Vegetables Consumption and Risk of Type 2 Diabetes in Japanese Communities: The JPHC Study. <i>Journal of Epidemiology</i> , 2020, 30, 227-235.	1.1	3
173	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020, 133, 106026.	1.6	3
174	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.	1.1	3
175	Possible Aggravation and Recovery of Slowly Progressive Type 1 Diabetes by Onset and Resolution of Oral and Esophageal Candidiasis. <i>Internal Medicine</i> , 2007, 46, 1629-1629.	0.3	2
176	A Morbid Obese Japanese Woman with a Body Mass Index of 83.2 kg/m ² : Before and after Sleeve Gastrectomy. <i>Internal Medicine</i> , 2012, 51, 969-975.	0.3	1
177	No Healthcare Utilization and Death. <i>Journal of General Internal Medicine</i> , 2021, , 1.	1.3	1
178	Employment status and diabetic outpatient appointment non-attendance in middle to senior working generation with type 2 diabetes: the Japan diabetes outcome intervention trial-2 large-scale trial 005 (J-DOIT2-LT005). <i>Acta Diabetologica</i> , 2022, 59, 793-801.	1.2	1
179	Certified nurse specialists in cancer nursing and prophylactic antiemetic prescription for chemotherapy patients. <i>Supportive Care in Cancer</i> , 2022, 30, 5931-5937.	1.0	1
180	Cross-sectional associations between the types/amounts of beverages consumed and the glycemia status: The Japan public health center-based Prospective Diabetes study. <i>Metabolism Open</i> , 2022, 14, 100185.	1.4	1

#	ARTICLE	IF	CITATIONS
181	Is caffeine protective against Type 2 diabetes?. Diabetes Management, 2011, 1, 351-353.	0.5	0
182	Emerging Link between Diabetes and Cancer. Journal of General and Family Medicine, 2015, 16, 170-176.	0.3	0
183	Analysis and a prediction model of pattern of visits to medical institutions among working individuals with lifestyle-related diseases in Japan. , 2018, , .		0
184	Body mass index and mortality among middle-aged Japanese individuals with diagnosed diabetes: The Japan Public Health Center-based prospective study (JPHC study). Diabetes Research and Clinical Practice, 2020, 164, 108198.	1.1	0
185	The 2020 FASEB virtual Catalyst Conference on Integrative Approach for Complex Diseases Prevention and Management and Beyond, December 16, 2020. FASEB Journal, 2021, 35, e21500.	0.2	0
186	Appendix 3. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 131-139.	0.0	0
187	Appendix 4. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 140-143.	0.0	0
188	Appendix 2. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 125-130.	0.0	0
189	Appendix 1. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 124-124.	0.0	0
190	Appendix 5. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 144-146.	0.0	0
191	Public access to summary statistics for genome-wide association studies of body mass index, weight, and height among healthy Japanese individuals: the Japanese Consortium of Genetic Epidemiology studies. Journal of Epidemiology, 2021, , .	1.1	0
192	Association between diabetes and adjuvant chemotherapy implementation in patients with stageâ€‰% colorectal cancer. Journal of Diabetes Investigation, 2022, , .	1.1	0