

# Atsushi Goto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7501363/publications.pdf>

Version: 2024-02-01

192  
papers

47,023  
citations

57758

44  
h-index

3487

182  
g-index

202  
all docs

202  
docs citations

202  
times ranked

76112  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 766-781.	13.7	9,122
2	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
3	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine, 2017, 377, 13-27.	27.0	5,014
4	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
5	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
7	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
8	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
9	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
10	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	13.7	1,230
11	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	13.7	786
12	Global, regional, and national levels of maternal mortality, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	13.7	740
13	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	13.7	609
14	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	13.7	571
15	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€“2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	13.7	480
16	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	6.2	479
17	Cancer Risk in Diabetic Patients Treated with Metformin: A Systematic Review and Meta-analysis. PLoS ONE, 2012, 7, e33411.	2.5	472
18	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980â€“2015: the Global Burden of Disease Study 2015. Lancet HIV, the, 2016, 3, e361-e387.	4.7	461

#	ARTICLE	IF	CITATIONS
19	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	13.7	413
20	Severe hypoglycaemia and cardiovascular disease: systematic review and meta-analysis with bias analysis. <i>BMJ, The</i> , 2013, 347, f4533-f4533.	6.0	402
21	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	6.2	306
22	Japanese Clinical Practice Guideline for Diabetes 2019. <i>Diabetology International</i> , 2020, 11, 165-223.	1.4	266
23	Japanese Clinical Practice Guideline for Diabetes 2016. <i>Diabetology International</i> , 2018, 9, 1-45.	1.4	215
24	Low-Carbohydrate Diets and All-Cause Mortality: A Systematic Review and Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2013, 8, e55030.	2.5	183
25	Japanese Clinical Practice Guideline for Diabetes 2019. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1020-1076.	2.4	159
26	Japanese Clinical Practice Guideline for Diabetes 2016. <i>Journal of Diabetes Investigation</i> , 2018, 9, 657-697.	2.4	158
27	Quality of diet and mortality among Japanese men and women: Japan Public Health Center based prospective study. <i>BMJ, The</i> , 2016, 352, i1209.	6.0	135
28	Smoking and the risk of type 2 diabetes in Japan: A systematic review and meta-analysis. <i>Journal of Epidemiology</i> , 2017, 27, 553-561.	2.4	127
29	Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality in a Japanese Cohort. <i>JAMA Internal Medicine</i> , 2019, 179, 1509.	5.1	120
30	Impact of population aging on trends in diabetes prevalence: A meta-regression analysis of 160,000 Japanese adults. <i>Journal of Diabetes Investigation</i> , 2015, 6, 533-542.	2.4	111
31	Latest insights into the risk of cancer in diabetes. <i>Journal of Diabetes Investigation</i> , 2013, 4, 225-232.	2.4	71
32	Report of the <sc>J</sc>apan Diabetes Society/<sc>J</sc>apanese Cancer Association joint committee on diabetes and cancer. <i>Cancer Science</i> , 2013, 104, 965-976.	3.9	71
33	Coffee and Caffeine Consumption in Relation to Sex Hormone-“Binding Globulin and Risk of Type 2 Diabetes in Postmenopausal Women. <i>Diabetes</i> , 2011, 60, 269-275.	0.6	66
34	Evidence-based practice guideline for the treatment for diabetes in Japan 2013. <i>Diabetology International</i> , 2015, 6, 151-187.	1.4	65
35	Association of handgrip strength with hospitalization, cardiovascular events, and mortality in Japanese patients with type 2 diabetes. <i>Scientific Reports</i> , 2017, 7, 7041.	3.3	65
36	Long-acting muscarinic antagonist (LAMA) plus long-acting beta-agonist (LABA) versus LABA plus inhaled corticosteroid (ICS) for stable chronic obstructive pulmonary disease (COPD). <i>The Cochrane Library</i> , 2018, 2018, CD012066.	2.8	62

#	ARTICLE	IF	CITATIONS
37	Low-Carbohydrate Diet and Type 2 Diabetes Risk in Japanese Men and Women: The Japan Public Health Center-Based Prospective Study. PLoS ONE, 2015, 10, e0118377.	2.5	61
38	Plasma 25-hydroxyvitamin D concentration and subsequent risk of total and site specific cancers in Japanese population: large case-cohort study within Japan Public Health Center-based Prospective Study cohort. BMJ: British Medical Journal, 2018, 360, k671.	2.3	61
39	Increased Levels of Branched-Chain Amino Acid Associated With Increased Risk of Pancreatic Cancer in a Prospective Caseâ€“Control Study of a Large Cohort. Gastroenterology, 2018, 155, 1474-1482.e1.	1.3	59
40	High Dietary Acid Load Score Is Associated with Increased Risk of Type 2 Diabetes in Japanese Men: The Japan Public Health Centerâ€“based Prospective Study. Journal of Nutrition, 2016, 146, 1076-1083.	2.9	52
41	Diabetes and cancer risk: A Mendelian randomization study. International Journal of Cancer, 2020, 146, 712-719.	5.1	52
42	Association Between Severe Hypoglycemia and Cardiovascular Disease Risk in Japanese Patients With Type 2 Diabetes. Journal of the American Heart Association, 2016, 5, e002875.	3.7	51
43	Dietary glycemic index, glycemic load and incidence of type 2 diabetes in Japanese men and women: the Japan public health center-based prospective study. Nutrition Journal, 2013, 12, 165.	3.4	46
44	Dietary patterns and suicide in Japanese adults: The Japan Public Health Center-based Prospective Study. British Journal of Psychiatry, 2013, 203, 422-427.	2.8	45
45	Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. BMJ, The, 2020, 368, m34.	6.0	45
46	Red meat consumption is associated with the risk of type 2 diabetes in men but not in women: a Japan Public Health Center-based Prospective Study. British Journal of Nutrition, 2013, 110, 1910-1918.	2.3	44
47	Plasma insulin, <sc>C</sc>â€“peptide and blood glucose and the risk of gastric cancer: The <sc>J</sc>apan <sc>P</sc>ublic <sc>H</sc>ealth <sc>C</sc>enterâ€“based prospective study. International Journal of Cancer, 2015, 136, 1402-1410.	5.1	44
48	Retrospective nationwide study on the trends in firstâ€“line antidiabetic medication for patients with typeâ€“2 diabetes in Japan. Journal of Diabetes Investigation, 2022, 13, 280-291.	2.4	44
49	Validity of Diabetes Self-Reports in the Saku Diabetes Study. Journal of Epidemiology, 2013, 23, 295-300.	2.4	43
50	Physical inactivity, prolonged sedentary behaviors, and use of visual display terminals as potential risk factors for dry eye disease: JPHC-NEXT study. Ocular Surface, 2020, 18, 56-63.	4.4	42
51	Vegetable and fruit intake and risk of type 2 diabetes: Japan Public Health Center-based Prospective Study. British Journal of Nutrition, 2013, 109, 709-717.	2.3	40
52	Increasing Number of People with Diabetes in Japan: Is This Trend Real?. Internal Medicine, 2016, 55, 1827-1830.	0.7	39
53	High hemoglobin A1c levels within the nonâ€“diabetic range are associated with the risk of all cancers. International Journal of Cancer, 2016, 138, 1741-1753.	5.1	39
54	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. American Journal of Clinical Nutrition, 2020, 111, 1027-1035.	4.7	38

#	ARTICLE	IF	CITATIONS
55	Low-molecular-weight adiponectin and high-molecular-weight adiponectin levels in relation to diabetes. <i>Obesity</i> , 2014, 22, 401-407.	3.0	37
56	Association between adherence to the Japanese diet and all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>European Journal of Nutrition</i> , 2021, 60, 1327-1336.	3.9	37
57	Incidence of Type 2 Diabetes in Japan: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e74699.	2.5	37
58	Cholesterol and egg intakes and the risk of type 2 diabetes: The Japan Public Health Center-based Prospective Study. <i>British Journal of Nutrition</i> , 2014, 112, 1636-1643.	2.3	34
59	Perceived stress level and risk of cancer incidence in a Japanese population: the Japan Public Health Center (JPHC)-based Prospective Study. <i>Scientific Reports</i> , 2017, 7, 12964.	3.3	34
60	Genome-wide association meta-analysis identifies GP2 gene risk variants for pancreatic cancer. <i>Nature Communications</i> , 2020, 11, 3175.	12.8	34
61	Autoimmune Diabetes in HIV-Infected Patients on Highly Active Antiretroviral Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4056-4060.	3.6	32
62	Report of the JDS/JCA Joint Committee on Diabetes and Cancer. <i>Diabetology International</i> , 2013, 4, 81-96.	1.4	32
63	A cluster randomized trial on the effect of a multifaceted intervention improved the technical quality of diabetes care by primary care physicians: The Japan Diabetes Outcome Intervention Trial (JDOIT-2). <i>Diabetic Medicine</i> , 2016, 33, 599-608.	2.3	32
64	Effects of Coffee and Tea Consumption on Glucose Metabolism: A Systematic Review and Network Meta-Analysis. <i>Nutrients</i> , 2019, 11, 48.	4.1	32
65	Associations of sex hormone-binding globulin and testosterone with diabetes among men and women (the Saku Diabetes study): a case control study. <i>Cardiovascular Diabetology</i> , 2012, 11, 130.	6.8	31
66	Impact of birth weight on adult-onset diabetes mellitus in relation to current body mass index: The Japan Nurses' Health Study. <i>Journal of Epidemiology</i> , 2017, 27, 428-434.	2.4	31
67	A Case of Fulminant Type 1 Diabetes Associated With Significant Elevation of Mumps Titers. <i>Endocrine Journal</i> , 2008, 55, 561-564.	1.6	30
68	Primary Aldosteronism Associated with Severe Rhabdomyolysis Due to Profound Hypokalemia. <i>Internal Medicine</i> , 2009, 48, 219-223.	0.7	30
69	Sex Hormone-Binding Globulin and Risk of Clinical Diabetes in American Black, Hispanic, and Asian/Pacific Islander Postmenopausal Women. <i>Clinical Chemistry</i> , 2012, 58, 1457-1466.	3.2	30
70	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.	2.4	30
71	Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015, 5, e007736-e007736.	1.9	28
72	Low carbohydrate diet and all cause and cause-specific mortality. <i>Clinical Nutrition</i> , 2021, 40, 2016-2024.	5.0	28

#	ARTICLE	IF	CITATIONS
73	Hemoglobin A1c Levels and the Risk of Cardiovascular Disease in People Without Known Diabetes. <i>Medicine (United States)</i> , 2015, 94, e785.	1.0	27
74	Gene and environmental interactions according to the components of lifestyle modifications in hypertension guidelines. <i>Environmental Health and Preventive Medicine</i> , 2019, 24, 19.	3.4	27
75	Effect of calcium channel blockers on incidence of diabetes: a meta-analysis. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2013, 6, 257.	2.4	26
76	A newer conversion equation for the correlation between HbA1c and glycated albumin. <i>Endocrine Journal</i> , 2014, 61, 553-560.	1.6	26
77	Vaccine-induced humoral response against SARS-CoV-2 dramatically declined but cellular immunity possibly remained at 6 months post BNT162b2 vaccination. <i>Vaccine</i> , 2022, 40, 2652-2655.	3.8	26
78	Correlation between baseline serum 1,5-anhydroglucitol levels and 2-hour post-challenge glucose levels during oral glucose tolerance tests. <i>Endocrine Journal</i> , 2011, 58, 13-17.	1.6	25
79	Hospitalization with hypoglycemia in patients without diabetes mellitus. <i>Medicine (United States)</i> , 2017, 96, e7271.	1.0	25
80	Body mass index and colorectal cancer risk: A Mendelian randomization study. <i>Cancer Science</i> , 2021, 112, 1579-1588.	3.9	25
81	Circulating sex hormone levels and colorectal cancer risk in Japanese postmenopausal women: The JPHC nested case-control study. <i>International Journal of Cancer</i> , 2019, 145, 1238-1244.	5.1	24
82	&lt;b>Task Force Report on the Validation of Diagnosis Codes and Other Outcome Definitions in the Japanese Receipt Data &lt;/b>. <i>Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku</i> , 2018, 23, 95-123.	0.0	22
83	Depression and cardiovascular disease events among patients with type 2 diabetes: A systematic review and meta-analysis with bias analysis. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107710.	2.3	22
84	Inclusion of a Genetic Risk Score into a Validated Risk Prediction Model for Colorectal Cancer in Japanese Men Improves Performance. <i>Cancer Prevention Research</i> , 2017, 10, 535-541.	1.5	21
85	Sustained Neutralizing Antibodies 6 Months Following Infection in 376 Japanese COVID-19 Survivors. <i>Frontiers in Microbiology</i> , 2021, 12, 661187.	3.5	21
86	Possible discrepancy of HbA1c values and its assessment among patients with chronic renal failure, hemodialysis and other diseases. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1179-1183.	1.6	20
87	The Confounder-Mediator Dilemma: Should We Control for Obesity to Estimate the Effect of Perfluoroalkyl Substances on Health Outcomes?. <i>Toxics</i> , 2020, 8, 125.	3.7	20
88	Development of an Automated Chemiluminescence Assay System for Quantitative Measurement of Multiple Anti-SARS-CoV-2 Antibodies. <i>Frontiers in Microbiology</i> , 2020, 11, 628281.	3.5	20
89	Age, Body Mass, Usage of Exogenous Estrogen, and Lifestyle Factors in Relation to Circulating Sex Hormone-Binding Globulin Concentrations in Postmenopausal Women. <i>Clinical Chemistry</i> , 2014, 60, 174-185.	3.2	19
90	Urinary afamin levels are associated with the progression of diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2019, 147, 37-46.	2.8	19

#	ARTICLE	IF	CITATIONS
91	High-Negative Anti- <i>Helicobacter pylori</i> IgG Antibody Titers and Long-Term Risk of Gastric Cancer: Results from a Large-Scale Population-Based Cohort Study in Japan. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 420-426.	2.5	19
92	Antibody titers against the Alpha, Beta, Gamma, and Delta variants of SARS-CoV-2 induced by BNT162b2 vaccination measured using automated chemiluminescent enzyme immunoassay. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 273-278.	1.7	19
93	Hospitalization for Hypoglycemia in Japanese Diabetic Patients. <i>Medicine (United States)</i> , 2015, 94, e1029.	1.0	18
94	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.	5.0	18
95	Burden of cancer associated with type 2 diabetes mellitus in Japan, 2010-2030. <i>Cancer Science</i> , 2016, 107, 521-527.	3.9	16
96	Plasma adiponectin levels, ADIPOQ variants, and incidence of type 2 diabetes: A nested case-control study. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 254-264.	2.8	16
97	Female reproductive factors and risk of all-cause and cause-specific mortality among women: The Japan Public Health Center-based Prospective Study (JPHC study). <i>Annals of Epidemiology</i> , 2018, 28, 597-604.e6.	1.9	16
98	Genome-wide association meta-analysis and Mendelian randomization analysis confirm the influence of ALDH2 on sleep duration in the Japanese population. <i>Sleep</i> , 2019, 42, .	1.1	16
99	Risk perception, self-efficacy, trust for physician, depression, and behavior modification in diabetic patients. <i>Journal of Health Psychology</i> , 2020, 25, 350-360.	2.3	16
100	Effects of walking on medical cost: A quantitative evaluation by simulation focusing on diabetes. <i>Journal of Diabetes Investigation</i> , 2013, 4, 667-672.	2.4	15
101	The best platinum regimens for chemo-naïve incurable non-small cell lung cancer: network meta-analysis. <i>Scientific Reports</i> , 2017, 7, 13185.	3.3	15
102	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.	2.5	15
103	Menstrual and reproductive factors and type 2 diabetes risk: The Japan Public Health Center-based Prospective Study. <i>Journal of Diabetes Investigation</i> , 2019, 10, 147-153.	2.4	15
104	Rapid detection of neutralizing antibodies to SARS-CoV-2 variants in post-vaccination sera. <i>Journal of Molecular Cell Biology</i> , 2022, 13, 918-920.	3.3	15
105	Descriptive Epidemiology of Diabetes Prevalence and HbA1c Distributions Based on a Self-Reported Questionnaire and a Health Checkup in the JPHC Diabetes Study. <i>Journal of Epidemiology</i> , 2014, 24, 460-468.	2.4	14
106	Smoking at the time of diagnosis and mortality in cancer patients: What benefit does the quitter gain?. <i>International Journal of Cancer</i> , 2017, 140, 1789-1795.	5.1	14
107	Body mass index change during adulthood and risk of oesophageal squamous-cell carcinoma in a Japanese population: the Japan Public Health (JPHC)-based prospective study. <i>British Journal of Cancer</i> , 2017, 117, 1715-1722.	6.4	14
108	Alcohol consumption and bladder cancer risk with or without the flushing response: The Japan Public Health Center-based Prospective Study. <i>International Journal of Cancer</i> , 2017, 141, 2480-2488.	5.1	14



#	ARTICLE	IF	CITATIONS
109	Predictive performance of a genetic risk score using 11 susceptibility alleles for the incidence of Type 2 diabetes in a general Japanese population: a nested caseâ€“control study. <i>Diabetic Medicine</i> , 2018, 35, 602-611.	2.3	14
110	Relationship between dietary carbohydrates intake and circulating sex hormoneâ€“binding globulin levels in postmenopausal women. <i>Journal of Diabetes</i> , 2018, 10, 467-477.	1.8	14
111	Coffee and green tea consumption and subsequent risk of acute myeloid leukemia and myelodysplastic syndromes in Japan. <i>International Journal of Cancer</i> , 2018, 142, 1130-1138.	5.1	14
112	Association between serum liver enzymes and allâ€“cause mortality: The Japan Public Health Centerâ€“based Prospective Study. <i>Liver International</i> , 2019, 39, 1566-1576.	3.9	14
113	Weight control before and during pregnancy for patients with gestational diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1075-1082.	2.4	14
114	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.	4.4	14
115	Fermented and nonfermented soy foods and the risk of breast cancer in a Japanese populationâ€“based cohort study. <i>Cancer Medicine</i> , 2021, 10, 757-771.	2.8	14
116	Validity and Reproducibility of a Self-Administered Food Frequency Questionnaire for the Assessment of Sugar Intake in Middle-Aged Japanese Adults. <i>Nutrients</i> , 2019, 11, 554.	4.1	12
117	Reduction-responsive double hydrophilic block copolymer nano-capsule synthesized <i>via</i> RCMP-PISA. <i>Polymer Chemistry</i> , 2021, 12, 1060-1067.	3.9	12
118	Low HbA1c levels and all-cause or cardiovascular mortality among people without diabetes: the US National Health and Nutrition Examination Survey 1999â€“2015. <i>International Journal of Epidemiology</i> , 2021, 50, 1373-1383.	1.9	12
119	Report of the Japan Diabetes Society (JDS)/Japanese Cancer Association (JCA) Joint Committee on Diabetes and Cancer, Second Report. <i>Diabetology International</i> , 2016, 7, 12-15.	1.4	11
120	Association between plasma concentrations of branched-chain amino acids and adipokines in Japanese adults without diabetes. <i>Scientific Reports</i> , 2018, 8, 1043.	3.3	11
121	Fruit and vegetable intake and pancreatic cancer risk in a populationâ€“based cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 1858-1866.	5.1	11
122	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403.	2.4	11
123	Occupational sitting time and subsequent risk of cancer: The Japan Public Health Centerâ€“based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984.	3.9	11
124	Associations between changes in fruit and vegetable consumption and weight change in Japanese adults. <i>European Journal of Nutrition</i> , 2021, 60, 217-227.	3.9	11
125	Reduction in Adiposity, Î²-Cell Function, Insulin Sensitivity, and Cardiovascular Risk Factors: A Prospective Study among Japanese with Obesity. <i>PLoS ONE</i> , 2013, 8, e57964.	2.5	11
126	Longâ€“term Lowâ€“carbohydrate Diets and Type 2 Diabetes Risk: A Systematic Review and Metaâ€“analysis of Observational Studies. <i>Journal of General and Family Medicine</i> , 2016, 17, 60-70.	0.8	10



#	ARTICLE	IF	CITATIONS
127	Report of the Japan diabetes society/Japanese cancer association joint committee on diabetes and cancer, Second report. Cancer Science, 2016, 107, 369-371.	3.9	10
128	Being underweight in adolescence is independently associated with adult-onset diabetes among women: The Japan Nurses' Health Study. Journal of Diabetes Investigation, 2019, 10, 827-836.	2.4	10
129	Passive smoking and type 2 diabetes among never-smoking women: The Japan Public Health Center-based Prospective Study. Journal of Diabetes Investigation, 2020, 11, 1352-1358.	2.4	10
130	Comparison between the impact of fermented and unfermented soy intake on the risk of liver cancer: the JPHC Study. European Journal of Nutrition, 2021, 60, 1389-1401.	3.9	10
131	Successful Treatment of Chronic Intractable Itching Using Oral Pregabalin in a Patient with Diabetes and Systemic Prurigo Nodularis: A Case Report of an Iliopsoas Muscle Abscess. Internal Medicine, 2013, 52, 2629-2633.	0.7	9
132	Metabolome analysis for pancreatic cancer risk in nested case-control study: Japan Public Health Center-based prospective Study. Cancer Science, 2018, 109, 1672-1681.	3.9	9
133	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. Journal of Epidemiology, 2021, 31, 109-118.	2.4	9
134	Working cancer survivors' physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. Journal of Cancer Survivorship, 2021, 15, 912-921.	2.9	9
135	Genetic susceptibility to hepatocellular carcinoma in chromosome 22q13.31, findings of a genome-wide association study. JGH Open, 2021, 5, 1363-1372.	1.6	9
136	Influence of the COVID-19 Pandemic on Overall Physician Visits and Telemedicine Use Among Patients With Type 1 or Type 2 Diabetes in Japan. Journal of Epidemiology, 2022, 32, 476-482.	2.4	9
137	Dietary glycemic index and glycemic load in relation to HbA1c in Japanese obese adults: a cross-sectional analysis of the Saku Control Obesity Program. Nutrition and Metabolism, 2012, 9, 79.	3.0	8
138	Factors Associated with Untreated Diabetes: Analysis of Data from 20,496 Participants in the Japanese National Health and Nutrition Survey. PLoS ONE, 2015, 10, e0118749.	2.5	8
139	Higher Dietary Non-enzymatic Antioxidant Capacity Is Associated with Decreased Risk of All-Cause and Cardiovascular Disease Mortality in Japanese Adults. Journal of Nutrition, 2019, 149, 1967-1976.	2.9	8
140	Causes of death and estimated life expectancy among people with diabetes: A retrospective cohort study in a diabetes clinic. Journal of Diabetes Investigation, 2020, 11, 52-54.	2.4	8
141	Soy food and isoflavones are not associated with changes in serum lipids and glycohemoglobin concentrations among Japanese adults: a cohort study. European Journal of Nutrition, 2020, 59, 2075-2087.	3.9	8
142	Inclusion of a gene-environment interaction between alcohol consumption and the aldehyde dehydrogenase 2 genotype in a risk prediction model for upper aerodigestive tract cancer in Japanese men. Cancer Science, 2020, 111, 3835-3844.	3.9	8
143	Dietary fiber intake and risk of gastric cancer: The Japan Public Health Center-based prospective study. International Journal of Cancer, 2021, 148, 2664-2673.	5.1	8
144	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. Nutrients, 2021, 13, 1223.	4.1	8

#	ARTICLE	IF	CITATIONS
145	Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Center-Based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021, 47, 449-455.	1.6	8
146	Evaluation of organ-specific glucose metabolism by 18F-FDG in insulin receptor substrate-1 (IRS-1) knockout mice as a model of insulin resistance. <i>Annals of Nuclear Medicine</i> , 2011, 25, 755-761.	2.2	7
147	Time Spent Walking and Risk of Diabetes in Japanese Adults: The Japan Public Health Center-Based Prospective Diabetes Study. <i>Journal of Epidemiology</i> , 2016, 26, 224-232.	2.4	7
148	Association between dietary sugar intake and colorectal adenoma among cancer screening examinees in Japan. <i>Cancer Science</i> , 2020, 111, 3862-3872.	3.9	7
149	A cluster-randomized trial of the effectiveness of a triple-faceted intervention promoting adherence to primary care physician visits by diabetes patients: J-DOIT2 large-scale trial (J-DOIT2-LT). <i>Scientific Reports</i> , 2020, 10, 2842.	3.3	7
150	Physical activity and subsequent risk of kidney, bladder and upper urinary tract cancer in the Japanese population: the Japan Public Health Centre-based Prospective Study. <i>British Journal of Cancer</i> , 2019, 120, 571-574.	6.4	6
151	Cruciferous vegetable intake and colorectal cancer risk: Japan public health center-based prospective study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 420-427.	1.3	6
152	Family history of cancer and subsequent risk of cancer: A large-scale population-based prospective study in Japan. <i>International Journal of Cancer</i> , 2020, 147, 331-337.	5.1	6
153	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.	2.4	6
154	Persistence of Robust Humoral Immune Response in Coronavirus Disease 2019 Convalescent Individuals Over 12 Months After Infection. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofab626.	0.9	6
155	Inverse Association between Fruit and Vegetable Intake and All-Cause Mortality: Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2022, 152, 2245-2254.	2.9	6
156	History of Having a Macrosomic Infant and the Risk of Diabetes: The Japan Public Health Center-Based Prospective Diabetes Study. <i>PLoS ONE</i> , 2013, 8, e84542.	2.5	5
157	Female reproductive factors and risk of lymphoid neoplasm: The Japan Public Health Center-Based Prospective Study. <i>Cancer Science</i> , 2019, 110, 1442-1452.	3.9	5
158	Plasma C-peptide and glycated albumin and subsequent risk of cancer: From a large prospective case-cohort study in Japan. <i>International Journal of Cancer</i> , 2019, 144, 718-729.	5.1	5
159	Soy Intake and Colorectal Cancer Risk: Results from a Pooled Analysis of Prospective Cohort Studies Conducted in China and Japan. <i>Journal of Nutrition</i> , 2020, 150, 2442-2450.	2.9	5
160	Dietary glycemic index, glycemic load, and endometrial cancer risk: The Japan Public Health Center-Based Prospective Study. <i>Cancer Science</i> , 2021, 112, 3682-3690.	3.9	5
161	Association between sugar and starch intakes and type 2 diabetes risk in middle-aged adults in a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 746-755.	2.9	5
162	Association between a single mother family and childhood undervaccination, and mediating effect of household income: a nationwide, prospective birth cohort from the Japan Environment and Children's Study (JECS). <i>BMC Public Health</i> , 2022, 22, 117.	2.9	5

#	ARTICLE	IF	CITATIONS
163	Hypopituitarism Caused by Bilateral Internal Carotid Artery Aneurysms with a Carotid-cavernous Fistula. <i>Internal Medicine</i> , 2008, 47, 815-816.	0.7	4
164	Exploring predictive biomarkers from clinical genome-wide association studies via multidimensional hierarchical mixture models. <i>European Journal of Human Genetics</i> , 2019, 27, 140-149.	2.8	4
165	Soy Food Intake and Pancreatic Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1214-1221.	2.5	4
166	Prevalence of diabetes in Japanese patients with cancer. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1159-1162.	2.4	4
167	Validation Study of Diabetes Definitions Using Japanese Diagnosis Procedure Combination Data Among Hospitalized Patients. <i>Journal of Epidemiology</i> , 2023, 33, 165-169.	2.4	4
168	Body Mass Index, Height, Weight Change, and Subsequent Lung Cancer Risk: The Japan Public Health Center-based Prospective Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1708-1716.	2.5	4
169	Genetic variants in sex hormone pathways and the risk of type 2 diabetes among African American, Hispanic American, and European American postmenopausal women in the US. <i>Journal of Diabetes</i> , 2018, 10, 524-533.	1.8	3
170	Female reproductive factors and risk of external causes of death among women: The Japan Public Health Center-based Prospective Study (JPHC Study). <i>Scientific Reports</i> , 2019, 9, 14329.	3.3	3
171	Lack of social support and social trust as potential risk factors for dry eye disease: JPHC-NEXT study. <i>Ocular Surface</i> , 2019, 17, 278-284.	4.4	3
172	Association Between Okinawan Vegetables Consumption and Risk of Type 2 Diabetes in Japanese Communities: The JPHC Study. <i>Journal of Epidemiology</i> , 2020, 30, 227-235.	2.4	3
173	Impact of alcohol drinking on cancer risk with consideration of flushing response: The Japan Public Health Center-based Prospective Study Cohort (JPHC study). <i>Preventive Medicine</i> , 2020, 133, 106026.	3.4	3
174	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.	2.4	3
175	Possible Aggravation and Recovery of Slowly Progressive Type 1 Diabetes by Onset and Resolution of Oral and Esophageal Candidiasis. <i>Internal Medicine</i> , 2007, 46, 1629-1629.	0.7	2
176	A Morbid Obese Japanese Woman with a Body Mass Index of 83.2 kg/m <sup>2</sup> : Before and after Sleeve Gastrectomy. <i>Internal Medicine</i> , 2012, 51, 969-975.	0.7	1
177	No Healthcare Utilization and Death. <i>Journal of General Internal Medicine</i> , 2021, , 1.	2.6	1
178	Employment status and diabetic outpatient appointment non-attendance in middle to senior working generation with type 2 diabetes: the Japan diabetes outcome intervention trial-2 large-scale trial 005 (J-DOIT2-LT005). <i>Acta Diabetologica</i> , 2022, 59, 793-801.	2.5	1
179	Certified nurse specialists in cancer nursing and prophylactic antiemetic prescription for chemotherapy patients. <i>Supportive Care in Cancer</i> , 2022, 30, 5931-5937.	2.2	1
180	Cross-sectional associations between the types/amounts of beverages consumed and the glycemia status: The Japan public health center-based Prospective Diabetes study. <i>Metabolism Open</i> , 2022, 14, 100185.	2.9	1

#	ARTICLE	IF	CITATIONS
181	Is caffeine protective against Type 2 diabetes?. Diabetes Management, 2011, 1, 351-353.	0.5	0
182	Emerging Link between Diabetes and Cancer. Journal of General and Family Medicine, 2015, 16, 170-176.	0.8	0
183	1046 Analysis and a prediction model of pattern of visits to medical institutions among working individuals with lifestyle-related diseases in japan. , 2018, , .		0
184	Body mass index and mortality among middle-aged Japanese individuals with diagnosed diabetes: The Japan Public Health Center-based prospective study (JPHC study). Diabetes Research and Clinical Practice, 2020, 164, 108198.	2.8	0
185	The 2020 FASEB virtual Catalyst Conference on Integrative Approach for Complex Diseases Prevention and Management and Beyond, December 16, 2020. FASEB Journal, 2021, 35, e21500.	0.5	0
186	<b>Appendix 3</b>. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 131-139.	0.0	0
187	<b>Appendix 4</b>. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 140-143.	0.0	0
188	<b>Appendix 2</b>. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 125-130.	0.0	0
189	<b>Appendix 1</b>. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 124-124.	0.0	0
190	<b>Appendix 5</b>. Japanese Journal of Pharmacoepidemiology/Yakuzai Ekigaku, 2018, 23, 144-146.	0.0	0
191	Public access to summary statistics for genome-wide association studies of body mass index, weight, and height among healthy Japanese individuals: the Japanese Consortium of Genetic Epidemiology studies. Journal of Epidemiology, 2021, , .	2.4	0
192	Association between diabetes and adjuvant chemotherapy implementation in patients with stageâ€‰%<sc>III</sc> colorectal cancer. Journal of Diabetes Investigation, 2022, , .	2.4	0