

Katarzyna piotrowicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7501418/publications.pdf>

Version: 2024-02-01

28
papers

555
citations

1039880

9
h-index

642610

23
g-index

29
all docs

29
docs citations

29
times ranked

913
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of an outpatient intervention comprising nurse-led non-invasive assessments, telemedicine support and remote cardiologists' decisions in patients with heart failure (<scp>AMULET</scp> study): a randomised controlled trial. <i>European Journal of Heart Failure</i> , 2022, 24, 565-577.	2.9	23
2	Urine 11-Dehydro-Thromboxane B2 in Aspirin-Naive Males with Metabolic Syndrome. <i>Journal of Clinical Medicine</i> , 2022, 11, 3471.	1.0	0
3	Cardiopulmonary exercise testing and impedance cardiography in the assessment of exercise capacity of patients with coronary artery disease early after myocardial revascularization. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, .	0.7	4
4	Nurse-led ambulatory care supported by non-invasive haemodynamic assessment after acute heart failure decompensation. <i>ESC Heart Failure</i> , 2021, 8, 1018-1026.	1.4	8
5	Crosstalk Between Dietary Pattern, Anthropometric Parameters, and Adiponectin Concentration Among Patients with Metabolic Syndrome. <i>Metabolic Syndrome and Related Disorders</i> , 2021, 19, 137-143.	0.5	1
6	Rationale and design of the AMULET study: A new Model of telemedical care in patients with heart failure. <i>ESC Heart Failure</i> , 2021, 8, 2569-2579.	1.4	8
7	The Prevalence of Cardiovascular Risk Factors among Polish Soldiers: The Results from the MIL-SCORE Program. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-7.	0.5	6
8	The impact of mobile virtual reality-enhanced relaxation training on anxiety levels in patients undergoing cardiac rehabilitation. <i>Kardiologia Polska</i> , 2020, 78, 1032-1034.	0.3	10
9	Association of Estimated Insulin Resistance with N-Terminal B-Type Natriuretic Peptide Concentration in Men with Metabolic Syndrome. <i>Cardiology Research and Practice</i> , 2019, 2019, 1-6.	0.5	2
10	Exercise impedance cardiography reveals impaired hemodynamic responses to exercise in hypertensives with dyspnea. <i>Hypertension Research</i> , 2019, 42, 211-222.	1.5	6
11	Complex assessment of patients with decompensated heart failure: The clinical value of impedance cardiography and N-terminal pro-brain natriuretic peptide. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019, 48, 294-301.	0.8	7
12	Multiparameter assessment of exercise capacity in patients with arterial hypertension. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 599-606.	0.5	6
13	Cardiovascular response to exercise in hypertension – clinical characteristics of ASSECURE study participants. <i>Pediatrica I Medycyna Rodzinna</i> , 2019, 15, 47-56.	2.3	0
14	Heart failure as a multi-system clinical syndrome – an experience in cohort of acutely decompensated patients. <i>Pediatrica I Medycyna Rodzinna</i> , 2019, 15, 137-144.	2.3	0
15	Echocardiographic assessment and N-terminal pro-brain natriuretic peptide in hypertensives with metabolic syndrome. <i>Advances in Clinical and Experimental Medicine</i> , 2017, 26, 295-301.	0.6	4
16	The diagnostic value of supine blood pressure in hypertension. <i>Archives of Medical Science</i> , 2016, 2, 310-318.	0.4	11
17	Abdominal obesity and hypertension: a double burden to the heart. <i>Hypertension Research</i> , 2016, 39, 349-355.	1.5	31
18	Who benefits more from hemodynamically guided hypotensive therapy? The experience from two randomized, prospective and controlled trials. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2016, 10, 21-29.	1.0	8

#	ARTICLE	IF	CITATIONS
19	The effect of hemodynamically-guided hypotensive therapy in one-year observation: Randomized, prospective and controlled trial (FINEPATH study). <i>Cardiology Journal</i> , 2016, 23, 132-140.	0.5	7
20	Association of N-terminal pro-brain natriuretic peptide and hemodynamic parameters measured by impedance cardiography in patients with essential hypertension. <i>Clinical and Experimental Hypertension</i> , 2015, 37, 148-154.	0.5	2
21	Global longitudinal two-dimensional systolic strain is associated with hemodynamic alterations in arterial hypertension. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 680-689.	2.3	22
22	Self-reported health-related behaviors and dietary habits in patients with metabolic syndrome. <i>Cardiology Journal</i> , 2015, 22, 413-420.	0.5	8
23	Unstable angina in a young woman with Hodgkin's lymphoma. <i>Cardiology Journal</i> , 2013, 20, 90-3.	0.5	2
24	Gender-Related Differences in Electrocardiographic Parameters and Their Association With Cardiac Events in Patients After Myocardial Infarction. <i>American Journal of Cardiology</i> , 2008, 101, 20-24.	0.7	190
25	Repolarization Duration in Patients With Conduction Disturbances After Myocardial Infarction. <i>American Journal of Cardiology</i> , 2007, 99, 163-168.	0.7	22
26	Implantable cardioverter-defibrillator therapy and risk of congestive heart failure or death in MADIT II patients with atrial fibrillation. <i>Heart Rhythm</i> , 2006, 3, 631-637.	0.3	51
27	Physical functioning and mental well-being in association with health outcome in patients enrolled in the Multicenter Automatic Defibrillator Implantation Trial II. <i>European Heart Journal</i> , 2006, 28, 601-607.	1.0	58
28	Implantable Cardioverter-Defibrillator Efficacy in Patients With Heart Failure and Left Ventricular Dysfunction (from the MADIT II Population). <i>American Journal of Cardiology</i> , 2005, 95, 1487-1491.	0.7	56