Philipp Mahlknecht

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7502062/publications.pdf

Version: 2024-02-01

103 papers 5,134 citations

39 h-index 98622 67 g-index

124 all docs

124 docs citations

times ranked

124

5971 citing authors

#	Article	IF	CITATIONS
1	Efficacy of pramipexole and transdermal rotigotine in advanced Parkinson's disease: a double-blind, double-dummy, randomised controlled trial. Lancet Neurology, The, 2007, 6, 513-520.	4.9	359
2	Subthalamic deep brain stimulation sweet spots and hyperdirect cortical connectivity in Parkinson's disease. Neurolmage, 2017, 158, 332-345.	2.1	197
3	The Concept of Prodromal Parkinson's Disease. Journal of Parkinson's Disease, 2015, 5, 681-697.	1.5	195
4	Olfactory dysfunction predicts early transition to a Lewy body disease in idiopathic RBD. Neurology, 2015, 84, 654-658.	1.5	164
5	Longâ€term antidyskinetic efficacy of amantadine in Parkinson's disease. Movement Disorders, 2010, 25, 1357-1363.	2.2	159
6	Connectivity derived thalamic segmentation in deep brain stimulation for tremor. NeuroImage: Clinical, 2018, 18, 130-142.	1.4	154
7	Prevalence and Burden of Gait Disorders in Elderly Men and Women Aged 60–97 Years: A Population-Based Study. PLoS ONE, 2013, 8, e69627.	1.1	151
8	Levodopa-carbidopa intestinal gel in advanced Parkinson's: Final results of the GLORIA registry. Parkinsonism and Related Disorders, 2017, 45, 13-20.	1.1	149
9	Enlarged Substantia Nigra Hyperechogenicity and Risk for Parkinson Disease. Archives of Neurology, 2011, 68, 932.	4.9	146
10	Metaâ€analysis of dorsolateral nigral hyperintensity on magnetic resonance imaging as a marker for Parkinson's disease. Movement Disorders, 2017, 32, 619-623.	2.2	129
11	Neurological outcome and quality of life 3Âmonths after COVIDâ€19: A prospective observational cohort study. European Journal of Neurology, 2021, 28, 3348-3359.	1.7	126
12	The clinical progression of Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, S28-S32.	1.1	123
13	Significance of MRI in Diagnosis and Differential Diagnosis of Parkinson's Disease. Neurodegenerative Diseases, 2010, 7, 300-318.	0.8	116
14	The <scp>PRIPS</scp> study: screening battery for subjects at risk for <scp>P</scp> arkinson's disease. European Journal of Neurology, 2013, 20, 102-108.	1.7	113
15	Enlarged hyperechogenic substantia nigra as a risk marker for Parkinson's disease. Movement Disorders, 2013, 28, 216-219.	2.2	112
16	Probabilistic mapping of the antidystonic effect of pallidal neurostimulation: a multicentre imaging study. Brain, 2019, 142, 1386-1398.	3.7	105
17	Apomorphine for Parkinson's Disease: Efficacy and Safety of Current and New Formulations. CNS Drugs, 2019, 33, 905-918.	2.7	92
18	Alpha-synuclein seeds in olfactory mucosa of patients with isolated REM sleep behaviour disorder. Brain, 2021, 144, 1118-1126.	3.7	92

#	Article	IF	CITATIONS
19	Midbrain hyperechogenicity in idiopathic REM sleep behavior disorder. Movement Disorders, 2009, 24, 1906-1909.	2.2	91
20	Efficacy of rasagiline in patients with the parkinsonian variant of multiple system atrophy: a randomised, placebo-controlled trial. Lancet Neurology, The, 2015, 14, 145-152.	4.9	90
21	Probable RBD and association with neurodegenerative disease markers: A populationâ€based study. Movement Disorders, 2015, 30, 1417-1421.	2.2	86
22	Novel formulations and modes of delivery of levodopa. Movement Disorders, 2015, 30, 114-120.	2.2	76
23	Long-Term Follow-up Investigation of Isolated Rapid Eye Movement Sleep Without Atonia Without Rapid Eye Movement Sleep Behavior Disorder: A Pilot Study. Journal of Clinical Sleep Medicine, 2015, 11, 1273-1279.	1.4	75
24	Characterization of patients with longstanding idiopathic REM sleep behavior disorder. Neurology, 2017, 89, 242-248.	1.5	75
25	Diagnostic accuracy of the magnetic resonance Parkinsonism index and the midbrainâ€toâ€pontine area ratio to differentiate progressive supranuclear palsy from Parkinson's disease and the Parkinson variant of multiple system atrophy. Movement Disorders, 2010, 25, 2444-2449.	2.2	74
26	Prodromal Parkinson's disease as defined per MDS research criteria in the general elderly community. Movement Disorders, 2016, 31, 1405-1408.	2.2	71
27	Sniffing the diagnosis: Olfactory testing in neurodegenerative parkinsonism. Parkinsonism and Related Disorders, 2017, 35, 36-41.	1.1	67
28	Investigation of autonomic function in idiopathic REM sleep behavior disorder. Journal of Neurology, 2012, 259, 1056-1061.	1.8	64
29	Prevalence and Associated Factors of Sarcopenia and Frailty in Parkinson's Disease: A Cross-Sectional Study. Gerontology, 2019, 65, 216-228.	1.4	63
30	Neurological outcomes 1Âyear after COVIDâ€19 diagnosis: A prospective longitudinal cohort study. European Journal of Neurology, 2022, 29, 1685-1696.	1.7	57
31	Optimizing odor identification testing as quick and accurate diagnostic tool for Parkinson's disease. Movement Disorders, 2016, 31, 1408-1413.	2.2	55
32	Performance of the Movement Disorders Society criteria for prodromal Parkinson's disease: A populationâ€based 10â€year study. Movement Disorders, 2018, 33, 405-413.	2.2	53
33	Correlation of dopaminergic terminal dysfunction and microstructural abnormalities of the basal ganglia and the olfactory tract in Parkinson's disease. Brain, 2013, 136, 3028-3037.	3.7	52
34	Pyramidal tract activation due to subthalamic deep brain stimulation in Parkinson's disease. Movement Disorders, 2017, 32, 1174-1182.	2.2	52
35	Emerging therapies for Parkinsonʽs disease. Current Opinion in Neurology, 2012, 25, 448-459.	1.8	51
36	Causes of failure of pallidal deep brain stimulation in cases with pre-operative diagnosis of isolated dystonia. Parkinsonism and Related Disorders, 2017, 43, 38-48.	1.1	51

3

#	Article	IF	Citations
37	The diagnostic accuracy of the hummingbird and morning glory sign in patients with neurodegenerative parkinsonism. Parkinsonism and Related Disorders, 2018, 54, 90-94.	1.1	49
38	When a Parkinson's disease patient starts to hallucinate. Practical Neurology, 2008, 8, 238-241.	0.5	48
39	Update on diffusion MRI in Parkinson's disease and atypical parkinsonism. Journal of the Neurological Sciences, 2013, 332, 21-29.	0.3	46
40	MR planimetry in neurodegenerative parkinsonism yields high diagnostic accuracy for PSP. Parkinsonism and Related Disorders, 2018, 46, 47-55.	1.1	45
41	Rating scales for behavioral symptoms in Huntington's disease: Critique and recommendations. Movement Disorders, 2016, 31, 1466-1478.	2.2	44
42	Mortality in Parkinson's disease, a 20â€year followâ€up study. Movement Disorders, 2010, 25, 661-662.	2.2	41
43	Long-term safety and efficacy of apomorphine infusion in Parkinson's disease patients with persistent motor fluctuations: Results of the open-label phase of the TOLEDO study. Parkinsonism and Related Disorders, 2021, 83, 79-85.	1.1	39
44	Risk factors and prodromal markers and the development of Parkinson's disease. Journal of Neurology, 2014, 261, 180-187.	1.8	38
45	Efficacy and safety of abobotulinumtoxinA liquid formulation in cervical dystonia: A randomizedâ€controlled trial. Movement Disorders, 2016, 31, 1649-1657.	2.2	35
46	Depression in Parkinson's disease. Journal of Neurology, 2007, 254, 49-55.	1.8	34
47	Deep brain stimulation for movement disorders: update on recent discoveries and outlook on future developments. Journal of Neurology, 2015, 262, 2583-2595.	1.8	34
48	Pharmacologic Treatment of Motor Symptoms Associated with Parkinson Disease. Neurologic Clinics, 2020, 38, 255-267.	0.8	34
49	Parkinsonian signs in patients with cervical dystonia treated with pallidal deep brain stimulation. Brain, 2018, 141, 3023-3034.	3.7	33
50	Nonmotor $<$ scp $>$ S $<$ /scp $>$ ymptoms in $<$ scp $>$ S $<$ /scp $>$ ubjects $<$ scp $>$ W $<$ /scp $>$ ithout $<$ scp $>$ E $<$ /scp $>$ vidence of $<$ scp $>$ D $<$ /scp $>$ opaminergic $<$ scp $>$ D $<$ /scp $>$ eficits. Movement Disorders, 2015, 30, 976-981.	2.2	32
51	How Does Deep Brain Stimulation Change the Course of Parkinson's Disease?. Movement Disorders, 2022, 37, 1581-1592.	2.2	29
52	Substantia Nigra Hyperechogenicity as a Marker for Parkinson's Disease: A Population-Based Study. Neurodegenerative Diseases, 2013, 12, 212-218.	0.8	28
53	Predictors for mild parkinsonian signs: A prospective population-based study. Parkinsonism and Related Disorders, 2015, 21, 321-324.	1.1	27
54	Rating Scales for Motor Symptoms and Signs in Huntington's Disease: Critique and Recommendations. Movement Disorders Clinical Practice, 2018, 5, 111-117.	0.8	27

#	Article	IF	CITATIONS
55	The influence of deep brain stimulation on pain perception in Parkinson's disease. Movement Disorders, 2011, 26, 1367-1368.	2.2	26
56	Optimal deep brain stimulation sites and networks for cervical vs. generalized dystonia. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2114985119.	3.3	26
57	New hopes for disease modification in Parkinson's Disease. Neuropharmacology, 2020, 171, 108085.	2.0	25
58	Midbrain hyperechogenicity, hyposmia, mild parkinsonian signs and risk for incident Parkinson's disease over 10 years: A prospective population-based study. Parkinsonism and Related Disorders, 2020, 70, 51-54.	1.1	23
59	An antibody microarray analysis of serum cytokines in neurodegenerative Parkinsonian syndromes. Proteome Science, 2012, 10, 71.	0.7	22
60	Effects of rasagiline on the progression of nonmotor scores of the MDSâ€UPDRS. Movement Disorders, 2015, 30, 589-592.	2.2	22
61	Effect of Low versus High Frequency Subthalamic Deep Brain Stimulation on Speech Intelligibility and Verbal Fluency in Parkinson's Disease: A Double-Blind Study. Journal of Parkinson's Disease, 2019, 9, 141-151.	1.5	22
62	Prodromal Parkinson's disease: hype or hope for disease-modification trials?. Translational Neurodegeneration, 2022, 11, 11.	3.6	21
63	Consistency of "Probable <scp>RBD</scp> ―Diagnosis with the <scp>RBD</scp> Screening Questionnaire: A Followâ€up Study. Movement Disorders Clinical Practice, 2017, 4, 403-405.	0.8	20
64	Subcutaneous Levodopa Infusion for Parkinson's Disease: 1 <scp>â€Year</scp> Data from the <scp>Openâ€Label BeyoND</scp> Study. Movement Disorders, 2021, 36, 2687-2692.	2.2	20
65	Multiple system atrophy as emerging template for accelerated drug discovery in α-synucleinopathies. Parkinsonism and Related Disorders, 2014, 20, 793-799.	1.1	18
66	lgLON5 autoimmunity tested negative in patients with progressive supranuclear palsy and corticobasal syndrome. Parkinsonism and Related Disorders, 2017, 38, 102-103.	1.1	18
67	Novel decision algorithm to discriminate parkinsonism with combined blood and imaging biomarkers. Parkinsonism and Related Disorders, 2020, 77, 57-63.	1.1	18
68	Factors associated with impaired quality of life three months after being diagnosed with COVID-19. Quality of Life Research, 2022, 31, 1401-1414.	1.5	18
69	Characterization of gait variability in multiple system atrophy and Parkinson's disease. Journal of Neurology, 2021, 268, 1770-1779.	1.8	18
70	Drug safety evaluation of rotigotine. Expert Opinion on Drug Safety, 2012, 11, 503-512.	1.0	17
71	Is transcranial sonography useful to distinguish drugâ€induced parkinsonism from Parkinson's disease?. Movement Disorders, 2012, 27, 1194-1196.	2.2	17
72	A follow-up study of substantia nigra echogenicity in healthy adults. Movement Disorders, 2012, 27, 1196-1197.	2.2	17

#	Article	IF	CITATIONS
73	Therapeutic advances in multiple system atrophy and progressive supranuclear palsy. Movement Disorders, 2015, 30, 1528-1538.	2.2	17
74	Clinical and genetic characteristics of late-onset Huntington's disease. Parkinsonism and Related Disorders, 2019, 61, 101-105.	1.1	17
75	Nonmotor symptoms in Parkinson's disease. Expert Review of Neurotherapeutics, 2013, 13, 581-583.	1.4	15
76	Minimally clinically important decline in the parkinsonian variant of multiple system atrophy. Movement Disorders, 2016, 31, 1577-1581.	2.2	14
77	Movement Disorders in Systemic Diseases. Neurologic Clinics, 2015, 33, 269-297.	0.8	13
78	Is there a need to redefine Parkinson's disease?. Journal of Neural Transmission, 2013, 120, 9-17.	1.4	11
79	Has Deep Brain Stimulation Changed the Very Longâ€Term Outcome of Parkinson's Disease? A Controlled Longitudinal Study. Movement Disorders Clinical Practice, 2020, 7, 782-787.	0.8	11
80	Application of a Simple Parkinson's Disease Risk Score in a Longitudinal <scp>Populationâ€Based</scp> Cohort. Movement Disorders, 2020, 35, 1658-1662.	2.2	11
81	Application of the Updated Movement Disorder Society Criteria for Prodromal Parkinson's Disease to a Populationâ€Based 10â€Year Study. Movement Disorders, 2021, 36, 1464-1466.	2.2	11
82	Impact of Subthalamic Deep Brain Stimulation Frequency on Upper Limb Motor Function in Parkinson's Disease. Journal of Parkinson's Disease, 2018, 8, 267-271.	1.5	10
83	Combined assessment of midbrain hyperechogenicity, hyposmia and motor asymmetry improves diagnostic accuracy in early Parkinson's disease. Expert Review of Neurotherapeutics, 2012, 12, 911-914.	1.4	7
84	Plasma fasting cholesterol profiles and age at onset in <scp>P</scp> arkinson's disease. Movement Disorders, 2015, 30, 1974-1975.	2.2	7
85	Motoric cognitive risk syndrome: Multicenter incidence study. Neurology, 2015, 85, 388-389.	1.5	7
86	Adapting to post-COVID19 research in Parkinson's disease: Lessons from a multinational experience. Parkinsonism and Related Disorders, 2021, 82, 146-149.	1,1	7
87	Pramipexole extended release in Parkinson's disease. Expert Review of Neurotherapeutics, 2011, 11, 1229-1234.	1.4	6
88	Movement disorders: new insights into disease mechanisms and treatment. Lancet Neurology, The, 2014, 13, 9-11.	4.9	6
89	Caveats of Neurodegenerative Risk Stratification in Idiopathic REM Sleep Behavior Disorder by Use of the MDS Research for Prodromal Parkinson's Disease. Sleep, 2017, 40, .	0.6	5
90	Reader response: Olfaction and incident Parkinson disease in US white and black older adults. Neurology, 2018, 90, 940-940.	1.5	5

#	Article	IF	CITATIONS
91	No effect of age, gender and total intracranial volume on brainstem MR planimetric measurements. European Radiology, 2020, 30, 2802-2808.	2.3	5
92	Insulin signalling: new target for Parkinson's treatments?. Lancet, The, 2017, 390, 1628-1630.	6.3	4
93	Towards subgroup-specific risk estimates: A meta-analysis of longitudinal studies on olfactory dysfunction and risk of Parkinson's disease. Parkinsonism and Related Disorders, 2021, 84, 155-163.	1.1	4
94	Diagnosis of drugâ€induced parkinsonism: can transcranial sonography make the difference?. European Journal of Neurology, 2013, 20, 1429-1430.	1.7	3
95	Parkinson's disease laterality: a 11C-PE2I PET imaging study. Journal of Neurology, 2021, 268, 582-589.	1.8	3
96	Associations of Gait Disorders and Recurrent Falls in Older People: A Prospective Population-Based Study. Gerontology, 2022, 68, 1139-1144.	1.4	3
97	A multiplex pedigree with pathologically confirmed multiple system atrophy and Parkinson's disease with dementia. Brain Communications, 2022, 4, .	1.5	3
98	Defining premotor Parkinson's disease: a window of opportunity for neuroprotection?. Neurodegenerative Disease Management, 2013, 3, 61-70.	1.2	2
99	Letter re: Incident parkinsonism in older adults without Parkinson disease. Neurology, 2017, 88, 919-919.	1.5	2
100	Impaired Inhibitory Control of Saccadic Eye Movements in Cervical Dystonia: An Eyeâ€Tracking Study. Movement Disorders, 2021, 36, 1246-1250.	2.2	2
101	Invasive Treatment Strategies in a Patient with <scp>PARK</scp> 15–Associated Parkinsonism. Movement Disorders Clinical Practice, 2015, 2, 434-435.	0.8	1
102	Utility of Nigral Signal Intensity Changes on MR Images to Differentiate Drug-induced Parkinsonism from Parkinson Disease. Radiology, 2016, 281, 651-652.	3.6	1
103	Reply: Pathophysiology of gait disorders induced by bilateral globus pallidus interna stimulation in dystonia. Brain, 2020, 143, e4-e4.	3.7	1