

Marin H Kollef

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7502077/marin-h-kollef-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

350
papers

33,858
citations

93
h-index

179
g-index

385
ext. papers

39,354
ext. citations

5.5
avg, IF

7.47
L-index

#	Paper	IF	Citations
350	Prospective Nasal Screening for Methicillin-Resistant in Critically Ill Patients With Suspected Pneumonia.. <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofab578	1	1
349	Life-Threatening Infections: Pulmonary and Systemic Infections.. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2022 , 43, 1-2	3.9	
348	Ceftriaxone resistance and adequacy of initial antibiotic therapy in community onset bacterial pneumonia. <i>Medicine (United States)</i> , 2022 , 101, e29159	1.8	
347	The Epidemiology and Pathogenesis and Treatment of Pseudomonas aeruginosa Infections: An Update. <i>Drugs</i> , 2021 , 81, 2117-2131	12.1	13
346	Assessment of Antibiotic De-escalation by Spectrum Score in Patients With Nosocomial Pneumonia: A Single-Center, Retrospective Cohort Study. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab508	1	1
345	Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. <i>Lancet Infectious Diseases</i> , 2021 ,	25.5	0
344	Timing of antibiotic therapy in the ICU. <i>Critical Care</i> , 2021 , 25, 360	10.8	5
343	Ceftolozane/tazobactam probability of target attainment and outcomes in participants with augmented renal clearance from the randomized phase 3 ASPECT-NP trial. <i>Critical Care</i> , 2021 , 25, 354	10.8	6
342	Limitations of Registration Trials for Nosocomial Pneumonia. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4549-e4551	11.4	1
341	Characteristics of U.S. Acute Care Hospitals That Have Implemented Telemedicine Critical Care 2021 , 3, e0468		4
340	A Pragmatic Machine Learning Model To Predict Carbapenem Resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0006321	5.9	2
339	New Perspectives on Antimicrobial Agents: Ceftolozane-Tazobactam. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , 65, e0231820	5.9	4
338	Next Steps in Pneumonia Severity Scores. <i>Clinical Infectious Diseases</i> , 2021 , 72, 950-952	11.6	
337	Cefiderocol versus high-dose, extended-infusion meropenem for the treatment of Gram-negative nosocomial pneumonia (APEKS-NP): a randomised, double-blind, phase 3, non-inferiority trial. <i>Lancet Infectious Diseases</i> , 2021 , 21, 213-225	25.5	108
336	Racial Disparities in Readmissions Following Initial Hospitalization for Sepsis. <i>Critical Care Medicine</i> , 2021 , 49, e258-e268	1.4	0
335	Nosocomial Infection. <i>Critical Care Medicine</i> , 2021 , 49, 169-187	1.4	16
334	Pneumococcal community-acquired pneumonia in the intensive care unit: Azithromycin remains protective despite macrolide resistance. <i>Respiratory Medicine</i> , 2021 , 177, 106307	4.6	1

333	Comparison of Sepsis Definitions as Automated Criteria. <i>Critical Care Medicine</i> , 2021 , 49, e433-e443	1.4	7
332	Initial antimicrobial management of sepsis. <i>Critical Care</i> , 2021 , 25, 307	10.8	14
331	Ceftolozane/tazobactam versus meropenem in patients with ventilated hospital-acquired bacterial pneumonia: subset analysis of the ASPECT-NP randomized, controlled phase 3 trial. <i>Critical Care</i> , 2021 , 25, 290	10.8	3
330	Monoclonal antibodies as antibacterial therapies: thinking outside of the box. <i>Lancet Infectious Diseases, The</i> , 2021 , 21, 1201-1202	25.5	4
329	Pulmonary infections complicating ARDS. <i>Intensive Care Medicine</i> , 2020 , 46, 2168-2183	14.5	19
328	Characteristics and outcomes among a hospitalized patient cohort with Streptococcus pneumoniae infection. <i>Medicine (United States)</i> , 2020 , 99, e20145	1.8	2
327	Bloodstream Infections and Delayed Antibiotic Coverage Are Associated With Negative Hospital Outcomes in Hematopoietic Stem Cell Transplant Recipients. <i>Chest</i> , 2020 , 158, 1385-1396	5.3	1
326	Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1478-1487	27.4	136
325	PROPHETIC: Prospective Identification of Pneumonia in Hospitalized Patients in the ICU. <i>Chest</i> , 2020 , 158, 2370-2380	5.3	6
324	Evaluation of a ceiling effect on the association of new resistance development to antipseudomonal beta-lactam exposure in the critically ill. <i>Infection Control and Hospital Epidemiology</i> , 2020 , 41, 484-485	2	4
323	Vancomycin/Piperacillin-tazobactam Nephrotoxicity in the Critically Ill. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1520-1521	11.6	3
322	1477. Impact Of Resistance Thresholds On Mortality In Hospital-Acquired And Ventilator-Associated Pneumonia. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S739-S740	1	
321	Spot the difference: comparing results of analyses from real patient data and synthetic derivatives. <i>JAMIA Open</i> , 2020 , 3, 557-566	2.9	10
320	Doripenem for treating nosocomial pneumonia and ventilator-associated pneumonia - AuthorsP reply. <i>Lancet Infectious Diseases, The</i> , 2020 , 20, 20-21	25.5	1
319	Impact of Baseline Characteristics on Future Episodes of Bloodstream Infections: Multistate Model in Septic Patients With Bloodstream Infections. <i>Clinical Infectious Diseases</i> , 2020 , 71, 3103-3109	11.6	1
318	Microbiologic Failure Despite Clinical Cure in Pneumonia: Cum Hoc and Post Hoc Ergo Propter Hoc. <i>Clinical Infectious Diseases</i> , 2020 , 71, 3042-3043	11.6	
317	Antimicrobial de-escalation in critically ill patients: a position statement from a task force of the European Society of Intensive Care Medicine (ESICM) and European Society of Clinical Microbiology and Infectious Diseases (ESCMID) Critically Ill Patients Study Group (ESGCIP). <i>Intensive Care Medicine</i> , 2020 , 46, 245-265	14.5	45
316	Healthcare Resource Utilization of Ceftolozane/Tazobactam Versus Meropenem for Ventilated Nosocomial Pneumonia from the Randomized, Controlled, Double-Blind ASPECT-NP Trial. <i>Infectious Diseases and Therapy</i> , 2020 , 9, 953-966	6.2	2

315	Culture-negative sepsis. <i>Current Opinion in Critical Care</i> , 2020 , 26, 473-477	3.5	6
314	Bacterial and fungal superinfections in critically ill patients with COVID-19. <i>Intensive Care Medicine</i> , 2020 , 46, 2071-2074	14.5	50
313	Challenges in severe community-acquired pneumonia: a point-of-view review. <i>Intensive Care Medicine</i> , 2019 , 45, 159-171	14.5	49
312	Reduction in antimicrobial use among medical intensive care unit patients during a cluster randomized crossover trial of palliative care consultation. <i>Infection Control and Hospital Epidemiology</i> , 2019 , 40, 491-492	2	3
311	Clinical Effect of Expedited Pathogen Identification and Susceptibility Testing for Gram-Negative Bacteremia and Candidemia by Use of the Accelerate Pheno System. <i>Journal of Applied Laboratory Medicine</i> , 2019 , 3, 569-579	2	9
310	Elaboration of Consensus Clinical Endpoints to Evaluate Antimicrobial Treatment Efficacy in Future Hospital-acquired/Ventilator-associated Bacterial Pneumonia Clinical Trials. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1912-1918	11.6	9
309	Pathogen-Negative Sepsis-An Opportunity for Antimicrobial Stewardship. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz397	1	7
308	Ceftolozane-tazobactam versus meropenem for treatment of nosocomial pneumonia (ASPECT-NP): a randomised, controlled, double-blind, phase 3, non-inferiority trial. <i>Lancet Infectious Diseases</i> , 2019 , 19, 1299-1311	25.5	127
307	Outcomes of Macrolide Deescalation in Severe Community-acquired Pneumonia. <i>Clinical Therapeutics</i> , 2019 , 41, 2540-2548	3.5	4
306	Novel Approaches to Hasten Detection of Pathogens and Antimicrobial Resistance in the Intensive Care Unit. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2019 , 40, 454-464	3.9	5
305	2226. Impact of Prior and Concomitant Antibacterial Therapy on Outcomes in the ASPECT-NP Randomized, Controlled Trial of Ceftolozane/Tazobactam (C/T) vs. Meropenem (MEM) in Patients with Ventilated Nosocomial Pneumonia (NP). <i>Open Forum Infectious Diseases</i> , 2019 , 6, S760-S760	1	78
304	Incidence of Acute Kidney Injury in Critically Ill Patients Receiving Vancomycin with Concomitant Piperacillin-Tazobactam, Cefepime, or Meropenem. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	31
303	Early Palliative Care Consultation in the Medical ICU: A Cluster Randomized Crossover Trial. <i>Critical Care Medicine</i> , 2019 , 47, 1707-1715	1.4	47
302	Cluster analysis to define distinct clinical phenotypes among septic patients with bloodstream infections. <i>Medicine (United States)</i> , 2019 , 98, e15276	1.8	10
301	Re-estimating annual deaths due to multidrug-resistant organism infections. <i>Infection Control and Hospital Epidemiology</i> , 2019 , 40, 112-113	2	60
300	Outcomes Associated With De-escalating Therapy for Methicillin-Resistant Staphylococcus aureus in Culture-Negative Nosocomial Pneumonia. <i>Chest</i> , 2019 , 155, 53-59	5.3	22
299	Postoperative Pneumonia Prevention in Pulmonary Resections: A Feasibility Pilot Study. <i>Annals of Thoracic Surgery</i> , 2019 , 107, 262-270	2.7	4
298	Rationalizing antimicrobial therapy in the ICU: a narrative review. <i>Intensive Care Medicine</i> , 2019 , 45, 172-185	14.5	79

297	New antibiotics for community-acquired pneumonia. <i>Current Opinion in Infectious Diseases</i> , 2019 , 32, 169-175	5.4	21
296	A Hypothesis-Generating Study of the Combination of Aspirin plus Macrolides in Patients with Severe Community-Acquired Pneumonia. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	8
295	Duration of Exposure to Antipseudomonal β -Lactam Antibiotics in the Critically Ill and Development of New Resistance. <i>Pharmacotherapy</i> , 2019 , 39, 261-270	5.8	55
294	Reply to MacFadden et al. <i>Clinical Infectious Diseases</i> , 2018 , 66, 479-480	11.6	
293	Sepsis-Associated Coagulopathy Severity Predicts Hospital Mortality. <i>Critical Care Medicine</i> , 2018 , 46, 736-742	1.4	52
292	Importance of Site of Infection and Antibiotic Selection in the Treatment of Carbapenem-Resistant <i>Pseudomonas aeruginosa</i> Sepsis. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	16
291	Treatment of severe skin and soft tissue infections: a review. <i>Current Opinion in Infectious Diseases</i> , 2018 , 31, 113-119	5.4	18
290	Readmissions With Multidrug-Resistant Infection in Patients With Prior Multidrug Resistant Infection. <i>Infection Control and Hospital Epidemiology</i> , 2018 , 39, 12-19	2	12
289	Thirty-day hospital readmissions among mechanically ventilated emergency department patients. <i>Emergency Medicine Journal</i> , 2018 , 35, 252-256	1.5	3
288	The Burden of Viruses in Pneumonia Associated With Acute Respiratory Failure: An Underappreciated Issue. <i>Chest</i> , 2018 , 154, 84-90	5.3	24
287	Acinetobacter Pneumonia: Improving Outcomes With Early Identification and Appropriate Therapy. <i>Clinical Infectious Diseases</i> , 2018 , 67, 1455-1462	11.6	19
286	Clinical epidemiology of carbapenem-resistant gram-negative sepsis among hospitalized patients: Shifting burden of disease?. <i>American Journal of Infection Control</i> , 2018 , 46, 1092-1096	3.8	8
285	Infectious Diseases Consultation Reduces 30-Day and 1-Year All-Cause Mortality for Multidrug-Resistant Organism Infections. <i>Open Forum Infectious Diseases</i> , 2018 , 5, ofy026	1	51
284	Frequent Versus Infrequent Monitoring of Endotracheal Tube Cuff Pressures. <i>Respiratory Care</i> , 2018 , 63, 495-501	2.1	16
283	Dilution Factor of Quantitative Bacterial Cultures Obtained by Bronchoalveolar Lavage in Patients with Ventilator-Associated Bacterial Pneumonia. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	5
282	qSOFA score: Predictive validity in Enterobacteriaceae bloodstream infections. <i>Journal of Critical Care</i> , 2018 , 43, 143-147	4	8
281	Using wearable technology to predict health outcomes: a literature review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2018 , 25, 1221-1227	8.6	27
280	Differences in mortality between infections due to extended-spectrum-beta-lactamase-producing <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> . <i>Infection Control and Hospital Epidemiology</i> , 2018 , 39, 1138-1139		2

279	The carbon footprint of treating patients with septic shock in the intensive care unit. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018 , 20, 304-312	2.8	8
278	Ceftazidime-avibactam versus meropenem in nosocomial pneumonia, including ventilator-associated pneumonia (REPROVE): a randomised, double-blind, phase 3 non-inferiority trial. <i>Lancet Infectious Diseases</i> , 2018 , 18, 285-295	25.5	207
277	Monocyte Function and Clinical Outcomes in Febrile and Afebrile Patients With Severe Sepsis. <i>Shock</i> , 2018 , 50, 381-387	3.4	19
276	Risk Factors and Outcomes for Ineffective Empiric Treatment of Sepsis Caused by Gram-Negative Pathogens: Stratification by Onset of Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	11
275	1008. Cluster Analysis to Define Distinct Clinical Phenotypes Among Septic Patients With Bloodstream Infections. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S300-S300	1	78
274	2521 Use of forced air warming devices to induce fever-range hyperthermia in critically ill septic patients. <i>Journal of Clinical and Translational Science</i> , 2018 , 2, 50-50	0.4	78
273	Catheter removal and outcomes of multidrug-resistant central-line-associated bloodstream infection. <i>Medicine (United States)</i> , 2018 , 97, e12782	1.8	17
272	1894. Antimicrobial Stewardship in the Intensive Care Unit: Survey of Critical Care and Infectious Diseases Physicians. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S543-S543	1	78
271	872. PROPHETIC: Predicting Pneumonia in Hospitalized Patients in the ICU Model and Scoring System. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S25-S25	1	78
270	Is Zero Ventilator-Associated Pneumonia Achievable?: Practical Approaches to Ventilator-Associated Pneumonia Prevention. <i>Clinics in Chest Medicine</i> , 2018 , 39, 809-822	5.3	9
269	Prevention of hospital-acquired pneumonia. <i>Current Opinion in Critical Care</i> , 2018 , 24, 370-378	3.5	15
268	Summary of the international clinical guidelines for the management of hospital-acquired and ventilator-acquired pneumonia. <i>ERJ Open Research</i> , 2018 , 4,	3.5	23
267	The intensive care medicine research agenda on multidrug-resistant bacteria, antibiotics, and stewardship. <i>Intensive Care Medicine</i> , 2017 , 43, 1187-1197	14.5	66
266	Association between augmented renal clearance and clinical outcomes in patients receiving beta-lactam antibiotic therapy by continuous or intermittent infusion: a nested cohort study of the BLING-II randomised, placebo-controlled, clinical trial. <i>International Journal of Antimicrobial Agents</i> , 2017 , 49, 624-630	14.3	56
265	Viruses are prevalent in non-ventilated hospital-acquired pneumonia. <i>Respiratory Medicine</i> , 2017 , 122, 76-80	4.6	36
264	Ventilator-Associated Pneumonia: The Role of Emerging Diagnostic Technologies. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2017 , 38, 253-263	3.9	21
263	Prevention of Staphylococcus aureus Ventilator-Associated Pneumonia: Conventional Antibiotics Won't Cut It. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1089-1091	11.6	5
262	A Respiratory Therapist Disease Management Program for Subjects Hospitalized With COPD. <i>Respiratory Care</i> , 2017 , 62, 1-9	2.1	10

261	Augmented renal clearance is not a risk factor for mortality in Enterobacteriaceae bloodstream infections treated with appropriate empiric antimicrobials. <i>PLoS ONE</i> , 2017 , 12, e0180247	3.7	4
260	Enhanced antimicrobial de-escalation for pneumonia in mechanically ventilated patients: a cross-over study. <i>Critical Care</i> , 2017 , 21, 180	10.8	15
259	To which extent can we decrease antibiotic duration in critically ill patients?. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 1215-1223	3.8	4
258	A Prospective One-Year Microbiologic Survey of Combined Pneumonia and Respiratory Failure. <i>Surgical Infections</i> , 2017 , 18, 827-833	2	7
257	International ERS/ESICM/ESCMID/ALAT guidelines for the management of hospital-acquired pneumonia and ventilator-associated pneumonia: Guidelines for the management of hospital-acquired pneumonia (HAP)/ventilator-associated pneumonia (VAP) of the European Respiratory Society (ERS), European Society of Intensive Care Medicine (ESICM), European Society	13.6	425
256	Controversies and advances in the management of ventilator associated pneumonia. <i>Expert Review of Respiratory Medicine</i> , 2017 , 11, 875-884, 2017 , 50,	3.8	9
255	The author replies. <i>Critical Care Medicine</i> , 2017 , 45, e630-e631	1.4	
254	ICD-9-CM Coding for Multidrug Resistant Infection Correlates Poorly With Microbiologically Confirmed Multidrug Resistant Infection. <i>Infection Control and Hospital Epidemiology</i> , 2017 , 38, 1381-1383	2	5
253	Predicting Resistance to Piperacillin-Tazobactam, Cefepime and Meropenem in Septic Patients With Bloodstream Infection Due to Gram-Negative Bacteria. <i>Clinical Infectious Diseases</i> , 2017 , 65, 1607-1614	11.6	25
252	A Randomized Trial of the Amikacin Fosfomycin Inhalation System for the Adjunctive Therapy of Gram-Negative Ventilator-Associated Pneumonia: IASIS Trial. <i>Chest</i> , 2017 , 151, 1239-1246	5.3	93
251	Evaluating the Value of the Respiratory Therapist: Where Is the Evidence? Focus on the Barnes-Jewish Hospital Experience. <i>Respiratory Care</i> , 2017 , 62, 1602-1610	2.1	3
250	The authors reply. <i>Critical Care Medicine</i> , 2016 , 44, e231-2	1.4	
249	Impact of Time to Appropriate Therapy on Mortality in Patients with Vancomycin-Intermediate Staphylococcus aureus Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 5546-53	5.9	12
248	A targeted educational intervention to reduce ventilator-associated complications. <i>American Journal of Infection Control</i> , 2016 , 44, 1406-1407	3.8	3
247	Use of a Shared Canister Protocol for the Delivery of Metered-Dose Inhalers in Mechanically Ventilated Subjects. <i>Respiratory Care</i> , 2016 , 61, 1285-92	2.1	2
246	Real-time automated clinical deterioration alerts predict thirty-day hospital readmission. <i>Journal of Hospital Medicine</i> , 2016 , 11, 768-772	2.7	1
245	The authors reply. <i>Critical Care Medicine</i> , 2016 , 44, e50-1	1.4	
244	The Impact of Nighttime Intensivists on Medical Intensive Care Unit Infection-Related Indicators. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 352-4	2	4

243	A Case-Control Study Assessing the Impact of Nonventilated Hospital-Acquired Pneumonia on Patient Outcomes. <i>Chest</i> , 2016 , 150, 1008-1014	5.3	66
242	Diagnosis and management of skin and soft tissue infections in the intensive care unit: a review. <i>Intensive Care Medicine</i> , 2016 , 42, 1899-1911	14.5	37
241	Secular trends in <i>Acinetobacter baumannii</i> resistance in respiratory and blood stream specimens in the United States, 2003 to 2012: A survey study. <i>Journal of Hospital Medicine</i> , 2016 , 11, 21-6	2.7	60
240	Ten old antibiotics that will never disappear. <i>Intensive Care Medicine</i> , 2015 , 41, 1950-3	14.5	
239	Surveillance versus clinical adjudication: differences persist with new ventilator-associated event definition. <i>American Journal of Infection Control</i> , 2015 , 43, 589-91	3.8	12
238	The use of inhaled prostaglandins in patients with ARDS: a systematic review and meta-analysis. <i>Chest</i> , 2015 , 147, 1510-1522	5.3	64
237	Ventilator-associated Pneumonia Prevention. Is It Worth It?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 192, 5-7	10.2	7
236	Management of Infections with Drug-Resistant Organisms in Critical Care: An Ongoing Battle. <i>Clinics in Chest Medicine</i> , 2015 , 36, 531-41	5.3	4
235	Understanding toxic shock syndrome. <i>Intensive Care Medicine</i> , 2015 , 41, 1707-10	14.5	22
234	Development and validation of a clinical prediction rule for candidemia in hospitalized patients with severe sepsis and septic shock. <i>Journal of Critical Care</i> , 2015 , 30, 715-20	4	18
233	The number of discharge medications predicts thirty-day hospital readmission: a cohort study. <i>BMC Health Services Research</i> , 2015 , 15, 282	2.9	57
232	If antibiotics did not exist. <i>Intensive Care Medicine</i> , 2015 , 41, 525-7	14.5	1
231	Randomized Controlled Trial to Determine the Impact of Probiotic Administration on Colonization With Multidrug-Resistant Organisms in Critically Ill Patients. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 1451-4	2	16
230	<i>Pseudomonas aeruginosa</i> nosocomial pneumonia: impact of pneumonia classification. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 1190-7	2	29
229	Targeted Fluid Minimization Following Initial Resuscitation in Septic Shock: A Pilot Study. <i>Chest</i> , 2015 , 148, 1462-1469	5.3	46
228	Pneumonia Pathogen Characterization Is an Independent Determinant of Hospital Readmission. <i>Chest</i> , 2015 , 148, 103-111	5.3	20
227	An international multicenter retrospective study of <i>Pseudomonas aeruginosa</i> nosocomial pneumonia: impact of multidrug resistance. <i>Critical Care</i> , 2015 , 19, 219	10.8	146
226	Impact of antibacterials on subsequent resistance and clinical outcomes in adult patients with viral pneumonia: an opportunity for stewardship. <i>Critical Care</i> , 2015 , 19, 404	10.8	23

225	Outcomes associated with bacteremia in the setting of methicillin-resistant <i>Staphylococcus aureus</i> pneumonia: a retrospective cohort study. <i>Critical Care</i> , 2015 , 19, 312	10.8	12
224	Impact of Sepsis Classification and Multidrug-Resistance Status on Outcome Among Patients Treated With Appropriate Therapy. <i>Critical Care Medicine</i> , 2015 , 43, 1580-6	1.4	50
223	Risk factors for 30-day readmission among patients with culture-positive severe sepsis and septic shock: A retrospective cohort study. <i>Journal of Hospital Medicine</i> , 2015 , 10, 678-85	2.7	10
222	Update on ventilator-associated pneumonia. <i>Current Opinion in Critical Care</i> , 2015 , 21, 430-8	3.5	19
221	Clinical effectiveness of a sedation protocol minimizing benzodiazepine infusions and favoring early dexmedetomidine: a before-after study. <i>Critical Care</i> , 2015 , 19, 136	10.8	14
220	A prospective evaluation of ventilator-associated conditions and infection-related ventilator-associated conditions. <i>Chest</i> , 2015 , 147, 68-81	5.3	83
219	Mortality Prediction in ICUs Using A Novel Time-Slicing Cox Regression Method 2015 , 2015, 1289-95	0.7	5
218	Clinical implications for patients treated inappropriately for community-acquired pneumonia in the emergency department. <i>BMC Infectious Diseases</i> , 2014 , 14, 61	4	22
217	Conservative fluid therapy in septic shock: an example of targeted therapeutic minimization. <i>Critical Care</i> , 2014 , 18, 481	10.8	9
216	Probiotics for preventing ventilator-associated pneumonia. <i>The Cochrane Library</i> , 2014 , CD009066	5.2	69
215	Effects of empiric antifungal therapy for septic shock on time to appropriate therapy for <i>Candida</i> infection: a pilot study. <i>Clinical Therapeutics</i> , 2014 , 36, 1226-32	3.5	8
214	What can be expected from antimicrobial de-escalation in the critically ill?. <i>Intensive Care Medicine</i> , 2014 , 40, 92-5	14.5	12
213	1233A Comparison of National Healthcare Safety Network (NHSN) Ventilator Associated Pneumonia (VAP) and Ventilator Associated Event (VAE) Definitions. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S45-S45	1	78
212	1658C. <i>difficile</i> Recurrence is a Strong Predictor of 30-day Rehospitalization Among ICU Patients. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S443-S443	1	78
211	881New Ventilator Associated Event (VAE) Definition: Persistence of Subjective Variability. <i>Open Forum Infectious Diseases</i> , 2014 , 1, S253-S253	1	78
210	A randomized trial of real-time automated clinical deterioration alerts sent to a rapid response team. <i>Journal of Hospital Medicine</i> , 2014 , 9, 424-9	2.7	54
209	Treatment of Gram-positive infections in critically ill patients. <i>BMC Infectious Diseases</i> , 2014 , 14, 92	4	21
208	Telavancin for Hospital-Acquired Pneumonia: Clinical Response and 28-Day Survival. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3581-3581	5.9	78

207	Predictors of outcome in 216 subjects with ARDS treated with inhaled epoprostenol. <i>Respiratory Care</i> , 2014 , 59, 1178-85	2.1	13
206	Telavancin for hospital-acquired pneumonia: clinical response and 28-day survival. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2030-7	5.9	49
205	Multi-drug resistance, inappropriate initial antibiotic therapy and mortality in Gram-negative severe sepsis and septic shock: a retrospective cohort study. <i>Critical Care</i> , 2014 , 18, 596	10.8	182
204	Reducing the burden of acute respiratory distress syndrome: the case for early intervention and the potential role of the emergency department. <i>Shock</i> , 2014 , 41, 378-87	3.4	19
203	Global prospective epidemiologic and surveillance study of ventilator-associated pneumonia due to <i>Pseudomonas aeruginosa</i> . <i>Critical Care Medicine</i> , 2014 , 42, 2178-87	1.4	121
202	Identifying critically ill patients at risk for inappropriate antibiotic therapy: a pilot study of a point-of-care decision support alert. <i>Critical Care Medicine</i> , 2014 , 42, 1832-8	1.4	18
201	Using the number needed to treat to assess appropriate antimicrobial therapy as a determinant of outcome in severe sepsis and septic shock. <i>Critical Care Medicine</i> , 2014 , 42, 2342-9	1.4	62
200	Ventilator-associated complications, including infection-related complications: the way forward. <i>Critical Care Clinics</i> , 2013 , 29, 33-50	4.5	21
199	A risk score for identifying methicillin-resistant <i>Staphylococcus aureus</i> in patients presenting to the hospital with pneumonia. <i>BMC Infectious Diseases</i> , 2013 , 13, 268	4	45
198	Determinants of hospital mortality among patients with sepsis or septic shock receiving appropriate antibiotic treatment. <i>Current Infectious Disease Reports</i> , 2013 , 15, 400-6	3.9	10
197	Prolonged infusion antibiotics for suspected gram-negative infections in the ICU: a before-after study. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 170-80	2.9	36
196	Azithromycin and survival in <i>Streptococcus pneumoniae</i> pneumonia: a retrospective study. <i>BMJ Open</i> , 2013 , 3,	3	9
195	Aerosolized antibiotics: do they add to the treatment of pneumonia?. <i>Current Opinion in Infectious Diseases</i> , 2013 , 26, 538-44	5.4	39
194	Developing a new, national approach to surveillance for ventilator-associated events*. <i>Critical Care Medicine</i> , 2013 , 41, 2467-75	1.4	596
193	Readmission following hospitalization for pneumonia: the impact of pneumonia type and its implication for hospitals. <i>Clinical Infectious Diseases</i> , 2013 , 57, 362-7	11.6	40
192	Developing a new, national approach to surveillance for ventilator-associated events: executive summary. <i>Clinical Infectious Diseases</i> , 2013 , 57, 1742-6	11.6	36
191	Fluid balance and cardiac function in septic shock as predictors of hospital mortality. <i>Critical Care</i> , 2013 , 17, R246	10.8	93
190	Short- vs long-duration antibiotic regimens for ventilator-associated pneumonia: a systematic review and meta-analysis. <i>Chest</i> , 2013 , 144, 1759-1767	5.3	98

189	Preventive Strategies in VAP: Focus on Silver-Coated Endotracheal Tubes 2013 , 531-555		1
188	An institutional perspective on the impact of recent antibiotic exposure on length of stay and hospital costs for patients with gram-negative sepsis. <i>BMC Infectious Diseases</i> , 2012 , 12, 56	4	26
187	Antimicrobial stewardship programs: mandatory for all ICUs. <i>Critical Care</i> , 2012 , 16, 179	10.8	30
186	A randomized trial of 7-day doripenem versus 10-day imipenem-cilastatin for ventilator-associated pneumonia. <i>Critical Care</i> , 2012 , 16, R218	10.8	133
185	Risk factors for mixed complicated skin and skin structure infections to help tailor appropriate empiric therapy. <i>Surgical Infections</i> , 2012 , 13, 377-82	2	11
184	Economic impact of ventilator-associated pneumonia in a large matched cohort. <i>Infection Control and Hospital Epidemiology</i> , 2012 , 33, 250-6	2	234
183	Linezolid in methicillin-resistant <i>Staphylococcus aureus</i> nosocomial pneumonia: a randomized, controlled study. <i>Clinical Infectious Diseases</i> , 2012 , 54, 621-9	11.6	414
182	Use of adjunctive aerosolized antimicrobial therapy in the treatment of <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> ventilator-associated pneumonia. <i>Respiratory Care</i> , 2012 , 57, 1226-33	2.1	64
181	Validation of a clinical score for assessing the risk of resistant pathogens in patients with pneumonia presenting to the emergency department. <i>Clinical Infectious Diseases</i> , 2012 , 54, 193-8	11.6	119
180	Septic shock attributed to <i>Candida</i> infection: importance of empiric therapy and source control. <i>Clinical Infectious Diseases</i> , 2012 , 54, 1739-46	11.6	302
179	A comparison of ventilator-associated pneumonia rates as identified according to the National Healthcare Safety Network and American College of Chest Physicians criteria. <i>Critical Care Medicine</i> , 2012 , 40, 281-4	1.4	94
178	The determinants of hospital mortality among patients with septic shock receiving appropriate initial antibiotic treatment*. <i>Critical Care Medicine</i> , 2012 , 40, 2016-21	1.4	54
177	Prevention of ventilator-associated pneumonia or ventilator-associated complications: a worthy, yet challenging, goal. <i>Critical Care Medicine</i> , 2012 , 40, 271-7	1.4	22
176	Hospital-Acquired Pneumonia 2012 , 137-145		1
175	Healthcare-associated pneumonia: approach to management. <i>Clinics in Chest Medicine</i> , 2011 , 32, 507-15	5.3	6
174	Medical Data Mining for Early Deterioration Warning in General Hospital Wards 2011 ,		18
173	Healthcare-associated pneumonia: diagnostic criteria and distinction from community-acquired pneumonia. <i>International Journal of Infectious Diseases</i> , 2011 , 15, e545-50	10.5	48
172	Implementation of a real-time computerized sepsis alert in nonintensive care unit patients. <i>Critical Care Medicine</i> , 2011 , 39, 469-73	1.4	123

171	Impact of previous antibiotic therapy on outcome of Gram-negative severe sepsis. <i>Critical Care Medicine</i> , 2011 , 39, 1859-65	1.4	71
170	Inappropriate antibiotic therapy in Gram-negative sepsis increases hospital length of stay. <i>Critical Care Medicine</i> , 2011 , 39, 46-51	1.4	129
169	Health care-associated pneumonia (HCAP): empiric antibiotics targeting methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) and <i>Pseudomonas aeruginosa</i> predict optimal outcome. <i>Medicine (United States)</i> , 2011 , 90, 390-395	1.8	29
168	Hospital-acquired pneumonia/ventilator-associated pneumonia prevention: truth or dare!. <i>Critical Care Medicine</i> , 2011 , 39, 2015-6	1.4	
167	<i>Clostridium difficile</i> in the ICU: the struggle continues. <i>Chest</i> , 2011 , 140, 1643-1653	5.3	52
166	Ventilator-associated tracheobronchitis in a mixed surgical and medical ICU population. <i>Chest</i> , 2011 , 139, 513-518	5.3	69
165	Probiotics for preventing ventilator-associated pneumonia 2011 ,		2
164	Institutional perspective on the impact of positive blood cultures on the economic and clinical outcomes of patients with complicated skin and skin structure infections: focus on gram-positive infections. <i>Clinical Therapeutics</i> , 2011 , 33, 1759-1768.e1	3.5	2
163	Epidemiology, microbiology and outcomes of healthcare-associated and community-acquired bacteremia: a multicenter cohort study. <i>Journal of Infection</i> , 2011 , 62, 130-5	18.9	75
162	Resistance to empiric antimicrobial treatment predicts outcome in severe sepsis associated with Gram-negative bacteremia. <i>Journal of Hospital Medicine</i> , 2011 , 6, 405-10	2.7	48
161	Telavancin versus vancomycin for hospital-acquired pneumonia due to gram-positive pathogens. <i>Clinical Infectious Diseases</i> , 2011 , 52, 31-40	11.6	211
160	Antibiotic stewardship in the intensive care unit. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2011 , 32, 215-27	3.9	28
159	Diagnostic utility of plasma procalcitonin for nosocomial pneumonia in the intensive care unit setting. <i>Respiratory Care</i> , 2011 , 56, 412-9	2.1	25
158	Appraising contemporary strategies to combat multidrug resistant gram-negative bacterial infections--proceedings and data from the Gram-Negative Resistance Summit. <i>Clinical Infectious Diseases</i> , 2011 , 53 Suppl 2, S33-55; quiz S56-8	11.6	76
157	Prevention of nosocomial pneumonia in the intensive care unit: beyond the use of bundles. <i>Surgical Infections</i> , 2011 , 12, 211-20	2	18
156	Recognition of nosocomial pneumonia in the intensive care unit: still a confusing issue. <i>Respiratory Care</i> , 2011 , 56, 1209-12	2.1	1
155	Early Deterioration Warning for Hospitalized Patients by Mining Clinical Data. <i>International Journal of Knowledge Discovery in Bioinformatics</i> , 2011 , 2, 1-20		4
154	Probiotic prophylaxis of ventilator-associated pneumonia: a blinded, randomized, controlled trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 182, 1058-64	10.2	250

153	Review of recent clinical trials of hospital-acquired pneumonia and ventilator-associated pneumonia: a perspective from academia. <i>Clinical Infectious Diseases</i> , 2010 , 51 Suppl 1, S29-35	11.6	17
152	Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) nasal colonization predicts intensive care unit-acquired MRSA infections: true or false?. <i>Surgical Infections</i> , 2010 , 11, 497-9	2	5
151	Association between a silver-coated endotracheal tube and reduced mortality in patients with ventilator-associated pneumonia. <i>Chest</i> , 2010 , 137, 1015-21	5.3	55
150	Increased Mortality in Patients Without Ventilator-Associated Pneumonia: Response. <i>Chest</i> , 2010 , 138, 1275	5.3	3
149	Health care-associated pneumonia. <i>Hospital Practice (1995)</i> , 2010 , 38, 63-74	2.2	4
148	Economic burden of ventilator-associated pneumonia based on total resource utilization. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 509-15	2	80
147	<i>Staphylococcus aureus</i> nasal colonization and subsequent infection in intensive care unit patients: does methicillin resistance matter?. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 584-91	2	83
146	Predicting bacteremia among patients hospitalized for skin and skin-structure infections: derivation and validation of a risk score. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 828-37	2	25
145	Medical resource utilization among patients with ventilator-associated pneumonia: pooled analysis of randomized studies of doripenem versus comparators. <i>Critical Care</i> , 2010 , 14, R84	10.8	7
144	Will procalcitonin reduce antibiotic use in intensive care?. <i>Lancet, The</i> , 2010 , 375, 435-6	40	9
143	Empiric combination antibiotic therapy is associated with improved outcome against sepsis due to Gram-negative bacteria: a retrospective analysis. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 1742-8	5.9	171
142	Bacteremia increases the risk of death among patients with soft-tissue infections. <i>Surgical Infections</i> , 2010 , 11, 169-76	2	10
141	Activity of a silver-coated endotracheal tube in preclinical models of ventilator-associated pneumonia and a study after extubation. <i>Critical Care Medicine</i> , 2010 , 38, 1135-40	1.4	51
140	Recognition and prevention of nosocomial pneumonia in the intensive care unit and infection control in mechanical ventilation. <i>Critical Care Medicine</i> , 2010 , 38, S352-62	1.4	54
139	Methicillin-resistant <i>Staphylococcus aureus</i> nasal colonization is a poor predictor of intensive care unit-acquired methicillin-resistant <i>Staphylococcus aureus</i> infections requiring antibiotic treatment. <i>Critical Care Medicine</i> , 2010 , 38, 1991-5	1.4	47
138	A comparison of culture-positive and culture-negative health-care-associated pneumonia. <i>Chest</i> , 2010 , 137, 1130-7	5.3	70
137	A magic bullet for sepsis: getting back to the basics. <i>Critical Care Medicine</i> , 2010 , 38, 733-4	1.4	
136	The resuscitation package in sepsis. <i>Current Infectious Disease Reports</i> , 2010 , 12, 368-73	3.9	0

135	Hospital resource utilization and costs of inappropriate treatment of candidemia. <i>Pharmacotherapy</i> , 2010 , 30, 361-8	5.8	74
134	Hospitalizations with healthcare-associated complicated skin and skin structure infections: impact of inappropriate empiric therapy on outcomes. <i>Journal of Hospital Medicine</i> , 2010 , 5, 535-40	2.7	37
133	Health-care-associated pneumonia: not just a US phenomenon. <i>Chest</i> , 2009 , 135, 594-596	5.3	4
132	The importance of fluid management in acute lung injury secondary to septic shock. <i>Chest</i> , 2009 , 136, 102-109	5.3	335
131	Clinical practice improvement initiatives: don't be satisfied with the early results. <i>Chest</i> , 2009 , 136, 335-338	5.3	5
130	The Flood and Ebb of Septic Shock: Response. <i>Chest</i> , 2009 , 136, 1705-1706	5.3	
129	The alphabet soup of pneumonia: CAP, HAP, HCAP, NHAP, and VAP. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2009 , 30, 3-9	3.9	48
128	Severe hospital-acquired pneumonia: a review for clinicians. <i>Current Infectious Disease Reports</i> , 2009 , 11, 349-56	3.9	6
127	Candidemia on presentation to the hospital: development and validation of a risk score. <i>Critical Care</i> , 2009 , 13, R156	10.8	33
126	Diagnostic implications of soluble triggering receptor expressed on myeloid cells-1 in BAL fluid of patients with pulmonary infiltrates in the ICU. <i>Chest</i> , 2009 , 135, 641-647	5.3	62
125	Cost-effectiveness analysis of a silver-coated endotracheal tube to reduce the incidence of ventilator-associated pneumonia. <i>Infection Control and Hospital Epidemiology</i> , 2009 , 30, 759-63	2	55
124	Epidemiology and outcomes of hospitalizations with complicated skin and skin-structure infections: implications of healthcare-associated infection risk factors. <i>Infection Control and Hospital Epidemiology</i> , 2009 , 30, 1203-10	2	45
123	Implementing quality improvements in the intensive care unit: ventilator bundle as an example. <i>Critical Care Medicine</i> , 2009 , 37, 305-9	1.4	73
122	Hospital-wide impact of a standardized order set for the management of bacteremic severe sepsis. <i>Critical Care Medicine</i> , 2009 , 37, 819-24	1.4	97
121	Oral decontamination to prevent ventilator-associated pneumonia: is it a sound strategy?. <i>Chest</i> , 2009 , 135, 1116-1118	5.3	9
120	VAT vs VAP: are we heading toward clarity or confusion?. <i>Chest</i> , 2009 , 135, 252-255	5.3	9
119	Epidemiology and outcomes of clostridium difficile-associated disease among patients on prolonged acute mechanical ventilation. <i>Chest</i> , 2009 , 136, 752-758	5.3	36
118	Soluble triggering receptor expressed on myeloid cells 1 and the diagnosis of ventilator-associated pneumonia. <i>Chest</i> , 2009 , 136, 320	5.3	2

117	New antimicrobial agents for methicillin-resistant <i>Staphylococcus aureus</i> . <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2009 , 11, 282-6	2.8	10
116	Health care-associated pneumonia: identification and initial management in the ED. <i>American Journal of Emergency Medicine</i> , 2008 , 26, 1-11	2.9	95
115	Secular trends in candidemia-related hospitalization in the United States, 2000-2005. <i>Infection Control and Hospital Epidemiology</i> , 2008 , 29, 978-80	2	100
114	Silver-coated endotracheal tubes and incidence of ventilator-associated pneumonia: the NASCENT randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 805-13	27.4	347
113	Update on the appropriate use of meropenem for the treatment of serious bacterial infections. <i>Clinical Infectious Diseases</i> , 2008 , 47 Suppl 1, S1-2	11.6	6
112	Antimicrobial therapy escalation and hospital mortality among patients with health-care-associated pneumonia: a single-center experience. <i>Chest</i> , 2008 , 134, 963-968	5.3	120
111	Health care-associated pneumonia (HCAP): a critical appraisal to improve identification, management, and outcomes--proceedings of the HCAP Summit. <i>Clinical Infectious Diseases</i> , 2008 , 46 Suppl 4, S296-334; quiz 335-8	11.6	85
110	Pneumonia caused by methicillin-resistant <i>Staphylococcus aureus</i> . <i>Clinical Infectious Diseases</i> , 2008 , 46 Suppl 5, S378-85	11.6	238
109	Broad-spectrum antimicrobials and the treatment of serious bacterial infections: getting it right up front. <i>Clinical Infectious Diseases</i> , 2008 , 47 Suppl 1, S3-13	11.6	187
108	Prediction of infection due to antibiotic-resistant bacteria by select risk factors for health care-associated pneumonia. <i>Archives of Internal Medicine</i> , 2008 , 168, 2205-10		158
107	Health care-associated infection (HAI): a critical appraisal of the emerging threat-proceedings of the HAI Summit. <i>Clinical Infectious Diseases</i> , 2008 , 47 Suppl 2, S55-99; quiz S100-1	11.6	44
106	SMART approaches for reducing nosocomial infections in the ICU. <i>Chest</i> , 2008 , 134, 447-456	5.3	36
105	Predictors of 30-day mortality and hospital costs in patients with ventilator-associated pneumonia attributed to potentially antibiotic-resistant gram-negative bacteria. <i>Chest</i> , 2008 , 134, 281-287	5.3	181
104	A 50-year-old woman with abdominal pain and respiratory failure 3 months after kidney transplantation. <i>Chest</i> , 2008 , 134, 442-446	5.3	11
103	The modified APACHE II score outperforms Curb65 pneumonia severity score as a predictor of 30-day mortality in patients with methicillin-resistant <i>Staphylococcus aureus</i> pneumonia. <i>Chest</i> , 2008 , 133, 363-9	5.3	35
102	The importance of early treatment with doxycycline in human ehrlichiosis. <i>Medicine (United States)</i> , 2008 , 87, 53-60	1.8	46
101	Inappropriate therapy for methicillin-resistant <i>Staphylococcus aureus</i> : resource utilization and cost implications. <i>Critical Care Medicine</i> , 2008 , 36, 2335-40	1.4	57
100	Treatment-related risk factors for hospital mortality in <i>Candida</i> bloodstream infections. <i>Critical Care Medicine</i> , 2008 , 36, 2967-72	1.4	137

99	Use of hypochlorite solution to decrease rates of Clostridium difficile-associated diarrhea. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 205-7	2	60
98	The epidemiology, pathogenesis and treatment of Pseudomonas aeruginosa infections. <i>Drugs</i> , 2007 , 67, 351-68	12.1	526
97	Predictors of in-hospital mortality for bloodstream infections caused by Enterobacter species or Citrobacter freundii. <i>Pharmacotherapy</i> , 2007 , 27, 191-9	5.8	32
96	Health care-associated pneumonia and community-acquired pneumonia: a single-center experience. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 3568-73	5.9	321
95	Bugging the bugs: novel approaches in the strategic management of resistant Staphylococcus aureus infections. <i>Clinical Infectious Diseases</i> , 2007 , 45 Suppl 3, S163-4	11.6	1
94	Optimizing therapy for MRSA pneumonia. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2007 , 28, 615-23	3.9	7
93	Addition of vasopressin to norepinephrine as independent predictor of mortality in patients with refractory septic shock: an observational study. <i>Surgical Infections</i> , 2007 , 8, 189-200	2	20
92	Moving towards real-time antimicrobial management of ventilator-associated pneumonia. <i>Clinical Infectious Diseases</i> , 2007 , 44, 388-90	11.6	14
91	Limitations of vancomycin in the management of resistant staphylococcal infections. <i>Clinical Infectious Diseases</i> , 2007 , 45 Suppl 3, S191-5	11.6	118
90	Probiotics for preventing and treating nosocomial infections: review of current evidence and recommendations. <i>Chest</i> , 2007 , 132, 286-94	5.3	45
89	Correctly scoring infections: CSI in the ICU. <i>Critical Care Medicine</i> , 2007 , 35, 2641-3	1.4	
88	Do clinical features allow for accurate prediction of fungal pathogenesis in bloodstream infections? Potential implications of the increasing prevalence of non-albicans candidemia. <i>Critical Care Medicine</i> , 2007 , 35, 1077-83	1.4	96
87	Economic implications of an evidence-based sepsis protocol: can we improve outcomes and lower costs?. <i>Critical Care Medicine</i> , 2007 , 35, 1257-62	1.4	679
86	A retrospective analysis of possible renal toxicity associated with vancomycin in patients with health care-associated methicillin-resistant Staphylococcus aureus pneumonia. <i>Clinical Therapeutics</i> , 2007 , 29, 1107-15	3.5	250
85	Early Appropriate Empiric Therapy and Antimicrobial De-Escalation. <i>Infectious Disease and Therapy</i> , 2007 , 231-250		
84	Optimizing antibiotic treatment for ventilator-associated pneumonia. <i>Pharmacotherapy</i> , 2006 , 26, 204-13	3.8	22
83	Microbiological diagnosis of ventilator-associated pneumonia: using the data to optimize clinical outcomes. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 1182-4	10.2	10
82	Diagnosis of ventilator-associated pneumonia. <i>New England Journal of Medicine</i> , 2006 , 355, 2691-3	59.2	47

81	Is antibiotic cycling the answer to preventing the emergence of bacterial resistance in the intensive care unit?. <i>Clinical Infectious Diseases</i> , 2006 , 43 Suppl 2, S82-8	11.6	69
80	A randomized double-blind trial of iseganan in prevention of ventilator-associated pneumonia. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 173, 91-7	10.2	87
79	The intensive care unit as a research laboratory: developing strategies to prevent antimicrobial resistance. <i>Surgical Infections</i> , 2006 , 7, 85-99	2	3
78	Morbidity and cost burden of methicillin-resistant <i>Staphylococcus aureus</i> in early onset ventilator-associated pneumonia. <i>Critical Care</i> , 2006 , 10, R97	10.8	95
77	Methicillin-resistant <i>Staphylococcus aureus</i> : a new community-acquired pathogen?. <i>Current Opinion in Infectious Diseases</i> , 2006 , 19, 161-8	5.4	51
76	Clinical characteristics and treatment patterns among patients with ventilator-associated pneumonia. <i>Chest</i> , 2006 , 129, 1210-8	5.3	295
75	Time to get serious about infection prevention in the ICU. <i>Chest</i> , 2006 , 130, 1293-6	5.3	9
74	Before-after study of a standardized hospital order set for the management of septic shock. <i>Critical Care Medicine</i> , 2006 , 34, 2707-13	1.4	378
73	Methicillin-resistant <i>Staphylococcus aureus</i> sterile-site infection: The importance of appropriate initial antimicrobial treatment. <i>Critical Care Medicine</i> , 2006 , 34, 2069-74	1.4	120
72	Reduced burden of bacterial airway colonization with a novel silver-coated endotracheal tube in a randomized multiple-center feasibility study. <i>Critical Care Medicine</i> , 2006 , 34, 2766-72	1.4	126
71	Methicillin-resistant <i>Staphylococcus aureus</i> prolongs intensive care unit stay in ventilator-associated pneumonia, despite initially appropriate antibiotic therapy. <i>Critical Care Medicine</i> , 2006 , 34, 700-6	1.4	118
70	Providing appropriate antimicrobial therapy in the intensive care unit: surveillance vs. de-escalation. <i>Critical Care Medicine</i> , 2006 , 34, 903-5	1.4	29
69	Healthcare-associated bloodstream infection: A distinct entity? Insights from a large U.S. database. <i>Critical Care Medicine</i> , 2006 , 34, 2588-95	1.4	223
68	Predictors of mortality for methicillin-resistant <i>Staphylococcus aureus</i> health-care-associated pneumonia: specific evaluation of vancomycin pharmacokinetic indices. <i>Chest</i> , 2006 , 130, 947-55	5.3	220
67	Prevention of nosocomial respiratory infections 2006 , 675-693		
66	Prevention of pneumonia in the hospital setting. <i>Clinics in Chest Medicine</i> , 2005 , 26, 135-42	5.3	4
65	Gram-negative bacterial resistance: evolving patterns and treatment paradigms. <i>Clinical Infectious Diseases</i> , 2005 , 40 Suppl 2, S85-8	11.6	30
64	Delaying the empiric treatment of candida bloodstream infection until positive blood culture results are obtained: a potential risk factor for hospital mortality. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 3640-5	5.9	1001

63	Bench-to-bedside review: antimicrobial utilization strategies aimed at preventing the emergence of bacterial resistance in the intensive care unit. <i>Critical Care</i> , 2005 , 9, 459-64	10.8	19
62	Strategies to prevent antimicrobial resistance in the intensive care unit. <i>Critical Care Medicine</i> , 2005 , 33, 1845-53	1.4	116
61	Invasive approaches to the diagnosis of ventilator-associated pneumonia: a meta-analysis. <i>Critical Care Medicine</i> , 2005 , 33, 46-53	1.4	174
60	Pleuropulmonary complications of Panton-Valentine leukocidin-positive community-acquired methicillin-resistant <i>Staphylococcus aureus</i> : importance of treatment with antimicrobials inhibiting exotoxin production. <i>Chest</i> , 2005 , 128, 2732-8	5.3	154
59	Antibiotic utilization and outcomes for patients with clinically suspected ventilator-associated pneumonia and negative quantitative BAL culture results. <i>Chest</i> , 2005 , 128, 2706-13	5.3	93
58	Prevention of hospital infection. <i>Microbes and Infection</i> , 2005 , 7, 268-74	9.3	6
57	The importance of antimicrobial resistance in hospital-acquired and ventilator-associated pneumonia. <i>Current Anaesthesia and Critical Care</i> , 2005 , 16, 209-219		1
56	Predictors of hospital mortality for patients with severe sepsis treated with Drotrecogin alfa (activated). <i>Pharmacotherapy</i> , 2005 , 25, 26-34	5.8	36
55	<i>Pseudomonas aeruginosa</i> bloodstream infection: importance of appropriate initial antimicrobial treatment. <i>Antimicrobial Agents and Chemotherapy</i> , 2005 , 49, 1306-11	5.9	409
54	Quinolones for treatment of nosocomial pneumonia: a meta-analysis. <i>Clinical Infectious Diseases</i> , 2005 , 40 Suppl 2, S115-22	11.6	19
53	Epidemiology and outcomes of health-care-associated pneumonia: results from a large US database of culture-positive pneumonia. <i>Chest</i> , 2005 , 128, 3854-62	5.3	811
52	Transfusion practice and blood stream infections in critically ill patients. <i>Chest</i> , 2005 , 127, 1722-8	5.3	97
51	What is ventilator-associated pneumonia and why is it important?. <i>Respiratory Care</i> , 2005 , 50, 714-21; discussion 721-4	2.1	74
50	Risk factors for ventilator-associated pneumonia: from epidemiology to patient management. <i>Clinical Infectious Diseases</i> , 2004 , 38, 1141-9	11.6	205
49	Hospital mortality for patients with bacteremia due to <i>Staphylococcus aureus</i> or <i>Pseudomonas aeruginosa</i> . <i>Chest</i> , 2004 , 125, 607-16	5.3	115
48	Clinical cure and survival in Gram-positive ventilator-associated pneumonia: retrospective analysis of two double-blind studies comparing linezolid with vancomycin. <i>Intensive Care Medicine</i> , 2004 , 30, 388-94	14.5	260
47	A cost-benefit analysis of gown use in controlling vancomycin-resistant <i>Enterococcus</i> transmission: is it worth the price?. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 418-24	2	61
46	Red blood cell transfusion and ventilator-associated pneumonia: A potential link?. <i>Critical Care Medicine</i> , 2004 , 32, 666-74	1.4	172

45	Prevention of hospital-associated pneumonia and ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2004 , 32, 1396-405	1.4	317
44	Cycling empirical antimicrobial agents to prevent emergence of antimicrobial-resistant Gram-negative bacteria among intensive care unit patients. <i>Critical Care Medicine</i> , 2004 , 32, 2450-6	1.4	94
43	A randomized controlled trial of an antibiotic discontinuation policy for clinically suspected ventilator-associated pneumonia. <i>Chest</i> , 2004 , 125, 1791-9	5.3	309
42	The effect of an education program on the incidence of central venous catheter-associated bloodstream infection in a medical ICU. <i>Chest</i> , 2004 , 126, 1612-8	5.3	196
41	An educational intervention to reduce ventilator-associated pneumonia in an integrated health system: a comparison of effects. <i>Chest</i> , 2004 , 125, 2224-31	5.3	177
40	Appropriate empiric antimicrobial therapy of nosocomial pneumonia: the role of the carbapenems. <i>Respiratory Care</i> , 2004 , 49, 1530-41	2.1	25
39	Linezolid vs Vancomycin *. <i>Chest</i> , 2003 , 124, 1789-1797	5.3	524
38	Nursing adherence with evidence-based guidelines for preventing ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2003 , 31, 2693-6	1.4	123
37	Outcome and attributable cost of ventilator-associated pneumonia among intensive care unit patients in a suburban medical center. <i>Critical Care Medicine</i> , 2003 , 31, 1312-7	1.4	440
36	Selective digestive decontamination should not be routinely employed. <i>Chest</i> , 2003 , 123, 464S-8S	5.3	84
35	Management of severe sepsis: integration of multiple pharmacologic interventions. <i>Pharmacotherapy</i> , 2003 , 23, 1486-96	5.8	14
34	Ventilator-associated pneumonia in a multi-hospital system: differences in microbiology by location. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 853-8	2	47
33	Appropriate empirical antibacterial therapy for nosocomial infections: getting it right the first time. <i>Drugs</i> , 2003 , 63, 2157-68	12.1	97
32	Continuation of a randomized, double-blind, multicenter study of linezolid versus vancomycin in the treatment of patients with nosocomial pneumonia. <i>Clinical Therapeutics</i> , 2003 , 25, 980-92	3.5	199
31	Improving Family Communications at the End of Life: Implications for Length of Stay in the Intensive Care Unit and Resource Use. <i>American Journal of Critical Care</i> , 2003 , 12, 317-324	1.7	125
30	Why do physicians not follow evidence-based guidelines for preventing ventilator-associated pneumonia?: a survey based on the opinions of an international panel of intensivists. <i>Chest</i> , 2002 , 122, 656-61	5.3	187
29	Epidemiology and outcomes of ventilator-associated pneumonia in a large US database. <i>Chest</i> , 2002 , 122, 2115-21	5.3	905
28	Effect of an education program aimed at reducing the occurrence of ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2002 , 30, 2407-12	1.4	237

27	Clinical importance of delays in the initiation of appropriate antibiotic treatment for ventilator-associated pneumonia. <i>Chest</i> , 2002 , 122, 262-8	5.3	762
26	Silver-coated endotracheal tubes associated with reduced bacterial burden in the lungs of mechanically ventilated dogs. <i>Chest</i> , 2002 , 121, 863-70	5.3	142
25	Early versus late enteral feeding of mechanically ventilated patients: results of a clinical trial. <i>Journal of Parenteral and Enteral Nutrition</i> , 2002 , 26, 174-81	4.2	224
24	Prevention of Antibiotic Resistance in Hospitals. <i>Annals of Internal Medicine</i> , 2002 , 136, 173	8	
23	The occurrence of ventilator-associated pneumonia in a community hospital: risk factors and clinical outcomes. <i>Chest</i> , 2001 , 120, 555-61	5.3	257
22	Antibiotic resistance in the intensive care unit. <i>Annals of Internal Medicine</i> , 2001 , 134, 298-314	8	288
21	Experience with a clinical guideline for the treatment of ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2001 , 29, 1109-15	1.4	453
20	Mechanical ventilator weaning protocols driven by nonphysician health-care professionals: evidence-based clinical practice guidelines. <i>Chest</i> , 2001 , 120, 454S-63S	5.3	186
19	A comparative analysis of patients with early-onset vs late-onset nosocomial pneumonia in the ICU setting. <i>Chest</i> , 2000 , 117, 1434-42	5.3	209
18	Inadequate treatment of nosocomial infections is associated with certain empiric antibiotic choices. <i>Critical Care Medicine</i> , 2000 , 28, 3456-64	1.4	131
17	Inadequate antimicrobial treatment: an important determinant of outcome for hospitalized patients. <i>Clinical Infectious Diseases</i> , 2000 , 31 Suppl 4, S131-8	11.6	474
16	The influence of inadequate antimicrobial treatment of bloodstream infections on patient outcomes in the ICU setting. <i>Chest</i> , 2000 , 118, 146-55	5.3	1386
15	Inadequate antimicrobial treatment of infections: a risk factor for hospital mortality among critically ill patients. <i>Chest</i> , 1999 , 115, 462-74	5.3	1483
14	The prevention of ventilator-associated pneumonia. <i>New England Journal of Medicine</i> , 1999 , 340, 627-34	59.2	419
13	A randomized clinical trial of continuous aspiration of subglottic secretions in cardiac surgery patients. <i>Chest</i> , 1999 , 116, 1339-46	5.3	280
12	Effect of a nursing-implemented sedation protocol on the duration of mechanical ventilation. <i>Critical Care Medicine</i> , 1999 , 27, 2609-15	1.4	865
11	The influence of mini-BAL cultures on patient outcomes: implications for the antibiotic management of ventilator-associated pneumonia. <i>Chest</i> , 1998 , 113, 412-20	5.3	463
10	A randomized clinical trial comparing an extended-use hygroscopic condenser humidifier with heated-water humidification in mechanically ventilated patients. <i>Chest</i> , 1998 , 113, 759-67	5.3	104

9	High levels of C-reactive protein and positive troponin T test results predicted 14-day mortality in unstable angina or non-Q-wave MI. <i>ACP Journal Club</i> , 1998 , 129, 73		
8	A randomized, controlled trial of protocol-directed versus physician-directed weaning from mechanical ventilation. <i>Critical Care Medicine</i> , 1997 , 25, 567-74	1.4	607
7	The safety and diagnostic accuracy of minibronchoalveolar lavage in patients with suspected ventilator-associated pneumonia. <i>Annals of Internal Medicine</i> , 1995 , 122, 743-8	8	151
6	The effect of late-onset ventilator-associated pneumonia in determining patient mortality. <i>Chest</i> , 1995 , 108, 1655-62	5.3	343
5	Mechanical ventilation with or without 7-day circuit changes. A randomized controlled trial. <i>Annals of Internal Medicine</i> , 1995 , 123, 168-74	8	124
4	Ventilator-Associated Pneumonia. <i>JAMA - Journal of the American Medical Association</i> , 1993 , 270, 1965	27.4	361
3	A Persistent Left Lower Lobe Infiltrate and Chronic Cough Following Chest Wounds Sustained in Vietnam Twenty-Four Years Earlier. <i>Military Medicine</i> , 1993 , 158, 499-500	1.3	
2	Staphylococcal Pneumonia444-454		
1	Impact of Stress Ulcer Prophylaxis Discontinuation Guidance in Mechanically Ventilated, Critically Ill Patients: A Pre-Post Cohort Study. <i>Hospital Pharmacy</i> ,001857872110613	1.1	0