Paula Jakszyn

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7502976/paula-jakszyn-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198 10,848 60 96 g-index

205 12,493 6.2 5.12 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
198	The Role of Diet in Prognosis among Cancer Survivors: A Systematic Review and Meta-Analysis of Dietary Patterns and Diet Interventions <i>Nutrients</i> , 2022 , 14,	6.7	4
197	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study <i>European Journal of Nutrition</i> , 2022 , 1	5.2	0
196	Excess body fatness during early to mid-adulthood and survival from colorectal and breast cancer: a pooled analysis of five international cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	1
195	The Role of Diet, Alcohol, BMI, and Physical Activity in Cancer Mortality: Summary Findings of the EPIC Study <i>Nutrients</i> , 2021 , 13,	6.7	2
194	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003834	11.6	2
193	Evidence Update on the Relationship between Diet and the Most Common Cancers from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study: A Systematic Review. <i>Nutrients</i> , 2021 , 13,	6.7	11
192	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021 , 42, 705-713	4.6	2
191	Pepper Alkaloids and Processed Meat Intake: Results from a Randomized Trial and the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2001141	5.9	3
190	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021 , 149, 865	7.5	8
189	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021 , 36, 953-964	12.1	0
188	Greenhouse gases emissions from the diet and risk of death and chronic diseases in the EPIC-Spain cohort. <i>European Journal of Public Health</i> , 2021 , 31, 130-135	2.1	2
187	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 182-192	4	1
186	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , 2021 , 50, 212-222	7.8	5
185	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021 , 44, 416-424	14.6	2
184	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1490-1502	7	5
183	Factors associated with serum ferritin levels and iron excess: results from the EPIC-EurGast study. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
182	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , 2021 , 40, 5079-5088	5.9	8

(2020-2021)

181	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021 , 19, 312	11.4	1
180	A metabolomic study of red and processed meat intake and acylcarnitine concentrations in human urine and blood. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 381-388	7	9
179	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418\textit{B}29 participants in the EPIC cohort across nine European countries. European Heart Journal, 2020 , 41, 2632-2640	9.5	28
178	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039	7.5	5
177	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	3
176	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020 , 59, 2929-2937	5.2	6
175	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 147, 648-661	7.5	14
174	Application of nutrient profile models to compare products offered in WhealthyWs VconventionalV vending machines in a Spanish hospital environment. <i>Public Health</i> , 2020 , 179, 135-146	4	2
173	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: Almeta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003394	11.6	15
172	Bisphenol A exposure and risk of ischemic heart disease in the Spanish European Prospective Investigation into cancer and nutrition study. <i>Chemosphere</i> , 2020 , 261, 127697	8.4	8
171	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020 , 35, 1057-1067	12.1	8
170	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
169	Fried-Food Consumption Does Not Increase the Risk of Stroke in the Spanish Cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2020 , 150, 3241-3248	4.1	1
168	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23
167	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020 , 59, 1481-1492	5.2	6
166	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020 , 59, 813-823	5.2	3
165	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43
164	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 1841-1850	7.5	9

163	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 516-524	9.7	28
162	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 681-686	4	7
161	Prospective analysis of circulating metabolites and breast cancer in EPIC. BMC Medicine, 2019, 17, 178	11.4	34
160	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 2349-23.	5 ∂ ·5	3
159	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52
158	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993	4.1	13
157	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 122-131	7·5	5
156	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1122-1132	5.2	6
155	Timing of eating across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019 , 22, 324-3	3 3 .3	7
154	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AlMultinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1323-1331.e6	6.9	57
153	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
152	Red meat consumption and risk of cardiovascular diseases-is increased iron load a possible link?. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 113-119	7	26
151	Mitochondrial DNA copy number variation, leukocyte telomere length, and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Breast Cancer Research</i> , 2018 , 20, 29	8.3	21
150	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 379-383	2	8
149	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018 , 142, 449-459	7.5	28
148	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 517-524	7	32
147	Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. <i>Nutrients</i> , 2018 , 10,	6.7	15
146	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11

(2016-2018)

145	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002651	11.6	26
144	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075	12.1	23
143	Inflammatory potential of the diet and mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600649	5.9	12
142	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017 , 141, 287-297	7.5	22
141	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017 , 38, 699-707	4.6	28
140	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
139	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1836-1844	7.5	45
138	Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 1823-1835	7.8	13
137	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002409	11.6	39
136	Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017 , 15, 115	11.4	44
135	Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2017 , 15, 122	11.4	34
134	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017 , 35, 1297-1303	2.2	14
133	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis-A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 2072-2082	4.5	18
132	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017 , 16, 3137-3146	5.6	37
131	Aromatic DNA adducts and breast cancer risk: a case-cohort study within the EPIC-Spain. <i>Carcinogenesis</i> , 2017 , 38, 691-698	4.6	13
130	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
129	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 1111-1118	7.5	6
128	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238

127	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-3	9 3.8	16
126	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
125	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
124	Unprocessed red meat and processed meat consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 313-9	5.2	6
123	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016 , 13, e1001988	11.6	58
122	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 406-14	7	57
121	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 348-60	7.5	58
120	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13 ^{TB} -year follow-up study. <i>Public Health Nutrition</i> , 2016 , 19, 674-81	3.3	12
119	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5	9.7	9
118	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16
117	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
116	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1855-63	4	25
115	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70	12.1	33
114	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
113	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
112	Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , 2015 , 10, e0118206	3.7	24
111	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015 , 136, 1149-61	7.5	121
110	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7.5	89

109	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014 , 25, 160	9 ⁻¹ 15 ³	31
108	Iron and cancer riska systematic review and meta-analysis of the epidemiological evidence. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 12-31	4	165
107	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: the ARCAGE study. <i>Oral Oncology</i> , 2014 , 50, 616-25	4.4	76
106	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
105	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
104	Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort. <i>Carcinogenesis</i> , 2014 , 35, 2047-54	4.6	9
103	Systematic review and meta-analysis on iron and cancer risk-response. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1436-7	4	2
102	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 2930-9	7.5	45
101	Consumption of predefined WordicVdietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014 , 17, 2650-9	3.3	17
100	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 976-8	s ⁴	35
99	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 635-44	7.5	23
98	Meat consumption and mortalityresults from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257
97	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59	10.3	101
96	Dietary N-nitroso compounds, endogenous nitrosation, and the risk of esophageal and gastric cancer subtypes in the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 135-4	167	103
95	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2013 , 178, 590-602	3.8	108
94	Dietary flavonoid and lignan intake and mortality in a Spanish cohort. <i>Epidemiology</i> , 2013 , 24, 726-33	3.1	54
93	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50	4.6	28
92	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38	7	29

91	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2744-50	7.5	21
90	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
89	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
88	Carcinogenesis, prevention and early detection of gastric cancer: where we are and where we should go. <i>International Journal of Cancer</i> , 2012 , 130, 745-53	7.5	114
87	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012 , 23, 69-88	2.8	96
86	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 13	9 8 -408	71
85	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012 , 130, 2417-27	7.5	55
84	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 130, 2654-63	7.5	30
83	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, E544-54	7·5	59
82	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
81	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012 , 131, 2910-9	7·5	93
80	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 142-9	7	108
79	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 18-	7 4-93	69
78	Aromatic DNA adducts and risk of gastrointestinal cancers: a case-cohort study within the EPIC-Spain. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 685-92	4	23
77	Nitrosamines and heme iron and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 547-51	4	13
76	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2138-48	4	15
75	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
74	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 748-60	7.5	22

73	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 623-34	7.5	30
72	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 2971-9	7.5	23
71	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011 , 38, 194-202	1.7	59
70	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011 , 106, 1581-91	3.6	107
69	N-Nitroso compounds and cancer incidence: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Norfolk Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 1053-61	7	132
68	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011 , 63, 1235-50	2.8	28
67	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 555-9	4	37
66	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1145-50	7	42
65	Bulky DNA adducts in white blood cells: a pooled analysis of 3,600 subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 3174-81	4	24
64	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 381-90	7	158
63	Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 28-38	4	31
62	Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85	27.4	122
61	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163
60	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
59	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
58	Pooled analysis of studies on DNA adducts and dietary vitamins. <i>Mutation Research - Reviews in Mutation Research</i> , 2010 , 705, 77-82	7	11
57	Estimation of dietary sources and flavonoid intake in a Spanish adult population (EPIC-Spain). <i>Journal of the American Dietetic Association</i> , 2010 , 110, 390-8		151
56	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117

55	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1333-40	4	103
54	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29
53	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
52	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
51	Dietary intake of polyphenols, nitrate and nitrite and gastric cancer risk in Mexico City. <i>International Journal of Cancer</i> , 2009 , 125, 1424-30	7.5	83
50	Aromatic DNA adducts in relation to dietary and other lifestyle factors in Spanish adults. <i>European Food Research and Technology</i> , 2009 , 229, 549-559	3.4	8
49	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S226-38	5.2	163
48	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009 ,	5.2	17
47	Polychlorinated biphenyls in Spanish adults: determinants of serum concentrations. <i>Environmental Research</i> , 2009 , 109, 620-8	7.9	96
46	Serum levels of organochlorine pesticides in healthy adults from five regions of Spain. <i>Chemosphere</i> , 2009 , 76, 1518-24	8.4	44
45	Adherence to the Mediterranean diet and risk of coronary heart disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009 , 170, 1518-29	3.8	219
44	Consumption of cruciferous vegetables and glucosinolates in a Spanish adult population. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 324-31	5.2	30
43	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008 , 37, 1316-25	7.8	62
42	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
41	Anthropometric characteristics and non-Hodgkin lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008 , 93, 1666-77	6.6	68
40	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
39	Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008 , 100, 489-95	3.6	22
38	Concentrations of resveratrol and derivatives in foods and estimation of dietary intake in a Spanish population: European Prospective Investigation into Cancer and Nutrition (EPIC)-Spain cohort. British Journal of Nutrition 2008 100 188-96	3.6	119

37	Diabetes and the risk of non-Hodgkin v lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50	6.6	33
36	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
35	Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1634-42	7	164
34	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
33	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
32	Cereal fiber intake may reduce risk of gastric adenocarcinomas: the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 121, 1618-23	7.5	38
31	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72	7.5	194
30	The EPIC nutrient database project (ENDB): a first attempt to standardize nutrient databases across the 10 European countries participating in the EPIC study. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 1037-56	5.2	270
29	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 537-49	2.8	26
28	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007 , 10, 1515-25	3.3	110
27	The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2416-24	4	49
26	Variations in plasma phytoestrogen concentrations in European adults. <i>Journal of Nutrition</i> , 2007 , 137, 1294-300	4.1	68
25	Intake of fried foods is associated with obesity in the cohort of Spanish adults from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 198	- 205	87
24	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006 , 118, 2559-66	7.5	258
23	Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 345-54	9.7	247
22	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128
21	Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2427-34	4	53
20	Nitrosamine and related food intake and gastric and oesophageal cancer risk: a systematic review of the epidemiological evidence. <i>World Journal of Gastroenterology</i> , 2006 , 12, 4296-303	5.6	270

19	Adherence to a Mediterranean diet is associated with reduced 3-year incidence of obesity. <i>Journal of Nutrition</i> , 2006 , 136, 2934-8	4.1	154
18	Intake and food sources of nitrites and N-nitrosodimethylamine in Spain. <i>Public Health Nutrition</i> , 2006 , 9, 785-91	3.3	31
17	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
16	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
15	Dietary intake of polycyclic aromatic hydrocarbons in a Spanish population. <i>Journal of Food Protection</i> , 2005 , 68, 2190-5	2.5	61
14	Dietary sources of vitamin C, vitamin E and specific carotenoids in Spain. <i>British Journal of Nutrition</i> , 2004 , 91, 1005-11	3.6	99
13	Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2004 , 108, 269-76	7.5	100
12	Changes in smoking habits in adults: results from a prospective study in Spain. <i>Annals of Epidemiology</i> , 2004 , 14, 235-43	6.4	12
11	Development of a food database of nitrosamines, heterocyclic amines, and polycyclic aromatic hydrocarbons. <i>Journal of Nutrition</i> , 2004 , 134, 2011-4	4.1	108
10	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003 , 107, 629-34	7.5	173
9	Types of fat intake and body mass index in a Mediterranean country. <i>Public Health Nutrition</i> , 2000 , 3, 329-36	3.3	30
8	Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1999 , 10, 71-5	2.8	147
7	Structure of the standardized computerized 24-h diet recall interview used as reference method in the 22 centers participating in the EPIC project. European Prospective Investigation into Cancer and Nutrition. <i>Computer Methods and Programs in Biomedicine</i> , 1999 , 58, 251-66	6.9	247
6	High intake of specific carotenoids and flavonoids does not reduce the risk of bladder cancer. <i>Nutrition and Cancer</i> , 1999 , 35, 212-4	2.8	60
5	Vegetable and fruit consumption associated with anthropometric, dietary and lifestyle factors in Spain. EPIC Group of Spain. European Prospective Investigation into Cancer. <i>Public Health Nutrition</i> , 1999 , 2, 263-71	3.3	42
4	Intake of specific carotenoids and flavonoids and the risk of lung cancer in women in Barcelona, Spain. <i>Nutrition and Cancer</i> , 1998 , 32, 154-8	2.8	105
3	Nutritional factors and gastric cancer in Spain. American Journal of Epidemiology, 1994 , 139, 466-73	3.8	113
2	Consumption of alcohol, coffee, and tobacco, and gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1992 , 3, 137-43	2.8	53

Diet and bladder cancer in Spain: a multi-centre case-control study. *International Journal of Cancer*, **1991**, 49, 214-9

7.5 108