

Pamela L Nagler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7503584/publications.pdf>

Version: 2024-02-01

71
papers

4,811
citations

101496

36
h-index

95218

68
g-index

84
all docs

84
docs citations

84
times ranked

4813
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Restoration on Plant Greenness and Water Use in Relation to Drought in the Riparian Corridor of the Colorado River Delta. <i>Journal of the American Water Resources Association</i> , 2022, 58, 746-784.	1.0	5
2	Riparian Area Changes in Greenness and Water Use on the Lower Colorado River in the USA from 2000 to 2020. <i>Remote Sensing</i> , 2021, 13, 1332.	1.8	13
3	A tribute to Edward Perry Glenn (1947–2017), who created a legacy of environmental assessment and applications within hydrological processes. <i>Hydrological Processes</i> , 2021, 35, e14173.	1.1	0
4	Introduction to –A tribute to Edward P. Glenn (1947–2017): A legacy of scientific environmental assessment and applications in hydrological processes–™. <i>Hydrological Processes</i> , 2021, 35, e14172.	1.1	0
5	Estimating Actual Evapotranspiration over Croplands Using Vegetation Index Methods and Dynamic Harvested Area. <i>Remote Sensing</i> , 2021, 13, 5167.	1.8	14
6	Effect of an environmental flow on vegetation growth and health using ground and remote sensing metrics. <i>Hydrological Processes</i> , 2020, 34, 1682-1696.	1.1	11
7	Ecohydrological responses to surface flow across borders: Two decades of changes in vegetation greenness and water use in the riparian corridor of the Colorado River delta. <i>Hydrological Processes</i> , 2020, 34, 4851-4883.	1.1	27
8	Climate sensitivity of water use by riparian woodlands at landscape scales. <i>Hydrological Processes</i> , 2020, 34, 4884-4903.	1.1	23
9	Effect of spatial resolution of satellite images on estimating the greenness and evapotranspiration of urban green spaces. <i>Hydrological Processes</i> , 2020, 34, 3183-3199.	1.1	31
10	Vegetation–groundwater dynamics at a former uranium mill site following invasion of a biocontrol agent: A time series analysis of Landsat normalized difference vegetation index data. <i>Hydrological Processes</i> , 2020, 34, 2739-2749.	1.1	7
11	Remote sensing of dryland ecosystem structure and function: Progress, challenges, and opportunities. <i>Remote Sensing of Environment</i> , 2019, 233, 111401.	4.6	193
12	Northern tamarisk beetle (<i>Diorhabda carinulata</i>) and tamarisk (<i>Tamarix</i> spp.) interactions in the Colorado River basin. <i>Restoration Ecology</i> , 2018, 26, 348-359.	1.4	27
13	Application and Comparison of the MODIS-Derived Enhanced Vegetation Index to VIIRS, Landsat 5 TM and Landsat 8 OLI Platforms: A Case Study in the Arid Colorado River Delta, Mexico. <i>Sensors</i> , 2018, 18, 1546.	2.1	36
14	NDVI, scale invariance and the modifiable areal unit problem: An assessment of vegetation in the Adelaide Parklands. <i>Science of the Total Environment</i> , 2017, 584-585, 11-18.	3.9	33
15	Short- and long-term evapotranspiration rates at ecological restoration sites along a large river receiving rare flow events. <i>Hydrological Processes</i> , 2017, 31, 4328-4337.	1.1	14
16	Evapotranspiration by remote sensing: An analysis of the Colorado River Delta before and after the Minute 319 pulse flow to Mexico. <i>Ecological Engineering</i> , 2017, 106, 725-732.	1.6	27
17	Greenup and evapotranspiration following the Minute 319 pulse flow to Mexico: An analysis using Landsat 8 Normalized Difference Vegetation Index (NDVI) data. <i>Ecological Engineering</i> , 2017, 106, 776-783.	1.6	35
18	Comparing Three Approaches of Evapotranspiration Estimation in Mixed Urban Vegetation: Field-Based, Remote Sensing-Based and Observational-Based Methods. <i>Remote Sensing</i> , 2016, 8, 492.	1.8	44

#	ARTICLE	IF	CITATIONS
19	Wide-area estimates of evapotranspiration by red gum (<i>Eucalyptus camaldulensis</i>) and associated vegetation in the Murray-Darling River Basin, Australia. <i>Hydrological Processes</i> , 2016, 30, 1376-1387.	1.1	34
20	Long-term decrease in satellite vegetation indices in response to environmental variables in an iconic desert riparian ecosystem: the Upper San Pedro, Arizona, United States. <i>Ecohydrology</i> , 2015, 8, 610-625.	1.1	33
21	Quantifying water requirements of riparian river red gum (<i>Eucalyptus camaldulensis</i>) in the Murray-Darling Basin, Australia – implications for the management of environmental flows. <i>Ecohydrology</i> , 2015, 8, 1471-1487.	1.1	70
22	Wide-area ratios of evapotranspiration to precipitation in monsoon-dependent semiarid vegetation communities. <i>Journal of Arid Environments</i> , 2015, 117, 84-95.	1.2	19
23	Rapid dispersal of saltcedar (<i>Tamarix</i> spp.) biocontrol beetles (<i>Diorhabda carinulata</i>) on a desert river detected by phenocams, MODIS imagery and ground observations. <i>Remote Sensing of Environment</i> , 2014, 140, 206-219.	4.6	55
24	High Spatial Resolution WorldView-2 Imagery for Mapping NDVI and Its Relationship to Temporal Urban Landscape Evapotranspiration Factors. <i>Remote Sensing</i> , 2014, 6, 580-602.	1.8	114
25	Phreatophytes under stress: transpiration and stomatal conductance of saltcedar (<i>Tamarix</i> spp.) in a high-salinity environment. <i>Plant and Soil</i> , 2013, 371, 655-672.	1.8	23
26	Reprint of: Effects of drought on birds and riparian vegetation in the Colorado River Delta, Mexico. <i>Ecological Engineering</i> , 2013, 59, 104-110.	1.6	17
27	Effects of grazing on leaf area index, fractional cover and evapotranspiration by a desert phreatophyte community at a former uranium mill site on the Colorado Plateau. <i>Journal of Environmental Management</i> , 2013, 114, 92-104.	3.8	18
28	Vegetation dynamics in response to water inflow rates and fire in a brackish <i>Typha domingensis</i> Pers. marsh in the delta of the Colorado River, Mexico. <i>Ecological Engineering</i> , 2013, 59, 167-175.	1.6	12
29	Evapotranspiration and water balance of an anthropogenic coastal desert wetland: Responses to fire, inflows and salinities. <i>Ecological Engineering</i> , 2013, 59, 176-184.	1.6	32
30	<i>Tamarix</i> and <i>Diorhabda</i> Leaf Beetle Interactions: Implications for <i>Tamarix</i> Water Use and Riparian Habitat. <i>Journal of the American Water Resources Association</i> , 2013, 49, 534-548.	1.0	6
31	Estimating Riparian and Agricultural Actual Evapotranspiration by Reference Evapotranspiration and MODIS Enhanced Vegetation Index. <i>Remote Sensing</i> , 2013, 5, 3849-3871.	1.8	76
32	Regional scale impacts of <i>Tamarix</i> leaf beetles (<i>Diorhabda carinulata</i>) on the water availability of western U.S. rivers as determined by multi-scale remote sensing methods. <i>Remote Sensing of Environment</i> , 2012, 118, 227-240.	4.6	37
33	Roles of saltcedar (<i>Tamarix</i> spp.) and capillary rise in salinizing a non-flooding terrace on a flow-regulated desert river. <i>Journal of Arid Environments</i> , 2012, 79, 56-65.	1.2	93
34	Vegetation index-based crop coefficients to estimate evapotranspiration by remote sensing in agricultural and natural ecosystems. <i>Hydrological Processes</i> , 2011, 25, 4050-4062.	1.1	186
35	Potential for water salvage by removal of non-native woody vegetation from dryland river systems. <i>Hydrological Processes</i> , 2011, 25, 4117-4131.	1.1	43
36	The role of remote sensing observations and models in hydrology: the science of evapotranspiration. <i>Hydrological Processes</i> , 2011, 25, 3977-3978.	1.1	9

#	ARTICLE	IF	CITATIONS
37	Distribution and Abundance of Saltcedar and Russian Olive in the Western United States. <i>Critical Reviews in Plant Sciences</i> , 2011, 30, 508-523.	2.7	84
38	Tamarisk biocontrol in the western United States: ecological and societal implications. <i>Frontiers in Ecology and the Environment</i> , 2010, 8, 467-474.	1.9	81
39	Vegetation Index Methods for Estimating Evapotranspiration by Remote Sensing. <i>Surveys in Geophysics</i> , 2010, 31, 531-555.	2.1	209
40	On the irrigation requirements of cottonwood (<i>Populus fremontii</i> and <i>Populus deltoides</i> var.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Environments, 2010, 74, 667-674.	1.2	19
41	An Empirical Algorithm for Estimating Agricultural and Riparian Evapotranspiration Using MODIS Enhanced Vegetation Index and Ground Measurements of ET. II. Application to the Lower Colorado River, U.S.. <i>Remote Sensing</i> , 2009, 1, 1125-1138.	1.8	42
42	An Empirical Algorithm for Estimating Agricultural and Riparian Evapotranspiration Using MODIS Enhanced Vegetation Index and Ground Measurements of ET. I. Description of Method. <i>Remote Sensing</i> , 2009, 1, 1273-1297.	1.8	59
43	Wide-area estimates of saltcedar (<i>Tamarix</i> spp.) evapotranspiration on the lower Colorado River measured by heat balance and remote sensing methods. <i>Ecohydrology</i> , 2009, 2, 18-33.	1.1	74
44	Remote monitoring of tamarisk defoliation and evapotranspiration following saltcedar leaf beetle attack. <i>Remote Sensing of Environment</i> , 2009, 113, 1462-1472.	4.6	74
45	Synthesis of ground and remote sensing data for monitoring ecosystem functions in the Colorado River Delta, Mexico. <i>Remote Sensing of Environment</i> , 2009, 113, 1473-1485.	4.6	38
46	Assessing the extent and diversity of riparian ecosystems in Sonora, Mexico. <i>Biodiversity and Conservation</i> , 2009, 18, 247-269.	1.2	31
47	Changing Perceptions of Change: The Role of Scientists in <i>Tamarix</i> and River Management. <i>Restoration Ecology</i> , 2009, 17, 177-186.	1.4	148
48	Deficit irrigation of a landscape halophyte for reuse of saline waste water in a desert city. <i>Landscape and Urban Planning</i> , 2009, 89, 57-64.	3.4	32
49	Reconciling Environmental and Flood Control Goals on an Arid-Zone River: Case Study of the Limitrophe Region of the Lower Colorado River in the United States and Mexico. <i>Environmental Management</i> , 2008, 41, 322-335.	1.2	20
50	Scaling sap flux measurements of grazed and ungrazed shrub communities with fine and coarse-resolution remote sensing. <i>Ecohydrology</i> , 2008, 1, 316-329.	1.1	43
51	Riparian vegetation dynamics and evapotranspiration in the riparian corridor in the delta of the Colorado River, Mexico. <i>Journal of Environmental Management</i> , 2008, 88, 864-874.	3.8	26
52	Wide-area Estimates of Stand Structure and Water Use of <i>Tamarix</i> spp. on the Lower Colorado River: Implications for Restoration and Water Management Projects. <i>Restoration Ecology</i> , 2008, 16, 136-145.	1.4	61
53	Relationship Between Remotely-sensed Vegetation Indices, Canopy Attributes and Plant Physiological Processes: What Vegetation Indices Can and Cannot Tell Us About the Landscape. <i>Sensors</i> , 2008, 8, 2136-2160.	2.1	541
54	Evapotranspiration in a cottonwood (<i>Populus fremontii</i>) restoration plantation estimated by sap flow and remote sensing methods. <i>Agricultural and Forest Meteorology</i> , 2007, 144, 95-110.	1.9	54

#	ARTICLE	IF	CITATIONS
55	Integrating Remote Sensing and Ground Methods to Estimate Evapotranspiration. <i>Critical Reviews in Plant Sciences</i> , 2007, 26, 139-168.	2.7	282
56	Just Add Water and the Colorado River Still Reaches the Sea. <i>Environmental Management</i> , 2007, 40, 1-6.	1.2	10
57	Buffelgrass (<i>Pennisetum ciliare</i>) land conversion and productivity in the plains of Sonora, Mexico. <i>Biological Conservation</i> , 2006, 127, 62-71.	1.9	105
58	Coastal wetlands of the northern Gulf of California: inventory and conservation status. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2006, 16, 5-28.	0.9	40
59	Predicting riparian evapotranspiration from MODIS vegetation indices and meteorological data. <i>Remote Sensing of Environment</i> , 2005, 94, 17-30.	4.6	208
60	Regeneration of Native Trees in the Presence of Invasive Saltcedar in the Colorado River Delta, Mexico. <i>Conservation Biology</i> , 2005, 19, 1842-1852.	2.4	64
61	Evapotranspiration on western U.S. rivers estimated using the Enhanced Vegetation Index from MODIS and data from eddy covariance and Bowen ratio flux towers. <i>Remote Sensing of Environment</i> , 2005, 97, 337-351.	4.6	253
62	Vegetation Mapping for Change Detection on an Arid-Zone River. <i>Environmental Monitoring and Assessment</i> , 2005, 109, 255-274.	1.3	40
63	Comparative ecophysiology of <i>Tamarix ramosissima</i> and native trees in western U.S. riparian zones. <i>Journal of Arid Environments</i> , 2005, 61, 419-446.	1.2	195
64	Cellulose absorption index (CAI) to quantify mixed soil-plant litter scenes. <i>Remote Sensing of Environment</i> , 2003, 87, 310-325.	4.6	173
65	Effects of fertilization treatment and stocking density on the growth and production of the economic seaweed <i>Gracilaria parvispora</i> (Rhodophyta) in cage culture at Molokai, Hawaii. <i>Aquaculture</i> , 2003, 219, 379-391.	1.7	47
66	Comparison of transpiration rates among saltcedar, cottonwood and willow trees by sap flow and canopy temperature methods. <i>Agricultural and Forest Meteorology</i> , 2003, 116, 73-89.	1.9	78
67	Ecology and conservation biology of the Colorado River Delta, Mexico. <i>Journal of Arid Environments</i> , 2001, 49, 5-15.	1.2	83
68	Regeneration of native trees in response to flood releases from the United States into the delta of the Colorado River, Mexico. <i>Journal of Arid Environments</i> , 2001, 49, 49-64.	1.2	62
69	Assessment of spectral vegetation indices for riparian vegetation in the Colorado River delta, Mexico. <i>Journal of Arid Environments</i> , 2001, 49, 91-110.	1.2	79
70	Remote sensing vegetation index methods to evaluate changes in greenness and evapotranspiration in riparian vegetation in response to the Minute 319 environmental pulse flow to Mexico. <i>Proceedings of the International Association of Hydrological Sciences</i> , 0, 380, 45-54.	1.0	7
71	Calibration of an evapotranspiration algorithm in a semiarid sagebrush steppe using a λ lysimeter and Landsat normalized difference vegetation index data. <i>Ecohydrology</i> , 0, , .	1.1	7