

# Jens Joerg Froelich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7504549/publications.pdf>

Version: 2024-02-01

10  
papers

80  
citations

1937685

4  
h-index

1474206

9  
g-index

10  
all docs

10  
docs citations

10  
times ranked

173  
citing authors

#	ARTICLE	IF	CITATIONS
1	Residuals, recurrences and re-treatment after endovascular repair of intracranial aneurysms: A retrospective methodological comparison. <i>Interventional Neuroradiology</i> , 2020, 26, 45-54.	1.1	8
2	Potentially actionable FGFR2 high-level amplification in thymic sebaceous carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 323-327.	2.8	2
3	Inflammatory calcified deâ€differentiated liposarcoma of the anterior mediastinum. <i>ANZ Journal of Surgery</i> , 2019, 89, 1326-1327.	0.7	4
4	Nellix Endobag rupture associated with a fatal outcome. <i>Journal of Vascular Surgery</i> , 2019, 69, 1936-1939.	1.1	2
5	Platelet Function Testing in Neurovascular Procedures: Tool or Gimmick?. <i>Interventional Neurology</i> , 2019, 8, 123-134.	1.8	11
6	Radiation exposure, and procedure and fluoroscopy times in endovascular treatment of intracranial aneurysms: a methodological comparison. <i>Journal of NeuroInterventional Surgery</i> , 2018, 10, 902-906.	3.3	10
7	Size and Location of Ruptured Intracranial Aneurysms: A 5-Year Clinical Survey. <i>World Neurosurgery</i> , 2016, 91, 260-265.	1.3	37
8	Idiopathic highâ€flow priapism due to bilateral internal pudendal artery shunting. <i>ANZ Journal of Surgery</i> , 2016, 86, 1059-1061.	0.7	2
9	Evaluation of hemolysis in microcatheter directed blood infusion at different flow rates for transarterial salvage reperfusion: In-vitro study. <i>Biorheology</i> , 2015, 52, 279-291.	0.4	3
10	Removal of a Malpositioned Central Venous Catheter from a Direct Main Pulmonary Artery Puncture with Transthoracic Temporary Balloon Occlusion. <i>Journal of Vascular and Interventional Radiology</i> , 2014, 25, 2001-2003.	0.5	1