

# Helena Donica

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7505316/publications.pdf>

Version: 2024-02-01

36  
papers

306  
citations

933447  
10  
h-index

940533  
16  
g-index

39  
all docs

39  
docs citations

39  
times ranked

541  
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of Immune Cell Activation in Pemphigus. <i>Cells</i> , 2022, 11, 1912.	4.1	7
2	Predictors of subclinical systemic sclerosis primary heart involvement characterised by microvasculopathy and myocardial fibrosis. <i>Rheumatology</i> , 2021, 60, 2934-2945.	1.9	18
3	Extended Inflammation Parameters (EIP) as Markers of Immune System Cell Activation in Psoriasis. <i>International Journal of Inflammation</i> , 2021, 2021, 1-6.	1.5	4
4	Cardiovascular outcomes in systemic sclerosis with abnormal cardiovascular MRI and serum cardiac biomarkers. <i>RMD Open</i> , 2021, 7, e001689.	3.8	11
5	Abnormal electrophysiological testing associates with future incidental significant arrhythmia in scleroderma. <i>Rheumatology</i> , 2020, 59, 899-900.	1.9	4
6	Cardiovascular MRI evidence of reduced systolic function and reduced LV mass in rheumatoid arthritis: impact of disease phenotype. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 491-501.	1.5	7
7	Incidental significant arrhythmia in scleroderma associates with cardiac magnetic resonance measure of fibrosis and hs-TnI and NT-proBNP. <i>Rheumatology</i> , 2019, 58, 1221-1226.	1.9	31
8	Hepatitis C virus core antigen as a possible alternative for evaluation of treatment effectiveness after treatment with direct-acting antivirals. <i>British Journal of Biomedical Science</i> , 2019, 76, 190-194.	1.3	7
9	Improvement in cardiovascular biomarkers sustained at 4 years following an initial treat-to-target strategy in early rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 1684-1686.	1.9	3
10	Evaluation of the prognostic and predictive value of free light chains in patients with chronic lymphocytic leukemia – preliminary results. <i>Acta Haematologica Polonica</i> , 2019, 50, 15-20.	0.3	0
11	P123...The IFN type I gene expression in a cardiovascular disease continuum of rheumatoid arthritis. , 2018, , .		0
12	Carotid artery volumetric measures associate with clinical ten-year cardiovascular (CV) risk scores and individual traditional CV risk factors in rheumatoid arthritis; a carotid-MRI feasibility study. <i>Arthritis Research and Therapy</i> , 2018, 20, 266.	3.5	4
13	Serum concentrations of interleukin 18 and 25-hydroxyvitamin D3 correlate with depression severity in men with psoriasis. <i>PLoS ONE</i> , 2018, 13, e0201589.	2.5	19
14	STRUCTURE OF LEAVES AND PHENOLIC ACIDS IN <i>Kalanchoë daigremontiana</i> Raym.-Hamet & H. Perrier. <i>Acta Scientiarum Polonorum, Hortorum Cultus</i> , 2018, 17, 137-155.	0.6	13
15	The New TLC Method for Separation and Determination of Multicomponent Mixtures of Plant Extracts. <i>Journal of Analytical Methods in Chemistry</i> , 2016, 2016, 1-6.	1.6	14
16	THU0099...Cardiovascular MR (CMR) Evidence for Reduced LV Mass in Rheumatoid Arthritis (RA), Suggesting Pathology Other than Atherosclerosis for Heart Failure: Table 1.. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 215.1-215.	0.9	0
17	Improvement in insulin resistance is greater when infliximab is added to methotrexate during intensive treatment of early rheumatoid arthritis – results from the IDEA study. <i>Rheumatology</i> , 2016, 55, 2181-2190.	1.9	21
18	The evaluation of 25(OH)D concentration in blood serum of chronic heart failure patients. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2016, 29, 107-110.	0.4	0

#	ARTICLE	IF	CITATIONS
19	Increased serum level of N-terminal Pro-B-type natriuretic peptide as a possible biomarker of cardiovascular risk in psoriatic patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1010-1014.	2.4	13
20	Serum leptin concentration in patients with type 2 diabetes. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2015, 28, 236-240.	0.4	1
21	Comparison of the free and total light chain assays in serum and urine samples with immunofixation electrophoresis for detecting monoclonal proteins in patients with monoclonal gammopathy. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2014, 27, 165-170.	0.4	3
22	Comparative analysis of adiponectin isoform distribution in pregnant women with gestational diabetes mellitus and after delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 951-959.	2.8	10
23	FRIO156...Cardiovascular risk factors are prevalent in early inflammatory arthritis regardless of fulfilment of the acr criteria for rheumatoid arthritis.. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A423.1-A423.	0.9	0
24	FRIO119...Improvement in some, but not all, surrogate measures of cardiovascular disease following intensive treatment of early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 350.2-350.	0.9	1
25	Serum adiponectin concentration in patients with type 1 diabetes. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012, 25, 360-366.	0.4	1
26	The effect of ursolic and oleanolic acids on human skin fibroblast cells. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 49, 664-669.	1.5	23
27	Trichophyton mentagrophytes-associated Majocchi's granuloma treated with cryotherapy. <i>Folia Histochemica Et Cytobiologica</i> , 2012, 50, 486-489.	1.5	9
28	Blood serum free light chain concentration vs. immunofixation results in patients with monoclonal gammopathy. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012, 25, 430-433.	0.4	2
29	Concentrations of free light chains determined by nephelometry and turbidimetry. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012, 25, 434-437.	0.4	1
30	Selected markers of bone turnover in type 2 diabetic patients. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012, 25, 367-372.	0.4	1
31	Osteocalcin and selected biochemical parameters of bone turnover in healthy subjects. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012, 25, 338-343.	0.4	0
32	Significance of plasma chromogranin A determination in neuroendocrine tumour (NET) diagnosis.. <i>Folia Histochemica Et Cytobiologica</i> , 2011, 48, 603-10.	1.5	5
33	Effect of infliximab on the levels of TNF-alpha and TGF-beta in the whole blood cultures of irradiated patients.. <i>Folia Histochemica Et Cytobiologica</i> , 2008, 46, 291-7.	1.5	5
34	EVALUATION OF LIPIDS PEROXIDATION PRODUCTS VS. PROINFLAMMATORY CYTOKINES IN HEMODIALYZED PATIENTS. <i>Renal Failure</i> , 2001, 23, 231-238.	2.1	10
35	Female urinary stress incontinence in terms of connective tissue biochemistry. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1993, 49, 187-191.	1.1	58
36	Evaluation of laboratory tests for lead poisoning in populations with environmental exposure. <i>Chemosphere</i> , 1979, 8, 129-133.	8.2	0