

Pingping Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7506019/pingping-li-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

6,438
citations

30
h-index

60
g-index

60
ext. papers

7,540
ext. citations

14.7
avg, IF

5.12
L-index

#	Paper	IF	Citations
59	TRIB3 reduces CD8 T cell infiltration and induces immune evasion by repressing the STAT1-CXCL10 axis in colorectal cancer.. <i>Science Translational Medicine</i> , 2022 , 14, eabf0992	17.5	4
58	L. (Sangzhi) Alkaloids Promote Insulin Secretion, Restore Diabetic βCell Function by Preventing Dedifferentiation and Apoptosis.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 841981	5.6	0
57	Paracrine FGFs target skeletal muscle to exert potent anti-hyperglycemic effects.. <i>Nature Communications</i> , 2021 , 12, 7256	17.4	6
56	Association between glucose fluctuation during 2-hour oral glucose tolerance test, inflammation and oxidative stress markers, and βcell function in a Chinese population with normal glucose tolerance. <i>Annals of Translational Medicine</i> , 2021 , 9, 327	3.2	1
55	Berberine combined with stachyose improves glycometabolism and gut microbiota through regulating colonic microRNA and gene expression in diabetic rats. <i>Life Sciences</i> , 2021 , 284, 119928	6.8	0
54	Triglyceride is independently correlated with insulin resistance and islet beta cell function: a study in population with different glucose and lipid metabolism states. <i>Lipids in Health and Disease</i> , 2020 , 19, 121	4.4	23
53	Quantitative Prediction of Fractures in Shale Using the Lithology Combination Index. <i>Minerals (Basel, Switzerland)</i> , 2020 , 10, 569	2.4	2
52	Hepatic DNAJB9 Drives Anabolic Biasing to Reduce Steatosis and Obesity. <i>Cell Reports</i> , 2020 , 30, 1835-1847.e9	16.6	97
51	Association Between Leukocyte Mitochondrial DNA Copy Number and Non-alcoholic Fatty Liver Disease in a Chinese Population Is Mediated by 8-Oxo-2'Deoxyguanosine. <i>Frontiers in Medicine</i> , 2020 , 7, 536	4.9	2
50	Negative association between antioxidant vitamin intake and non-alcoholic fatty liver disease in Chinese non-diabetic adults: mediation models involving superoxide dismutase. <i>Free Radical Research</i> , 2020 , 54, 670-677	4	2
49	Negative Association between Caloric Intake and Estimated Glomerular Filtration Rate in a Chinese Population: Mediation Models Involving Mitochondrial Function. <i>Gerontology</i> , 2020 , 66, 439-446	5.5	2
48	Low glucose enhanced metformin's inhibitory effect on pancreatic cancer cells by suppressing glycolysis and inducing energy stress via up-regulation of miR-210-5p. <i>Cell Cycle</i> , 2020 , 19, 2168-2181	4.7	10
47	C-Peptide: A Mediator of the Association Between Serum Uric Acid to Creatinine Ratio and Non-Alcoholic Fatty Liver Disease in a Chinese Population With Normal Serum Uric Acid Levels. <i>Frontiers in Endocrinology</i> , 2020 , 11, 600472	5.7	3
46	Sulfate Sources of Thermal Sulfate Reduction (TSR) in the Permian Changxing and Triassic Feixianguan Formations, Northeastern Sichuan Basin, China. <i>Geofluids</i> , 2019 , 2019, 1-13	1.5	5
45	Sex-Specific Negative Association between Iron Intake and Cellular Aging Markers: Mediation Models Involving TNF. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 4935237	6.7	8
44	Chronic fractalkine administration improves glucose tolerance and pancreatic endocrine function. <i>Journal of Clinical Investigation</i> , 2018 , 128, 1458-1470	15.9	21
43	Adipose Tissue Macrophage-Derived Exosomal miRNAs Can Modulate In Vivo and In Vitro Insulin Sensitivity. <i>Cell</i> , 2017 , 171, 372-384.e12	56.2	539

42	Prognostic evaluation of postoperative adjuvant therapy for operable cervical cancer: 10 years experience of National Cancer Center in China. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2017 , 29, 510-520	3.8	16
41	HDAC6-mediated acetylation of lipid droplet-binding protein CIDEC regulates fat-induced lipid storage. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1353-1369	15.9	39
40	Regulation of immune-related diseases by multiple factors of chromatin, exosomes, microparticles, vaccines, oxidative stress, dormancy, protein quality control, inflammation and microenvironment: a meeting report of 2017 International Workshop of the Chinese Academy of Medical Sciences (CAMS) Initiative for Innovative Medicine on Tumor Immunology. <i>Acta Pharmaceutica Sinica B</i> , 2017 ,	15.5	3
39	Inflammation and insulin resistance: New targets encourage new thinking: Galectin-3 and LTB are pro-inflammatory molecules that can be targeted to restore insulin sensitivity. <i>BioEssays</i> , 2017 , 39, 1700036	4.1	13
38	Adipose tissue B2 cells promote insulin resistance through leukotriene LTB4/LTB4R1 signaling. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1019-1030	15.9	73
37	Hematopoietic-Derived Galectin-3 Causes Cellular and Systemic Insulin Resistance. <i>Cell</i> , 2016 , 167, 973-984	36.2	149
36	The role of dietary fat in obesity-induced insulin resistance. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 311, E989-E997	6	12
35	Origin and distribution of hydrogen sulfide in the Yuanba gas field, Sichuan Basin, Southwest China. <i>Marine and Petroleum Geology</i> , 2016 , 75, 220-239	4.7	18
34	p75 Neurotrophin Receptor Regulates Energy Balance in Obesity. <i>Cell Reports</i> , 2016 , 14, 255-68	10.6	32
33	LTB4 promotes insulin resistance in obese mice by acting on macrophages, hepatocytes and myocytes. <i>Nature Medicine</i> , 2015 , 21, 239-247	50.5	189
32	FGF21 does not require interscapular brown adipose tissue and improves liver metabolic profile in animal models of obesity and insulin-resistance. <i>Scientific Reports</i> , 2015 , 5, 11382	4.9	34
31	Adipocyte SIRT1 knockout promotes PPAR α activity, adipogenesis and insulin sensitivity in chronic-HFD and obesity. <i>Molecular Metabolism</i> , 2015 , 4, 378-91	8.8	102
30	Characterization of a novel glucokinase activator in rat and mouse models. <i>PLoS ONE</i> , 2014 , 9, e88431	3.7	13
29	Potassium 2-(1-hydroxypropyl)-benzoate improves memory deficits and attenuates amyloid and β pathologies in a mouse model of Alzheimer's disease. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014 , 350, 361-74	4.7	16
28	NCoR repression of LXRs restricts macrophage biosynthesis of insulin-sensitizing omega 3 fatty acids. <i>Cell</i> , 2013 , 155, 200-214	56.2	107
27	An inhibitor of the protein kinases TBK1 and IKK-e improves obesity-related metabolic dysfunctions in mice. <i>Nature Medicine</i> , 2013 , 19, 313-21	50.5	293
26	Neuronal Sirt1 deficiency increases insulin sensitivity in both brain and peripheral tissues. <i>Journal of Biological Chemistry</i> , 2013 , 288, 10722-35	5.4	48
25	A PPAR β -FGF1 axis is required for adaptive adipose remodelling and metabolic homeostasis. <i>Nature</i> , 2012 , 485, 391-4	50.4	200

24	Neutrophils mediate insulin resistance in mice fed a high-fat diet through secreted elastase. <i>Nature Medicine</i> , 2012 , 18, 1407-12	50.5	591
23	p75 neurotrophin receptor regulates glucose homeostasis and insulin sensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 5838-43	11.5	31
22	In Vitro and In Vivo Characterizations of Chiglitazar, a Newly Identified PPAR Pan-Agonist. <i>PPAR Research</i> , 2012 , 2012, 546548	4.3	23
21	GPR105 ablation prevents inflammation and improves insulin sensitivity in mice with diet-induced obesity. <i>Journal of Immunology</i> , 2012 , 189, 1992-9	5.3	53
20	G protein-coupled receptor 21 deletion improves insulin sensitivity in diet-induced obese mice. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2444-53	15.9	41
19	Regulation of chemokine and chemokine receptor expression by PPAR γ in adipocytes and macrophages. <i>PLoS ONE</i> , 2012 , 7, e34976	3.7	39
18	Inflammation is necessary for long-term but not short-term high-fat diet-induced insulin resistance. <i>Diabetes</i> , 2011 , 60, 2474-83	0.9	374
17	Adipocyte NCoR knockout decreases PPAR α phosphorylation and enhances PPAR α activity and insulin sensitivity. <i>Cell</i> , 2011 , 147, 815-26	56.2	213
16	Brain PPAR δ promotes obesity and is required for the insulin-sensitizing effect of thiazolidinediones. <i>Nature Medicine</i> , 2011 , 17, 618-22	50.5	184
15	Regulation of chemokine and chemokine receptor expression by PPAR γ in adipocytes and macrophages. <i>Journal of Translational Medicine</i> , 2011 , 9, P23	8.5	1
14	Functional heterogeneity of CD11c-positive adipose tissue macrophages in diet-induced obese mice. <i>Journal of Biological Chemistry</i> , 2010 , 285, 15333-15345	5.4	172
13	Inducible nitric oxide synthase deficiency in myeloid cells does not prevent diet-induced insulin resistance. <i>Molecular Endocrinology</i> , 2010 , 24, 1413-22		17
12	GPR120 is an omega-3 fatty acid receptor mediating potent anti-inflammatory and insulin-sensitizing effects. <i>Cell</i> , 2010 , 142, 687-98	56.2	1657
11	A new antidiabetic compound attenuates inflammation and insulin resistance in Zucker diabetic fatty rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 298, E1036-48	6	35
10	Hypermetabolism, hyperphagia, and reduced adiposity in tankyrase-deficient mice. <i>Diabetes</i> , 2009 , 58, 2476-85	0.9	52
9	Glucocorticoids and thiazolidinediones interfere with adipocyte-mediated macrophage chemotaxis and recruitment. <i>Journal of Biological Chemistry</i> , 2009 , 284, 31223-35	5.4	62
8	Novel liver-specific TORC2 siRNA corrects hyperglycemia in rodent models of type 2 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E1137-46	6	57
7	Effect of GCP-02, a PPAR α /gamma dual activator, on glucose and lipid metabolism in insulin-resistant mice. <i>European Journal of Pharmacology</i> , 2008 , 580, 277-83	5.3	6

6	Ablation of CD11c-positive cells normalizes insulin sensitivity in obese insulin resistant animals. <i>Cell Metabolism</i> , 2008 , 8, 301-9	24.6	615
5	SMRT repression of nuclear receptors controls the adipogenic set point and metabolic homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 20021-6	11.5	75
4	Peroxisome proliferator-activated receptor-gamma transcriptionally up-regulates hormone-sensitive lipase via the involvement of specificity protein-1. <i>Endocrinology</i> , 2006 , 147, 875-84	4.8	76
3	Synthesis and anti-diabetic activity of (RS)-2-ethoxy-3-{4-[2-(4-trifluoro-methanesulfonyloxy-phenyl)-ethoxy]-phenyl}-propionic acid. <i>Acta Pharmacologica Sinica</i> , 2006 , 27, 597-602	8	4
2	The PPARalpha/gamma dual agonist chiglitazar improves insulin resistance and dyslipidemia in MSG obese rats. <i>British Journal of Pharmacology</i> , 2006 , 148, 610-8	8.6	43
1	Synthesis and evaluation of azaindole-alpha-alkyloxyphenylpropionic acid analogues as PPARalpha/gamma agonists. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 866-74	3.4	25