James F Gusella

List of Publications by Citations

Source: https://exaly.com/author-pdf/7507297/james-f-gusella-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146 21,951 210 74 h-index g-index citations papers 240 24,455 13.1 5.99 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
210	A polymorphic DNA marker genetically linked to Huntington's disease. <i>Nature</i> , 1983 , 306, 234-8	50.4	1977
209	Protease inhibitor domain encoded by an amyloid protein precursor mRNA associated with Alzheimer's disease. <i>Nature</i> , 1988 , 331, 528-30	50.4	1045
208	The early-onset torsion dystonia gene (DYT1) encodes an ATP-binding protein. <i>Nature Genetics</i> , 1997 , 17, 40-8	36.3	915
207	Huntington disease. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15005	51.1	672
206	Relationship between trinucleotide repeat expansion and phenotypic variation in Huntington's disease. <i>Nature Genetics</i> , 1993 , 4, 393-7	36.3	606
205	Venezuelan kindreds reveal that genetic and environmental factors modulate Huntington's disease age of onset. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 3498-503	11.5	572
204	CAG repeat number governs the development rate of pathology in Huntington's disease. <i>Annals of Neurology</i> , 1997 , 41, 689-92	9.4	512
203	Isolation of a novel gene underlying Batten disease, CLN3. The International Batten Disease Consortium. <i>Cell</i> , 1995 , 82, 949-57	56.2	484
202	Tissue-specific expression of a splicing mutation in the IKBKAP gene causes familial dysautonomia. <i>American Journal of Human Genetics</i> , 2001 , 68, 598-605	11	477
201	Huntington's disease. Pathogenesis and management. New England Journal of Medicine, 1986, 315, 126	57 <u>5</u> 36≥	472
200	Loss of genes on chromosome 22 in tumorigenesis of human acoustic neuroma. <i>Nature</i> , 1986 , 322, 644-	- 7 50.4	443
199	Sequencing chromosomal abnormalities reveals neurodevelopmental loci that confer risk across diagnostic boundaries. <i>Cell</i> , 2012 , 149, 525-37	56.2	441
198	The FERM domain: a unique module involved in the linkage of cytoplasmic proteins to the membrane. <i>Trends in Biochemical Sciences</i> , 1998 , 23, 281-2	10.3	440
197	Huntingtin is required for neurogenesis and is not impaired by the Huntington's disease CAG expansion. <i>Nature Genetics</i> , 1997 , 17, 404-10	36.3	416
196	Genetic linkage of bilateral acoustic neurofibromatosis to a DNA marker on chromosome 22. <i>Nature</i> , 1987 , 329, 246-8	50.4	413
195	Use of cyclosporin A in establishing Epstein-Barr virus-transformed human lymphoblastoid cell lines. <i>In Vitro</i> , 1984 , 20, 856-8		323
194	Molecular genetics: unmasking polyglutamine triggers in neurodegenerative disease. <i>Nature Reviews Neuroscience</i> , 2000 , 1, 109-15	13.5	322

193	Homozygotes for Huntington's disease. <i>Nature</i> , 1987 , 326, 194-7	50.4	298
192	Hyperkalemic periodic paralysis and the adult muscle sodium channel alpha-subunit gene. <i>Science</i> , 1990 , 250, 1000-2	33.3	289
191	KCTD13 is a major driver of mirrored neuroanatomical phenotypes of the 16p11.2 copy number variant. <i>Nature</i> , 2012 , 485, 363-7	50.4	281
190	Familial dysautonomia. Current Opinion in Genetics and Development, 2002, 12, 307-11	4.9	274
189	The genetic defect in familial Alzheimer's disease is not tightly linked to the amyloid beta-protein gene. <i>Nature</i> , 1987 , 329, 156-7	50.4	253
188	HD CAG repeat implicates a dominant property of huntingtin in mitochondrial energy metabolism. <i>Human Molecular Genetics</i> , 2005 , 14, 2871-80	5.6	246
187	Specific progressive cAMP reduction implicates energy deficit in presymptomatic Huntington's disease knock-in mice. <i>Human Molecular Genetics</i> , 2003 , 12, 497-508	5.6	218
186	Mutations in transcript isoforms of the neurofibromatosis 2 gene in multiple human tumour types. <i>Nature Genetics</i> , 1994 , 6, 185-92	36.3	215
185	CHD8 regulates neurodevelopmental pathways associated with autism spectrum disorder in neural progenitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4468-77	11.5	210
184	Structure and expression of the Huntington's disease gene: evidence against simple inactivation due to an expanded CAG repeat. <i>Somatic Cell and Molecular Genetics</i> , 1994 , 20, 27-38		210
183	Amyloid formation by mutant huntingtin: threshold, progressivity and recruitment of normal polyglutamine proteins. <i>Somatic Cell and Molecular Genetics</i> , 1998 , 24, 217-33		207
182	Human gene for torsion dystonia located on chromosome 9q32-q34. <i>Neuron</i> , 1989 , 2, 1427-34	13.9	207
181	NHE-RF, a regulatory cofactor for Na(+)-H+ exchange, is a common interactor for merlin and ERM (MERM) proteins. <i>Journal of Biological Chemistry</i> , 1998 , 273, 1273-6	5.4	204
180	NF2/merlin is a novel negative regulator of mTOR complex 1, and activation of mTORC1 is associated with meningioma and schwannoma growth. <i>Molecular and Cellular Biology</i> , 2009 , 29, 4250-6	1 ^{4.8}	202
179	Complex reorganization and predominant non-homologous repair following chromosomal breakage in karyotypically balanced germline rearrangements and transgenic integration. <i>Nature Genetics</i> , 2012 , 44, 390-7, S1	36.3	190
178	Exon scanning for mutation of the NF2 gene in schwannomas. <i>Human Molecular Genetics</i> , 1994 , 3, 413-9	9 5.6	179
177	Huntington's disease gene: regional and cellular expression in brain of normal and affected individuals. <i>Annals of Neurology</i> , 1995 , 37, 218-30	9.4	178
176	The genomic landscape of balanced cytogenetic abnormalities associated with human congenital anomalies. <i>Nature Genetics</i> , 2017 , 49, 36-45	36.3	172

175	Assessment of 2q23.1 microdeletion syndrome implicates MBD5 as a single causal locus of intellectual disability, epilepsy, and autism spectrum disorder. <i>American Journal of Human Genetics</i> , 2011 , 89, 551-63	11	166
174	Biotin-responsive basal ganglia disease maps to 2q36.3 and is due to mutations in SLC19A3. <i>American Journal of Human Genetics</i> , 2005 , 77, 16-26	11	158
173	CAG Repeat Not Polyglutamine Length Determines Timing of Huntington's Disease Onset. <i>Cell</i> , 2019 , 178, 887-900.e14	56.2	155
172	Predictive testing for Huntington's disease with use of a linked DNA marker. <i>New England Journal of Medicine</i> , 1988 , 318, 535-42	59.2	151
171	Permanent inactivation of Huntington's disease mutation by personalized allele-specific CRISPR/Cas9. <i>Human Molecular Genetics</i> , 2016 , 25, 4566-4576	5.6	150
170	Clinical diagnosis by whole-genome sequencing of a prenatal sample. <i>New England Journal of Medicine</i> , 2012 , 367, 2226-32	59.2	144
169	The Huntington's disease candidate region exhibits many different haplotypes. <i>Nature Genetics</i> , 1992 , 1, 99-103	36.3	142
168	Quantitative neuropathological changes in presymptomatic Huntington's disease. <i>Annals of Neurology</i> , 2001 , 49, 29-34	9.4	141
167	Neurofibromatosis type 1 gene mutations in neuroblastoma. <i>Nature Genetics</i> , 1993 , 3, 62-6	36.3	141
166	Early phenotypes that presage late-onset neurodegenerative disease allow testing of modifiers in Hdh CAG knock-in mice. <i>Human Molecular Genetics</i> , 2002 , 11, 633-40	5.6	134
165	Localization of the gene for familial dysautonomia on chromosome 9 and definition of DNA markers for genetic diagnosis. <i>Nature Genetics</i> , 1993 , 4, 160-4	36.3	133
164	Next-generation sequencing strategies enable routine detection of balanced chromosome rearrangements for clinical diagnostics and genetic research. <i>American Journal of Human Genetics</i> , 2011 , 88, 469-81	11	132
163	Heterogeneous topographic and cellular distribution of huntingtin expression in the normal human neostriatum. <i>Journal of Neuroscience</i> , 1997 , 17, 3052-63	6.6	131
162	A genome scan for modifiers of age at onset in Huntington disease: The HD MAPS study. <i>American Journal of Human Genetics</i> , 2003 , 73, 682-7	11	131
161	Huntingtin facilitates polycomb repressive complex 2. <i>Human Molecular Genetics</i> , 2010 , 19, 573-83	5.6	128
160	Dystonia gene in Ashkenazi Jewish population is located on chromosome 9q32-34. <i>Annals of Neurology</i> , 1990 , 27, 114-20	9.4	117
159	Rescue of a human mRNA splicing defect by the plant cytokinin kinetin. <i>Human Molecular Genetics</i> , 2004 , 13, 429-36	5.6	114
158	The predominantly HEAT-like motif structure of huntingtin and its association and coincident nuclear entry with dorsal, an NF-kB/Rel/dorsal family transcription factor. <i>BMC Neuroscience</i> , 2002 , 3, 15	3.2	109

(2018-2006)

157	Huntington's disease: seeing the pathogenic process through a genetic lens. <i>Trends in Biochemical Sciences</i> , 2006 , 31, 533-40	10.3	107
156	Deletion of Huntington's disease-linked G8 (D4S10) locus in Wolf-Hirschhorn syndrome. <i>Nature</i> , 1985 , 318, 75-8	50.4	106
155	Frequency and distribution of NF2 mutations in schwannomas. <i>Genes Chromosomes and Cancer</i> , 1996 , 17, 45-55	5	105
154	Reversal of a full-length mutant huntingtin neuronal cell phenotype by chemical inhibitors of polyglutamine-mediated aggregation. <i>BMC Neuroscience</i> , 2005 , 6, 1	3.2	102
153	A comparison of neurological, metabolic, structural, and genetic evaluations in persons at risk for Huntington's disease. <i>Annals of Neurology</i> , 1990 , 28, 614-21	9.4	100
152	RNA Sequence Analysis of Human Huntington Disease Brain Reveals an Extensive Increase in Inflammatory and Developmental Gene Expression. <i>PLoS ONE</i> , 2015 , 10, e0143563	3.7	99
151	Frequent loss of chromosome 14 in atypical and malignant meningioma: identification of a putative 'tumor progression' locus. <i>Oncogene</i> , 1997 , 14, 611-6	9.2	96
150	A cosmid contig and high resolution restriction map of the 2 megabase region containing the Huntington's disease gene. <i>Nature Genetics</i> , 1993 , 4, 181-6	36.3	93
149	The HTT CAG-Expansion Mutation Determines Age at Death but Not Disease Duration in Huntington Disease. <i>American Journal of Human Genetics</i> , 2016 , 98, 287-98	11	92
148	The gene for achondroplasia maps to the telomeric region of chromosome 4p. <i>Nature Genetics</i> , 1994 , 6, 314-7	36.3	91
147	Normal and Expanded Huntington Disease Gene Alleles Produce Distinguishable Proteins Due to Translation Across the CAG Repeat. <i>Molecular Medicine</i> , 1995 , 1, 374-383	6.2	90
146	SMCHD1 mutations associated with a rare muscular dystrophy can also cause isolated arhinia and Bosma arhinia microphthalmia syndrome. <i>Nature Genetics</i> , 2017 , 49, 238-248	36.3	88
145	Huntington's disease: the case for genetic modifiers. <i>Genome Medicine</i> , 2009 , 1, 80	14.4	87
144	Genetic modifiers of Huntington's disease. <i>Movement Disorders</i> , 2014 , 29, 1359-65	7	84
143	Characterization of apparently balanced chromosomal rearrangements from the developmental genome anatomy project. <i>American Journal of Human Genetics</i> , 2008 , 82, 712-22	11	84
142	Mapping of the mucolipidosis type IV gene to chromosome 19p and definition of founder haplotypes. <i>American Journal of Human Genetics</i> , 1999 , 65, 773-8	11	83
141	Transcriptional consequences of 16p11.2 deletion and duplication in mouse cortex and multiplex autism families. <i>American Journal of Human Genetics</i> , 2014 , 94, 870-83	11	78
140	CSIG-42. HIGH THROUGHPUT KINOME AND TRANSCRIPTOME ANALYSES REVEAL NOVEL THERAPEUTIC TARGETS IN NF2-DEFICIENT MENINGIOMA. <i>Neuro-Oncology</i> , 2018 , 20, vi52-vi52	1	78

139	miR-10b-5p expression in Huntington's disease brain relates to age of onset and the extent of striatal involvement. <i>BMC Medical Genomics</i> , 2015 , 8, 10	3.7	76
138	Regulation of mTOR complex 2 signaling in neurofibromatosis 2-deficient target cell types. <i>Molecular Cancer Research</i> , 2012 , 10, 649-59	6.6	74
137	High resolution localization of recombination hot spots using sperm typing. <i>Nature Genetics</i> , 1994 , 7, 420-4	36.3	74
136	MicroRNAs located in the Hox gene clusters are implicated in huntington's disease pathogenesis. <i>PLoS Genetics</i> , 2014 , 10, e1004188	6	73
135	Isolation of polymorphic DNA segments from human chromosome 21. <i>Nucleic Acids Research</i> , 1985 , 13, 6075-88	20.1	73
134	Huntington's disease: two families with differing clinical features show linkage to the G8 probe. <i>Science</i> , 1985 , 229, 776-9	33.3	71
133	Huntington's disease CAG trinucleotide repeats in pathologically confirmed post-mortem brains. <i>Neurobiology of Disease</i> , 1994 , 1, 159-66	7.5	70
132	Differential expression of normal and mutant Huntington's disease gene alleles. <i>Neurobiology of Disease</i> , 1996 , 3, 183-90	7.5	68
131	Trinucleotide instability: a repeating theme in human inherited disorders. <i>Annual Review of Medicine</i> , 1996 , 47, 201-9	17.4	66
130	Huntingtin: a single bait hooks many species. Current Opinion in Neurobiology, 1998, 8, 425-30	7.6	64
129	Evidence for a modifier of onset age in Huntington disease linked to the HD gene in 4p16. Neurogenetics, 2004 , 5, 109-14	3	63
128	Genome-wide significance for a modifier of age at neurological onset in Huntington's disease at 6q23-24: the HD MAPS study. <i>BMC Medical Genetics</i> , 2006 , 7, 71	2.1	62
127	Huntington's disease. <i>NeuroMolecular Medicine</i> , 2003 , 4, 7-20	4.6	61
126	A modifier of Huntington's disease onset at the MLH1 locus. <i>Human Molecular Genetics</i> , 2017 , 26, 3859	-3 §6 7	59
125	HD CAG-correlated gene expression changes support a simple dominant gain of function. <i>Human Molecular Genetics</i> , 2011 , 20, 2846-60	5.6	59
124	Precise genetic mapping and haplotype analysis of the familial dysautonomia gene on human chromosome 9q31. <i>American Journal of Human Genetics</i> , 1999 , 64, 1110-8	11	59
123	Magicin, a novel cytoskeletal protein associates with the NF2 tumor suppressor merlin and Grb2. <i>Oncogene</i> , 2004 , 23, 8815-25	9.2	56
122	The Genetic Defect Causing Huntington Disease: Repeated in Other Contexts?. <i>Molecular Medicine</i> , 1997 , 3, 238-246	6.2	54

121	Mutant huntingtin forms in vivo complexes with distinct context-dependent conformations of the polyglutamine segment. <i>Neurobiology of Disease</i> , 1999 , 6, 364-75	7.5	53	
120	Functionally compromised CHD7 alleles in patients with isolated GnRH deficiency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 17953-8	11.5	51	
119	Identification of a presymptomatic molecular phenotype in Hdh CAG knock-in mice. <i>Human Molecular Genetics</i> , 2002 , 11, 2233-41	5.6	49	
118	Assessment of cortical and striatal involvement in 523 Huntington disease brains. <i>Neurology</i> , 2012 , 79, 1708-15	6.5	48	
117	Common SNP-based haplotype analysis of the 4p16.3 Huntington disease gene region. <i>American Journal of Human Genetics</i> , 2012 , 90, 434-44	11	48	
116	Clonal analysis of a case of multiple meningiomas using multiple molecular genetic approaches: pathology case report. <i>Neurosurgery</i> , 1999 , 45, 409-16	3.2	48	
115	Deficiency of huntingtin has pleiotropic effects in the social amoeba Dictyostelium discoideum. <i>PLoS Genetics</i> , 2011 , 7, e1002052	6	44	
114	Structural Chromosomal Rearrangements Require Nucleotide-Level Resolution: Lessons from Next-Generation Sequencing in Prenatal Diagnosis. <i>American Journal of Human Genetics</i> , 2016 , 99, 1015	-1633	43	
113	Brain urea increase is an early Huntington's disease pathogenic event observed in a prodromal transgenic sheep model and HD cases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E11293-E11302	11.5	43	
112	Describing sequencing results of structural chromosome rearrangements with a suggested next-generation cytogenetic nomenclature. <i>American Journal of Human Genetics</i> , 2014 , 94, 695-709	11	40	
111	Engineering microdeletions and microduplications by targeting segmental duplications with CRISPR. <i>Nature Neuroscience</i> , 2016 , 19, 517-22	25.5	39	
110	Htt CAG repeat expansion confers pleiotropic gains of mutant huntingtin function in chromatin regulation. <i>Human Molecular Genetics</i> , 2015 , 24, 2442-57	5.6	38	
109	Further molecular characterisation of the OVT73 transgenic sheep model of Huntington's disease identifies cortical aggregates. <i>Journal of Huntingtonks Disease</i> , 2013 , 2, 279-95	1.9	38	
108	CSF1R mosaicism in a family with hereditary diffuse leukoencephalopathy with spheroids. <i>Brain</i> , 2016 , 139, 1666-72	11.2	38	
107	Paired-Duplication Signatures Mark Cryptic Inversions and Other Complex Structural Variation. <i>American Journal of Human Genetics</i> , 2015 , 97, 170-6	11	37	
106	Cryptic and complex chromosomal aberrations in early-onset neuropsychiatric disorders. <i>American Journal of Human Genetics</i> , 2014 , 95, 454-61	11	37	
105	Meclizine is neuroprotective in models of Huntington's disease. <i>Human Molecular Genetics</i> , 2011 , 20, 294-300	5.6	36	
104	Irradiation-reduced human chromosome 21 hybrids. <i>Somatic Cell and Molecular Genetics</i> , 1988 , 14, 233-4	12	36	

103	A Potential Contributory Role for Ciliary Dysfunction in the 16p11.2 600 kb BP4-BP5 Pathology. American Journal of Human Genetics, 2015 , 96, 784-96	11	35
102	Metabolic disruption identified in the Huntington's disease transgenic sheep model. <i>Scientific Reports</i> , 2016 , 6, 20681	4.9	35
101	Monozygotic twins discordant for neurofibromatosis 1. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 601-6	2.5	35
100	Modeling NF2 with human arachnoidal and meningioma cell culture systems: NF2 silencing reflects the benign character of tumor growth. <i>Neurobiology of Disease</i> , 2008 , 29, 278-92	7.5	35
99	Merlin: the neurofibromatosis 2 tumor suppressor. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 1999 , 1423, M29-36	11.2	35
98	A high-throughput kinome screen reveals serum/glucocorticoid-regulated kinase 1 as a therapeutic target for NF2-deficient meningiomas. <i>Oncotarget</i> , 2015 , 6, 16981-97	3.3	35
97	Large-scale phenome analysis defines a behavioral signature for Huntington's disease genotype in mice. <i>Nature Biotechnology</i> , 2016 , 34, 838-44	44.5	30
96	Clinical-Genetic Associations in the Prospective Huntington at Risk Observational Study (PHAROS): Implications for Clinical Trials. <i>JAMA Neurology</i> , 2016 , 73, 102-10	17.2	29
95	Reciprocal deletion and duplication at 2q23.1 indicates a role for MBD5 in autism spectrum disorder. <i>European Journal of Human Genetics</i> , 2014 , 22, 57-63	5.3	29
94	Brain-derived neurotrophic factor does not influence age at neurologic onset of Huntington's disease. <i>Neurobiology of Disease</i> , 2006 , 24, 280-5	7.5	29
93	Evidence for subarachnoid spread in the development of multiple meningiomas. <i>Brain Pathology</i> , 1995 , 5, 11-4	6	28
92	High resolution time-course mapping of early transcriptomic, molecular and cellular phenotypes in Huntington's disease CAG knock-in mice across multiple genetic backgrounds. <i>Human Molecular Genetics</i> , 2017 , 26, 913-922	5.6	27
91	Population stratification may bias analysis of PGC-11 a modifier of age at Huntington disease motor onset. <i>Human Genetics</i> , 2012 , 131, 1833-40	6.3	25
90	No post-genetics era in human disease research. <i>Nature Reviews Genetics</i> , 2002 , 3, 72-9	30.1	25
89	A novel neurodevelopmental disorder associated with compound heterozygous variants in the huntingtin gene. <i>European Journal of Human Genetics</i> , 2016 , 24, 1826-1827	5.3	23
88	Linkage analysis in a family with dominantly inherited torsion dystonia: exclusion of the pro-opiomelanocortin and glutamic acid decarboxylase genes and other chromosomal regions using DNA polymorphisms. <i>Journal of Neurogenetics</i> , 1986 , 3, 159-75	1.6	23
87	Actin capping protein CAPZB regulates cell morphology, differentiation, and neural crest migration in craniofacial morphogenesis Human Molecular Genetics, 2016 , 25, 1255-70	5.6	22
86	Genetic Modification of Huntington Disease Acts Early in the Prediagnosis Phase. <i>American Journal of Human Genetics</i> , 2018 , 103, 349-357	11	22

(2007-2017)

85	Implication of LRRC4C and DPP6 in neurodevelopmental disorders. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 395-406	2.5	22	
84	Cloning, characterization, and genomic structure of the mouse Ikbkap gene. <i>DNA and Cell Biology</i> , 2001 , 20, 579-86	3.6	22	
83	Promotion of somatic CAG repeat expansion by Fan1 knock-out in Huntington's disease knock-in mice is blocked by Mlh1 knock-out. <i>Human Molecular Genetics</i> , 2020 , 29, 3044-3053	5.6	22	
82	Genetic and Functional Analyses Point to FAN1 as the Source of Multiple Huntington Disease Modifier Effects. <i>American Journal of Human Genetics</i> , 2020 , 107, 96-110	11	21	
81	Hunting for Huntington's disease. <i>Molecular Genetic Medicine</i> , 1993 , 3, 139-58		21	
80	The Genetic Modifiers of Motor OnsetAge[GeM MOA) Website: Genome-wide Association Analysis for Genetic Modifiers of Huntington's Disease. <i>Journal of Huntingtonks Disease</i> , 2015 , 4, 279-84	1.9	20	
79	Differential effects of the Huntington's disease CAG mutation in striatum and cerebellum are quantitative not qualitative. <i>Human Molecular Genetics</i> , 2011 , 20, 4258-67	5.6	20	
78	Location cloning strategy for characterizing genetic defects in Huntington's disease and Alzheimer's disease. <i>FASEB Journal</i> , 1989 , 3, 2036-41	0.9	19	
77	Population-specific genetic modification of Huntington's disease in Venezuela. <i>PLoS Genetics</i> , 2018 , 14, e1007274	6	18	
76	Rare Deleterious PARD3 Variants in the aPKC-Binding Region are Implicated in the Pathogenesis of Human Cranial Neural Tube Defects Via Disrupting Apical Tight Junction Formation. <i>Human Mutation</i> , 2017 , 38, 378-389	4.7	17	
75	De novo variants in the Helicase-C domain of CHD8 are associated with severe phenotypes including autism, language disability and overgrowth. <i>Human Genetics</i> , 2020 , 139, 499-512	6.3	17	
74	TAA repeat variation in the GRIK2 gene does not influence age at onset in Huntington's disease. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 424, 404-8	3.4	17	
73	Allelic expression of the NF2 gene in neurofibromatosis 2 and schwannomatosis. <i>Neurogenetics</i> , 1999 , 2, 101-8	3	17	
72	Molecular detection of a 4p deletion using PCR-based polymorphisms: a technique for the rapid detection of the Wolf-Hirschhorn syndrome. <i>American Journal of Medical Genetics Part A</i> , 1992 , 44, 449	9-54	17	
71	Expanding the Spectrum of Founder Mutations Causing Isolated Gonadotropin-Releasing Hormone Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E1378-85	5.6	16	
70	Prenatal diagnosis of familial dysautonomia by analysis of linked CA-repeat polymorphisms on chromosome 9q31-q33. <i>American Journal of Medical Genetics Part A</i> , 1995 , 59, 349-55		16	
69	Huntington's Disease Pathogenesis: Two Sequential Components. <i>Journal of Huntingtonks Disease</i> , 2021 , 10, 35-51	1.9	16	
68	Candidate loci for Zimmermann-Laband syndrome at 3p14.3. <i>American Journal of Medical Genetics,</i> Part A, 2007 , 143A, 107-11	2.5	15	

67	Genetic analysis of the GRIK2 modifier effect in Huntington's disease. <i>BMC Neuroscience</i> , 2006 , 7, 62	3.2	15
66	Characterization of a duplication in the terminal band of 4p by molecular cytogenetics. <i>American Journal of Medical Genetics Part A</i> , 1993 , 46, 72-6		15
65	Probes in Huntington's chorea (reply). <i>Nature</i> , 1986 , 320, 21-22	50.4	15
64	Sequence-Level Analysis of the Major European Huntington Disease Haplotype. <i>American Journal of Human Genetics</i> , 2015 , 97, 435-44	11	14
63	EPH receptor signaling as a novel therapeutic target in NF2-deficient meningioma. <i>Neuro-Oncology</i> , 2018 , 20, 1185-1196	1	14
62	Haplotype-based stratification of Huntington's disease. <i>European Journal of Human Genetics</i> , 2017 , 25, 1202-1209	5.3	14
61	WNT/Catenin Pathway and Epigenetic Mechanisms Regulate the Pitt-Hopkins Syndrome and Schizophrenia Risk Gene. <i>Molecular Neuropsychiatry</i> , 2017 , 3, 53-71	4.9	14
60	Genetic Risk Underlying Psychiatric and Cognitive Symptoms in Huntington's Disease. <i>Biological Psychiatry</i> , 2020 , 87, 857-865	7.9	13
59	Genetic variation in the 3' untranslated region of the neurofibromatosis 1 gene: application to unequal allelic expression. <i>Somatic Cell and Molecular Genetics</i> , 1998 , 24, 107-19		12
58	Modified single-stranded oligonucleotides inhibit aggregate formation and toxicity induced by expanded polyglutamine. <i>Journal of Molecular Neuroscience</i> , 2004 , 24, 257-67	3.3	12
57	Estrogen-related receptor gamma implicated in a phenotype including hearing loss and mild developmental delay. <i>European Journal of Human Genetics</i> , 2016 , 24, 1622-1626	5.3	12
56	Opposing Tumor-Promoting and -Suppressive Functions of Rictor/mTORC2 Signaling in Adult Glioma and Pediatric SHH Medulloblastoma. <i>Cell Reports</i> , 2018 , 24, 463-478.e5	10.6	11
55	A rare exonic NRXN3 deletion segregating with neurodevelopmental and neuropsychiatric conditions in a three-generation Chinese family. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 589-595	3.5	11
54	Extensive molecular genetic analysis of the 3p14.3 region in patients with Zimmermann-Laband syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2007 , 143A, 2668-74	2.5	11
53	Genetic criteria for Huntington's disease pathogenesis. Brain Research Bulletin, 2007, 72, 78-82	3.9	11
52	Prenatal diagnostic testing for familial dysautonomia using linked genetic markers. <i>Prenatal Diagnosis</i> , 1995 , 15, 817-26	3.2	11
51	Characterization of an unusual and complex chromosome 21 rearrangement using somatic cell genetics and cloned DNA probes. <i>American Journal of Medical Genetics Part A</i> , 1989 , 33, 369-75		11
50	Timing and Impact of Psychiatric, Cognitive, and Motor Abnormalities in Huntington Disease. Neurology, 2021 , 96, e2395-e2406	6.5	11

(2017-2020)

49	A Balanced Translocation in Kallmann Syndrome Implicates a Long Noncoding RNA, RMST, as a GnRH Neuronal Regulator. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	11
48	Novel allele-specific quantification methods reveal no effects of adult onset CAG repeats on HTT mRNA and protein levels. <i>Human Molecular Genetics</i> , 2017 , 26, 1258-1267	5.6	10
47	Traditional and systems biology based drug discovery for the rare tumor syndrome neurofibromatosis type 2. <i>PLoS ONE</i> , 2018 , 13, e0197350	3.7	10
46	Linkage analysis in juvenile neuronal ceroid lipofuscinosis. <i>American Journal of Medical Genetics Part A</i> , 1992 , 42, 542-5		10
45	Candidate glutamatergic and dopaminergic pathway gene variants do not influence Huntington's disease motor onset. <i>Neurogenetics</i> , 2013 , 14, 173-9	3	9
44	The role of mitochondrial DNA in Huntington's disease. <i>Journal of Molecular Neuroscience</i> , 1989 , 1, 129-	-133.6	9
43	Partial linkage map of chromosome 13q in the region of the Wilson disease and retinoblastoma genes. <i>Genetic Epidemiology</i> , 1988 , 5, 375-80	2.6	9
42	Potential molecular consequences of transgene integration: The R6/2 mouse example. <i>Scientific Reports</i> , 2017 , 7, 41120	4.9	8
41	No association between alpha 1-antichymotrypsin and familial Alzheimer's disease. <i>Annals of the New York Academy of Sciences</i> , 1996 , 802, 35-41	6.5	8
40	Genetic linkage of the Huntington's disease gene to a DNA marker. <i>Canadian Journal of Neurological Sciences</i> , 1984 , 11, 421-5	1	8
39	Heritability of Risk for Sudden Cardiac Arrest in ESRD. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2815-20	12.7	7
38	CNV profiles of Chinese pediatric patients with developmental disorders. <i>Genetics in Medicine</i> , 2021 , 23, 669-678	8.1	7
37	Hypomorphic mutation of the mouse Huntington's disease gene orthologue. <i>PLoS Genetics</i> , 2019 , 15, e1007765	6	6
36	Huntingtin Supplies a csaA-Independent Function Essential for EDTA-Resistant Homotypic Cell Adhesion in Dictyostelium discoideum. <i>Journal of Huntingtonks Disease</i> , 2014 , 3, 261-71	1.9	6
35	Changing models of biomedical research. Science Translational Medicine, 2009, 1, 1cm1	17.5	6
34	Mediator Subunit Med28 Is Essential for Mouse Peri-Implantation Development and Pluripotency. <i>PLoS ONE</i> , 2015 , 10, e0140192	3.7	6
33	A complex intragenic rearrangement of ERCC8 in Chinese siblings with Cockayne syndrome. <i>Scientific Reports</i> , 2017 , 7, 44271	4.9	5
32	A novel microduplication of ARID1B: Clinical, genetic, and proteomic findings. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 2478-2484	2.5	5

31	Prevalence of Huntington's disease gene CAG trinucleotide repeat alleles in patients with bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 403-8	3.8	5
30	Cloning, mapping, and expression of a novel brain-specific transcript in the familial dysautonomia candidate region on chromosome 9q31. <i>Mammalian Genome</i> , 2000 , 11, 81-3	3.2	5
29	A 15-bp deletion in exon 5 of the ornithine aminotransferase (OAT) locus associated with gyrate atrophy. <i>Human Mutation</i> , 1992 , 1, 293-7	4.7	5
28	Discrepancy resolved. <i>Nature Genetics</i> , 1993 , 5, 215	36.3	5
27	Linkage map on chromosome 21q and the association of a DNA haplotype with a propensity to nondisjunction and trisomy 21. <i>Annals of the New York Academy of Sciences</i> , 1985 , 450, 95-107	6.5	5
26	16p11.2 deletion is associated with hyperactivation of human iPSC-derived dopaminergic neuron networks and is rescued by RHOA inhibition in vitro. <i>Nature Communications</i> , 2021 , 12, 2897	17.4	5
25	A cross-disorder dosage sensitivity map of the human genome		5
24	Brigatinib causes tumor shrinkage in both NF2-deficient meningioma and schwannoma through inhibition of multiple tyrosine kinases but not ALK. <i>PLoS ONE</i> , 2021 , 16, e0252048	3.7	5
23	Expanding the notion of disease in Huntington's disease. <i>Biological Psychiatry</i> , 2007 , 62, 1340	7.9	4
22	Transcriptional consequences of MBD5 disruption in mouse brain and CRISPR-derived neurons. <i>Molecular Autism</i> , 2020 , 11, 45	6.5	3
21	Full sequence of mutant huntingtin 3'-untranslated region and modulation of its gene regulatory activity by endogenous microRNA. <i>Journal of Human Genetics</i> , 2019 , 64, 995-1004	4.3	3
20	Exon trapping and sequence-based methods of gene finding in transcript mapping of human 4p16.3. <i>Somatic Cell and Molecular Genetics</i> , 1997 , 23, 413-27		3
19	Accuracy of testing for Huntington's disease. <i>Nature</i> , 1986 , 323, 118	50.4	3
18	Exome sequencing of individuals with Huntington's disease implicates FAN1 nuclease activity in slowing CAG expansion and disease onset <i>Nature Neuroscience</i> , 2022 ,	25.5	3
17	Huntington Disease 2001 ,		2
16	Parallelized engineering of mutational models using piggyBac transposon delivery of CRISPR libraries		2
15	Huntington disease onset is determined by length of uninterrupted CAG, not encoded polyglutamine, and is modified by DNA maintenance mechanisms		2
14	Mutations causing Lopes-Maciel-Rodan syndrome are huntingtin hypomorphs. <i>Human Molecular Genetics</i> , 2021 , 30, 135-148	5.6	2

LIST OF PUBLICATIONS

13	Genetic modifiers of Huntington disease differentially influence motor and cognitive domains American Journal of Human Genetics, 2022,	11	2
12	A rare case of acquired immunodeficiency associated with myelodysplastic syndrome. <i>Molecular Genetics & Camp; Genomic Medicine</i> , 2019 , 7, e923	2.3	1
11	A linkage study with DNA markers (D4S95, D4S115, and D4S111) in Japanese Huntington disease families. <i>Japanese Journal of Human Genetics</i> , 1993 , 38, 193-201		1
10	HD CAGnome: a search tool for huntingtin CAG repeat length-correlated genes. <i>PLoS ONE</i> , 2014 , 9, e955	5 5 .6	1
9	Dystonia-specific mutations in THAP1 alter transcription of genes associated with neurodevelopment and myelin. <i>American Journal of Human Genetics</i> , 2021 , 108, 2145-2158	11	1
8	Magicin (MED28), a Potential Adaptor Protein. <i>FASEB Journal</i> , 2006 , 20, A103	0.9	1
7	Association Analysis of Chromosome X to Identify Genetic Modifiers of Huntington's Disease. Journal of Huntingtonks Disease, 2021, 10, 367-375	1.9	1
6	Huntington's disease: nearly four decades of human molecular genetics. <i>Human Molecular Genetics</i> , 2021 , 30, R254-R263	5.6	1
5	A Multi-Omic Huntington's Disease Transgenic Sheep-Model Database for Investigating Disease Pathogenesis. <i>Journal of Huntingtonls Disease</i> , 2021 , 10, 423-434	1.9	1
4	mTOR kinase inhibition disrupts neuregulin 1-ERBB3 autocrine signaling and sensitizes NF2-deficient meningioma cellular models to IGF1R inhibition. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100157	5.4	1
3	2016 William Allan Award: Human Disease Research: Genetic Cycling and Re-cycling. <i>American Journal of Human Genetics</i> , 2017 , 100, 387-394	11	
2	Understanding the role of the merlin interacting protein magicin as part of the mammalian Mediator complex. <i>FASEB Journal</i> , 2006 , 20, A79	0.9	
1	Kinome Screen Reveals SGK1 as a Therapeutic Target for NF2: Inhibition of mTORC1/2 is More Effective than Rapamycin. <i>FASEB Journal</i> , 2015 , 29, 889.4	0.9	