

Renjithkumar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/750911/publications.pdf>

Version: 2024-02-01

13
papers

36
citations

2258059

3
h-index

1872680

6
g-index

13
all docs

13
docs citations

13
times ranked

21
citing authors

#	ARTICLE	IF	CITATIONS
1	Vulnerability in the Feeding Ecology of Endemic Mahseer, <i>Tor malabaricus</i> (Jerdon, 1849) from Western Ghats Biodiversity Hotspot, India. <i>Inland Water Biology</i> , 2022, 15, 170-178.	0.8	1
2	Length-weight relationships of four fish species from Vembanad-Kole Wetland (Kerala, India). <i>Journal of Applied Ichthyology</i> , 2021, 37, 135-136.	0.7	2
3	Reproductive Biology of the Endemic Fish <i>Etroplus suratensis</i> (Cichlidae) from a Tropical Estuary in Southern India. <i>Journal of Ichthyology</i> , 2021, 61, 460-466.	0.5	1
4	Demographics and Reproductive Characteristics of Orange Chromidae, <i>Pseudetroplus maculatus</i> (Bloch, 1975) from Cochin Estuary, Southern India. <i>Thalassas</i> , 2021, 37, 905-915.	0.5	2
5	First record of the Mayan Cichlid <i>Mayaheros urophthalmus</i> (Günther, 1862) in South Asia and its potential implications. <i>Journal of Applied Ichthyology</i> , 2020, 36, 699-704.	0.7	2
6	Reproductive biology of the endemic cyprinid fish <i>Hypseleobarbus thomassi</i> (Day, 1874) from Kallada River in the Western Ghats, India. <i>Journal of Applied Ichthyology</i> , 2020, 36, 604-612.	0.7	9
7	Population dynamics and management strategies for the invasive African Catfish <i>Clarias gariepinus</i> (Burchell, 1822) in the Western Ghats hotspot. <i>Journal of Threatened Taxa</i> , 2020, 12, 16380-16384.	0.3	4
8	Population dynamics of <i>Hypseleobarbus thomassi</i> (Day 1874), an endemic cyprinid fish from a tropical reservoir of Southern Western Ghats, India. <i>Lakes and Reservoirs: Research and Management</i> , 2020, 25, 388-393.	0.9	0
9	Length-weight relationship of two cyprinid fish species, <i>Hypseleobarbus thomassi</i> (Day, 1874) and <i>Hypseleobarbus kurali</i> (Menon & Rema Devi, 1995) from River Kallada, Southern Western Ghats, India. <i>Journal of Applied Ichthyology</i> , 2018, 34, 731-732.	0.7	3
10	Length-weight relationship of two Ambassid fish species, <i>Parambassis dayi</i> (Bleeker, 1874) and <i>Parambassis thomassi</i> (Day, 1870) from River Pamba, Southern Western Ghats, India. <i>Journal of Applied Ichthyology</i> , 2017, 33, 1290-1291.	0.7	0
11	Length-weight relationships of three freshwater cyprinid fish species from Chalakudy River, South Western Ghats, India. <i>Journal of Applied Ichthyology</i> , 2016, 32, 1340-1341.	0.7	0
12	Length-weight relationship of two cichlid fish species, <i>Etroplus suratensis</i> (Bloch, 1790) and <i>Etroplus maculatus</i> (Bloch, 1795) from Lake Vembanad, Kerala, India. <i>Journal of Applied Ichthyology</i> , 2016, 32, 1308-1309.	0.7	4
13	Record of a newly introduced fish, red-bellied pacu <i>Piaractus brachypomus</i> (Cuvier, 1818) (Characiformes, Serrasalminidae), in a tropical wetland system, India. <i>Journal of Applied Ichthyology</i> , 2014, 30, 1037-1038.	0.7	8