

# Richard A Johnston

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7509410/richard-a-johnston-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34  
papers

1,688  
citations

18  
h-index

35  
g-index

35  
ext. papers

1,852  
ext. citations

4.2  
avg, IF

4.07  
L-index

#	Paper	IF	Citations
34	High-fat western diet-consumption alters crystalline silica-induced serum adipokines, inflammatory cytokines and arterial blood flow in the F344 rat.. <i>Toxicology Reports</i> , <b>2022</b> , 9, 12-21	4.8	1
33	High-fat Western diet consumption exacerbates silica-induced pulmonary inflammation and fibrosis. <i>Toxicology Reports</i> , <b>2022</b> , 9, 1045-1053	4.8	0
32	Obesity and asthma: What have we learned from animal models? <b>2019</b> , 111-142		
31	Characteristics and Outcomes of Children with Clinical History of Atopic Non-atopic Asthma Admitted to a Tertiary Pediatric Intensive Care Unit. <i>Open Respiratory Medicine Journal</i> , <b>2018</b> , 12, 21-28	1.1	
30	Low-dose administration of bleomycin leads to early alterations in lung mechanics. <i>Experimental Physiology</i> , <b>2018</b> , 103, 1692-1703	2.4	6
29	Chemokine (C-C Motif) Receptor-Like 2 is not essential for lung injury, lung inflammation, or airway hyperresponsiveness induced by acute exposure to ozone. <i>Physiological Reports</i> , <b>2017</b> , 5, e13545	2.6	2
28	Plasminogen activator inhibitor-1 does not contribute to the pulmonary pathology induced by acute exposure to ozone. <i>Physiological Reports</i> , <b>2016</b> , 4, e12983	2.6	4
27	Deletion of ADORA2B from myeloid cells dampens lung fibrosis and pulmonary hypertension. <i>FASEB Journal</i> , <b>2015</b> , 29, 50-60	0.9	52
26	Resistin deficiency in mice has no effect on pulmonary responses induced by acute ozone exposure. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2015</b> , 309, L1174-85	5.8	6
25	Effect of antigen sensitization and challenge on oscillatory mechanics of the lung and pulmonary inflammation in obese carboxypeptidase E-deficient mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 307, R621-33	3.2	12
24	Adenosine A2B receptor and hyaluronan modulate pulmonary hypertension associated with chronic obstructive pulmonary disease. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2013</b> , 49, 1038-47	5.7	47
23	Endogenous osteopontin promotes ozone-induced neutrophil recruitment to the lungs and airway hyperresponsiveness to methacholine. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2013</b> , 305, L118-29	5.8	20
22	The A2B adenosine receptor modulates pulmonary hypertension associated with interstitial lung disease. <i>FASEB Journal</i> , <b>2012</b> , 26, 2546-57	0.9	72
21	Impact of adiponectin deficiency on pulmonary responses to acute ozone exposure in mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2010</b> , 43, 487-97	5.7	36
20	Onset of obesity in carboxypeptidase E-deficient mice and effect on airway responsiveness and pulmonary responses to ozone. <i>Journal of Applied Physiology</i> , <b>2010</b> , 108, 1812-9	3.7	20
19	Pulmonary responses to subacute ozone exposure in obese vs. lean mice. <i>Journal of Applied Physiology</i> , <b>2009</b> , 107, 1445-52	3.7	35
18	Diet-induced obesity causes innate airway hyperresponsiveness to methacholine and enhances ozone-induced pulmonary inflammation. <i>Journal of Applied Physiology</i> , <b>2008</b> , 104, 1727-35	3.7	109

17	Ozone exposure in a mouse model induces airway hyperreactivity that requires the presence of natural killer T cells and IL-17. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 385-93	16.6	261
16	Pulmonary responses to acute ozone exposure in fasted mice: effect of leptin administration. <i>Journal of Applied Physiology</i> , <b>2007</b> , 102, 149-56	3.7	18
15	Allergic airway responses in obese mice. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2007</b> , 176, 650-8	10.2	114
14	Type I interleukin-1 receptor is required for pulmonary responses to subacute ozone exposure in mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2007</b> , 37, 477-84	5.7	33
13	Obesity and asthma <b>2006</b> , 110, 83-102		204
12	Augmented responses to ozone in obese carboxypeptidase E-deficient mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 290, R126-33	3.2	66
11	Increased pulmonary responses to acute ozone exposure in obese db/db mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2006</b> , 290, L856-65	5.8	111
10	Effect of leptin on allergic airway responses in mice. <i>Journal of Allergy and Clinical Immunology</i> , <b>2005</b> , 115, 103-9	11.5	252
9	CXCR2 is essential for maximal neutrophil recruitment and methacholine responsiveness after ozone exposure. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2005</b> , 288, L61-7	5.8	77
8	Role of interleukin-6 in murine airway responses to ozone. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2005</b> , 288, L390-7	5.8	68
7	Hyperosmolar solution effects in guinea pig airways. IV. Lipopolysaccharide-induced alterations in airway reactivity and epithelial bioelectric responses to methacholine and hyperosmolarity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 37-46	4.7	11
6	Hyperosmolar solution effects in guinea pig airways. III. Studies on the identity of epithelium-derived relaxing factor in isolated perfused trachea using pharmacological agents. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 30-6	4.7	7
5	Hyperosmolar solution effects in guinea pig airways. II. Epithelial bioelectric responses to relative changes in osmolarity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 19-29	4.7	8
4	Hyperosmolar solution effects in guinea pig airways. I. Mechanical responses to relative changes in osmolarity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2004</b> , 308, 10-8	4.7	10
3	Macrophage Inflammatory Protein-2 Levels Are Associated With Changes in Serum Leptin Concentrations Following Ozone-Induced Airway Inflammation. <i>Chest</i> , <b>2003</b> , 123, 369S-370S	5.3	8
2	Macrophage inflammatory protein-2 levels are associated with changes in serum leptin concentrations following ozone-induced airway inflammation. <i>Chest</i> , <b>2003</b> , 123, 369S-70S	5.3	4
1	Pharmacological techniques for the in vitro study of airways. <i>Journal of Pharmacological and Toxicological Methods</i> , <b>2001</b> , 45, 159-74	1.7	14