

Sumit Ranjan Majumdar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7509631/publications.pdf>

Version: 2024-02-01

109
papers

4,826
citations

117453

34
h-index

102304

66
g-index

113
all docs

113
docs citations

113
times ranked

7359
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Accounts of health risk assessment survey administration in the Catch a Break Program: the social construction of osteoporosis risk identification and need for intervention. Archives of Osteoporosis, 2021, 16, 136. | 1.0 | 1 |
| 2 | Successful implementation of a Fracture Liaison Service through effective change management: a qualitative study. Archives of Osteoporosis, 2020, 15, 44. | 1.0 | 7 |
| 3 | An Outreach Rehabilitation Program for Nursing Home Residents After Hip Fracture May Be Cost-Saving. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, e159-e165. | 1.7 | 7 |
| 4 | Blood pressure reduction in hypertensive acute ischemic stroke patients does not affect cerebral blood flow. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 1878-1887. | 2.4 | 8 |
| 5 | Impact of a household-level deductible on prescription drug use among lower-income adults: a quasi-experimental study. CMAJ Open, 2019, 7, E167-E173. | 1.1 | 7 |
| 6 | Changes in employer-sponsored private health insurance among retirees in Ontario: a cross-sectional study. CMAJ Open, 2019, 7, E15-E22. | 1.1 | 6 |
| 7 | Quality improvement strategies to prevent falls in older adults: a systematic review and network meta-analysis. Age and Ageing, 2019, 48, 337-346. | 0.7 | 17 |
| 8 | Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). Journal of Bone and Mineral Research, 2019, 34, 1220-1228. | 3.1 | 13 |
| 9 | Rehabilitation After Hip Fracture for Nursing Home Residents: A Controlled Feasibility Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1518-1525. | 1.7 | 13 |
| 10 | Association Between Fluid Balance and Outcomes in Critically Ill Children. JAMA Pediatrics, 2018, 172, 257. | 3.3 | 261 |
| 11 | Comparative Effectiveness and Safety of Cognitive Enhancers for Treating Alzheimer's Disease: Systematic Review and Network Metaanalysis. Journal of the American Geriatrics Society, 2018, 66, 170-178. | 1.3 | 89 |
| 12 | Comparative Safety of Dipeptidyl Peptidase-4 Inhibitors Versus Sulfonylureas and Other Glucose-lowering Therapies for Three Acute Outcomes. Scientific Reports, 2018, 8, 15142. | 1.6 | 17 |
| 13 | Examining the risk of depression or self-harm associated with incretin-based therapies used to manage hyperglycaemia in patients with type 2 diabetes: a cohort study using the UK Clinical Practice Research Datalink. BMJ Open, 2018, 8, e023830. | 0.8 | 15 |
| 14 | Engaging patients and primary care providers in the design of novel opinion leader based interventions for acute asthma in the emergency department: a mixed methods study. BMC Health Services Research, 2018, 18, 789. | 0.9 | 3 |
| 15 | Sustaining knowledge translation interventions for chronic disease management in older adults: protocol for a systematic review and network meta-analysis. Systematic Reviews, 2018, 7, 140. | 2.5 | 5 |
| 16 | Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. Journal of Bone and Mineral Research, 2018, 33, 2114-2121. | 3.1 | 23 |
| 17 | The diagnostic threshold for osteoporosis impedes fracture prevention in women at high risk for fracture: A registry-based cohort study. Bone, 2018, 114, 298-303. | 1.4 | 19 |
| 18 | Metformin, Asian ethnicity and risk of prostate cancer in type 2 diabetes: a systematic review and meta-analysis. BMC Cancer, 2018, 18, 65. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Measuring improvement in fracture risk prediction for a new risk factor: a simulation. BMC Research Notes, 2018, 11, 62. | 0.6 | 6 |
| 20 | Association of Mental Disorders and Related Medication Use With Risk for Major Osteoporotic Fractures. JAMA Psychiatry, 2017, 74, 641. | 6.0 | 60 |
| 21 | The evaluating self-management and educational support in severely obese patients awaiting multidisciplinary bariatric care (EVOLUTION) trial: principal results. BMC Medicine, 2017, 15, 46. | 2.3 | 15 |
| 22 | Impact of income-based deductibles on drug use and health care utilization among older adults. Cmaj, 2017, 189, E690-E696. | 0.9 | 11 |
| 23 | Objectively-Verified Parental Non-Hip Major Osteoporotic Fractures and Offspring Osteoporotic Fracture Risk: A Population-Based Familial Linkage Study. Journal of Bone and Mineral Research, 2017, 32, 716-721. | 3.1 | 7 |
| 24 | Associations Between Fluid Balance and Outcomes in Critically Ill Children. Canadian Journal of Kidney Health and Disease, 2017, 4, 205435811769256. | 0.6 | 14 |
| 25 | Change in Trabecular Bone Score (TBS) With Antiresorptive Therapy Does Not Predict Fracture in Women: The Manitoba BMD Cohort. Journal of Bone and Mineral Research, 2017, 32, 618-623. | 3.1 | 22 |
| 26 | Dietary intake and prospective changes in cardiometabolic risk factors in children and youth. Applied Physiology, Nutrition and Metabolism, 2017, 42, 39-45. | 0.9 | 20 |
| 27 | Total Hip Bone Area Affects Fracture Prediction With FRAX® in Canadian White Women. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4242-4249. | 1.8 | 7 |
| 28 | Comparisons of Interventions for Preventing Falls in Older Adults. JAMA - Journal of the American Medical Association, 2017, 318, 1687. | 3.8 | 420 |
| 29 | Association of insulin dosage with mortality or major adverse cardiovascular events: a retrospective cohort study. Lancet Diabetes and Endocrinology, the, 2017, 5, 43-52. | 5.5 | 43 |
| 30 | Sitagliptin and risk of fractures in type 2 diabetes: results from the TECOS trial. Diabetes, Obesity and Metabolism, 2017, 19, 78-86. | 2.2 | 52 |
| 31 | Association of Preference-Based Health-Related Quality of Life with Weight Loss in Obese Adults. Value in Health, 2017, 20, 694-698. | 0.1 | 7 |
| 32 | Invasive Pneumococcal Disease: Still Lots to Learn and a Need for Standardized Data Collection Instruments. Canadian Respiratory Journal, 2017, 2017, 1-9. | 0.8 | 15 |
| 33 | The impact of a physician detailing and sampling program for generic atorvastatin: an interrupted time series analysis. Implementation Science, 2017, 12, 141. | 2.5 | 2 |
| 34 | Rates of, and risk factors for, septic arthritis in patients with invasive pneumococcal disease: prospective cohort study. BMC Infectious Diseases, 2017, 17, 680. | 1.3 | 8 |
| 35 | Comparative effectiveness and safety of gastric bypass, sleeve gastrectomy and adjustable gastric banding in a population-based bariatric program: prospective cohort study. Canadian Journal of Surgery, 2016, 59, 233-241. | 0.5 | 18 |
| 36 | A qualitative study examining healthcare managers and providers' perspectives on participating in primary care implementation research. BMC Health Services Research, 2016, 16, 316. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Medication Discrepancies Associated With a Medication Reconciliation Program and Clinical Outcomes After Hospital Discharge. <i>Pharmacotherapy</i> , 2016, 36, 415-421. | 1.2 | 16 |
| 38 | Comparing three different measures of frailty in medical inpatients: Multicenter prospective cohort study examining 30-day risk of readmission or death. <i>Journal of Hospital Medicine</i> , 2016, 11, 556-562. | 0.7 | 33 |
| 39 | Does Sitagliptin Affect the Rate of Osteoporotic Fractures in Type 2 Diabetes? Population-Based Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1963-1969. | 1.8 | 38 |
| 40 | Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. <i>General Hospital Psychiatry</i> , 2016, 39, 80-85. | 1.2 | 16 |
| 41 | Current Smoking and Reduced Mortality in Bacteremic Pneumococcal Pneumonia. <i>Chest</i> , 2016, 150, 652-660. | 0.4 | 7 |
| 42 | Longer Duration of Diabetes Strongly Impacts Fracture Risk Assessment: The Manitoba BMD Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4489-4496. | 1.8 | 92 |
| 43 | Asplenic patients and invasive pneumococcal disease—how bad is it these days?. <i>International Journal of Infectious Diseases</i> , 2016, 51, 27-30. | 1.5 | 14 |
| 44 | A Rapid Bedside Screen to Predict Unplanned Hospitalization and Death in Outpatients With Cirrhosis: A Prospective Evaluation of the Clinical Frailty Scale. <i>American Journal of Gastroenterology</i> , 2016, 111, 1759-1767. | 0.2 | 152 |
| 45 | A prospective multicenter cohort study of frailty in younger critically ill patients. <i>Critical Care</i> , 2016, 20, 175. | 2.5 | 98 |
| 46 | Cost-Effectiveness Evaluation of Collaborative Care for Diabetes and Depression in Primary Care. <i>American Journal of Preventive Medicine</i> , 2016, 51, e13-e20. | 1.6 | 18 |
| 47 | Objectively Verified Parental Hip Fracture Is an Independent Risk Factor for Fracture: a Linkage Analysis of 478,792 Parents and 261,705 Offspring. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 1753-1759. | 3.1 | 31 |
| 48 | Comparative safety and effectiveness of cognitive enhancers for Alzheimer's dementia: protocol for a systematic review and individual patient data network meta-analysis. <i>BMJ Open</i> , 2016, 6, e010251. | 0.8 | 16 |
| 49 | Depressive symptoms are associated with higher rates of readmission or mortality after medical hospitalization: A systematic review and meta-analysis. <i>Journal of Hospital Medicine</i> , 2016, 11, 373-380. | 0.7 | 57 |
| 50 | Patient-Reported Discharge Readiness and 30-Day Risk of Readmission or Death: A Prospective Cohort Study. <i>American Journal of Medicine</i> , 2016, 129, 89-95. | 0.6 | 37 |
| 51 | Antihypertensive treatments for adults with type 2 diabetes. <i>BMJ</i> , The, 2016, 352, i560. | 3.0 | 2 |
| 52 | Patient isolation precautions and 30-day risk of readmission or death after hospital discharge: a prospective cohort study. <i>International Journal of Infectious Diseases</i> , 2016, 43, 74-76. | 1.5 | 6 |
| 53 | Associations of Body Mass Index With Incident Fractures and Hip Structural Parameters in a Large Canadian Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 476-484. | 1.8 | 26 |
| 54 | Telemonitoring and Protocolized Case Management for Hypertensive Community-Dwelling Seniors With Diabetes: Protocol of the TECHNOMED Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2016, 5, e107. | 0.5 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A Comparison of Casual In-Clinic Blood Pressure Measurements to Standardized Guideline-Concordant Measurements in Severely Obese Individuals. <i>International Journal of Hypertension</i> , 2015, 2015, 1-5. | 0.5 | 2 |
| 56 | Association between frailty and 30-day outcomes after discharge from hospital. <i>Cmaj</i> , 2015, 187, 799-804. | 0.9 | 173 |
| 57 | Limited Impact of Drug Exposure Misclassification From Non-Benefit Thiazolidinedione Drug Use on Mortality and Hospitalizations From Saskatchewan, Canada: A Cohort Study. <i>Clinical Therapeutics</i> , 2015, 37, 629-642. | 1.1 | 0 |
| 58 | Association of Inadequate Health Literacy with Health Outcomes in Patients with Type 2 Diabetes and Depression: Secondary Analysis of a Controlled Trial. <i>Canadian Journal of Diabetes</i> , 2015, 39, 259-265. | 0.4 | 33 |
| 59 | Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. <i>Canadian Journal of Diabetes</i> , 2015, 39, S77-S82. | 0.4 | 9 |
| 60 | Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. <i>Canadian Journal of Diabetes</i> , 2015, 39, S100-S112. | 0.4 | 6 |
| 61 | Contextualizing the Effectiveness of a Collaborative Care Model for Primary Care Patients with Diabetes and Depression (Teamcare): A Qualitative Assessment Using RE-AIM. <i>Canadian Journal of Diabetes</i> , 2015, 39, S83-S91. | 0.4 | 30 |
| 62 | The Alberta's Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2015, 39, S113-S119. | 0.4 | 26 |
| 63 | Collaborative Care Versus Screening and Follow-up for Patients With Diabetes and Depressive Symptoms: Results of a Primary Care-Based Comparative Effectiveness Trial. <i>Diabetes Care</i> , 2014, 37, 3220-3226. | 4.3 | 63 |
| 64 | Prioritization and willingness to pay for bariatric surgery: the patient perspective. <i>Canadian Journal of Surgery</i> , 2014, 57, 33-39. | 0.5 | 20 |
| 65 | Safely and effectively reducing inpatient length of stay: a controlled study of the General Internal Medicine Care Transformation Initiative. <i>BMJ Quality and Safety</i> , 2014, 23, 446-456. | 1.8 | 28 |
| 66 | Safety and effectiveness of dipeptidyl peptidase-4 inhibitors versus intermediate-acting insulin or placebo for patients with type 2 diabetes failing two oral antihyperglycaemic agents: a systematic review and network meta-analysis. <i>BMJ Open</i> , 2014, 4, e005752. | 0.8 | 31 |
| 67 | Case management reduces global vascular risk after stroke: Secondary results from the The preventing recurrent vascular events and neurological worsening through intensive organized case-management randomized controlled trial. <i>American Heart Journal</i> , 2014, 168, 924-930. | 1.2 | 16 |
| 68 | Cholesterol End Points Predict Outcome in Patients With Coronary Disease: Quality Improvement Metrics from The Enhancing Secondary Prevention in Coronary Artery Disease (ESP-CAD) Trial. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1627-1632. | 0.8 | 3 |
| 69 | Case management for blood pressure and lipid level control after minor stroke: PREVENTION randomized controlled trial. <i>Cmaj</i> , 2014, 186, 577-584. | 0.9 | 69 |
| 70 | Safety, effectiveness, and cost effectiveness of long acting versus intermediate acting insulin for patients with type 1 diabetes: systematic review and network meta-analysis. <i>BMJ</i> , The, 2014, 349, g5459-g5459. | 3.0 | 84 |
| 71 | Outdoor Time Is Associated with Physical Activity, Sedentary Time, and Cardiorespiratory Fitness in Youth. <i>Journal of Pediatrics</i> , 2014, 165, 516-521. | 0.9 | 68 |
| 72 | Measurement properties and comparative performance of health literacy screening questions in a predominantly low income African American population with diabetes. <i>Patient Education and Counseling</i> , 2014, 97, 88-95. | 1.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Cost-Effectiveness of Osteoporosis Interventions for 'Incidental' Vertebral Fractures. American Journal of Medicine, 2013, 126, 169.e9-169.e17. | 0.6 | 12 |
| 74 | Of Fracture Thresholds and Bone Mineral Density Reference Data: Does One Size Really Fit All?. Journal of Clinical Densitometry, 2013, 16, 543-548. | 0.5 | 2 |
| 75 | Cost-Effectiveness of Two Inexpensive Postfracture Osteoporosis Interventions: Results of a Randomized Trial. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 1991-2000. | 1.8 | 22 |
| 76 | The Disconnect Between Better Quality of Glucocorticoid-induced Osteoporosis Preventive Care and Better Outcomes: A Population-based Cohort Study. Journal of Rheumatology, 2013, 40, 1736-1741. | 1.0 | 24 |
| 77 | A Simple Prediction Rule for All-Cause Mortality in a Cohort Eligible for Bariatric Surgery. JAMA Surgery, 2013, 148, 1109. | 2.2 | 37 |
| 78 | Macrolide Use in the Treatment of Critically Ill Patients with Pneumonia: Incidence, Correlates, Timing and Outcomes. Canadian Journal of Infectious Diseases and Medical Microbiology, 2013, 24, e107-e112. | 0.7 | 10 |
| 79 | Quality-improvement interventions for osteoporosis: When are the results worth the effort?. Cmaj, 2012, 184, 279-280. | 0.9 | 3 |
| 80 | Heart Failure Is a Clinically and Densitometrically Independent Risk Factor for Osteoporotic Fractures: Population-Based Cohort Study of 45,509 Subjects. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1179-1186. | 1.8 | 50 |
| 81 | Interventions to Increase Osteoporosis Treatment in Patients with "Incidentally" Detected Vertebral Fractures. American Journal of Medicine, 2012, 125, 929-936. | 0.6 | 33 |
| 82 | Understanding the relationship between heart failure and osteoporosis-related fractures. Expert Review of Endocrinology and Metabolism, 2012, 7, 1-4. | 1.2 | 1 |
| 83 | Successful high-quality knowledge translation research: three case studies. Journal of Clinical Epidemiology, 2011, 64, 21-24. | 2.4 | 4 |
| 84 | Oxygen Saturations Less than 92% Are Associated with Major Adverse Events in Outpatients with Pneumonia: A Population-Based Cohort Study. Clinical Infectious Diseases, 2011, 52, 325-331. | 2.9 | 106 |
| 85 | The preventing recurrent vascular events and neurological worsening through intensive organized case-management (PREVENTION) trial protocol [clinicaltrials.gov identifier: NCT00931788]. Implementation Science, 2010, 5, 27. | 2.5 | 9 |
| 86 | Prevalence and predictors of vertebral fracture in patients with chronic obstructive pulmonary disease. Respiratory Medicine, 2010, 104, 260-266. | 1.3 | 43 |
| 87 | Response to Letter Regarding Article, "Heart Failure Is a Risk Factor for Orthopedic Fracture: A Population-Based Analysis of 16 294 Patients". Circulation, 2009, 120, . | 1.6 | 0 |
| 88 | The Unhealthy State Of Health Policy Research. Health Affairs, 2009, 28, w900-w908. | 2.5 | 33 |
| 89 | Forced Euvolemic Diuresis With Mannitol and Furosemide for Prevention of Contrast-Induced Nephropathy in Patients With CKD Undergoing Coronary Angiography: A Randomized Controlled Trial. American Journal of Kidney Diseases, 2009, 54, 602-609. | 2.1 | 107 |
| 90 | Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. Cmaj, 2008, 178, 569-575. | 0.9 | 132 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Better Outcomes for Patients Treated at Hospitals That Participate in Clinical Trials. Archives of Internal Medicine, 2008, 168, 657. | 4.3 | 142 |
| 92 | Viral Infection in Adults Hospitalized With Community-Acquired Pneumonia. Chest, 2008, 134, 1141-1148. | 0.4 | 268 |
| 93 | Use of a Case Manager to Improve Osteoporosis Treatment After Hip Fracture. Archives of Internal Medicine, 2007, 167, 2110. | 4.3 | 129 |
| 94 | Impact of opinion leader-endorsed evidence summaries on the quality of prescribing for patients with cardiovascular disease: A randomized controlled trial. American Heart Journal, 2007, 153, 22.e1-22.e8. | 1.2 | 34 |
| 95 | Statins and outcomes in patients admitted to hospital with community acquired pneumonia: population based prospective cohort study. BMJ: British Medical Journal, 2006, 333, 999. | 2.4 | 230 |
| 96 | A cluster randomized trial to assess the impact of opinion leader endorsed evidence summaries on improving quality of prescribing for patients with chronic cardiovascular disease: rationale and design [ISRCTN26365328]. BMC Cardiovascular Disorders, 2005, 5, 17. | 0.7 | 7 |
| 97 | A Controlled Trial To Increase Detection and Treatment of Osteoporosis in Older Patients with a Wrist Fracture. Annals of Internal Medicine, 2004, 141, 366. | 2.0 | 148 |
| 98 | Improvements in Patient-Reported Outcomes Associated With an Intervention to Enhance Quality of Care for Rural Patients With Type 2 Diabetes: Results of a controlled trial. Diabetes Care, 2004, 27, 1306-1312. | 4.3 | 46 |
| 99 | Promotion and Prescribing of Hormone Therapy After Report of Harm by the Women's Health Initiative. JAMA - Journal of the American Medical Association, 2004, 292, 1983. | 3.8 | 144 |
| 100 | From knowledge to practice in chronic cardiovascular disease: a long and winding road. Journal of the American College of Cardiology, 2004, 43, 1738-1742. | 1.2 | 133 |
| 101 | Do evidence-based treatments provide incremental benefits to patients with congestive heart failure already receiving angiotensin-converting enzyme inhibitors? A secondary analysis of one-year outcomes from the assessment of treatment with lisinopril and survival (ATLAS) study. Clinical Therapeutics, 2004, 26, 694-703. | 1.1 | 22 |
| 102 | Physician-Perceived Barriers to Adopting a Critical Pathway for Community-Acquired Pneumonia. Joint Commission Journal on Quality and Safety, 2004, 30, 387-395. | 1.3 | 19 |
| 103 | Synergy between publication and promotion: comparing adoption of new evidence in Canada and the United States. American Journal of Medicine, 2003, 115, 467-472. | 0.6 | 61 |
| 104 | Controlled Trial of a Multifaceted Intervention for Improving Quality of Care for Rural Patients With Type 2 Diabetes. Diabetes Care, 2003, 26, 3061-3066. | 4.3 | 85 |
| 105 | Why most interventions to improve physician prescribing do not seem to work. Cmaj, 2003, 169, 30-1. | 0.9 | 27 |
| 106 | Do the investigative sites that take part in a positive clinical trial translate that evidence into practice?. American Journal of Medicine, 2002, 113, 140-145. | 0.6 | 41 |
| 107 | Influence of physician specialty on adoption and relinquishment of calcium channel blockers and other treatments for myocardial infarction. Journal of General Internal Medicine, 2001, 16, 351-359. | 1.3 | 37 |
| 108 | The Knowledge-to-Action Cycle. , 0, , 57-181. | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 109 | Evaluating and Improving Physician Prescribing. , 0, , 419-437. | | 0 |