

Patrick J Hanly

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7510646/patrick-j-hanly-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

6,602
citations

37
h-index

81
g-index

96
ext. papers

7,510
ext. citations

5.3
avg, IF

5.61
L-index

#	Paper	IF	Citations
91	Impact of intermittent hypoxia on human vascular responses during sleep. <i>Experimental Neurology</i> , 2022 , 347, 113897	5.7	0
90	Association between risk of obstructive sleep apnea, inflammation and cognition after 45 years old in the Canadian Longitudinal Study on Aging.. <i>Sleep Medicine</i> , 2022 , 91, 21-30	4.6	1
89	A portrait of obstructive sleep apnea risk factors in 27,210 middle-aged and older adults in the Canadian Longitudinal Study on Aging.. <i>Scientific Reports</i> , 2022 , 12, 5127	4.9	0
88	Nocturnal hypoxemia severity influences the effect of CPAP therapy on renal renin-angiotensin-aldosterone system activity in humans with obstructive sleep apnea. <i>Sleep</i> , 2021 , 44,	1.1	3
87	Risk of chronic kidney disease in patients with obstructive sleep apnea. <i>Sleep</i> , 2021 ,	1.1	2
86	Impact of obstructive sleep apnoea and intermittent hypoxia on blood rheology: a translational study. <i>European Respiratory Journal</i> , 2021 , 58,	13.6	3
85	Recruitment of patients with chronic kidney disease and obstructive sleep apnoea for a clinical trial. <i>Journal of Sleep Research</i> , 2021 , 30, e13384	5.8	
84	The Brain in Motion II Study: study protocol for a randomized controlled trial of an aerobic exercise intervention for older adults at increased risk of dementia. <i>Trials</i> , 2021 , 22, 394	2.8	0
83	Contribution of hypercapnia to cognitive impairment in severe sleep-disordered breathing. <i>Journal of Clinical Sleep Medicine</i> , 2021 ,	3.1	1
82	Association of sleep spindle characteristics with executive functioning in healthy sedentary middle-aged and older adults. <i>Journal of Sleep Research</i> , 2021 , 30, e13037	5.8	7
81	Effect of CPAP Therapy on Kidney Function in Patients With Chronic Kidney Disease: A Pilot Randomized Controlled Trial. <i>Chest</i> , 2021 , 159, 2008-2019	5.3	6
80	Impact of nocturnal oxygen and CPAP on the ventilatory response to hypoxia in OSA patients free of overt cardiovascular disease. <i>Experimental Neurology</i> , 2021 , 346, 113852	5.7	0
79	Effects of Wait Times on Treatment Adherence and Clinical Outcomes in Patients With Severe Sleep-Disordered Breathing: A Secondary Analysis of a Noninferiority Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e203088	10.4	8
78	Helping Canadian health care providers to optimize Sleep Disordered Breathing management for their patients during the COVID-19 pandemic. <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , 2020 , 4, 81-82	0.6	9
77	Prevalence of chronic kidney disease in obesity hypoventilation syndrome and obstructive sleep apnoea with severe obesity. <i>Sleep Medicine</i> , 2020 , 74, 73-77	4.6	0
76	Urine biomarkers of renal renin-angiotensin system activity: Exploratory analysis in humans with and without obstructive sleep apnea. <i>Physiological Reports</i> , 2020 , 8, e14376	2.6	2
75	Symptom subtypes and cognitive function in a clinic-based OSA cohort: a multi-centre Canadian study. <i>Sleep Medicine</i> , 2020 , 74, 92-98	4.6	1

74	Predicting CPAP failure in patients with suspected sleep hypoventilation identified on ambulatory testing. <i>Journal of Clinical Sleep Medicine</i> , 2020 , 16, 1555-1565	3.1	2
73	Sex differences in renal hemodynamics and renin-angiotensin system activity post-CPAP therapy in humans with obstructive sleep apnea. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F25-F34	4.3	5
72	Updated recommendations for resumption of sleep clinic and laboratory testing. <i>Canadian Journal of Respiratory, Critical Care, and Sleep Medicine</i> , 2020 , 4, 160-162	0.6	1
71	Vascular responses to hypoxia are not impaired in obstructive sleep apnoea patients free of overt cardiovascular disease. <i>Experimental Physiology</i> , 2019 , 104, 580-600	2.4	5
70	0091 Spindle Characteristics Are Associated With Executive Function In Healthy Older Adults From The Brain In Motion Study. <i>Sleep</i> , 2019 , 42, A37-A38	1.1	1
69	Effect of CPAP therapy on kidney function in patients with obstructive sleep apnoea and chronic kidney disease: a protocol for a randomised controlled clinical trial. <i>BMJ Open</i> , 2019 , 9, e024632	3	8
68	Circulating biomarkers to identify cardiometabolic complications in patients with Obstructive Sleep Apnea: A systematic review. <i>Sleep Medicine Reviews</i> , 2019 , 44, 48-57	10.2	12
67	Profile of CPAP treated patients in Ontario, Canada, 2006-2013: a population-based cohort study. <i>Sleep Medicine</i> , 2018 , 51, 22-28	4.6	7
66	CPAP Therapy Delays Cardiovagal Reactivation and Decreases Arterial Renin-Angiotensin System Activity in Humans With Obstructive Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2018 , 14, 1509-1520	3.1	6
65	Effects of Six-Month Aerobic Exercise Intervention on Sleep in Healthy Older Adults in the Study: A Pilot Study. <i>Journal of Alzheimerts Disease Reports</i> , 2018 , 2, 229-238	3.3	4
64	Impact of obstructive sleep apnoea and intermittent hypoxia on cardiovascular and cerebrovascular regulation. <i>Experimental Physiology</i> , 2017 , 102, 743-763	2.4	50
63	Evaluation of an alternative care provider clinic for severe sleep-disordered breathing: a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e014012	3	3
62	Effect of Obstructive Sleep Apnea Treatment on Renal Function in Patients with Cardiovascular Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 1456-1462	10.2	23
61	Plasma Exosomes and Improvements in Endothelial Function by Angiotensin 2 Type 1 Receptor or Cyclooxygenase 2 Blockade following Intermittent Hypoxia. <i>Frontiers in Neurology</i> , 2017 , 8, 709	4.1	15
60	Chronic Kidney Disease and Sleep Apnea Association of Kidney Disease With Obstructive Sleep Apnea in a Population Study of Men. <i>Sleep</i> , 2017 , 40,	1.1	23
59	Minimizing Interrater Variability in Staging Sleep by Use of Computer-Derived Features. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 1347-1356	3.1	12
58	Staging Sleep in Polysomnograms: Analysis of Inter-Scorer Variability. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 885-94	3.1	50
57	Evidence of association between sleep quality and APOE ε in healthy older adults: A pilot study. <i>Neurology</i> , 2016 , 87, 1836-1842	6.5	35

56	Immediate postarousal sleep dynamics: an important determinant of sleep stability in obstructive sleep apnea. <i>Journal of Applied Physiology</i> , 2016 , 120, 801-8	3.7	31
55	An observational study of the effectiveness of alternative care providers in the management of obstructive sleep apnea. <i>Journal of Sleep Research</i> , 2016 , 25, 234-40	5.8	8
54	Imaging and Baseline Predictors of Cognitive Performance in Minor Ischemic Stroke and Patients With Transient Ischemic Attack at 90 Days. <i>Stroke</i> , 2016 , 47, 726-31	6.7	20
53	Healthcare Use in Individuals with Obesity and Chronic Hypoxemia Treated for Sleep Disordered Breathing. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 543-8	3.1	5
52	Effect on Intermittent Hypoxia on Plasma Exosomal Micro RNA Signature and Endothelial Function in Healthy Adults. <i>Sleep</i> , 2016 , 39, 2077-2090	1.1	52
51	Effects of continuous positive airway pressure and isocapnic-hypoxia on cerebral autoregulation in patients with obstructive sleep apnoea. <i>Journal of Physiology</i> , 2016 , 594, 7089-7104	3.9	10
50	Nocturnal hypoxemia severity and renin-angiotensin system activity in obstructive sleep apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 192, 873-80	10.2	39
49	Human intermittent hypoxia-induced respiratory plasticity is not caused by inflammation. <i>European Respiratory Journal</i> , 2015 , 46, 1072-83	13.6	9
48	Prevalence of Sleep-disordered Breathing in Obese Patients with Chronic Hypoxemia. A Cross-Sectional Study. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 921-7	4.7	18
47	Predictors of successful completion of diagnostic home sleep testing in patients with chronic kidney disease. <i>Sleep and Breathing</i> , 2015 , 19, 669-75	3.1	3
46	Odds ratio product of sleep EEG as a continuous measure of sleep state. <i>Sleep</i> , 2015 , 38, 641-54	1.1	76
45	Sleep disturbances among medical students: a global perspective. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 69-74	3.1	118
44	Nocturnal Hypoxemia Is Associated with White Matter Hyperintensities in Patients with a Minor Stroke or Transient Ischemic Attack. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 1417-24	3.1	16
43	Treatment of Sleep Disordered Breathing Liberates Obese Hypoxemic Patients from Oxygen. <i>PLoS ONE</i> , 2015 , 10, e0140135	3.7	8
42	Consider the Kidney when Managing Obstructive Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 845-6	3.1	2
41	Short-term potentiation in the control of pharyngeal muscles in obstructive apnea patients. <i>Sleep</i> , 2014 , 37, 1833-49	1.1	11
40	Relationship between arousal intensity and heart rate response to arousal. <i>Sleep</i> , 2014 , 37, 645-53	1.1	71
39	Sleep apnea and the kidney: is sleep apnea a risk factor for chronic kidney disease?. <i>Chest</i> , 2014 , 146, 1114-1122	5.3	51

38	Evaluation of continuous positive airway pressure therapy on renin-angiotensin system activity in obstructive sleep apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 190, 572-80	10.2	82
37	Diagnostic value of screening instruments for identifying obstructive sleep apnea in kidney failure. <i>Journal of Clinical Sleep Medicine</i> , 2013 , 9, 31-8	3.1	39
36	The prevalence of restless legs syndrome across the full spectrum of kidney disease. <i>Journal of Clinical Sleep Medicine</i> , 2013 , 9, 455-9	3.1	31
35	Declining kidney function increases the prevalence of sleep apnea and nocturnal hypoxia. <i>Chest</i> , 2012 , 141, 1422-1430	5.3	128
34	Clinical presentation of obstructive sleep apnea in patients with chronic kidney disease. <i>Journal of Clinical Sleep Medicine</i> , 2012 , 8, 381-7	3.1	38
33	Decreased Renal Function and the Prevalence of Obstructive Sleep Apnea: Response. <i>Chest</i> , 2012 , 142, 1076-1077	5.3	
32	Sleep disorders over the full range of chronic kidney disease. <i>Blood Purification</i> , 2011 , 31, 146-50	3.1	47
31	Nocturnal hypoxia and loss of kidney function. <i>PLoS ONE</i> , 2011 , 6, e19029	3.7	88
30	Does Snoring Intensity Correlate with the Severity of Obstructive Sleep Apnea?. <i>Journal of Clinical Sleep Medicine</i> , 2010 , 06, 475-478	3.1	48
29	Intermittent hypoxia increases arterial blood pressure in humans through a Renin-Angiotensin system-dependent mechanism. <i>Hypertension</i> , 2010 , 56, 369-77	8.5	114
28	Sleep apnea in patients with transient ischemic attack and minor stroke: opportunity for risk reduction of recurrent stroke?. <i>Stroke</i> , 2010 , 41, 2973-5	6.7	45
27	Determinants of ventilatory instability in obstructive sleep apnea: inherent or acquired?. <i>Sleep</i> , 2009 , 32, 1355-65	1.1	101
26	Impact of sleeping angle on the upper airway and pathogenesis of Cheyne Stokes Respiration. <i>Sleep</i> , 2009 , 32, 1412-3	1.1	3
25	Chronic sleep disorders in survivors of the acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2009 , 35, 314-20	14.5	31
24	Decreased chemosensitivity and improvement of sleep apnea by nocturnal hemodialysis. <i>Sleep Medicine</i> , 2009 , 10, 47-54	4.6	45
23	Sleep disorders and home dialysis. <i>Advances in Chronic Kidney Disease</i> , 2009 , 16, 179-88	4.7	11
22	Clinical Presentation of Obstructive Sleep Apnea in Patients with End-stage Renal Disease. <i>Journal of Clinical Sleep Medicine</i> , 2009 , 05, 115-121	3.1	38
21	Sleep Disruption in Patients with Sleep Apnea and End-Stage Renal Disease. <i>Journal of Clinical Sleep Medicine</i> , 2009 , 05, 324-329	3.1	25

20	Improvement of periodic limb movements following kidney transplantation. <i>Nephron Clinical Practice</i> , 2008 , 109, c133-9			15
19	Sleep disorders and end-stage renal disease. <i>Current Opinion in Pulmonary Medicine</i> , 2008 , 14, 543-50	3		28
18	Sleep monitoring in the intensive care unit: comparison of nurse assessment, actigraphy and polysomnography. <i>Intensive Care Medicine</i> , 2008 , 34, 2076-83	14.5		1097
17	Nocturnal haemodialysis increases pharyngeal size in patients with sleep apnoea and end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 673-9	4.3		59
16	Mechanisms of breathing instability in patients with obstructive sleep apnea. <i>Journal of Applied Physiology</i> , 2007 , 103, 1929-41	3.7		123
15	Intermittent hypoxia and vascular function: implications for obstructive sleep apnoea. <i>Experimental Physiology</i> , 2007 , 92, 51-65	2.4		124
14	Effects of continuous positive airway pressure on cerebral vascular response to hypoxia in patients with obstructive sleep apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 720-5	10.2		68
13	Suppression of central sleep apnea by continuous positive airway pressure and transplant-free survival in heart failure: a post hoc analysis of the Canadian Continuous Positive Airway Pressure for Patients with Central Sleep Apnea and Heart Failure Trial (CANPAP). <i>Circulation</i> , 2007 , 115, 3173-80	16.7		502
12	Impact of kidney transplantation on sleep apnoea in patients with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2007 , 22, 3028-33	4.3		57
11	Continuous positive airway pressure for central sleep apnea and heart failure. <i>New England Journal of Medicine</i> , 2005 , 353, 2025-33	59.2		869
10	Sleep apnea and daytime sleepiness in end-stage renal disease. <i>Seminars in Dialysis</i> , 2004 , 17, 109-14	2.5		70
9	Daytime sleepiness in patients with CRF: impact of nocturnal hemodialysis. <i>American Journal of Kidney Diseases</i> , 2003 , 41, 403-10	7.4		114
8	Contribution of the intensive care unit environment to sleep disruption in mechanically ventilated patients and healthy subjects. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003 , 167, 708-15	10.2		403
7	Sleep in the critically ill patient. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2001 , 22, 153-64	3.9		14
6	Improvement of sleep apnea in patients with chronic renal failure who undergo nocturnal hemodialysis. <i>New England Journal of Medicine</i> , 2001 , 344, 102-7	59.2		434
5	Sleep disruption in the intensive care unit. <i>Current Opinion in Critical Care</i> , 2001 , 7, 21-7	3.5		93
4	Sleep in critically ill patients requiring mechanical ventilation. <i>Chest</i> , 2000 , 117, 809-18	5.3		362
3	Daytime sleepiness in patients with congestive heart failure and Cheyne-Stokes respiration. <i>Chest</i> , 1995 , 107, 952-8	5.3		77

- | | | | |
|---|--|----|-----|
| 2 | Pathogenesis of Cheyne-Stokes respiration in patients with congestive heart failure. Relationship to arterial PCO ₂ . <i>Chest</i> , 1993 , 104, 1079-84 | 53 | 151 |
| 1 | The effect of oxygen on respiration and sleep in patients with congestive heart failure. <i>Annals of Internal Medicine</i> , 1989 , 111, 777-82 | 8 | 165 |