

Grigorios Panagiotou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7511161/publications.pdf>

Version: 2024-02-01

21
papers

1,849
citations

687220

13
h-index

752573

20
g-index

23
all docs

23
docs citations

23
times ranked

3004
citing authors

#	ARTICLE	IF	CITATIONS
1	FND5 and irisin in humans: I. Predictors of circulating concentrations in serum and plasma and II. mRNA expression and circulating concentrations in response to weight loss and exercise. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 1725-1738.	1.5	812
2	Exercise-Induced Irisin Secretion Is Independent of Age or Fitness Level and Increased Irisin May Directly Modulate Muscle Metabolism Through AMPK Activation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2154-E2161.	1.8	263
3	Low serum 25-hydroxyvitamin D (25[OH]D) levels in patients hospitalized with COVID-19 are associated with greater disease severity. <i>Clinical Endocrinology</i> , 2020, 93, 508-511.	1.2	166
4	Circulating Irisin in Healthy, Young Individuals: Day-Night Rhythm, Effects of Food Intake and Exercise, and Associations With Gender, Physical Activity, Diet, and Body Composition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3247-3255.	1.8	133
5	Effects of a 1-year exercise and lifestyle intervention on irisin, adipokines, and inflammatory markers in obese children. <i>Obesity</i> , 2014, 22, 1701-1708.	1.5	106
6	Circulating irisin, omentin-1, and lipoprotein subparticles in adults at higher cardiovascular risk. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 1265-1271.	1.5	90
7	Irisin mRNA and circulating levels in relation to other myokines in healthy and morbidly obese humans. <i>European Journal of Endocrinology</i> , 2013, 169, 829-834.	1.9	55
8	Altered Glucose Uptake in Muscle, Visceral Adipose Tissue, and Brain Predict Whole-Body Insulin Resistance and may Contribute to the Development of Type 2 Diabetes: A Combined PET/MR Study. <i>Hormone and Metabolic Research</i> , 2018, 50, 627-639.	0.7	41
9	Association between lifestyle and anthropometric parameters and thyroid nodule features. <i>Endocrine</i> , 2017, 56, 560-567.	1.1	34
10	Obesity and COVID-19: A jigsaw puzzle with still missing pieces. <i>Clinical Obesity</i> , 2021, 11, e12420.	1.1	17
11	Serum Adiponectin And Insulin-Like Growth Factor 1 In Predominantly Female Patients With Thyroid Cancer: Association With The Histologic Characteristics Of The Tumor. <i>Endocrine Practice</i> , 2016, 22, 68-75.	1.1	16
12	Changes in Thyroid Hormone Levels Within the Normal and/or Subclinical Hyper- or Hypothyroid Range Do Not Affect Circulating Irisin Levels in Humans. <i>Thyroid</i> , 2016, 26, 1039-1045.	2.4	15
13	Physiological parameters regulating circulating levels of the IGFBP-4/Stanniocalcin-2/PAPP-A axis. <i>Metabolism: Clinical and Experimental</i> , 2017, 75, 16-24.	1.5	15
14	Serum Levels of Activins, Follistatins, and Growth Factors in Neoplasms of the Breast: A Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 349-358.	1.8	15
15	Serum Levels of Irisin and Omentin-1 in Breast Neoplasms and Their Association with Tumor Histology. <i>International Journal of Endocrinology</i> , 2021, 2021, 1-9.	0.6	15
16	Endocrine Manifestations and New Developments in Mitochondrial Disease. <i>Endocrine Reviews</i> , 2022, 43, 583-609.	8.9	12
17	Original publication: Low serum 25-hydroxyvitamin D (25[OH]D) levels in patients hospitalized with COVID-19 are associated with greater disease severity. <i>Clinical Endocrinology</i> , 2020, 93, 629-630.	1.2	10
18	Serum Follistatin Is Increased in Thyroid Cancer and Is Associated With Adverse Tumor Characteristics in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2137-e2150.	1.8	8

#	ARTICLE	IF	CITATIONS
19	Altered Glucose Uptake in Muscle, Visceral Adipose Tissue, and Brain Predict Whole-Body Insulin Resistance and may Contribute to the Development of Type 2 Diabetes: A Combined PET/MR Study. <i>Hormone and Metabolic Research</i> , 2018, 50, e10-e10.	0.7	6
20	Adipocytes express tissue factor and FVII and are procoagulant in a TF/FVIIa-dependent manner. <i>Upsala Journal of Medical Sciences</i> , 2019, 124, 158-167.	0.4	6
21	Responses of circulating irisin to different exercises in humans. <i>FASEB Journal</i> , 2013, 27, 712.17.	0.2	0